


2020 PRICE LIST









Index

SELF-SERVICE



Page 2 - Italian Glass Refrigerated Self-Serve



Page 11 - Low Profile Self-Serve





Page 12, 13, 14 – High Profile Self-Serve



Page 15 – High Profile (Slim Line)







Page 16, 17, 18, 19 - Multi-Deck and Island



Page 20 - End Cap Self-Serve Merchandiser





Page 21 – Wall Display Non Refrigerated Self-Serve



Page 22 - Hybrid



Page 23 - Convertible Service



Page 24 - Self-Serve Prepared Food





Page 25, 26 – Versatile Service Top Over Refrigerated







Page 27 – Sandwich or Salad Prep and Undercounter



BAKERY/DELI SERVICE

Page 1 - Italian Glass



Page 3, 4 - Market Series



Page 5, 6 – Series 90



Page 7, 8 - Curved Glass



Page 9, 10 - High Volume



COUNTERTOP

Page 1, 2 - Italian Glass



Page 14, 28 - Countertop





CONFECTION

Page 29 - Chocolate/Confection



ELEMENTS

Page 30 - Bakery/Deli, Countertop, Grab and Go









ZEROSHELF

Page 31 - Reach-In Glass Merchandiser















Model ITR4834-B18



Model ITD4834-B18 Counter not provided



Model ITD4834-B18



Model ITD4826 Counter not provided

Italian Glass Series

BAKERY AND DELI SERVICE CASES

	AIID DILI OI		JAJIO	
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
REFRIGERATI	ED 🛞			
ITR3626-B18	36" x 30.75" x 44"	120/60/1	625	\$ 22,187
ITR4826-B18	48" x 30.75" x 44"	120/60/1	680	23,355
ITR6026-B18	60" x 30.75" x 44"	120/60/1	820	24,524
ITR3634-B18	36" x 30.75" x 52"	120/60/1	650	23,119
ITR4834-B18	48" x 30.75" x 52"	120/60/1	800	24,519
ITR6034-B18	60" x 30.75" x 52"	120/60/1	930	25,899
	SE — REFRIGERATE		*	20,000
	36" x 30" x 26"			10.700
ITR3626		120/60/1	537	19,703
ITR4826	48" x 30" x 26"	120/60/1	720	20,871
ITR6026	60" x 30" x 26"	120/60/1	800	22,065
ITR3634	36" x 30" x 34"	120/60/1	575	20,635
ITR4834	48" x 30" x 34"	120/60/1	750	22,035
ITR6034	60" x 30" x 34"	120/60/1	850	23,434
NON-REFRIG	ERATED Nº			
ITD3626-B18	36" x 30.75" x 44"	120/60/1	550	13,746
ITD4826-B18	48" x 30.75" x 44"	120/60/1	640	14,437
ITD6026-B18	60" x 30.75" x 44"	120/60/1	700	14,964
ITD3634-B18	36" x 30.75" x 52"	120/60/1	575	14,437
ITD4834-B18	48" x 30.75" x 52"	120/60/1	690	15,271
ITD6034-B18	60" x 30.75" x 52"	120/60/1	800	15,948
COUNTER CA	SE - NON-REFRIGE	RATED Nº		
ITD3626	36" x 30" x 26"	120/60/1	350	11,258
ITD4826	48" x 30" x 26"	120/60/1	410	11,877
ITD6026	60" x 30" x 26"	120/60/1	550	12,407
ITD3634	36" x 30" x 34"	120/60/1	500	11,954
ITD4834	48" x 30" x 34"	120/60/1	450	12,709
ITD6034	60" x 30" x 34"	120/60/1	625	13,392
		120/00/1	020	10,002
	S For Italian Glass Cases	250010		
	and Below Shelf Lighting – 3	3500K)		N/C
Stainless Steel Sh				377
	essed) (Not Available on Cou	unter Cases) (Incl	udes Cord and Plug	
	andard on ITD Models)			263
	able on Counter Cases)			654
	(Grey to Match Metal Frame) (Not Available or	n Counter Cases)	1,227
Reflective Ends (P	· · · · · · · · · · · · · · · · · · ·			446
Reflective Rear Do				784
	d Discharge (Floor Display N			263
	(Not Available on Counter Ca			590
	ion without Compressor (EE			educt 212
	ion with Indoor Condensing		Contac	ct Factory
	ion with Outdoor Condensin			3,585
	tinuous Line-ups (N/A with C	Casters)		N/C
Laminated Base (E	• •	Poigo Mhito Di	ands)	NI/O
·	Walnut, Natural Oak, Cherry,	beige, white, Bi	aur)	N/C
	inate (B18 Models Only) sonart® Standard Offerings)(N/A on Counter (Cases)	397
	terior (B18 Models Only)	Counter C		1,008
	upply: 220-240V 50HZ 1PH			1,083
				.,,,,,,



Italian Glass Series

ITALIAN GLASS REFRIGERATED SELF SERVE - SERVE CASES

0 11. 0 1		JAJIJ		
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
REFRIGERATI	ED 🛞			
ITRSS3626-B18	36" x 33" x 44"	120/60/1	625	\$ 21,095
ITRSS4826-B18	48" x 33" x 44"	120/60/1	680	22,885
ITRSS6026-B18	60" x 33" x 44"	208-240/60/1	820	25,817
ITRSS3634-B18	36" x 33" x 52"	120/60/1	650	22,978
ITRSS4834-B18	48" x 33" x 52"	120/60/1	800	24,540
ITRSS6034-B18	60" x 33" x 52"	208-240/60/1	930	27,693
NON-REFRIGI	ERATED Nº - NEW-	-		,
ITDSS3626-B18	36"x30.75"x44"	120/60/1	550	14,746
ITDSS4826-B18	48"x30.75"x44"	120/60/1	640	15,437
ITDSS6026-B18	60"x30.75"x44"	120/60/1	700	15,964
ITDSS3634-B18	36"x30.75"x52"	120/60/1	575	15,437
ITDSS4834-B18	48"x30.75"x52"	120/60/1	690	16,271
ITDSS6034-B18	60"x30.75"x52"	120/60/1	800	16,948
				10,040
	JNTER CASE — REFF			10.070
ITRSS3626	36" x 33" x 26"	120/60/1	537	18,670
ITRSS4826	48" x 33" x 26"	120/60/1	720	20,217
ITRSS6026	60" x 33" x 26"	208-240/60/1	800	22,908
ITRSS3634	36" x 33" x 34"	120/60/1	575	20,552
ITRSS4834	48" x 33" x 34"	120/60/1	770	21,872
ITRSS6034	60" x 33" x 34"	208-240/60/1	850	24,782
COUNTER CA	SE — NON-REFRIGE	RATED 🕦 🕒	-NEW —	
ITDSS3626	36" x 30" x 26"	120/60/1	350	12,318
ITDSS4826	48" x 30" x 26"	120/60/1	410	12,937
ITDSS6026	60" x 30" x 26"	120/60/1	550	13,467
ITDSS3634	36" x 30" x 34"	120/60/1	500	13,014
ITDSS4834	48" x 30" x 34"	120/60/1	450	13,769
ITDSS6034	60" x 30" x 34"	120/60/1	625	14,452
ACCESSORIE	S For Italian Glass Cases			
	and Below Shelf Lighting - 3	3500K)		N/C
Stainless Steel She		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		377
	essed) (Not Available on Co	unter Cases) (Inclu	ides Cord and Pl	
Cord and Plug	essed) (Not Available on ool	unter dases) (mere	ides dord and ri	263
	able on Counter Cases)			654
	(Not Available on Counter Ca	3000)		1,227
Reflective Ends (Pa		4303)		446
Reflective Rear Do	·			784
	d Discharge (Floor Display N	Andels)		263
	Not Available on Counter Ca			590
	ion without Compressor	2000)		Deduct 212
	ion with Outdoor Condensin	a Unit		3,585
	ion with Indoor Condensing	-	Cont	act Factory
	tinuous Line-ups (N/A with (00111	N/C
comming rate for con-		5401010)		14/0
Laminated Base (F				
Laminated Base (E (Standard Colors: '	Walnut, Natural Oak, Cherry,	, Beige, White, Bla	ck)	N/C
(Standard Colors:)			· · · · · · · · · · · · · · · · · · ·	N/C
(Standard Colors:)	Walnut, Natural Oak, Cherry, nate (Formica® and Wilsona		· · · · · · · · · · · · · · · · · · ·	N/C 397
(Standard Colors: Special Base Lami (B18 Models Only)	Walnut, Natural Oak, Cherry, nate (Formica® and Wilsona		· · · · · · · · · · · · · · · · · · ·	
(Standard Colors: Special Base Lami (B18 Models Only) Stainless Steel Ext	Walnut, Natural Oak, Cherry, nate (Formica® and Wilsona		· · · · · · · · · · · · · · · · · · ·	397



Model ITRSS4834-B18



Model ITRSS4834 Counter not provided





Model SQ6CB



Model SQ6CBSS



Model SQ6B



Model SQ6CD

Signature Series Bakery and Deli Cases

MARKET SERIES When ordering, specify case line-up and pedestal or panel design.

Bakery Cases

Daker y	Ouses			
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
REFRIGER	ATED (Refrigerated Display	Deck, Non-Refriger	ated Shelves)	*
SQ3CB	36" x 44.12" x 48"	120/60/1	790	\$ 25,063
SQ4CB	48" x 44.12" x 48"	120/60/1	845	27,618
SQ5CB	60" x 44.12" x 48"	120/60/1	795	29,573
SQ6CB	72" x 44.12" x 48"	120/60/1	1,135	31,531
SQ8CB	96" x 44.12" x 48"	120/60/1	1,235	36,711
REFRIGER	ATED SELF-SERVE 🛞			
SQ3CBSS	36" x 44.12" x 32.25"	120/60/1	675	23,565
SQ4CBSS	48" x 44.12" x 32.25"	120/60/1	745	25,198
SQ5CBSS	60" x 44.12" x 32.25"	120/60/1	895	26,985
SQ6CBSS	72" x 44.12" x 32.25"	120/60/1	1,035	31,385
SQ8CBSS	96" x 44.12" x 32.25"	120/60/1	1,135	32,752
NON-REFF	RIGERATED Nº			
SQ3B	36" x 44.12" x 48"	120/60/1	590	20,086
SQ4B	48" x 44.12" x 48"	120/60/1	745	21,507
SQ5B	60" x 44.12" x 48"	120/60/1	895	23,414
SQ6B	72" x 44.12" x 48"	120/60/1	935	25,317
SQ8B	96" x 44.12" x 48"	120/60/1	1,035	28,756
Deli Cas	ses			
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
REFRIGER	ATED SERVICE (**)			
SQ3CD	36" x 44.12" x 48"	120/60/1	690	23,972
SQ4CD	48" x 44.12" x 48"	120/60/1	745	26,191
SQ5CD	60" x 44.12" x 48"	120/60/1	895	27,508
SQ6CD	72" x 44.12" x 48"	120/60/1	1,035	28,833
SQ8CD	96" x 44.12" x 48"	120/60/1	1,135	33,580
REFRIGER	ATED SELF-SERVE 🛞			
SQ3CDSS	36" x 44.12" x 32.25"	120/60/1	675	22,538
SQ4CDSS	48" x 44.12" x 32.25"	120/60/1	745	23,896
SQ5CDSS	60" x 44.12" x 32.25"	120/60/1	975	25,101
SQ6CDSS	72" x 44.12" x 32.25"	120/60/1	1,035	26,308
SQ8CDSS	96" x 44.12" x 32.25"	120/60/1	1,135	29,955
REFRIGER	ATED CORNERS 🛞			
SQROC90	90° Outside Service	120/60/1		28,312
SQROC90SS		120/60/1		25,573
SQRIC90	90° Inside Service	120/60/1		32,081
SQRIC90SS	90° Inside Self-Serve	120/60/1		29,610
SQROC45R	45° Outside Service (Remote			23,227
	45° Outside Self-Serve (Remote			18,374
SQRIC45	45° Inside Service	120/60/1		30,137
SQRIC45SS	45° Inside Self-Serve	120/60/1		26,903
нот 🚺				· · ·
SQ3HD	36" x 44.12" x 48"	208-240/60/1 (4 wir	e) 375	24,580
SQ4HD	48" x 44.12" x 48"	208-240/60/1 (4 wire		27,162
SQ6HD	72" x 44.12" x 48"	208-240/60/1 (4 wir		32,321
SQ8HD	96" x 44.12" x 48"	208-240/60/1 (4 wir	,	39,174
		•		

Continued on next page >



MARKET SERIES (Continued)

ACCESSORIES For SQ Market Cases		
LED Lighting (Top Light – 3500K) (CD Models)	\$	N/C
LED Lighting (Top and Below Shelf Lighting – 3500K) (CB Models)		N/C
Accent Base LED – 3500K Light		653
Bumper Rail (Per Linear Foot) (Colors: White, Black, Grey, Green)		66
Decorative End Panel (pair) (Colors: White, Black, Grey, Green)		1,812
Fish Case Package (Includes Ice Pan)		1,465
Food Container Holder		866
Laminated Base (In Lieu of Stainless Steel) (Panel Base Only) (Formica® and Wilsonart® Standard Offerings)		397
Reflective End Glass (pair)		425
Scale Stand		436
Slicer Stand		436
Special Case Height (50" or 52")		1,176
Deli Step Pan Holder or Riser (Per Section)		507
Deli Mezzanine Shelf for Non Refrigerated Product Only (LED 3500K Lighte	d Shelf)	
36", 48", 50", 72"		1,403
96"		1,668
Top Service Shelf (Stainless Steel or Glass)		1,797
ACCESSORIES For Refrigerated Only		
Remote Refrigeration with Outdoor Condensing Unit		3,585
Remote Refrigeration with Indoor Condensing Unit	Contact Fa	actory
Remote Refrigeration without Compressor Supplied (EEV Included)	Deduc	ct 211
Casters for Panel Base Models Only (Not Available on Hot Case)(Includes Corc	i)	917
Cord and Plug		263
Joining Kit for Continuous Case Line-ups (N/A with Casters)		N/C
Condensate Evaporator Assembly – On Self-Serve Models Only (Field Install Kit, Dedicated 120V 15A Circuit Required)		483
Condensate Pump		N/C
Humidity Package		828
Alternate Power Supply:		020
220-240V 50HZ 1PH		1,083
ACCESSORIES For Hot Only		,
Cord and Plug (Not Available)		
Flat Stainless Deck on Hot Delis		466
Well Covers (Hot Models Only) (Single Cover)		155
Well Covers (Hot Models Only) (Set of 3)		466




Model SQ8CDSS (Shown with panel base)



Model SQ4HD



*Shown with optional closed pedestal base







Model SNR59SC / SNR48SC



Model SN77 Lift-up front glass



Model SN4HD/ Model SN6CD



Model SN6CDSS

SERIES '90

Bakery (Cases			
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
REFRIGER/	ATED (#)			
SNR48SC	48" x 37.75" x 48"	120/60/1	750	\$ 23,221
SNR59SC	59" x 37.75" x 48"	120/60/1	825	24,749
SNR77SC	77" x 37.75" x 48"	120/60/1	1,150	26,022
DUAL (Left Ha	If Refrigerated, Right Half Non-F	Refrigerated, from Custom	er Side) 🛞 🕦	
SN483SC	48" x 37.75" x 48"	120/60/1	750	25,343
SN593SC	59" x 37.75" x 48"	120/60/1	865	27,007
SN773SC	77" x 37.75" x 48"	120/60/1	1,075	28,359
NON-REFR	IGERATED 🐠			
SN48	48" x 37.75" x 48"	120/60/1	640	13,656
SN59	59" x 37.75" x 48"	120/60/1	700	14,058
SN77	77" x 37.75" x 48"	120/60/1	865	15,322
SN96	96" x 37.75" x 48"	120/60/1	935	18,879
NON-REFR	IGERATED SELF-SER	VE BAKERY 🕦		
SN48SS	48" x 37.75" x 48"	120/60/1	600	17,315
SN59SS	59" x 37.75" x 48"	120/60/1	710	20,353
SN77SS	77" x 37.75" x 48"	120/60/1	947	22,021
Deli Cas	es			
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
REFRIGER/	ATED SERVICE 🛞			
SN4CD	48" x 37.75" x 48"	120/60/1	770	23,914
SN6CD	72" x 37.75" x 48"	120/60/1	1,000	25,491
SN8CD	96" x 37.75" x 48"	120/60/1	1,265	27,466
REFRIGERA	ATED SELF-SERVE 🍕			
SN4CDSS	48" x 37.75" x 34"	120/60/1	610	19,830
SN6CDSS	72" x 37.75" x 34"	120/60/1	800	21,152
SN8CDSS	96" x 37.75" x 34"	120/60/1	1,065	22,227
HOT 🚺				
SN4HD	48.25" x 37.75" x 48"	208-240/60/1 (4 wire) 650	21,814
SN6HD	77.25" x 37.75" x 48"	208-240/60/1 (4 wire) 860	25,839
ACCESSOR	RIES For Series '90 Cases	3		
Base Trim Spec	cify White, Black, or Stainles	s Steel		N/C
Black Interior				820
	and 4" (Includes Cord and F	lug) (not available on H	ot or Self-Serve	e) 917
Legs (6")				654
	(Not Available Hot and Self-			263
	age (For Cold Deli, Includes	Ice Pan)		1,465
	Rear Door Locks			496
Front Package	th Lights Below Shelf			810 1,140
	n Lieu of Wire (Per Tier)			321
	e (Standard Colors: Walnut,	Natural Oak Cherry B	eige White Bla	
	ecial Color Laminated Base	ratarar Jak, Oriorry, D	oigo, vvillo, Dia	
	ormica® and Wilsonart® Star	ndard Offerings)		397
	ain Base without Laminate			N/C
Sta	ainless Steel Base in Lieu of	Laminate		1,008
Decorative End	Panels and Front, Laminate	ed	Cont	act Factory

Continued on next page >



ACCESSORIES For Series '90 Cases (Continued)

LED LIGHTING (Not Available on Hot Cases)	
LED Top Light and Below Shelves	
Refrigerated Bakery	
SNR48SC \$	1,544
SNR59SC	1,767
SNR77SC	2,211
Dual Bakery	
SN483SC	1,544
SN593SC	1,767
SN773SC	2,211
Non-Refrigerated Bakery	
SN48	1,544
SN59	1,767
SN77	2,211
Non-Refrigerated Self-Serve Bakery	
SN48SS	1,544
SN59SS	1,767
SN77SS	2,211
LED Top Light and Below Mezzanine Shelf	
Refrigerated Service Deli	
SN4CD and SN6CD	888
SN8CD	1,332
Refrigerated Self-Serve Deli	
SN4CD-SS and SN-6CD-SS	444
SN8CDSS	667
Mezzanine Shelf for Refrigerated Deli, Additional (Lighted) (Not available S/S)	
48"	817
72"	956
96"	983
Mezzanine Shelf for Ref Deli, Additional (Lighted Std & LED)	667
Rear Wrapping Board for Bakery	
48"	532
59"	590
77"	650
Reflective Ends (Pair)	446
Reflective Rear Doors (Pair)	784
Stainless Steel Interior	1,006
Stainless Steel Display Deck	479
Stainless Steel Display Deck (SN8CD only)	789
Scale Stand	436
Step Pan Holder or Riser (Per Section, Specify 2 Step or 3 Step)	507
Top Service Shelf (Stainless Steel or Glass)	1,797
White or Mirrored Interior Ends with Laminated Exterior (Not Available on Self-Serve Units	s) 601
Condensate Evaporator Assembly (Self-Serve Case Only)	-
(Field Install Kit, Dedicated 120V 15A Circuit Required)	483
Condensate Pump	N/C
Alternate Power Supply:	
220-240V 50HZ 1PH	1,083





Model CGR5048



Model CGD7748



Model CGR5960DZH



Model CGR7748CD

CURVED GLASS SERIES When ordering, specify case line-up and finish.

			, ,	
Bakery C	ases			
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRIC
REFRIGERAT	TED 🛞			
CGR3142	31" x 35.31" x 42"	120/60/1	460	\$ 19,866
CGR3148	31" x 35.31" x 48"	120/60/1	500	20,044
CGR3642	36" x 35.31" x 42"	120/60/1	470	22,405
CGR3648	36" x 35.31" x 48"	120/60/1	510	22,883
CGR5042	50" x 35.31" x 42"	120/60/1	615	23,840
CGR5048	50" x 35.31" x 48"	120/60/1	640	24,307
CGR5942	59" x 35.31" x 42"	120/60/1	735	25,546
CGR5948	59" x 35.31" x 48"	120/60/1	765	26,007
CGR7742	77" x 35.31" x 42"	120/60/1	890	26,760
CGR7748	77" x 35.31" x 48"	120/60/1	930	26,931
NON-REFRIC	SERATED N			
CGD3148	31" x 35.31" x 48"	120/60/1	270	13,061
CGD3642	36" x 35.31" x 42"	120/60/1	385	13,178
CGD3648	36" x 35.31" x 48"	120/60/1	430	13,644
CGD5042	50" x 35.31" x 42"	120/60/1	425	13,482
CGD5048	50" x 35.31" x 48"	120/60/1	500	13,940
CGD5942	59" x 35.31" x 42"	120/60/1	505	13,925
CGD5948	59" x 35.31" x 48"	120/60/1	535	14,428
CGD7742	77" x 35.31" x 42"	120/60/1	685	15,342
CGD7748	77" x 35.31" x 48"	120/60/1	715	15,806
DUAL VERTIC	CAL (Left Half Refrigerated, F	Right Half Non-Refrigerated	d. from Customer	Side) (** N°
CGR5042DZ	50" x 35.31" x 42"	120/60/1	615	26,093
CGR5048DZ	50" x 35.31" x 48"	120/60/1	690	26,506
CGR5942DZ	59" x 35.31" x 42"	120/60/1	735	28,053
CGR5948DZ	59" x 35.31" x 48"	120/60/1	840	28,519
CGR7742DZ	77" x 35.31" x 42"	120/60/1	890	29,406
CGR7748DZ	77" x 35.31" x 48"	120/60/1	960	29,872
DUAL HORIZ	ONTAL (Bottom Refrigerat	ed Top Non-Refrigerated) (*) (*)	
CGR3660DZH	36" x 35.31" x 60"	120/60/1	580	31,120
CGR5060DZH	50" x 35.31" x 60"	120/60/1	800	33,419
CGR5960DZH	59" x 35.31" x 60"	120/60/1	825	37,696
CGR7760DZH	77" x 35.31" x 60"	120/60/1	1,232	39,536
Deli Case		.20,00, .	.,202	
MODEL MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICI
REFRIGERAT		LLLO IT IIO/IL	Orni WEIGITI	LIOTTTIIO
CGR3648CD	36" x 35.31" x 48"	120/60/1	470	02 011
-	50" x 35.31" x 48"	120/60/1		23,811
CGR5048CD CGR5948CD	59" x 35.31" x 48"	120/60/1	620	24,878
	77" x 35.31" x 48"	120/60/1	650 870	26,592
CGR7748CD		120/60/1	870	27,803
HOT DELI		000 040/00/4 /4		
CG5048HD	50" x 35.31" x 48"	208-240/60/1 (4 wire	,	22,656
CG5948HD	59" x 35.31" x 48"	208-240/60/1 (4 wire	,	24,198
CG7748HD	77" x 35.31" x 48"	208-240/60/1 (4 wire) 800	29,103

Continued on next page >



ACCESSORIES For Curved Glass Bakery and Deli Cases (Continued)

Trouble Terror Garren Garren Berr Gades (Germina)	ou,	
LED Lighting (Top and Below Shelf Lighting – 3000K)(Not Available in HD)	\$	N/C
Black or Chrome Wire Shelves in Lieu of White		657
Glass Shelves in Lieu of Wire (Per Tier)		496
Black Interior		820
Legs (6")		654
Casters (2 1/2" or 4") (N/A Hot Deli) (Includes Cord and Plug)		917
Cord and Plug (Not Available on Hot Deli)		263
Front Package Shelf without Light		444
Front Package Shelf with LED Light		755
HDP – Hot Display Package with Humidity for Non-Refrigerated Units		
36", 50", 59", 77" Units		7,214
Joining Kit for Continuous Case Line-ups (N/A with Casters)		N/C
Laminated Base (Standard Colors: Walnut, Natural Oak, Cherry, Beige, Whi	te, Black)	N/C
Special Color Laminated Base		
(Formica® and Wilsonart® Standard Offerings)		397
Plain Base without Laminate		N/C
Stainless Steel Base in Lieu of Laminate		1,008
Lighted Mezzanine Shelf for Refrigerated Deli, Additional		956
Rear Wrapping Board for Bakery		590
Reflective Rear Doors (Pair)		784
Reflective Ends (Pair)		446
White or Mirrored Interior Ends with Laminated Exterior		602
Remote Refrigeration with Outdoor Condensing Unit		
31", 36", 50", all "DZ" models		3,455
59", 77"		4,145
Remote Refrigeration with Indoor Condensing Unit	Contact F	actory
Remote Refrigeration without Compressor Supplied (EEV Included)	Dedu	ct 212
Locks (Front and Rear Door)		496
Scale Stand		436
Deli Step Riser or Pan Holder (Per Section)		507
Top Cutting Board, White		590
Stainless Steel Display Deck		479
Fan Kit (CGD Models Only)		448
Rear Base Panel Cover (CGD Models Only)		250
Alternate Power Supply:		
220-240V 50HZ 1PH		1,083



Model CG5048HD





Model SGD7748 / Model SGR5948



Model SGR5048DZ



Model SG5048HD / Model SGR7748CD

HIGH VOLUME SERIES When ordering, specify case line-up and finish.

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
REFRIGERA'		LLLOTTIOAL	O. III VVLIGITI	LIGITINO
SGR3142	31" x 35.31" x 42"	120/60/1	460	\$ 13,654
SGR3148	31" x 35.31" x 48"	120/60/1	500	13,899
SGR3642	36" x 35.31" x 42"	120/60/1	470	16,721
SGR3648	36" x 35.31" x 48"	120/60/1	510	17,167
SGR5042	50" x 35.31" x 42"	120/60/1	615	18,185
SGR5048	50" x 35.31" x 48"	120/60/1	690	18,714
SGR5942	59" x 35.31" x 42"	120/60/1	735	21,289
SGR5948	59" x 35.31" x 48"	120/60/1	765	21,783
SGR7742	77" x 35.31" x 42"	120/60/1	890	21,601
SGR7748	77" x 35.31" x 48"	120/60/1	930	22,397
NON-REFRIC	GERATED N			
SGD3148	31" x 35.31" x 48"	120/60/1	380	6,369
SGD3642	36" x 35.31" x 42"	120/60/1	400	7,357
SGD3648	36" x 35.31" x 48"	120/60/1	516	7,682
SGD5042	50" x 35.31" x 42"	120/60/1	550	8,684
SGD5048	50" x 35.31" x 48"	120/60/1	575	9,037
SGD5942	59" x 35.31" x 42"	120/60/1	540	8,924
SGD5948	59" x 35.31" x 48"	120/60/1	600	9,210
SGD7742	77" x 35.31" x 42"	120/60/1	685	9,780
SGD7748	77" x 35.31" x 48"	120/60/1	715	10,217
DUAL (Left Half	Refrigerated, Right Half Non-Re	efrigerated, from Custome	er Side) 🏶 📭)
SGR5042DZ	50" x 35.31" x 42"	120/60/1	688	20,387
SGR5048DZ	50" x 35.31" x 48"	120/60/1	730	20,896
SGR5942DZ	59" x 35.31" x 42"	120/60/1	735	23,799
SGR5948DZ	59" x 35.31" x 48"	120/60/1	765	24,293
SGR7742DZ	77" x 35.31" x 42"	120/60/1	890	24,244
SGR7748DZ	77" x 35.31" x 48"	120/60/1	930	25,042
Deli Case	es			
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
REFRIGERA [*]	TED DELI 🛞			
SGR3648CD	36" x 35.31" x 48"	120/60/1	590	17,858
SGR5048CD	50" x 35.31" x 48"	120/60/1	620	19,120
SGR5948CD	59" x 35.31" x 48"	120/60/1	650	22,180
SGR7748CD	77" x 35.31" x 48"	120/60/1	860	22,736
HOT DELI				
SG5048HD	50" x 35.31" x 48"	208-240/60/1 (4 wire)) 535	18,398
SG5948HD	59" x 35.31" x 48"	208-240/60/1 (4 wire)	<u>'</u>	19,639

208-240/60/1 (4 wire)

800

23,609

Continued on next page >

77" x 35.31" x 48"

SG7748HD



ACCESSORIES For High Volume Cases

ACCESSORIES FOR Flight Volume Cases		
LED Lighting (Top and Below Shelf Lighting – 3000K) (Not Available HD)	\$ 1	N/C
Black or Chrome Wire Shelves in Lieu of White	(657
Glass Shelves in Lieu of Wire (Per Tier)		496
Black Interior		820
Legs (6")	(654
Casters (2 1/2" or 4") (N/A Hot Deli) (Includes Cord and Plug)		917
Cord and Plug (Not Available on Hot Deli)	;	263
HDP – Hot Display Package with Humidity for Non-Refrigerated Units		
36", 50", 59", 77" Units	7,5	214
Joining Kit for Continuous Case Line-ups (N/A with Casters)	1	N/C
Laminated Base (Standard Colors: Walnut, Natural Oak, Cherry, Beige, White, Black	k) [N/C
Special Color Laminated Base		
(Formica® and Wilsonart® Standard Offerings)		397
Plain Base without Laminate	1	N/C
Stainless Steel Base in Lieu of Laminate	1,	800
Lighted Mezzanine Shelf for Refrigerated Deli, Additional		956
Front Package Shelf without Light		444
Front Package Shelf with LED Light	1,	199
Rear Wrapping Board for Bakery	;	590
Reflective Rear Doors (Pair)		784
Self Closing Doors (not available for 31 or 36" cases)	1,	802
Reflective Ends (Pair)		446
White or Mirrored Interior Ends with Laminated Exterior		602
Remote Refrigeration with Outdoor Condensing Unit		
31", 36", 50", all "DZ" models	3,	455
59", 77"	4,	145
Remote Refrigeration with Indoor Condensing Unit Conta	ct Fact	tory
Remote Refrigeration without Compressor Supplied (EEV Included)	educt :	212
Scale Stand		436
Deli Step Riser or Pan Holder (Per Section)	ļ	507
Top Cutting Board, White	;	590
Locks (Front and Rear Door)		496
Stainless Steel Display Deck		479
Fan Kit (CGD Models Only)		448
Rear Base Panel Cover (CGD Models Only)	:	250
Alternate Power Supply:		
208-240V 60HZ 1PH	1	083
220-240V 50HZ 1PH	1	083





Specialty Display Cases

SELF-SERVE REFRIGERATED MERCHANDISERS When ordering, specify finish.

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
LOW PROF	ILE - REFRIGERATED	*		
LPRSS3	36" x 34" x 46"	120/60/1	450	\$ 12,351
LPRSS4	48" x 34" x 46"	120/60/1	525	12,863
LPRSS5	60" x 34" x 46"	208-240/60/1	650	15,854
LPRSS6	72" x 34" x 46"	208-240/60/1	700	16,618
ACCESSO	RIES For Low Profile Self-Sel	rve Merchandiser	S	
LED Lighting (Top and Below Shelf Lighting - 3	3500K)		N/C
Casters (Reces	ssed or 4") (Includes Cord and F	Plug)		654
Legs (6")				654
Laminated Fin	ish (Standard Colors: Walnut, Na	atural Oak, Cherry,	Beige, White, Bla	ick) N/C
Sı	pecial Color Laminate (Formica [®]	and Wilsonart® S	tandard Offerings) 397
St	tainless Steel Base in Lieu of La	minate		1,008
Remote Refrig	eration with Outdoor Condensin	ıg Unit		
LF	PR3, LPR4, LPR5			3,585
LF	PR6			4,145
Remote Refrig	eration with Indoor Condensing	Unit	Conta	ct Factory
Remote Refrig	eration without Compressor Sup	oplied (EEV Include	ed) D	educt 212
Sound Deader	ning Kit			433
Reflective End	Glass (Pair)			446
Rear Access D	oors (1,524
Two-Tier Stain	less Steel Display Step in Lieu o	of Shelving		173
Shelving, Two	Tier (Glass or Stainless)			313
Pair of Flush E	nd Panels for Counter Installation	ons (Includes Mirro	red Interior)	440
Joining Kit for	Continuous Line-ups (N/A with	Casters)		N/C
Security Night	Cover, Black Polycarbonate			1,003
Front Condens	sing Unit Air Discharge			795
Stainless Stee	I Interior, Includes Shelves			1,524
	vaporator Assembly – Required LPRSS6 only) (Field Install Kit, D			1) 483
	ump (Standard on LPRSS5 and			N/C
Alternate Powe	er Supply:			
22	20-240V 50HZ 1PH			939



HIGH PROFILE SELF-SERVE REFRIGERATED MERCHANDISERS When ordering, specify finish.

_		_		3, 1
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
HIGH PROF	ILE — REFRIGERATED	*		
RSSM360SC	36" x 35.25" x 60"	208-240/60/1	709	\$ 17,758
RSSM460SC	47.25" x 35.25" x 60"	208-240/60/1	800	18,229
RSSM560SC	59.25" x 35.25" x 60"	208-240/60/1	960	19,597
RSSM660SC	71.25" x 35.25" x 60"	208-240/60/1	1,020	20,999
RSSM378SC	36" x 35.25" x 78"	208-240/60/1	834	18,343
RSSM478SC	47.25" x 35.25" x 78"	208-240/60/1	925	18,776
RSSM578SC	59.25" x 35.25" x 78"	208-240/60/1	1,100	20,432
RSSM678SC	71.25" x 35.25" x 78"	208-240/60/1	1,220	21,621
RSSM878R	91.25" x 35.25" x 78"	208-240/60/1	1,585	30,671
HIGH PROF	ILE — NON-REFRIGER	ATED N		
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
NSSM360	36" x 35.25" x 60"	120/60/1	625	10,974
NSSM460	47.25" x 35.25" x 60"	120/60/1	632	12,614
NSSM660	71.25" x 35.25" x 60"	120/60/1	918	13,807
NSSM378	36" x 35.25" x 78"	120/60/1	750	12,072
NSSM478	47.25" x 35.25" x 78"	120/60/1	841	12,614
NSSM578	59.25" x 35.25" x 78"	120/60/1	920	14,093
NSSM678	71.25" x 35.25" x 78"	120/60/1	1,118	13,644
NSSM878	91.25" x 35.25" x 78"	120/60/1	1,483	15,264
ACCESSOR	IES For High Profile Self-Se	rve Merchandise	rs	
Easy Clean Con	denser Filter			N/C
LED Lighting (To	pp Light – 3500K)			N/C
All White Case (Interior, Exterior, Trim and Base	e))		800
White Interior (In	ncludes Shelving)			N/C
	r (Includes Shelving)			
), 460			1,378
560				2,443
660				3,233
	3, 478			2,132
578				3,951
Black Trim)			5,531 707
	or 4") (Includes Cord and Plug)			917
Legs (6")	or +) (includes oord and ridg)	<u>'</u>		654
	or 4") with Skirt (Includes Cord	and Plug)		1,227
Cord and Plug	, (263
Glass Shelves P	er Tier			205

Laminated Finish (Standard Colors: Walnut, Natural Oak, Cherry, Beige, White, Black)

Stainless Steel Finish in Lieu of Laminate

Special Color Laminate (Formica® and Wilsonart® Standard Offerings)



Model RSSM678SC / RSSM360SC



Model RSSM678SC with security roll-up cover requires squared ends. Shown with optional rear sliding doors.



Model RSSM Drop In OptionContact Factory for more information.

Continued on next page >

36", 48"

60", 72"

96"

N/C

565

1,631

2,290

3,066



ACCESSORIES For High Profile Self-Serve Merchandisers (Continued)

LED Lights Below Shelves – 3500K	
360, 460, 560, 660	\$ 480
378, 478	560
578, 678, 878	720
Reflective End Glass (Pair)	448
Rear Condensing Unit Air Discharge Standard (Front discharge automatic when pagainst a wall)	oushed N/C
Knee Wall installation requires alternate condensing unit configuratio (Must order at time of purchase)	n N/C
Hinged Rear Access Doors	
36" and 48"	1,888
60"	2,100
72"	2,472
96"	3,776
Sliding Rear Access Doors	
48"	1,888
60"	2,100
72"	2,472
96"	3,776
Rear Side Panel Extensions (Six Inches)	871
Joining Kit for Continuous Line Up (N/A with Casters)	N/C
Security Roll Cover (Black or White) Note: Unit Comes with Square Front and Enc (Not Available if Cases are Joined)	ls
36", 48"	3,212
60", 72"	3,920
96"	5,226
Security Night Cover - Removable Metal Clad	1,149
Security Night Cover - Removable Black Polycarbonate	1,149
Slim Profile 30" Deep	314
Stainless Steel Interior Back	
36", 48"	624
60", 72", 96"	935
Additional Shelves (No Light)	401
Additional Shelves (LED Lighted -3500K)	525
Stainless Steel Shelves (Per Tier, No Light)	
36", 48", 60"	377
72", 96"	754
Sound Deadening Kit	433
Deli Meat Pegs (Per Tier) (In Lieu of Shelves)	541
Remote Refrigeration with Outdoor Condensing Unit	
36", 48"	4,145
60", 72"	4,395
96"	4,850
	act Factory
	Deduct 344
For Continuous Line-ups (Plexiglass Divider is Provided)	N/C
Condensate Evaporator Assembly – Required if No Drain Available (Field Install Kit, Dedicated 120V 15A Circuit Required) for Remote Models Only	483
Condensate Pump – Standard on All Remote Models	N/C
Bumper (Black)	425
Alternate Power Supply:	
220-240V 50HZ 1PH	1,132
Slanted Milk Crate Insert	325



HIGH PROFILE SELF-SERVE HEATED MERCHANDISERS When ordering, specify finish.

MODEL DESCRIPTION (L X D X H) ELECTRICAL SHIP WEIGHT LIST PRICE HIGH PROFILE — HEATED () HSSM260 24.1" x 35.2" x 60.6" 208-240/60/1 350 \$ 22,600 HSSM360 36.1" x 35.2" x 60.7" 208-240/60/1 500 26,900 HSSM460 48.1" x 35.2" x 60.7" 208-240/60/1 550 26,900 ACCESSORIES For Heated Self-Serve Merchandisers LED Top Light − 3500K N/C N/C Casters (2 1/2" or 4") or Legs (6") 654 Front Cart Bumper (Black) 428 Feflective End Glass (Pair) 448 Laminated Finish (Standard Colors: Walnut, Natural Oak, Cherry, Beige, White, Black) N/C Special Color Laminate (Formica® and Wilsonart® Standard Offering) 565 Stainless Steel Finish in Lieu of Laminate 24" 1,300 36" 48" 1,631 1,631 1,631 48" 1,240 36" 1,240 48" 1,240 48" 1,240 36" 1,240 1,240 1,240 36" 1,240 1,215 1,215 <t< th=""><th></th><th></th><th></th><th></th><th></th></t<>					
HSSM260	MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRIC
HSSM360 36.1" x 35.2" x 60.7" 208-240/60/1 400 24,300 HSSM460 48.1" x 35.2" x 60.7" 208-240/60/1 550 26,900 ACCESSORIES For Heated Self-Serve Merchandisers LED Top Light - 3500K N/C Casters (2 1/2" or 4") or Legs (6") 654 Front Cart Bumper (Black) 425 Reflective End Glass (Pair) 448 Laminated Finish (Standard Colors: Walnut, Natural Oak, Cherry, Beige, White, Black) N/C Special Color Laminate (Formica® and Wilsonart® Standard Offering) 565 Stainless Steel Finish in Lieu of Laminate 24" 1,300 36" 1,631 48" 1,631 LED Lights Below Shelves (3 Tiers) - 3500K 480 Reflective Rear Access Sliding Door 24" 1,240 48" 1,500 Clear Rear Access Sliding Door 24" 1,000 48" 1,000 48" 1,000 36" 1,400 48" 1,000 36" 1,215 48" 1,310 Replacement Heated Shelf without LED Lights 24" 1,310 Replacement Heated Shelf Rated 208/240V 433 36" 437 438 Replacement Heated Deck 24" Wide Shelf Rated 208/240V 586 Replacement Heated Deck 24" Wide Shelf Rated 208/240V 449 24" Wide Shelf Rated 208/240V 449 Replacement Heated Deck 24" Wide Shelf Rated 208/240V 449 24" Wide Shelf Rated 208/240V 449 Replacement Heated Deck 24" Wide Shelf Rated 208/240V 449 24" Wide Shelf Rated 208/240V 449 36" Wide Shelf Rated	HIGH PRO	FILE — HEATED 🚺			
HSSM460	HSSM260	24.1" x 35.2" x 60.6"	208-240/60/1	350	\$ 22,600
ACCESSORIES For Heated Self-Serve Merchandisers LED Top Light - 3500K Casters (2 1/2" or 4") or Legs (6") Front Cart Bumper (Black) Reflective End Glass (Pair) 448 Laminated Finish (Standard Colors: Walnut, Natural Oak, Cherry, Beige, White, Black) Special Color Laminate (Formica® and Wilsonart® Standard Offering) 565 Stainless Steel Finish in Lieu of Laminate 24" 1,300 36" 1,631 48" 1,631 LED Lights Below Shelves (3 Tiers) - 3500K Reflective Rear Access Sliding Door 24" 1,240 36" 1,400 48" 1,500 Clear Rear Access Sliding Door 24" 1,000 36" 1,215 48" 1,310 Replacement Heated Shelf without LED Lights 24" Wide Shelf Rated 208/240V 48" Wide Shelf Rated 208/240V 586 Replacement Heated Deck 24" Wide Shelf Rated 208/240V 485 Replacement Heated Deck	HSSM360	36.1" x 35.2" x 60.7"	208-240/60/1	400	24,300
LED Top Light - 3500K	HSSM460	48.1" x 35.2" x 60.7"	208-240/60/1	550	26,900
Casters (2 1/2" or 4") or Legs (6") 654 Front Cart Bumper (Black) 425 Reflective End Glass (Pair) 448 Laminated Finish (Standard Colors: Walnut, Natural Oak, Cherry, Beige, White, Black) N/C Special Color Laminate (Formica® and Wilsonart® Standard Offering) 565 Stainless Steel Finish in Lieu of Laminate 1,300 36" 1,631 48" 1,631 LED Lights Below Shelves (3 Tiers) – 3500K 480 Reflective Rear Access Sliding Door 24" 1,240 48" 1,500 Clear Rear Access Sliding Door 24" 1,000 36" 1,215 48" 1,310 Replacement Heated Shelf without LED Lights 24" Wide Shelf Rated 208/240V 433 36" Wide Shelf Rated 208/240V 586 Replacement Heated Deck 24" Wide Shelf Rated 208/240V 405 36" Wide Shelf Rated 208/240V 405	ACCESSO	RIES For Heated Self-Serve	Merchandisers		
Front Cart Bumper (Black) 425 Reflective End Glass (Pair) 448 Laminated Finish (Standard Colors: Walnut, Natural Oak, Cherry, Beige, White, Black) N/C Special Color Laminate (Formica® and Wilsonart® Standard Offering) 565 Stainless Steel Finish in Lieu of Laminate 1,300 36" 1,631 48" 1,631 LED Lights Below Shelves (3 Tiers) – 3500K 480 Reflective Rear Access Sliding Door 480 24" 1,240 48" 1,500 Clear Rear Access Sliding Door 24" 1,000 36" 1,215 48" 1,310 Replacement Heated Shelf without LED Lights 24" Wide Shelf Rated 208/240V 433 36" Wide Shelf Rated 208/240V 586 Replacement Heated Deck 48" Wide Shelf Rated 208/240V 586 Replacement Heated Deck 24" Wide Shelf Rated 208/240V 405 36" Wide Shelf Rated 208/240V 405 <td>LED Top Ligh</td> <td>t – 3500K</td> <td></td> <td></td> <td>N/C</td>	LED Top Ligh	t – 3500K			N/C
Reflective End Glass (Pair)	Casters (2 1/2	2" or 4") or Legs (6")			654
Laminated Finish (Standard Colors: Walnut, Natural Oak, Cherry, Beige, White, Black) N/C Special Color Laminate (Formica® and Wilsonart® Standard Offering) 565 Stainless Steel Finish in Lieu of Laminate 24" 1,300 36" 1,631 48" 1,631 LED Lights Below Shelves (3 Tiers) – 3500K 480 Reflective Rear Access Sliding Door 24" 1,240 36" 1,400 48" 1,500 Clear Rear Access Sliding Door 24" 1,000 36" 1,215 48" 1,310 Replacement Heated Shelf without LED Lights 24" Wide Shelf Rated 208/240V 433 36" Wide Shelf Rated 208/240V 467 48" Wide Shelf Rated 208/240V 586 Replacement Heated Deck 24" Wide Shelf Rated 208/240V 405 36" Wide Shelf Rated 208/240V 405 36" Wide Shelf Rated 208/240V 449	Front Cart Bu	ımper (Black)			425
Special Color Laminate (Formica® and Wilsonart® Standard Offering) 565	Reflective En	d Glass (Pair)			448
Stainless Steel Finish in Lieu of Laminate 24"	Laminated Fi	nish (Standard Colors: Walnut, N	latural Oak, Cherry	, Beige, White, B	lack) N/C
24" 1,300 36" 1,631 48" 1,631 48" 1,631 48" 1,631 48" 480		Special Color Laminate (Formica	and Wilsonart® S	tandard Offering)	565
36" 1,631 1,631 1,631 1,631 1,631 1,631 1,631 1,631 1,631 1,631 1,631 1,631 1,631 1,631 1,631 1,240 1,240 1,240 1,240 1,240 1,240 1,500 1,500 1,500 1,500 1,500 1,500 1,500 1,215 1,215 1,215 1,215 1,215 1,310 1,215 1,310	9	Stainless Steel Finish in Lieu of La	aminate		
48" 1,631 LED Lights Below Shelves (3 Tiers) – 3500K 480 Reflective Rear Access Sliding Door 24" 1,240 36" 1,400 48" 1,500 Clear Rear Access Sliding Door 24" 1,000 36" 1,215 48" 1,310 Replacement Heated Shelf without LED Lights 24" Wide Shelf Rated 208/240V 433 36" Wide Shelf Rated 208/240V 586 Replacement Heated Deck 24" Wide Shelf Rated 208/240V 405 36" Wide Shelf Rated 208/240V 405 36" Wide Shelf Rated 208/240V 449	2	24"			1,300
LED Lights Below Shelves (3 Tiers) – 3500K	3	36"			1,631
Reflective Rear Access Sliding Door		48"			1,631
24" 1,240 36" 1,400 48" 1,500 Clear Rear Access Sliding Door 24" 1,000 36" 1,215 48" 1,310 Replacement Heated Shelf without LED Lights 24" Wide Shelf Rated 208/240V 433 36" Wide Shelf Rated 208/240V 586 Replacement Heated Deck 24" Wide Shelf Rated 208/240V 467 48" Wide Shelf Rated 208/240V 586 Replacement Heated Deck	LED Lights B	elow Shelves (3 Tiers) – 3500K			480
36" 1,400 48" 1,500 Clear Rear Access Sliding Door 24" 1,000 36" 1,215 48" 1,310 Replacement Heated Shelf without LED Lights 24" Wide Shelf Rated 208/240V 433 36" Wide Shelf Rated 208/240V 586 Replacement Heated Deck 24" Wide Shelf Rated 208/240V 467 48" Wide Shelf Rated 208/240V 586 Replacement Heated Deck	Reflective Re	ar Access Sliding Door			
48" 1,500 Clear Rear Access Sliding Door 24" 1,000 36" 1,215 48" 1,310 Replacement Heated Shelf without LED Lights 24" Wide Shelf Rated 208/240V 433 36" Wide Shelf Rated 208/240V 586 Replacement Heated Deck 24" Wide Shelf Rated 208/240V 467 48" Wide Shelf Rated 208/240V 586 Replacement Heated Deck	2	24"			1,240
24" 1,000 36" 1,215 48" 1,310 1,310	3	36"			1,400
24" 1,000 36" 1,215 48" 1,310 Replacement Heated Shelf without LED Lights 24" Wide Shelf Rated 208/240V 433 36" Wide Shelf Rated 208/240V 467 48" Wide Shelf Rated 208/240V 586 Replacement Heated Deck 24" Wide Shelf Rated 208/240V 405 36" Wide Shelf Rated 208/240V 449	2	48"			1,500
36" 1,215 48" 1,310 Replacement Heated Shelf without LED Lights 24" Wide Shelf Rated 208/240V 433 36" Wide Shelf Rated 208/240V 467 48" Wide Shelf Rated 208/240V 586 Replacement Heated Deck 24" Wide Shelf Rated 208/240V 405 36" Wide Shelf Rated 208/240V 449	Clear Rear Ad	ccess Sliding Door			
48" 1,310 Replacement Heated Shelf without LED Lights 24" Wide Shelf Rated 208/240V 433 36" Wide Shelf Rated 208/240V 467 48" Wide Shelf Rated 208/240V 586 Replacement Heated Deck 24" Wide Shelf Rated 208/240V 405 36" Wide Shelf Rated 208/240V 449	2	24"			1,000
Replacement Heated Shelf without LED Lights	3	36"			1,215
24" Wide Shelf Rated 208/240V 433 36" Wide Shelf Rated 208/240V 467 48" Wide Shelf Rated 208/240V 586 Replacement Heated Deck 24" Wide Shelf Rated 208/240V 405 36" Wide Shelf Rated 208/240V 449		48"			1,310
36" Wide Shelf Rated 208/240V 467 48" Wide Shelf Rated 208/240V 586 Replacement Heated Deck 24" Wide Shelf Rated 208/240V 405 36" Wide Shelf Rated 208/240V 449	Replacement	Heated Shelf without LED Lights	3		
48" Wide Shelf Rated 208/240V 586 Replacement Heated Deck 24" Wide Shelf Rated 208/240V 405 36" Wide Shelf Rated 208/240V 449	2	24" Wide Shelf Rated 208/240V			433
Replacement Heated Deck 24" Wide Shelf Rated 208/240V 405 36" Wide Shelf Rated 208/240V 449	3	36" Wide Shelf Rated 208/240V			467
24" Wide Shelf Rated 208/240V 405 36" Wide Shelf Rated 208/240V 449	2	48" Wide Shelf Rated 208/240V			586
36" Wide Shelf Rated 208/240V 449	Replacement	Heated Deck			
		24" Wide Shelf Rated 208/240V			405
48" Wide Shelf Rated 208/240V 571	3	36" Wide Shelf Rated 208/240V			449
		48" Wide Shelf Rated 208/240V			571



HSSM Heated Merchandiser

HIGH PROFILE SELF-SERVE COUNTER TOP MERCHANDISERS When ordering, specify finish.

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE		
HIGH PROFILE — REFRIGERATED 🛞						
TSSM2454	24.71" x 28.45" x 53.71"	120/60/1	250	9,800		
ACCESSORIES For Counter Top Self-Serve Merchandisers						
White Powder Coated Exterior Finish, Interior and Shelving						
Stainless Steel Exterior Finish, Interior and Shelving						



TSSM2454 Specialty Merchandiser Contact Factory for more information.





Model RSSL578SC

24" SELF-SERVE SLIM LINE REFRIGERATED MERCHANDISER

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
HIGH PROFIL	E – REFRIGERATED	*		
RSSL378SC	36" x 24" x 78"	120/60/1	795	\$ 18,434
RSSL478SC	48" x 24" x 78"	208-240/60/1	885	18,867
RSSL578SC	60" x 24" x 78"	208-240/60/1	1,120	20,533
RSSL678SC	72" x 24" x 78"	208-240/60/1	1,180	21,726
ACCESSORIE	S For Slim-line High Prof.	ile Self-Serve Merc	handisers	
LED Top Light – 35		no con corvenio	riarialouro	N/C
	erior, Exterior, Trim and Bas	se)		800
White Interior (Incl		,		N/C
Stainless Interior (I	<u> </u>			
378, 4	,,,			2,132
578				3,951
678				5,531
Casters (2 1/2") or	Legs (6")			654
Casters 2 1/2"with				1,227
Cord and Plug				Standard
Laminated Finish (Standard Colors: Walnut, N	Natural Oak, Cherry,	Beige, White, B	lack) N/C
Speci	al Color Laminate (Formica	® and Wilsonart® Sta	andard Offering)	565
Stainl	ess Steel Finish in Lieu of L	aminate		
36", 4	8"			1,631
60", 7	2"			2,290
LED Lights Below	Shelves – 3500K			
378, 4	178			560
578, 6	578			720
Security Night Cov	ver – Removable Black Poly	carbonate		1,149
Stainless Steel Inte	erior Back			
36", 4	8"			624
60", 7	2"			935
Additional Shelf (N	on Lighted)			401
Additional Shelf (L	ED Lighted-3500K)			525
Glass Shelves (Per	r Tier)			205
Stainless Steel Sho	elves (Per Tier)			240
36", 4	8", 60"			377
72"				754
Sound Deadening	Kit			433
Deli Meat Pegs (Pe	er Tier) (In Lieu of Shelves)			541
Remote Refrigerat	ion with Outdoor Condensi	ng Unit		
36", 4	.8"			4,145
60", 7	2"			4,395
Remote Refrigerat	ion with Indoor Condensing	g Unit	Cont	act Factory
Remote Refrigerat	ion without Compressor Su	ipplied (EEV Included	d) I	Deduct 344
Condensate Pump	- (In Lieu of Pan)			N/C
•	orator Assembly - Required			
•	edicated 120V 15A Circuit F	Required) (Remote O	nly)	483
Reflective End Gla				448
Alternate Power S	,			
	40V 50HZ 1PH	211120		1,132
208-2	40V 60HZ 1PH (RSSL378 (JNLY)		1,058



HIGH PROFILE SELF-SERVE REFRIGERATED MULTIPURPOSE MILK MERCHANDISERS

(Remote Only) When ordering, specify finish.


HIGH PROFILE - DAIRY (8)

EL EGEDIONI		
ELECTRICAL	SHIP WEIGHT	LIST PRICE
*		
208-240/60/1	1150	\$ 25,600
pose Milk Self-S	Serve Merchar	ndisers
ural Oak, Cherry,	Beige, White, E	Black) N/C
and Wilsonart® S	tandard Offering	gs) 565
		1,631
		N/C
		624
Single Layer of N	filk Crates	525
		103.20
		64.30
		71.29
		78.25
		73.31
		71.29
		3,800
te		1,149
		448
	Cor	ntact Factory
ncludes Door Lo	ck)	1,888
	208-240/60/1 Dose Milk Self-Sural Oak, Cherry, and Wilsonart® S Single Layer of M	208-240/60/1 1150 Dose Milk Self-Serve Merchar Jural Oak, Cherry, Beige, White, E and Wilsonart® Standard Offering Single Layer of Milk Crates te





Model LMDM4878SC



36" x 34.25" x 78"	208-240/60/1	834	17,578
47.25" x 34.25" x 78"	208-240/60/1	925	18,867
71.25" x 34.25" x 78"	208-240/60/1	1,220	21,726
91.81" x 34.25" x 78"	208-240/60/1	1,585	30,824
	17.25" x 34.25" x 78" 71.25" x 34.25" x 78"	47.25" x 34.25" x 78" 208-240/60/1 71.25" x 34.25" x 78" 208-240/60/1	47.25" x 34.25" x 78" 208-240/60/1 925 71.25" x 34.25" x 78" 208-240/60/1 1,220

ACCESSORIES	For High	Profile	Self-Serve	Merchandisers
-------------	----------	---------	------------	---------------

(Must order at time of purchase)

7.6 GEGGGT TEG T OF THIS CONTROL OF THE OFFICE OF THE OFFI	
LED Lighting (Top Light – 3500K) Standard with Top and Vertical Lights	N/C
Black Interior RSSD (Includes Shelving) (White Interior Standard)	N/C
Casters (2 1/2" or 4") (Includes Cord and Plug)	917
Casters (2 1/2" or 4") with Skirt (Includes Cord and Plug)	1,227
6" Legs	654
Cord and Plug	263
Glass Shelves Per Tier (Shelf Light Not Available)	205
Laminated Finish (Standard Colors: Walnut, Natural Oak, Cherry, Beige, White, Black)	N/C
Special Color Laminate (Formica® and Wilsonart® Standard Offerings)	565
Reflective End Glass (Pair)	448
Rear Condensing Unit Air Discharge Standard (Front discharge automatic	
when pushed against a wall)	N/C

Knee Wall installation requires alternate condensing unit configuration



Model RSSD678SC

N/C

2020 Price List



Hinged Rear Access Doors	
36" and 48"	1,888
60"	2,100
72"	2,472
96"	3,776
Sliding Rear Access Doors	
48"	1,888
60"	2,100
72"	2,472
96"	3,776
Rear Side Panel Extensions (6")	871
Joining Kit for Continuous Line Up (N/A with Casters)	N/C
Security Night Cover Removable - Black Polycarbonate	1,149
Slim Profile 30" Deep	314
Stainless Steel Interior	
36", 48", 60"	377
72", 96"	754
Sound Deadening Kit	433
Deli Meat Pegs - in lieu of shelves (Per Tier)	541
Remote Refrigeration with Outdoor Condensing Unit	
36", 48"	4,145
60", 72"	4,395
96"	4,850
Remote Refrigeration with Indoor Condensing Unit	Contact Factory
Remote Refrigeration without Compressor Supplied (EEV Included)	Deduct 344
For Continuous Line-ups (Plexiglass Divider is Provided)	N/C
Condensate Evaporator Assembly – Required if No Drain Available (Field Install Kit, Dedicated 120V 15A Circuit Required) (Remote Only)	483
Condensate Pump – Standard on RSSM 560, 660 and All Remote Models	N/C
Bumper (Black)	425
All White Case (Interior, Exterior, Trim and Base)	800
Alternate Power Supply:	
220-240V 50HZ 1PH	1,132
Slanted Milk Crate Insert	325



SELF-SERVE REFRIGERATED MULTI-DECK MERCHANDISERS (Remote Only) When ordering, specify finish.

	The management of the manageme	oto Orny) when ord	ornig, speedly lillion.	
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
HIGH PROF	ILE - REFRIGERATED	*		
LMD4878R	49.8" x 38" x 78"	120/60/1	800	\$ 21,273
LMD7278R	73.8" x 38" x 78"	120/60/1	1,070	26,235
LMD9678R	97.8" x 38" x 78"	120/60/1	1,260	30,540
ACCESSOR	IES For High Profile Self-Sel	rve Merchandise	ers	
LED LIGHTING	(Top and Below Shelf Lighting	– 3500K)		N/C
Black Interior (Ir	ncludes Shelving)			N/C
Stainless Steel	Interior (Includes Shelving)			3,974
Laminated Finis	h (Standard Colors: Walnut, N	atural Oak, Cherry	y, Beige, White, Bl	ack) N/C
Sp	ecial Color Laminate (Formica®	and Wilsonart® S	Standard Offering)	565
Sta	inless Steel Finish in Lieu of La	minate		
48'	,			807
72'	,			1,146
96'	,			1,533
Remote Refrige	ration with Indoor Condensing	Unit	Conta	act Factory
Remote Refrige	ration with Outdoor Condensin	g Unit		
LM	D4878R			4,395
LM	D7278R			4,850
LM	D9678R			5,050
	ration with Top Mount Condens	sing Unit		
	y for electrical requirements)			3,974
	(Black Finish or Aluminum Finis	sh)		1,149
Reflective End (,			866
Condensate Pu	<u>'</u>			231
White Top Cand				N/C
	Continuous Line-ups			N/C
Product Mister				
4'				2,625
6'				3,089
8'				3,382
Alternate Power	r Supply:			
220	0-240V 50HZ 1PH			1,083



Model LMD7278R





ISLAND MERCHANDISER - REFRIGERATED ®

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
IMSS60SC-2	60" x 40" x 55"	208-240/60/1	860	\$ 31,007
IMSS60SC-3	60" x 40" x 60"	208-240/60/1	910	31,758
IMSS84SC-2	84" x 40" x 55"	208-240/60/1	1,000	33,740
IMSS84SC-3	84" x 40" x 60"	208-240/60/1	1,150	34,491
IMSS120SC-2	120.5" x 40.5" x 57"	208-240/60/1	1,375	44,977
IMSS120SC-3	120.5" x 40.5" x 62"	208-240/60/1	1,450	46,953
ACCESSORI	IES For Island Merchandis	er		
LED LIGHTING (Top and Below Shelf Lighting	g – 3500K)		N/C
Cart Bumper (Bl	ack)	·		928
Cord and Plug				263
Casters (Recess	ed or 4") (Includes Cord and	Plug)		917
Legs (6")				654
_ , ,	C-2 and Remote Units Come	Standard with Cond	densate Pump	N/C
	porator Assembly – Required Dedicated 120V 15A Circuit I		е	483
	(Standard Colors: Walnut, N	· /	Beige, White, B	lack) N/C
Special Color La	,	•	3.,	380
Stainless Steel T		,		
IMS	SS60			2,329
IMS	SS84			2,329
IMS	\$\$120			2,849
Stainless Steel E	Band			· · · · · · · · · · · · · · · · · · ·
IMS	\$\$60			179
IMS	SS84			179
IMS	S120			259
Stainless Steel E	Base			
IMS	SS60			239
IMS	SS84			239
IMS	S120			369
Stainless Steel T	ower and Stainless Shelves			
IMS	\$\$60			539
IMS	SS84			539
IMS	S120			1,429
Remote Refriger	ation without Compressor Su	upplied (EEV Include	d)	Deduct 344
Remote Refriger	ation with Outdoor Condensi	ng Unit		
IMS	\$\$60			4,850
IMS	SS84			4,850
IMS	S120			5,050
Remote Refriger	ation with Indoor Condensing	g Unit	Con	tact Factory
Top-Mounted Ele	ectrical (Cord Not Available)			N/C
Top-Mounted Re	efrigeration (Remote Only)			N/C
Top-Mounted Co	ondensate Pump Drain Line			N/C
Top Chase Kit C	onnections (Black Texture/Wh	hite 4" x 4" x 5' Long	g)	271
Price Tag Moldin	ng (60", 84")			106
Price Tag Moldin	ng (120")			212
Graphic Wrap Ba	and/Base		Con	tact Factory
Condenser Air F	ilter			240
Alternate Power	Supply:			
220	-240V 50HZ 1PH			1,083
				,



END CAP - REFRIGERATED ®

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
ECSS40SC	40" x 40" x 60"	208-240/60/1	750	\$ 28,046
ECSS60SC	60" x 40" x 60"	208-240/60/1	950	30,867
ACCESSOR	RIES For End Cap			
LED Lighting (To	op and Below Shelf Lighting -	3500K)		N/C
Cart Bumper (B	Black)			617
Casters (Reces	sed or 4") (Includes Cord and F	Plug)		917
Legs (6")				654
Cord and Plug				263
	aporator Assembly – Required , Dedicated 120V 15A Circuit F		ole	483
Laminated Ban	d (Standard Colors: Walnut, Na	atural Oak, Cherry,	Beige, White, Bl	ack) N/C
	ecial Color Laminated Band ormica® and Wilsonart® Standa	ard Offering)		379
Stainless Steel	Тор			1,429
Stainless Steel	Band			125
Stainless Steel	Base			175
Stainless Steel	Tower and Stainless Shelves			629
Remote Refrige	eration without Compressor Su	pplied (EEV Include	ed)	Deduct 344
Remote Refrige	eration with Outdoor Condensir	ng Unit		4,850
Remote Refrige	eration with Indoor Condensing	Unit	Cor	ntact Factory
Top-Mounted E	lectrical (Cord Not Available)			N/C
Top-Mounted F	Refrigeration (Remote Only)			N/C
Top-Mounted C	Condensate Pump Drain Line			N/C
Top Chase Kit (Connections (Black Texture/Wh	ite 4" x 4" x 5' Lon	ıg)	271
Price Tag Moldi	ing			106
Graphic Wrap E	Band/Base		Con	tact Factory
Graphic Wrap E	Band/Base/Canopy		Con	tact Factory
Condenser Air I	Filter			240
Alternate Powe	r Supply:			
22	0-240V 50HZ 1PH			1,083







Model WDC4276SS



WALL DISPLAYS – NON-REFRIGERATED SELF-SERVE ®

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE	
FULL PAN					
WDC4276SS	42" x 29.75" x 76"	120/60/1	600	\$ 11,652	
ACCESSORI	ES For Full-Pan Wall Displa	ys			
LED Top Light (3500K)				N/C	
Special Painted	Finish (Standard Colors: White	, Black)	Contact Factory		
Mirrored Ends				446	
LED Lights – 3500K (Below Shelves)				560	
Casters (Recessed)				654	
Alternate Power	Supply:				
220-240V 50HZ 1PH				500	

WALL DISPLAYS – NON-REFRIGERATED SELF-SERVE ®

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
HALF PAN				
WDC42	42" x 30" x 62"	120/60/1	550	7,707
ACCESSO	RIES For Floor Displays			
LED Vertical L	ights – 3500K (Includes Cord and	d Plug)		888
Recessed Casters or Legs				
Laminated Base (Standard Colors: Walnut, Natural Oak, Cherry, Beige, White, Black)				
Special Color Laminated Base (Formica® and Wilsonart® Standard Offerings)				
Mirrored Ends	s (Pair)			459
Rear Sliding G	Glass Doors			1,518
*Cord and Plu	ıg Not Available without Lights			
Alternate Pow	ver Supply:			
2	220-240V 50HZ 1PH			500



HYBRID MERCHANDISERS

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
SERVICE REFRIC	GERATED OVER SEI	_F-SERVE R	EFRIGERATE	D 🛞
CRR3628/RSS3SC	36.25" x 43.25" x 72.5"	120/60/1	847	\$ 26,481
CRR4828/RSS4SC	48" x 43.25" x 72.5"	120/60/1	1,010	28,358
(2)CRR3628/RSS6SC	72" x 43.25" x 72.5"	120/60/1	1,500	42,909
SERVICE NON-RE	FRIGERATED OVER	SELF-SERV	E REFRIGERA	TED 🕦 🛞
CD3628/RSS3SC	36.25" x 39" x 69.75"	120/60/1	847	19,953
CD4828/RSS4SC	48" x 39" x 69.75"	120/60/1	1,010	20,609
(2)CD3628/RSS6SC	72" x 39" x 69.75"	120/60/1	1,500	29,851
SELF-SERVE NON	I-REFRIGERATED OV	ER SELF-SE	RVE REFRIGE	RATED 📭 🔞
CD3628SS/RSS3SC	36.25" x 39" x 69.75"	120/60/1	780	22,036
CD4828SS/RSS4SC	48" x 39" x 69.75"	120/60/1	900	22,752
(2)CD3628SS/RSS6SC	72" x 39" x 69.75"	120/60/1	1,300	34,013
SERVICE HOT O	/ER SELF-SERVE R	EFRIGERAT	ED 🐠	
CH3628/RSS3SC	36.25" x 39" x 69.75"	120/60/1	790	22,698
CH4828/RSS4SC	48" x 39" x 69.75"	120/60/1	935	23,621
(2)CH3628/RSS6SC	72" x 39" x 69.75"	120/60/1	1,400	35,339
SELF-SERVE HO	T OVER SELF-SERV	/E REFRIGE	RATED 🔷 🏶)
CH3628SS/RSS3SC	36.25" x 39" x 69.75"	120/60/1	790	23,371
CH4828SS/RSS4SC	48" x 39" x 69.75"	120/60/1	935	24,106
(2)CH3628SS/RSS6SC	72" x 39" x 69.75"	120/60/1	1,400	36,688
ACCESSORIES F	or Hybrid Merchandisers	S		
LED Lighting (Top and	Below Shelf Lighting - 35	00K) (Not Availa	able on Hot)	N/C
For Top Display				
Glass Shelves (For F	Refrigerated and Non-Refr	igerated)		330
Reflective Ends (Pai	r)			470
Reflective Rear Doo	rs (3' and 4')			824
Reflective Rear Doo	rs (6')			1,648
For Self-Serve Refrig				
Energy Saving Night	t Curtain			397
Stainless Steel Trim				741
	andard Colors: Walnut, Na			
Special C	olor Laminate (Formica® a	ınd Wilsonart® S	Standard Offerings	s) 417
	Steel Base in Lieu of Lami	nate		1,524
Mirrored Interior Ends	· ,			470
Reflective End Glass (F	<u>'</u>			448
	not available with CRR To	р		1,524
Security Night Cover (I				1,052
Stainless Steel Steps i				584
Casters - N/A on 6' Ca	ise			654



Model CRR3628/RSS3SC



Model CD3628SS/RSS3SC



Model CH3628/RSS3SC





Model SSRC5952



Model SSRC5952

CONVERTIBLE SERVICE OVER REFRIGERATED SELF-SERVE ®

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
SSRC2452	24" x 34" x 52"	120/60/1	480	\$ 19,276
SSRC3652	36" x 34" x 52"	120/60/1	590	20,958
SSRC5052	50" x 34" x 52"	208-240/60/1	720	22,451
SSRC5952	59" x 34" x 52"	208-240/60/1	845	23,961
SSRC7752	77" x 34" x 52"	208-240/60/1	1,010	24,617
ACCESSOF	RIES For Service Top Display	/		
	Гор and Below Shelf Lighting –			N/C
Reflective Real	r Doors			784
Glass Shelves	(One Tier)			633
ACCESSOF	RIES For Self-Serve Refrigera	ated Base		
Casters (Reces	ssed or 4" Casters) (Includes Co	ord and Plug)		917
Legs (6")				654
Cord and Plug				263
Laminated Bas	se (Standard Colors: Walnut, Na	tural Oak, Cherry, E	Beige, White, Bla	ack) N/C
	pecial Color Laminated Base			
<u> </u>	ormica [®] and Wilsonart [®] Standa	ard Offerings)		397
Pl	ain Base without Laminate			N/C
St	ainless Steel Base in Lieu of La	minate		1,008
Stainless Steel	Interior Includes Steps			762
Security Night	Cover (Black Poly Carbonate)			1,149
Solid Rear Slid	ing Access Doors - Bottom Se	ction		1,524
Remote Refrige	eration without Compressor Su	pplied (EEV Include	;d)	Deduct 212
Remote Refrige	eration with Indoor Condensing	Unit	Con	tact Factory
Remote Refrige	eration with Outdoor Condensir	ng Unit		
SS	SRC2452			3,585
SS	SRC3652			3,585
SS	SRC5052			3,585
SS	SRC5952			4,145
SS	SRC7752			4,145
Rear Wrapping	Board			590
Black Wire She	elf (or Glass) with Light in Lieu o	of Display Steps		205
Reflective End	Glass (Top and Bottom Section	ns) (Pair)		784
Front Basket fo	or Non-Refrigerated Products			415
Condensate Pu	ump (In Lieu of Pan)			N/C
Joining Kit for	Continuous Line-ups (N/A with	Casters)		N/C
Energy Saving	Night Curtain			379
Alternate Power	er Supply:			
22	20-240V 50HZ 1PH			1,083



SELF-SERVE REFRIGERATED PREPARED FOODS MERCHANDISER ®

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
SSRPF3652	36" x 34" x 52"	120/60/1	590	\$ 18,909
SSRPF5052	50" x 34" x 52"	208-240/60/1	720	19,611
SSRPF5952	59" x 34" x 52"	208-240/60/1	845	21,642
SSRPF7752	77" x 34" x 52"	208-240/60/1	1,010	22,854
ACCESSORIES				

SSRPF5052	50" x 34" x	52"	208-240/60/1	720	19,611
SSRPF5952	59" x 34" x	52"	208-240/60/1	845	21,642
SSRPF7752	77" x 34" x	52"	208-240/60/1	1,010	22,854
ACCESS	ORIES				
LED Lighting	g (Top and Below Sh	elf Lighting – 3	500K)		N/C
Casters Rec	essed (Includes Cor	d and Plug)			917
Legs (6")					654
Cord and Pl	ug				263
Laminated E	Base (Standard Colo	rs: Walnut, Nat	ural Oak, Cherry, E	Beige, White, B	lack) N/C
	Special Color Lamii (Formica® and Wils		d Offerings)		397
	Plain Base without		<u></u>		N/C
	Stainless Steel Bas	e in Lieu of Lar	ninate		1,008
White Interio	or (Includes Shelves)				N/C
Stainless St	eel Interior Includes	Shelves			762
Security Nig	ht Cover (Black Poly	/ Carbonate)			1,149
Remote Ref	rigeration with Outd	oor Condensin	g Unit		
	SSRPF3652		-		3,585
	SSRPF5052				3,585
	SSRPF5952				4,145
	SSRPF7752				4,145
Remote Ref	rigeration with Indoo	r Condensing	Jnit	Co	ntact Factory
Remote Ref	rigeration without Co	ompressor Sup	plied (EEV Include	d)	Deduct 212
Solid Rear S	Sliding Access Doors	3			1,524
Glass Shelve	es with Light in Lieu	of Solid Shelve	es (Per Tier)		205
Reflective E	nd Glass				784
Energy Savi	ng Night Curtain				379
Front Baske	t for Non-Refrigerate	ed Products			415
Condensate	Pump (In Lieu of Pa	ın)			N/C
Joining Kit f	or Continuous Line-	ups (N/A with C	Casters)		N/C
Rear Vent E	xhaust Extension (A	dds 4" to Rear	of Case) (Rear Doo	ors N/A)	130
Stainless St	eel Shelves (In Lieu	of Black Shelve	es) (Per Tier) 36", 5	0", and 59"	377
Stainless St	eel Shelves (In Lieu	of Black Shelve	es)(Per Tier) 77"		754
Alternate Po	wer Supply:				
	220-240V 50HZ 1P	Η			1,083



Model SSRPF5952





*Sneeze guard/bakery shelves cannot be installed in the field *Shown with Optional Sneeze Guard



Model SSRVS5942

VERSATILE SERVICE TOP OVER REFRIGERATED SELF-SERVE MERCHANDISER (6)

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
SSRVS3642	36" x 34" x 42"	120/60/1	590	\$ 17,164
SSRVS5042	50" x 34" x 42"	208-240/60/1	720	17,840
SSRVS5942	59" x 34" x 42"	208-240/60/1	845	19,370
SSRVS7742	77" x 34" x 42"	208-240/60/1	1,010	20,721
ACCESSOR	IES For Self-Serve Refrigera	ated Base		
	pp and Below Shelf Lighting -			N/C
Casters (Recess	sed) (Includes Cord and Plug)	·		917
Legs (6")				654
Cord and Plug				263
Laminated Base	(Standard Colors: Walnut, Na	tural Oak, Cherry, I	Beige, White, B	Black) N/C
	ecial Color Laminated Base			
<u>·</u>	rmica [®] and Wilsonart [®] Standa	ard Offerings)		397
	in Base without Laminate			N/C
	inless Steel Base in Lieu of La	minate		1,008
	ncludes Shelves)			N/C
	nterior (Includes Shelves)			762
, ,	Cover (Black Poly Carbonate)			1,149
	ng Access Doors for Bottom S			1,524
	vith Light in Lieu of Solid Shelv		n\	205
	ration without Compressor Su	` ` `	ed)	Deduct 212
	ration with Outdoor Condensir	ng Unit		0.505
	RVS3642			3,585
	RVS5042			3,585
	RVS5942			4,145
	RVS7742	11.9		4,145
	ration with Indoor Condensing	Unit	C	ontact Factory
Reflective End C	,			784 379
Energy Saving N	-			415
	Non-Refrigerated Products mp (In Lieu of Pan)			N/C
-	continuous Line-ups (N/A with	Castors)		N/C
	vith Top Service Shelf	Oasiers)		14/0
	, 50"			1,211
	, 77"			1,629
	, 77 ith Two Bakery Shelves (Night 0	Curtain N/A with Sne	eze Guard/Bak	
	, 50"	Januari 1477 With One	eze Gaara, Bar	3,363
	, 77"			4,689
Rear Wrapping I				590
	ust Extension (Adds 4" to Rear	of Case 42" Only)		
	th Rear Door Option			130
Alternate Power	Supply:			
220)-240V 50HZ 1PH			1,083



VERSATILE SERVICE TOP OVER ® REFRIGERATED SELF-SERVE COUNTER CASE

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
SSRVS3633	36" x 34" x 32.63"	120/60/1	450	\$ 14,384
SSRVS5033	50" x 34" x 32.63"	120/60/1	620	15,698
SSRVS5933	59" x 34" x 32.63"	208-240/60/1	750	17,042
SSRVS7733	77" x 34" x 32.63"	208-240/60/1	980	18,233
ACCESSOF	RIES For Self-Serve Refri	gerated Base		
LED Top Light	(3500K)			N/C
Casters (Reces	ssed or 4") (Includes Cord a	nd Plug)		917
Legs (6")				654
Cord and Plug				263
Rear Doors				1,524
Laminated Fini	sh (Standard Colors: Walnu	t, Natural Oak, Cl	nerry, Beige, White, E	Black) N/C
	pecial Color Laminate Base			
	ormica® and Wilsonart® Sta	indard Offerings)		397
	Base In Lieu of Laminate			1,008
	Includes Step Riser)			N/C
	Interior (Includes Step Rise	,		762
	Cover (Black Poly Carbonat	,		1,149
	eration without Compressor			Deduct 212
	eration with Indoor Condens		Cor	tact Factory
	eration with Outdoor Conde	nsing Unit		
	SRVS3633			3,585
	SRVS5033			3,585
	SRVS5933			4,145
	SRVS7733			4,145
	nt in Lieu of Display Steps			205
Reflective End				784
Energy Saving				379
	Ion-Refrigerated Products			415
	ump (In Lieu of Pan)			N/C
	Continuous Line-ups (N/A w			N/C
Solid Ends in L	ieu of Glass (Specify Curve	d or Square Ends	5)	N/C



Model SSRVS5933 Shown with optional shelf



Model SSRVS
Squared End Under Counter Option





Model SSRSP5952



Model SSRSP5952 LED lighting lower section only

SANDWICH OR SALAD PREP OVER REFRIGERATED SELF-SERVE (8)

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
SSRSP5052	50" x 34" x 52"	208-240/60/1	690	\$ 22,486
SSRSP5952	59" x 34" x 52"	208-240/60/1	735	24,038
SSRSP7752	77" x 34" x 52"	208-240/60/1	940	24,714
ACCESSORI	ES For Self-Serve Refrigera	ted Base		
LED Light (3500)	<)			N/C
Casters (Recess	ed) (Includes Cord and Plug)			917
Legs (6")				654
Cord and Plug				263
Sound Deadenin	g Kit			433
Laminated Base	(Standard Colors: Walnut, Nat	tural Oak, Cherry, I	Beige, White, B	lack) N/C
	cial Color Laminated Base			007
<u>, </u>	mica® and Wilsonart® Standar	d Offerings)		397
	n Base without Laminate			N/C
	Base in Lieu of Laminate			1,008
	nterior Includes Shelf			762
	over (Black Poly Carbonate)			1,149
	g Access Doors for Bottom Se		-d\	1,524
	ation without Compressor Sup	. `	ea)	Deduct 212
	ation with Outdoor Condensin	g Unit		0.505
	RSP5052 RSP5952			3,585
	RSP7752			4,145
	ation with Indoor Condensing	l lait	0.0	4,145
	Light in Lieu of Solid Shelves	Offic		ontact Factory 205
	ilass (Top and Bottom Section	s) (Pair)		784
	Riser in Lieu of Shelf	5) (Fall)		173
	on Storage (Includes Rear Slidi	ng Door and Store	ige Enclosure)	1,873
	Non-Refrigerated Products	ng bool and Stora	ige Effciosure)	395
	np (In Lieu of Pan)			N/C
	ontinuous Line-ups (N/A with (Cactore)		N/C
Alternate Power		Jasiels)		IN/C
	-240V 50HZ 1PH			1,083
	-240V JUHZ IFII			1,000



COUNTERTOP MERCHANDISERS

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
REFRIGERA	TED - SELF-CONTAINE	D REAR MOI	UNT 🛞	
CRR3628	36" x 29.7" x 28"	120/60/1	390	\$ 12,685
CRR4828	48" x 29.7" x 28"	120/60/1	450	14,115
REFRIGERA	TED SELF-SERVE - SE	LF-CONTAIN	ED REAR MO	UNT 🛞
CRR3628SS	36" x 29.7" x 28"	120/60/1	400	13,052
CRR4828SS	48" x 29.7" x 28"	120/60/1	460	14,466
REFRIGERA	TED - SELF-CONTAINE	D BOTTOM	MOUNT 🛞	
CRB3628	36" x 29.7" x 28"	120/60/1	390	12,685
CRB4828	48" x 29.7" x 28"	120/60/1	450	14,115
REFRIGERA ^T	TED SELF-SERVE - SEL	F-CONTAINE	ВОТТОМ М	OUNT (
CRB3628SS	36" x 29.7" x 28"	120/60/1	400	13,052
CRB4828SS	48" x 29.7" x 28"	120/60/1	460	14,466
NON-REFRI	GERATED Nº			
CD3628	36" x 29.7" x 28"	120/60/1	275	6,099
CD4828	48" x 29.7" x 28"	120/60/1	350	6,343
NON-REFRI	GERATED - SELF-SER\	/E 🕦		
CD3628SS	36" x 29.7" x 28"	120/60/1	275	8,202
CD4828SS	48" x 29.7" x 28"	120/60/1	350	8,456
НОТ 🚺				
CH2428	24" x 29.7" x 28"	120/60/1	290	8,402
CH3628	36" x 29.7" x 28"	120/60/1	333	8,870
CH4828	48" x 29.7" x 28"	120/60/1	375	9,338
HOT - SELF	-SERVE ()			
CH2428SSD	24" x 29.7" x 28"	120/60/1	290	9,244
CH3628SSD	36" x 29.7" x 28"	120/60/1	333	9,602
CH4828SSD	48" x 29.7" x 28"	120/60/1	375	9,818
ACCESSOR	IES For Signature Series Co	unter Top		
LED Lighting (To	p and Below Shelf Lighting - 3	500K) (Not Availa	ble on Hot Case)	N/C
Glass Shelves (S	Set)			314
Solid Insulated B	End Panel (For Hot Case Lineur	o with Refrigerate	d / Ambient Case	477
Reflective Ends	(Pair)			446
Reflective Rear				784
	ration without Compressor Sup	· · · · · · · · · · · · · · · · · · ·	ed) [Deduct 212
	ration with Outdoor Condensing			3,460
	ration with Indoor Condensing	Unit	Con	tact Factory
	ntrol (On Hot Cases Only)			462
	utting Board 36" dry only to ma			550
Pedestal and Cu	utting Board 48" dry only to ma	tch refrigerated c	ase	589



Model CRB4828SS



Model CD4828SS



Model CH3628SS



TSSM2454 Specialty Merchandiser See page 14 for more information.





Model FCCR-5



Hinged front glass tilts forward for easy cleaning.

Choco	late and Confection	onery Cas	es	
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
CLIMATE (CONTROLLED 🛞			
FCCR-4	48" x 24" x 48"	120/60/1	635	\$ 22,241
FCCR-5	60.75" x 24" x 48"	120/60/1	750	23,237
FCCR-6	72" x 24" x 48"	120/60/1	850	24,007
NON-REFF	RIGERATED Nº			
FCC-4	48" x 24" x 48"	120/60/1	535	18,812
FCC-5	60.75" x 24" x 48"	120/60/1	640	19,752
FCC-6	72" x 24" x 48"	120/60/1	695	20,397
ACCESSO	RIES			
LED Lighting (Top and Below Shelf Lighting – 4	000K)		N/C
Casters or Leg	gs (Includes Cord and Plug)			917
Cord and Plug				263
Laminated Ba	se (Standard Color Black)			N/C
S	pecial Color Laminated Base (Form	ica® and Wilsonar	t® Standard Offeri	ngs) 417
S	tainless Steel Base in Lieu of Lan	ninate		1,008
Silver Trim				N/C
Top Rear Wra	p Board			620



The Signature of Quality



Elements Bakery and Deli Cases						
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE		
REFRIGERATED BAKERY 🛞						
ECGR50	50" x 35" x 48"	120/60/1	640	\$ 14,991		
ECGR59	59" x 35" x 48"	120/60/1	765	16,706		
ECGR77	77" x 35" x 48"	120/60/1	930	17,641		
NON-REFRIGI	ERATED BAKERY Nº					
ECGD50	50" x 35" x 48"	120/60/1	500	10,657		
ECGD59	59" x 35" x 48"	120/60/1	535	11,032		
ECGD77	77" x 35" x 48"	120/60/1	715	11,649		
REFRIGERATE	ED DELI 🛞					
ECGR50CD	50" x 35" x 48"	120/60/1	620	14,388		
ECGR59CD	59" x 35" x 48"	120/60/1	650	14,776		
ECGR77CD	77" x 35" x 48"	120/60/1	870	16,054		
*Optional Field Install Caster Kit 366						

Elements	s Counter Top M	erchandi	sers							
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE						
REFRIGERATED REAR MOUNT 🛞										
ERR3628	36" x 29.7" x 28"	120/60/1	390	9,960						
ERR4828	48" x 29.7" x 28"	120/60/1	450	11,170						
REFRIGERATED SELF-SERVE REAR MOUNT (8)										
ERR3628SS	36" x 29.7" x 28"	120/60/1	400	10,411						
ERR4828SS	48" x 29.7" x 28"	120/60/1	460	11,606						
НОТ 🚺										
EH2428	24" x 29.7" x 28"	120/60/1	290	6,810						
EH3628	36" x 29.7" x 28"	120/60/1	333	6,973						
EH4828	48" x 29.7" x 28"	120/60/1	375	7,142						
HOT SELF-SERVE ()										
EH2428SS	24" x 29.7" x 28"	120/60/1	290	7,273						
EH3628SS	36" x 29.7" x 28"	120/60/1	333	7,561						
EH4828SS	48" x 29.7" x 28"	120/60/1	375	7,849						

Elements	Specialty Disp	lay Cases							
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE					
REFRIGERATED SELF-SERVE HIGH PROFILE (8)									
ERSSHP378SC-5	36.5" x 34.25" x 78"	208-240/60/1	834	14,812					
ERSSHP478SC-5	47" x 34.25" x 78"	208-240/60/1	925	15,481					
ERSSHP678SC-5	71" x 34.25" x 78"	208-240/60/1	1,220	17,829					
REFRIGERATED SELF-SERVE LOW PROFILE ®									
ELPRSS-3	34.6" x 34" x 46"	120/60/1	457	9,503					
ELPRSS-4	46.6" x 34" x 46"	120/60/1	560	9,666					
ELPRSS-6	70.6" x 34" x 46"	208-240/60/1	750	11,926					
CONVERTIBLE SERVICE HIGH PROFILE SELF-SERVE									
ESSRC5052	50" x 34" x 52"	208-240/60/1	720	18,660					
ESSRC5952	59" x 34" x 52"	208-240/60/1	845	20,365					
ESSRC7752	77" x 34" x 52"	208-240/60/1	1,010	20,988					
*Optional Field Insta	III Caster Kit		384						
Motos	·	·	·						

All Elements cases are supplied with LED lights standard
Bakery and Deli cases are supplied with LED 3000K lights, all other cases are supplied
with LED 3500K lights

ERSSHP has vertical LED 3500K lights and top LED 3500K lights













Reach-In Glass Door Merchandiser

ZEROSHELF

ZM/ZL	MODELS - REMOTE	REFRIGER	ATION 30-	NCH WIDE	DOORS
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	NO. OF DOORS	LIST PRICE
MEDIL	IM TEMP 🏶				
ZM-2-30	61.93" x 37.4" x 81.8"	120/60/1	1,085	2	\$ 10,429
ZM-3-30	92.37" x 37.4" x 81.8"	120/60/1	1,325	3	16,793
ZM-4-30	122.81" x 37.4" x 81.8"	120/60/1	1,915	4	21,305
ZM-5-30	153.25" x 37.4" x 81.8"	120/60/1	1,955	5	24,988
Pair of Ends (Adds 5" to Length Total)					1,399
LOW T	EMP 🛞				
ZL-2-30	61.93" x 37.4" x 81.8"	120-230/60/1	1,085	2	13,212
ZL-3-30	92.37" x 37.4" x 81.8"	120-230/60/1	1,325	3	15,708
ZL-4-30	122.81" x 37.4" x 81.8"	120-230/60/1	1,915	4	21,528
ZL-5-30	153.25" x 37.4" x 81.8"	120-230/60/1	1,955	5	26,299
Pair of E 1,358	nds (Adds 5" to Length Tota	l)			
ACCES	SSORIES For ZEROSHE	LF Reach-In G	alass Door Me	erchandisers	
Insulated Partition					
Plexiglas Partition					
Condensate Pump					250

82

Contact Factory

Remote Refrigeration with Outdoor Condensing Unit

Extra Shelves - each



*For Outdoor Remote Condensing Unit Selection and Creating Glass Door Lineups, Contact Factory.

^{*}Length Dimension Listed is without Pair of Ends

OPPRINTER TO WARRANTIES C

FEDERAL'S STANDARD LIMITED WARRANTIES: ONE YEAR PARTS/ONE YEAR LABOR/FIVE YEAR MOTOR COMPRESSOR

PARTS — ONE YEAR: Federal Industries warrants to the original purchasers, the equipment manufactured by it to be free from defects in material and workmanship under normal use and service within 12 months from the date of original shipment from the factory.

Any items returned to the factory must be authorized by Federal's Customer Service Department and be shipped prepaid. Replacements will be shipped collect.

This warranty does not include any material which has been subject to misuse, neglect, damage in transit, accident, negligence, or alteration. Warranties do not cover: coated incandescent light bulbs, fluorescent lights, decorative heat lamp bulbs, coated halogen light bulbs, halogen heat lamp bulbs and LED light strips.

LABOR — **ONE YEAR:** Federal Industries warrants to the original purchasers, the equipment manufactured by it. Federal will for a period of 12 months from the date of original shipment from the factory pay the cost of labor for repairs and replacement of parts that it has determined to be defective.

This warranty does not include the cost of labor for initial installation, start-up, correction of improper installations, misapplications, repairs caused by abuse and negligence, modifications, normal adjustments, drive time to and from repair site, and Freon recovery. The cost of service labor reimbursed will be based on straight-time rate and reasonable time for the repair of the defect.

All service labor charges are subject to approval by Federal Industries Service Department.

MOTOR-COMPRESSOR — **FIVE YEAR:** Federal Industries warrants to the original purchasers that it will repair or exchange at our option, at any time during the five years following the date of original shipment from the factory a motor-compressor assembly of like design and capacity if the motor-compressor assembly or any part thereof is returned prepaid to nearest authorized jobber and is proved to our satisfaction to be inoperative due to defects in material or factory workmanship.

The term "motor-compressor assembly" consists of the stator, rotor, eccentric rod, eccentric shaft, piston, wrist pin, suction valve, discharge valve, and the cast housing in which these parts are enclosed.

This warranty does not apply to any electrical controls, condenser, evaporator, fan motors, overload switch, starting relay, temperature control, dryer, accumulator, or wiring harnesses. No claims can be made against this warranty for spoilage of product.

Replacement of the motor-compressor assembly must receive prior approval from Federal Industries Service Department.

This warranty does not apply to remote compressors furnished by Federal.

This warranty applies to the original motor compressor only.

GENERAL CONDITIONS: Federal Industries recommends that the installation, inspection, and start-up of refrigeration equipment be performed by a qualified refrigeration technician.

Federal Industries makes no other expressed or implied warranty, and no person or representative of the seller is authorized to add to the seller's liabilities in connection with its products other than what is expressed.

These warranties do not apply to remote motor compressor applications.

Warranties listed here are for equipment located inside the continental United States and Canada.

All service labor and/or parts charges are subject to approval by Federal Industries. Contact the service department in writing or call (608) 424-3331.

All claims must contain the following information:

The model and serial number of the equipment.

The date of the equipment failure and place of installation.

The name and address of the agency which performed the service work.

A complete description of the equipment failure, circumstances relating to that failure, parts replaced and itemized list of all labor charges incurred.

Federal Industries shall not be liable for any default or delay in performance caused by any contingency beyond its control.

Warranties do not include any food or business loss and transportation charges to or from Federal Industries factory.

Cases are designed to operate in an environment of 75°F ambient and 55% relative humidity.

TERMS OF SALE

- PRICES. This price list supersedes all other price lists. Federal Industries reserves the right to change the price of the equipment without notice. All quotations for equipment shall be void if not accepted within 30 days.
- DELIVERY. Shipping or delivery date is approximate. Seller will not be liable for failure to deliver due to strikes, suppliers' delays, changes requested by Buyer, or any causes beyond its control.
- **3. SHIPMENT.** When possible, requested carrier will be used. Federal, however, reserves the right to ship via any responsible carrier. Shipping charges are payable by consignee and any claims arising as to such charges shall be resolved between the carrier and consignee.
- 4. DAMAGE. Claims for damage in transit must be made by the consignee with the carrier. Federal Industries assumes no responsibility for damages while in transit.

- **5. TAXES.** Federal, state, city sales or use taxes are not included with these prices.
- 6. CANCELLATIONS. Buyer shall compensate Seller for all special items not normally stocked. Buyer shall also compensate Seller for special labor, material costs, special engineering, etc., on all cancelled orders.
- 7. RETURNED GOODS. No returns will be accepted without the prior approval of the Seller. A Return Authorization Number must be given by the Seller prior to Products being shipped, freight prepaid, by Buyer. Any damage in transit to Product being returned is Buyer's responsibility. All accepted returns are subject to a 35% restocking charge. Returns that have been approved by Seller must be received within (30) days after approval. Returns will not be considered after 90 days from assignment of RMA number. Returns must be made in original factory crate and must not have been used.



For all non-warranty parts sales visit:

1200 Greenbriar Drive • Addison, IL 60101 • Toll Free 800-438-8898 • Fax 888-513-0259 • Email: customerservice@partstown.com



FEDERAL INDUSTRIES

A Standex Company


215 FEDERAL AVENUE, BELLEVILLE, WISCONSIN 53508-9201 PHONE: 800-356-4206 FAX: 608-424-3234

EMAIL: geninfo@federalind.com WEBSITE: www.federalind.com













The Signature of Quality

FEDERAL INDUSTRIES A Standex Company

215 Federal Avenue, Belleville, Wisconsin 53508-9201

Phone: 800-356-4206 **Fax:** 608-424-3234

Email: Geninfo@Federalind.com Website: Federalind.com

