

2019 PRICE LIST











Index

SELF-SERVICE



Page 2 - Italian Glass Refrigerated Self-Serve



Page 11 - Low Profile Self-Serve



Page 12, 13 - High Profile Self-Serve



Page 14 – High Profile (Slim Line)





Page 15, 16 - Multi-Deck & Island



Page 17 - End Cap Self-Serve Merchandiser





Page 18 – Wall Display Non Refrigerated Self-Serve



Page 19 - Hybrid



Page 20 - Convertible Service



Page 21 – Self-Serve Prep Food





Page 22 - Versatile Service Top Over Refrigerated







Page 23 - Sandwich or Salad Prep & Undercounter



BAKERY/DELI SERVICE

Page 1 – Italian Glass



Page 3, 4 - Market Series



Page 5 – Series 90



Page 7, 8 - Curved Glass



Page 9, 10 – High Volume



COUNTERTOP

Page 1, 2 - Italian Glass



Page 24 – Countertop



CONFECTION

Page 25 - Chocolate/Confection



ELEMENTS

Page 26 - Bakery/Deli, Countertop, Grab & Go









ZEROSHELF

Page 27 – Reach-In Glass Merchandiser









Model ITR4834-B18



Model ITD4834-B18 Counter not provided



Model ITD4834-B18



Model ITD4826 Counter not provided

Italian Glass Series

BAKERY AND DELI SERVICE CASES

	A.15 5111 01		AOLO	
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
REFRIGERAT	ED			
ITR3626-B18	36" x 30.75" x 44"	120/60/1	625	\$ 20,931
ITR4826-B18	48" x 30.75" x 44"	120/60/1	680	22,033
ITR6026-B18	60" x 30.75" x 44"	120/60/1	820	23,136
ITR3634-B18	36" x 30.75" x 52"	120/60/1	650	21,810
ITR4834-B18	48" x 30.75" x 52"	120/60/1	800	23,131
ITR6034-B18	60" x 30.75" x 52"	120/60/1	930	24,433
COUNTER CA	ASE — REFRIGERATEI	D DROP IN		
ITR3626	36" x 30" x 26"	120/60/1	537	18,588
ITR4826	48" x 30" x 26"	120/60/1	720	19,690
ITR6026	60" x 30" x 26"	120/60/1	800	20,816
ITR3634	36" x 30" x 34"	120/60/1	575	19,467
ITR4834	48" x 30" x 34"	120/60/1	750	20,788
ITR6034	60" x 30" x 34"	120/60/1	850	22,108
NON-REFRIG	FRATED			
ITD3626-B18	36" x 30.75" x 44"	120/60/1	550	12,968
ITD4826-B18	48" x 30.75" x 44"	120/60/1	640	13,620
ITD6026-B18	60" x 30.75" x 44"	120/60/1	700	14,117
ITD3634-B18	36" x 30.75" x 52"	120/60/1	575	13,620
ITD4834-B18	48" x 30.75" x 52"	120/60/1	690	14,407
ITD6034-B18	60" x 30.75" x 52"	120/60/1	800	15,045
-	ASE — NON-REFRIGE		000	10,040
			050	10.001
ITD3626	36" x 30" x 26"	120/60/1	350	10,621
ITD4826	48" x 30" x 26"	120/60/1	410	11,205
ITD6026	60" x 30" x 26"	120/60/1	550	11,705
ITD3634	36" x 30" x 34"	120/60/1	500	11,277
ITD4834	48" x 30" x 34"	120/60/1	450	11,990
ITD6034	60" x 30" x 34"	120/60/1	625	12,634
	S For Italian Glass Cases			
	& Below Shelf Lighting - 350	0K)		N/C
Stainless Steel Sh				377
	cessed) (Not Available on Cou		des Cord & Pluç	g) 917
	x Foot) (Standard on ITD Mod	lels)		263
	able on Counter Cases)			654
	(Not Available on Counter Ca	ises)		1,227
Reflective Ends (P	· · · · · · · · · · · · · · · · · · ·			446
Reflective Rear Do	· '			784
	Discharge (Floor Display Mod			263
	(Not Available on Counter Ca	ses)		590
	tion without Compressor	10 11 11 1	0.1.	Deduct 423
Remote Refrigeration with Compressor Shipped Separately (Indoor Only)			N/C	
Remote Refrigeration with Outdoor Condensing Unit			3,055	
	ntinuous Line-ups (N/A With C	asters)		N/C
Laminated Base (I	318 Models Only) Walnut, Natural Oak, Cherry,	Reige White Black	~k)	N/C
	inate (Not Available on Count		JK)	14/0
	Isonart® Standard Offerings)(I		ases)	397
Stainless Steel Ex			·	1,008
Alternate Power S				
	240V 50HZ 1PH			1,083



Italian Glass Series

ITALIAN GLASS REFRIGERATED SELF SERVE-SERVE CASES

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
REFRIGERATE	ĒD			
ITRSS3626-B18	36" x 33" x 44"	120/60/1	625	\$ 19,901
ITRSS4826-B18	48" x 33" x 44"	120/60/1	680	21,590
ITRSS6026-B18	60" x 33" x 44"	208-240/60/1	820	24,356
ITRSS3634-B18	36" x 33" x 52"	120/60/1	650	21,677
ITRSS4834-B18	48" x 33" x 52"	120/60/1	800	23,151
ITRSS6034-B18	60" x 33" x 52"	208-240/60/1	930	26,125
DROP-IN COL	JNTER CASE — REFR	IGERATED		
ITRSS3626	36" x 33" x 26"	120/60/1	537	17,613
ITRSS4826	48" x 33" x 26"	120/60/1	720	19,073
ITRSS6026	60" x 33" x 26"	208-240/60/1	800	21,611
ITRSS3634	36" x 33" x 34"	120/60/1	575	19,389
ITRSS4834	48" x 33" x 34"	120/60/1	770	20,634
ITRSS6034	60" x 33" x 34"	208-240/60/1	850	23,379
ACCESSORIE	S For Italian Glass Cases			
LED Lighting (Top	& Below Shelf Lighting - 3500	OK)		N/C
Stainless Steel She	elving (Per Tier)			377
Casters (4" or Rece	essed) (Not Available on Cou	nter Cases) (Includ	des Cord & Plug	g) 917
Cord and Plug (Six	(Foot)			263
6" Legs (Not Availa	able on Counter Cases)			654
6" Legs with Skirt ((Not Available on Counter Ca	ses)		1,227
Reflective Ends (Pa	air)			446
Reflective Rear Do	ors (Pair)			784
Front Air Intake & [Discharge (Floor Display Mod	lels)		263
Rear Wrap Board (Not Available on Counter Ca	ses)		590
Remote Refrigerati	ion without Compressor			Deduct 423
Remote Refrigerati	ion with Compressor Shipped	d Separately (Indo	or Only)	N/C
	ion with Outdoor Condensing	•		3,185
	tinuous Line-ups (N/A With C	Casters)		N/C
Laminated Base (B (Standard Colors: \	318 Models Only) Walnut, Natural Oak, Cherry,	Beige, White, Blac	ck)	N/C
Special Base Lami (N/A on Counter C	nate (Formica® and Wilsonar	t [®] Standard Offeri	ngs)	397
Stainless Steel Ext	<u>'</u>			1,008
Alternate Power Su	` ',			.,
	40V 50HZ 1PH			1,083



Model ITRSS4834-B18



Model ITRSS4834 Counter not provided





Model SQ-6CB



Model SQ-6CBSS



Model SQ-6B



Model SQ-6CD

Signature Series Bakery and Deli Cases

MARKET SERIES When ordering, specify case line-up and pedestal or panel design.

Bakery	Cases
---------------	--------------

Bakery	Cases			
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
REFRIGER	ATED (Refrigerated Disp	lay Deck, Non-Refrige	erated Shelves,)
SQ-3CB	36" x 44.12" x 48"	120/60/1	790	\$ 24,333
SQ-4CB	48" x 44.12" x 48"	120/60/1	845	26,814
SQ-5CB	60" x 44.12" x 48"	120/60/1	795	28,712
SQ-6CB	72" x 44.12" x 48"	120/60/1	1,135	30,613
SQ-8CB	96" x 44.12" x 48"	120/60/1	1,235	35,642
REFRIGER	ATED SELF-SERVE			
SQ-3CBSS	36" x 44.12" x 32.25"	120/60/1	675	22,879
SQ-4CBSS	48" x 44.12" x 32.25"	120/60/1	745	24,464
SQ-5CBSS	60" x 44.12" x 32.25"	120/60/1	895	26,199
SQ-6CBSS	72" x 44.12" x 32.25"	120/60/1	1,035	30,471
SQ-8CBSS	96" x 44.12" x 32.25"	120/60/1	1,135	31,798
NON-REFF	RIGERATED			
SQ-3B	36" x 44.12" x 48"	120/60/1	590	19,501
SQ-4B	48" x 44.12" x 48"	120/60/1	745	20,881
SQ-5B	60" x 44.12" x 48"	120/60/1	895	22,732
SQ-6B	72" x 44.12" x 48"	120/60/1	935	24,580
SQ-8B	96" x 44.12" x 48"	120/60/1	1,035	27,918
Deli Cas			·	
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
	ATED SERVICE	LLLOTTIOAL	OTH WEIGHT	LIGITITIOL
SQ-3CD	36" x 44.12" x 48"	120/60/1	690	23,274
SQ-4CD	48" x 44.12" x 48"	120/60/1	745	
SQ-4CD	60" x 44.12" x 48"	120/60/1	895	25,429
SQ-6CD	72" x 44.12" x 48"	120/60/1	1,035	26,707
SQ-8CD	96" x 44.12" x 48"	120/60/1	1,135	27,993 32,602
	ATED SELF-SERVE	120/00/1	1,100	02,002
SQ-3CDSS	36" x 44.12" x 32.25"	120/60/1	675	21 002
SQ-4CDSS	48" x 44.12" x 32.25"	120/60/1	675	21,882
SQ-4CDSS SQ-5CDSS	60" x 44.12" x 32.25"	120/60/1 120/60/1	745 975	23,200
SQ-6CDSS	72" x 44.12" x 32.25"	120/60/1		
SQ-8CDSS	96" x 44.12" x 32.25"	120/60/1	1,035 1,135	25,542 29,083
		120/00/1	1,133	29,003
-	ATED CORNERS	100/00/4		07.407
SQ-ROC90	90° Outside Service	120/60/1		27,487
	90° Outside Self-Serve	120/60/1		24,828
SQ-RIC90	90° Inside Service	120/60/1		31,147
SQ-RIC90SS	90° Inside Self-Serve	120/60/1		28,748
SQROC45R	45° Outside Service (Remo			22,550
	45° Outside Self-Serve (Rer	• • • • • • • • • • • • • • • • • • • •		17,839
SQRIC45	45° Inside Service	120/60/1		29,259
SQRIC45SS	45° Inside Self-Serve	120/60/1		26,119
HOT	00" 44 40" 10"	000 040/05/		
SQ-3HD	36" x 44.12" x 48"	208-240/60/1	375	23,864
SQ-4HD	48" x 44.12" x 48"	208-240/60/1	690	26,371
SQ-6HD	72" x 44.12" x 48"	208-240/60/1	710	31,380
SQ-8HD	96" x 44.12" x 48"	208-240/60/1	1108	38,033

Continued on next page >



MARKET SERIES (Continued)

ACCESSORIES For SQ Market Cases	
LED Lighting (Top Light - 3500K) (CD Models)	\$ N/C
LED Lighting (Top & Below Shelf Lighting - 3500K) (CB Models)	N/C
Accent Base LED - 3500K Light (Not Available on 36" Displays)	653
Bumper Rail (Per Linear Foot) (Colors: White, Black, Grey, Green)	66
Decorative End Panel (pair) (Colors: White, Black, Grey, Green)	1,812
Fish Case Package (Includes Ice Pan and Drain)	1,465
Food Container Holder	866
Flat Stainless Deck on Hot Delis	466
Laminated Base (In Lieu of Stainless Steel) (Formica® and Wilsonart® Standard Offerings)	397
Reflective End Glass (pair)	425
Scale Stand	436
Slicer Stand	436
Special Case Height (50" or 52")	1,176
Deli Step Pan Holder or Riser (Per Section)	507
Deli Mezzanine Shelf for Non Refrigerated Product Only (LED 3500K Lighted S	Shelf)
36", 48", 72"	1,403
96"	1,668
Top Service Shelf (Stainless Steel or Glass)	1,797
ACCESSORIES For Refrigerated Merchandisers	
Remote Refrigeration With Compressor Shipped Separately (Indoor Only)	N/C
Remote Refrigeration With Outdoor Condensing Unit	3,185
Remote Refrigeration Without Compressor Supplied	Deduct 422
Casters for Panel Base Models Only (Not Available on Hot Case)(Includes Cord)	917
Cord and Plug (Six Foot Cord Not Available on Hot Deli)	263
Joining Kit for Continuous Case Line-ups (N/A With Casters)	N/C
Condensate Evaporator Assembly - On Self-Serve Models Only (Field Install Kit, Dedicated 120V 15A Circuit Required)	483
Condensate Pump	N/C
Well Covers (Hot Models Only) (Single Cover)	155
Well Covers (Hot Models Only) (Set of 3)	466
Alternate Power Supply:	
208-240V 60HZ 1PH	1,083
220-240V 50HZ 1PH	1,083



Model SQ-8CDSS (Shown with panel base)



Model SQ-4HD



*Shown with optional closed pedestal base







Model SNR-59SC / SNR-48SC



Model SN-77 Lift-up front glass



Model SN-4HD/ Model SN-6CD



Model SN-6CD-SS

SERIES '90

				
Bakery	Cases			
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
REFRIGER	RATED			
SNR-48SC	48" x 37.75" x 48"	120/60/1	750	\$ 23,221
SNR-59SC	59" x 37.75" x 48"	120/60/1	825	24,749
SNR-77SC	77" x 37.75" x 48"	120/60/1	1,150	26,022
NON-REF	RIGERATED SELF-SE	RVE BAKERY		
SN-48-SS	48" x 37.75" x 48"	120/60/1	600	17,315
SN-59-SS	59" x 37.75" x 48"	120/60/1	710	20,353
SN-77-SS	77" x 37.75" x 48"	120/60/1	947	22,021
NON-REF	RIGERATED			
SN-48	48" x 37.75" x 48"	120/60/1	640	13,656
SN-59	59" x 37.75" x 48"	120/60/1	700	14,058
SN-77	77" x 37.75" x 48"	120/60/1	865	15,322
SN-96	96" x 37.75" x 48"	120/60/1	935	18,879
DUAL (Left I	Half Refrigerated, Right Half Nor	n-Refrigerated, From Custom	er Side)	
SN48-3SC	48" x 37.75" x 48"	120/60/1	750	25,343
SN59-3SC	59" x 37.75" x 48"	120/60/1	865	27,007
SN77-3SC	77" x 37.75" x 48"	120/60/1	1,075	28,359
Deli Ca	ses			
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
REFRIGER	RATED SERVICE			
SN-4CD	48" x 37.75" x 48"	120/60/1	770	23,914
SN-6CD	72" x 37.75" x 48"	120/60/1	1,000	25,491
SN-8CD	96" x 37.75" x 48"	120/60/1	1,265	27,466
REFRIGER	RATED SELF-SERVE			
SN-4CD-SS	48" x 37.75" x 34"	120/60/1	610	19,830
SN-6CD-SS	72" x 37.75" x 34"	120/60/1	800	21,152
SN-8CD-SS	96" x 37.75" x 34"	120/60/1	1,065	22,227
HOT				
SN-4HD	48.25" x 37.75" x 48"	208-240/60/1 (4 wire)	650	21,814
SN-6HD	77.25" x 37.75" x 48"	208-240/60/1 (4 wire)	860	25,839
ACCESSO	RIES For Series '90 Cas	es		
Base Trim Sp	ecify White, Black, or Stainle	ess Steel		N/C
Black Interior				820
	gs (Legs Only on Hot Deli ar	, ,		917
	ug (Six Foot Not Available Ho		rated)	263
	ckage (For Cold Deli, Include	es Ice Pan and Drain)		1,465
	nd Rear Door Locks			496
Front Packag				810
	With Lights Below Shelf			1,140
Glass Shelves	s in Lieu of Wire (Per Tier)			321

Continued on next page >



ACCESSORIES For Series '90 Cases (Continued)

Laminated Base (Standard Colors: Walnut, Natural Oak, Cherry, Beign	e, White, Black)	N/C
Special Color Laminated Base	<u> </u>	
(Formica® and Wilsonart® Standard Offerings)	\$	397
Plain Base Without Laminate		N/C
Stainless Steel Base in Lieu of Laminate		1,008
Decorative End Panels & Front, Laminated	Contact F	actory
LED LIGHTING (Not Available on Hot Cases)		
LED Top Light & Below Shelves		
Refrigerated Bakery		
SNR-48SC		1,544
SNR-59SC		1,767
SNR-77SC		2,211
Non-Refrigerated Self-Serve Bakery		
SN-48-SS		1,544
SN-59-SS		1,767
SN-77-SS		2,211
Non-Refrigerated Bakery		
SN-48		1,544
SN-59		1,767
SN-77		2,211
Dual Bakery		
SN48-3SC		1,544
SN59-3SC		1,767
SN77-3SC		2,211
LED Top Light & Below Mezzanine Shelf		
Refrigerated Service Deli		
SN-4CD & SN-6CD		888
SN-8CD		1,332
Refrigerated Self-Serve Deli (Top Tier)		
SN-4CD-SS & SN-6CD-SS		444
SN-8CD-SS		667
Mezzanine Shelf for Refrigerated Deli, Additional (Lighted)		
48"		817
72"		956
96"		983
With LED Light for Refrigerated Deli, Additional (Lighted)		
48" & 72"		444
96"		667
Rear Wrapping Board for Bakery		
48"		532
59"		590
77"		650
Reflective Ends (Pair)		446
Reflective Rear Doors (Pair)		784
Scale Stand		436
Step Pan Holder or Riser (Per Section, Specify 2 Step or 3 Step)		507
Top Service Shelf (Stainless Steel or Glass)		1,797
White or Mirrored Interior Ends With Laminated Exterior		601
Condensate Evaporator Assembly (Self-Serve Case Only) (Field Install Kit, Dedicated 120V 15A Circuit Required)		483
Condensate Pump		N/C
Alternate Power Supply:		
208-240V 60HZ 1PH		1,083
220-240V 50HZ 1PH		1,083





Model CGR5048



Model CGD7748



Model CGR5960DZH



Model CGR7748CD

CURVED GLASS SERIES When ordering, specify case line-up and finish.

Bakery	Casas		3 , 7 , 2	
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
REFRIGER				
CGR3142	31" x 35.31" x 42"	120/60/1	460	\$ 19,102
CGR3148	31" x 35.31" x 48"	120/60/1	500	19,273
CGR3642	36" x 35.31" x 42"	120/60/1	470	21,543
CGR3648	36" x 35.31" x 48"	120/60/1	510	22,003
CGR5042	50" x 35.31" x 42"	120/60/1	615	22,92
CGR5048	50" x 35.31" x 48"	120/60/1	640	23,372
CGR5942	59" x 35.31" x 42"	120/60/1	735	24,56
CGR5948	59" x 35.31" x 48"	120/60/1	765	25,00
CGR7742	77" x 35.31" x 42"	120/60/1	890	25,73
CGR7748	77" x 35.31" x 48"	120/60/1	930	25,89
NON-REFE	RIGERATED			
CGD3148	31" x 35.31" x 48"	120/60/1	270	12,559
CGD3642	36" x 35.31" x 42"	120/60/1	385	12,67
CGD3648	36" x 35.31" x 48"	120/60/1	430	13,119
CGD5042	50" x 35.31" x 42"	120/60/1	425	12,96
CGD5048	50" x 35.31" x 48"	120/60/1	500	13,40
CGD5942	59" x 35.31" x 42"	120/60/1	505	13,389
CGD5948	59" x 35.31" x 48"	120/60/1	535	13,87
CGD7742	77" x 35.31" x 42"	120/60/1	685	14,75
CGD7748	77" x 35.31" x 48"	120/60/1	715	15,198
DUAL VER	TICAL (Left Half Refrigerated	J. Right Half Non-Refrige	rated. From Custome	er Side)
CGR5042DZ	50" x 35.31" x 42"	120/60/1	615	25,089
CGR5048DZ	50" x 35.31" x 48"	120/60/1	690	25,48
CGR5942DZ	59" x 35.31" x 42"	120/60/1	735	26,97
CGR5948DZ	59" x 35.31" x 48"	120/60/1	840	27,42
CGR7742DZ	77" x 35.31" x 42"	120/60/1	890	28,27
CGR7748DZ	77" x 35.31" x 48"	120/60/1	960	28,72
DUAL HOF	RIZONTAL (Bottom Refrige	rated. Top Non-Refrigera	ated)	
	1 36" x 35.31" x 60"	120/60/1	580	29,92
	1 50" x 35.31" x 60"	120/60/1	800	32,13
	1 59" x 35.31" x 60"	120/60/1	825	36,24
	1 77" x 35.31" x 60"	120/60/1	1,232	38,01
Deli Cas			,	
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
	ATED DELI			
CGR3648CD	36" x 35.31" x 48"	120/60/1	470	22,89
CGR5048CD	50" x 35.31" x 48"	120/60/1	620	23,92
CGR5948CD	59" x 35.31" x 48"	120/60/1	650	25,56
CGR5948CD CGR7748CD	77" x 35.31" x 48"	120/60/1		
	11 X 33.31 X 40	120/00/1	870	26,73
HOT DELI	50" - 05 04" - 40"	000 040/00/4	505	64 =5
CG5048HD	50" x 35.31" x 48"	208-240/60/1	585	21,78
CG5948HD	59" x 35.31" x 48"	208-240/60/1	660	23,26
CG7748HD	77" x 35.31" x 48"	208-240/60/1	800	27,98



ACCESSORIES For Curved Glass Bakery & Deli Cases (Continued)

ACCEPTINE TO CHIVE GIASS BANCIY & BOIL CASCS (CONTINUES)	
LED Lighting (Top & Below Shelf Lighting - 3000K)(Not Available in HD)	\$ N/0
Black or Chrome Wire Shelves in Lieu of White	65
Black Interior	820
Legs (6")	65
Casters (2 1/2" or 4") (N/A Hot Deli) (Includes Cord and Plug)	91
Cord and Plug (Six Foot Not Available on Hot Deli)	260
Front Package Shelf	75
With LED 3000K Front Package Shelf Light	44
Additional Glass Shelves in Lieu of Wire (Per Tier)	490
HDP – Hot Display Package With Humidity for Non-Refrigerated Units	
36", 50", 59", 77" Units	7,21
Joining Kit for Continuous Case Line-ups (N/A With Casters)	N/C
Laminated Base (Standard Colors: Walnut, Natural Oak, Cherry, Beige, White, Bla	ck) N/0
Special Color Laminated Base (Formica® and Wilsonart® Standard Offerings)	39
Plain Base Without Laminate	N/C
Stainless Steel Base in Lieu of Laminate	1,008
Lighted Mezzanine Shelf for Refrigerated Deli, Additional	
Additional Lighted Mezzanine Shelf	956
Front Package Shelf Without Light	44
Front Package Shelf With LED Light	1,199
Rear Wrapping Board for Bakery	590
Reflective Rear Doors (Pair)	78
Reflective Ends (Pair)	440
White or Mirrored Interior Ends With Laminated Exterior	602
Remote Refrigeration With Compressor Shipped Separately (Indoor Only)	N/C
Remote Refrigeration with Outdoor Condensing Unit	
31", 36", 50", all "DZ" models	305
59", 77"	374
Remote Refrigeration Without Compressor Supplied	Deduct 42
Scale Stand	430
Deli Step Riser or Pan Holder (Per Section)	50
Top Cutting Board, White	590
Stainless Steel Display Deck	479
Fan Kit (CGD Models Only)	448
Rear Base Panel Cover (CGD Models Only)	250
Alternate Power Supply:	
208-240V 60HZ 1PH	1083
220-240V 50HZ 1PH	1083



Model CG5048HD





Model SGD7748 / Model SGR5948



Model SGR5048DZ



Model SG5048HD / Model SGR7748CD

HIGH VOLUME SERIES When ordering, specify case line-up and finish.

	Cases			
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
REFRIGER	ATED			
SGR3142	31" x 35.31" x 42"	120/60/1	460	\$ 13,129
SGR3148	31" x 35.31" x 48"	120/60/1	500	13,36
SGR3642	36" x 35.31" x 42"	120/60/1	470	16,078
SGR3648	36" x 35.31" x 48"	120/60/1	510	16,50
SGR5042	50" x 35.31" x 42"	120/60/1	615	17,486
SGR5048	50" x 35.31" x 48"	120/60/1	690	17,99
SGR5942	59" x 35.31" x 42"	120/60/1	735	20,470
SGR5948	59" x 35.31" x 48"	120/60/1	765	20,94
SGR7742	77" x 35.31" x 42"	120/60/1	890	20,770
SGR7748	77" x 35.31" x 48"	120/60/1	930	21,536
NON-REFF	RIGERATED			
SGD3148	31" x 35.31" x 48"	120/60/1	380	6,124
SGD3642	36" x 35.31" x 42"	120/60/1	400	7,074
SGD3648	36" x 35.31" x 48"	120/60/1	516	7,387
SGD5042	50" x 35.31" x 42"	120/60/1	550	8,350
SGD5048	50" x 35.31" x 48"	120/60/1	575	8,689
SGD5942	59" x 35.31" x 42"	120/60/1	540	8,581
SGD5948	59" x 35.31" x 48"	120/60/1	600	8,856
SGD7742	77" x 35.31" x 42"	120/60/1	685	9,404
SGD7748	77" x 35.31" x 48"	120/60/1	715	9,824
DUAL (Left H	alf Refrigerated, Right Half Nor	n-Refrigerated, From Custom	ner Side)	
SGR5042DZ	50" x 35.31" x 42"	120/60/1	688	19,60
SGR5048DZ	50" x 35.31" x 48"	120/60/1	730	20,092
SGR5942DZ	59" x 35.31" x 42"	120/60/1	735	22,88
SGR5948DZ	59" x 35.31" x 48"	120/60/1	765	23,359
SGR7742DZ	77" x 35.31" x 42"	120/60/1	890	23,312
SGR7748DZ	77" x 35.31" x 48"	120/60/1	930	24,079
Deli Cas	ses			
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
REFRIGER	ATED DELI			
SGR3648CD	36" x 35.31" x 48"	120/60/1	590	17,17
SGR5048CD	50" x 35.31" x 48"	120/60/1	620	18,38
SGR5948CD	59" x 35.31" x 48"	120/60/1	650	21,32
SGR7748CD	77" x 35.31" x 48"	120/60/1	860	21,86
HOT DELI				,
SG5048HD	50" x 35.31" x 48"	208-240/60/1 (4 wire)	535	17,69
SG5948HD	59" x 35.31" x 48"	208-240/60/1 (4 wire)	660	18,88
		=======================================		. 5,00



ACCESSORIES For High Volume Cases

7100100111110 TOT TIIGHT VOIGHTIO GUOGO	
LED Lighting (Top & Below Shelf Lighting - 3000K)(Not Available HD)	\$ N/C
Black or Chrome Wire Shelves in Lieu of White	657
Black Interior	820
Legs (6")	654
Casters (2 1/2" or 4") (N/A Hot Deli) (Includes Cord and Plug)	917
Cord and Plug (Six Foot Not Available on Hot Deli)	263
Front Package Shelf	755
With LED 3000K Front Package Shelf Light	444
Additional Glass Shelves in Lieu of Wire (Per Tier)	496
HDP - Hot Display Package With Humidity for Non-Refrigerated Units	
36", 50", 59", 77" Units	7,214
Joining Kit for Continuous Case Line-ups (N/A With Casters)	N/C
Laminated Base (Standard Colors: Walnut, Natural Oak, Cherry, Beige, White, Black	k) N/C
Special Color Laminated Base	
(Formica® and Wilsonart® Standard Offerings)	397
Plain Base Without Laminate	N/C
Stainless Steel Base in Lieu of Laminate	1,008
Lighted Mezzanine Shelf for Refrigerated Deli, Additional	
Additional Lighted Mezzanine Shelf	956
Front Package Shelf Without Light	444
Front Package Shelf With LED Light	1,199
Rear Wrapping Board for Bakery	590
Reflective Rear Doors (Pair)	784
Reflective Ends (Pair)	446
White or Mirrored Interior Ends With Laminated Exterior	602
Remote Refrigeration With Compressor Shipped Separately (Indoor Only)	N/C
Remote Refrigeration with Outdoor Condensing Unit	
31", 36", 50", all "DZ" models	3055
59", 77"	3745
Remote Refrigeration Without Compressor Supplied D	educt 423
Scale Stand	436
Deli Step Riser or Pan Holder (Per Section)	507
Top Cutting Board, White	590
Stainless Steel Display Deck	479
Fan Kit (CGD Models Only)	448
Rear Base Panel Cover (CGD Models Only)	250
Alternate Power Supply:	
208-240V 60HZ 1PH	1083
220-240V 50HZ 1PH	1083





Model LPRSS4

Specialty Display Cases


SELF-SERVE REFRIGERATED MERCHANDISERS When ordering, specify finish.

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
LOW PROFILE -	- REFRIGERATED			
LPRSS3	36" x 34" x 46"	120/60/1	450	\$ 11,652
LPRSS4	48" x 34" x 46"	120/60/1	525	12,135
LPRSS5	60" x 34" x 46"	208-240/60/1	650	14,957
LPRSS6	72" x 34" x 46"	208-240/60/1	700	15,677
ACCESSORIES /	or Low Profile Self-Serv	ve Merchandisers		
LED Lighting (Top & E	Selow Shelf Lighting - 350	OK)		N/C
Recessed or 4" Caste	ers			654
Legs				654
Laminated Finish (Sta	ndard Colors: Walnut, Na	tural Oak, Cherry, E	Beige, White, Bl	ack) N/C
<u> </u>	Color Laminate (Formica®		andard Offering	s) 397
Stainless	Steel Base in Lieu of Lan	ninate		1,008
Remote Refrigeration With Compressor Shipped Separately (Indoor Only)				
Remote Refrigeration	With Outdoor Condensing	g Unit		
LPR3, LF	PR4, LPR5			3,185
LPR6				3,745
Remote Refrigeration	Without Compressor Sup	plied	1	Deduct 423
Reflective End Glass	(Pair)			446
Rear Access Doors				1,524
Two-Tier Stainless Sto	eel Display Step in Lieu of	Shelving		173
Shelving, Two Tier (GI				313
Pair of Flush End Pan	els for Counter Installation	ns (Includes Mirrore	ed Interior)	440
Joining Kit for Continu	uous Line-ups (N/A With C	Casters)		N/C
Security Night Cover,	Black Polycarbonate			1,003
Front Condensing Un	it Air Discharge			795
Stainless Steel Interior, Includes Shelves				1,524
	or Assembly – Required it 5 only) (Field Install Kit, De			d) 483
Condensate Pump	(Standard on LPRSS5 and	d LPRSS6 and Rer	note Cases)	N/C
Alternate Power Supp	oly:			
220-240\	/ 50HZ 1PH			939



HIGH PROFILE SELF-SERVE REFRIGERATED MERCHANDISERS When ordering, specify finish.

REFRIG	ERAI ED ME	RCHANDISE	When order	ing, specify finist
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
HIGH PROF	ILE — REFRIGERAT	ΓED		
RSSM-360SC	36" x 35.25" x 60"	208-240/60/1 (4 wire)	709	\$ 17,24 ⁻
RSSM-460SC	47.25" x 35.25" x 60"	208-240/60/1 (4 wire)	800	17,698
RSSM-560SC	59.25" x 35.25" x 60"	208-240/60/1 (4 wire)	960	19,026
RSSM-660SC	71.25" x 35.25" x 60"	208-240/60/1 (4 wire)	1,020	20,387
RSSM-378SC	36" x 35.25" x 78"	208-240/60/1 (4 wire)	834	17,809
RSSM-478SC	47.25" x 35.25" x 78"	208-240/60/1 (4 wire)	925	18,229
RSSM-578SC	59.25" x 35.25" x 78"	208-240/60/1 (4 wire)	1,100	19,837
RSSM-678SC	71.25" x 35.25" x 78"	208-240/60/1 (4 wire)	1,100	
RSSM-878SC	91.25" x 35.25" x 78"	, ,		20,99
		208-240/60/1 (4 wire)	1,585	29,778
	TILE — NON-REFRIC		CLUD WEIGHT	LICT DDICE
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
NSSM-360SC	36" x 35.25" x 60" 47.25" x 35.25" x 60"	120/60/1	625 632	10,65 ² 12,247
NSSM-460SC		120/60/1	918	
NSSM-660SC	71.25" x 35.25" x 60"	120/60/1	910	13,40
NSSM-378SC	36" x 35.25" x 78"	120/60/1	750	11,720
NSSM-478SC	47.25" x 35.25" x 78"	120/60/1	841	12,24
NSSM-578SC	59.25" x 35.25" x 78"	120/60/1	920	13,683
NSSM-678SC	71.25" x 35.25" x 78"	120/60/1	1,118	13,24
NSSM-878SC	91.25" x 35.25" x 78"	120/60/1	1,483	14,819
HIGH PROF	ILE — DAIRY			
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
RSSD-360SC	36" x 35.25" x 60"	208-240/60/1 (4 wire)	700	17,39
RSSD-460SC	47.25" x 35.25" x 60"	208-240/60/1 (4 wire)	775	17,842
RSSD-560SC	59.25" x 35.25" x 60"	208-240/60/1 (4 wire)	950	19,480
RSSD-660SC	71.25" x 35.25" x 60"	208-240/60/1 (4 wire)	1,000	20,564
RSSD-478SC	47.25" x 34.25" x 78"	208-240/60/1 (4 wire)	925	18,317
RSSD-678SC	71.25" x 34.25" x 78"	208-240/60/1 (4 wire)	1,220	21,093
RSSD-878SC	91.81" x 34.25" x 78"	208-240/60/1 (4 wire)	1,585	29,926
	RIES For High Profile Se			
	op Light - 3500K)			N/C
	SSD (Includes Shelving)			N/C
	SSM (Includes Shelving)			N/C
Black Trim	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			707
Casters (2 1/2"	or 4") or Legs (6") (Include	es Cord and Plug)		917
	or 4") or Legs (6") With Sk		Plug)	1,22
Cord and Plug				260
Glass Shelves F	Per Tier			20
Laminated Finis	sh (Standard Colors: Waln	ut, Natural Oak, Cherry,	Beige, White, B	lack) N/C
	ecial Color Laminate (Forn		tandard Offering	js) 565
	ainless Steel Finish in Lieu	of Laminate		1.00
	", 48"			1,63
	", 72"			2,290
96		A Only		3,066
LED FIGURE RAIG	ow Shelves – 3500K RSSN	vi Orliy		



378, 478

360, 460, 560, 660



Model RSSM-678SC / RSSM-360SC



Model RSSM-678SCWith security roll-up cover requires squared ends. Shown with optional rear sliding doors.



Model RSSD-678SC

480

560

720



ACCESSORIES For High Profile Self-Serve Merchandisers (Continued)

Reflective End Glass (Pair)	\$	448
Front Condensing Unit Air Discharge or Rear Air Intake Discharge		820
Hinged Rear Access Doors		
48" (Includes Stainless on Remainder of Back)		1,888
60" ((Includes Stainless on Remainder of Back)		2,100
72" (Includes Stainless on Remainder of Back)		2,472
96" (Includes Stainless on Remainder of Back)		3,776
Sliding Rear Access Doors		
48" (Includes Stainless on Remainder of Back)		1,888
60" ((Includes Stainless on Remainder of Back)		2,100
72" (Includes Stainless on Remainder of Back)		2,472
96" (Includes Stainless on Remainder of Back)		3,776
Rear Side Panel Extensions (Six Inches)		871
Joining Kit for Continuous Line Up (N/A With Casters)		N/C
Security Roll-Up Cover (Black or White) Note: Unit Comes with Square Front and (Not Available if Cases are Joined)	d Ends	3
36", 48"		3,212
60", 72"		3,920
96"		5,226
Security Night Cover – Removable (Metal Clad (N/A on RSSD)		1,149
Security Night Cover Removable - Black Polycarbonate		1,149
Slim Profile 30" Deep		314
Stainless Steel Interior Back		
36", 48"		624
60", 72", 96"		935
Additional Shelves (No Light)		401
Additional Shelves (LED Lighted -3500K)		525
Stainless Steel Shelves (Per Tier, No Light)		
36", 48", 60"		377
72", 96"		754
Sound Deadening Kit		433
Deli Meat Pegs (Per Tier)		541
Remote Refrigeration With Compressor Shipped Separately (Indoor Only)		N/C
		14/0
Remote Refrigeration with Outdoor Condensing Unit		0.745
36", 48"		3,745
60", 72" 96"		3,995
	Dadu	4,450
Remote Refrigeration Without Compressor Supplied	Deau	ct 688
For Continuous Line-ups (Plexiglass Divider is Provided)		N/C
Condensate Evaporator Assembly – Required if No Drain Available (Field Install Kit, Dedicated 120V 15A Circuit Required)		483
Condensate Pump – Standard on RSSM 560, 660 and All Remote Models		N/C
Bumper (Black)		425
All White Case (Interior, Exterior, Trim and Base)		800
Alternate Power Supply:		
208-240V 60HZ 1PH		1,058
220-240V 50HZ 1PH		1,132
Slanted Milk Crate Insert		325
Notes: For Front Air Intake and Discharge, Specify If Cases Are Next To Each Ot	her	



24" SELF-SERVE SLIM LINE REFRIGERATED MERCHANDISER

			_	
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
HIGH PROF	ILE — REFRIGERA	TED		
RSSL-378SC	36" x 24" x 78"	120/60/1	795	\$ 17,897
RSSL-478SC	48" x 24" x 78"	208-240/60/1	885	18,317
RSSL-578SC	60" x 24" x 78"	208-240/60/1	1,120	19,935
RSSL-678SC	72" x 24" x 78"	208-240/60/1	1,180	21,093
ACCESSOR	IES For Slim-line High	Profile Self-Serve Me	erchandisers	
LED Top Light -	3500K			N/C
	ncludes Shelving)			N/C
·	or 4") or Legs (6")			654
	or 4") or Legs (6") With S	kirt		1,227
Cord and Plug (<u>'</u>			Standard
	h (Standard Colors: Wal			
-	ecial Color Laminate (For		Standard Offering	g) 565
	inless Steel Finish in Lie	u of Laminate		4.004
	', 48"			1,631
	', 72"			2,290
	ow Shelves -3500K			F60
	3, 478			560 720
	3, 678 Cover – Removable Black	Polycarbonate		1,149
Stainless Steel		t i diyearbonate		1,143
	', 48"			624
	·, 72"			935
Additional Shelf	·			401
	(LED Lighted-3500K)			525
Glass Shelves (205
Stainless Steel	Shelves (Per Tier)			240
36'	', 48", 60"			377
72'	,			754
Sound Deadeni	ng Kit			433
Deli Meat Pegs	(Per Tier)			541
Remote Refrige	ration With Compressor	Shipped Separately (In	door Only)	N/C
Remote Refrige	ration With Outdoor Con	densing Unit		
	', 48"			3,745
60'	', 72"			3,995
	ration Without Compress	or Supplied		Deduct 688
	mp - (In Lieu of Pan)			N/C
	aporator Assembly – Rec Dedicated 120V 15A Cir		able	483
120V Electrical	for 478SC Model Only (2	Circuits Required)		263
Reflective End (· · ·			448
All White Case (Interior, Exterior, Trim and	d Base)		800
Alternate Power				
	0-240V 50HZ 1PH			1,132
208	3-240V 60HZ 1PH			1,058



Model RSSL-578SC





Model LMD7278R

SELF-SERVE REFRIGERATED MULTI-DECK MERCHANDISERS (Remote Only) When ordering, specify finish.

DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
FILE — REFRIGERATED			
49.8" x 38" x 78"	120/60/1	800	\$ 20,455
73.8" x 38" x 78"	120/60/1	1,070	25,226
97.8" x 38" x 78"	120/60/1	1,260	29,365
RIES For High Profile Self-Serve	e Merchandiser	S	
IG (Top & Below Shelf Lighting - 350	00K)		N/C
(Includes Shelving)			N/C
el Interior (Includes Shelving)			3,974
nish (Standard Colors: Walnut, Nat	ural Oak, Cherry	, Beige, White, B	lack) N/C
Special Color Laminate (Formica® a	nd Wilsonart® S	tandard Offering) 565
Stainless Steel Finish in Lieu of Lam	inate		
48"			807
72"			1,146
96"			1,533
geration with Compressor Shipped	Separately (for I	ndoor Use Only)	2,993
geration with Outdoor Condensing	Unit		
_MD4878R			3,995
_MD7278R			4,450
_MD9678R			4,650
geration with Top Mount Condensir	ng Unit		
tory for electrical requirements)			3,974
er (Black Finish or Aluminum Finish)	<u> </u>		1,149
d Glass (Pair)			866
Pump			231
nopy			N/C
or Continuous Line-ups			N/C
ver Supply:			
220-240V 50HZ 1PH			1,083
	A9.8" x 38" x 78" 73.8" x 38" x 78" 97.8" x 38" x 78" 97.8" x 38" x 78" PRIES For High Profile Self-Serve (Includes Shelving) Includes Shelving) Includes Shelving) In Interior (Includes Shelving) Inish (Standard Colors: Walnut, Nat Special Color Laminate (Formica® a Stainless Steel Finish in Lieu of Laminate (Formica® a Stainless S	A9.8" x 38" x 78" 120/60/1 73.8" x 38" x 78" 120/60/1 97.8" x 38" x 78" 120/60/1 97.8" x 38" x 78" 120/60/1 97.8" x 38" x 78" 120/60/1 PRIES For High Profile Self-Serve Merchandisel (G (Top & Below Shelf Lighting - 3500K) (Includes Shelving) (In	A9.8" x 38" x 78" 120/60/1 800 73.8" x 38" x 78" 120/60/1 1,070 97.8" x 38" x 78" 120/60/1 1,260 PRIES For High Profile Self-Serve Merchandisers IG (Top & Below Shelf Lighting - 3500K) (Includes Shelving) el Interior (Includes Shelving) nish (Standard Colors: Walnut, Natural Oak, Cherry, Beige, White, Beceial Color Laminate (Formica® and Wilsonart® Standard Offering Stainless Steel Finish in Lieu of Laminate 18" 72" 96" geration with Compressor Shipped Separately (for Indoor Use Only) geration with Outdoor Condensing Unit LMD4878R LMD7278R LMD9678R geration with Top Mount Condensing Unit tory for electrical requirements) er (Black Finish or Aluminum Finish) d Glass (Pair) Pump Inopy or Continuous Line-ups ver Supply:



ISLAND MERCHANDISER - REFRIGERATED

MODEL [DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
IMSS60SC-2	60" x 40" x 55"	208-240/60/1	860	\$ 29,530
IMSS60SC-3	60" x 40" x 60"	208-240/60/1	910	30,246
IMSS84SC-2	84" x 40" x 55"	208-240/60/1	1,000	32,133
IMSS84SC-3	84" x 40" x 60"	208-240/60/1	1,150	32,849
IMSS120SC-2	120.5" x 40.5" x 57"	208-240/60/1	1,375	42,835
IMSS120SC-3	120.5" x 40.5" x 62"	208-240/60/1	1,450	44,717
ACCESSOR	IES For Island Merchand	diser		
LED LIGHTING	(Top & Below Shelf Lighting	g - 3500K)		N/C
Cart Bumper (B	lack)	,		928
Cord and Plug ((Six Foot)			263
Casters (Recess	sed) or Legs (6") (Includes (Cord and Plug)		917
	SC-2 and Remote Units Co		densate Pump	N/C
Condensate Eva	aporator Assembly – Requi	red if No Drain Available	· · ·	
	Dedicated 120V 15A Circu			483
Laminated Band	d (Standard Colors: Walnut	, Natural Oak, Cherry, B	eige, White, Bl	ack) N/C
Special Color La (Formica® and \	aminated Band Wilsonart® Standard Offerir	ngs)		380
Stainless Steel	Тор			
IMS	SS60			2,329
IMS	SS84			2,329
IMS	SS120			2,849
Stainless Steel	Band			
IMS	SS60			179
IMS	SS84			179
IMS	SS120			259
Stainless Steel	Base			
IMS	SS60			239
IMS	SS84			239
IMS	SS120			369
Stainless Steel	Tower & Stainless Shelves			
IMS	SS60			539
IMS	SS84			539
IMS	SS120			1,429
Remote Refrige	ration With Compressor Sh	nipped Separate (Indoor)	N/C
Remote Refrige	ration Without Compressor	Supplied		Deduct 688
Remote Refrige	ration With Outdoor Conde	ensing Unit		
IMS	SS60			4,450
IMS	SS84			4,450
IMS	SS120			4,650
Top-Mounted E	lectrical (Cord Not Available	e)		N/C
Top-Mounted R	efrigerated (Remote Only)			N/C
Top-Mounted C	ondensate Pump Drain Lin	е		N/C
Top Chase Kit C	Connections (Black Texture/	White 6" x 6" x 5' Long)	271
Price Tag Moldi			-	106
Price Tag Moldi				212
Graphic Wrap E			Con	tact Factory
Condenser Air F				240
Alternate Power	r Supply:			
	0-240V 50HZ 1PH			1,083
-				







END CAP - REFRIGERATED

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
ECSS40SC	40" x 40" x 60"	208-240/60/1	750	\$ 26,710
ECSS60SC	60" x 40" x 60"	208-240/60/1	950	29,397
ACCESSO	RIES For End Cap			
LED Lighting	(Top & Below Shelf Lighting -	3500K)		N/C
Cart Bumper	(Black)			617
Casters (Rece	essed) or Legs (6") (Includes (Cord and Plug)		917
Cord and Plu	g			263
(Field Install h	Evaporator Assembly – Requi	iit Required)	ble	483
	Special Color Laminated Band Formica® and Wilsonart® Sta			379
<u>-</u>	and (Standard Colors: Walnut,	<u> </u>	Beige, White, Bl	
Stainless Ste	,	, , ,		1,429
Stainless Stee	el Band			125
Stainless Ste	el Base			175
Stainless Stee	el Tower & Stainless Shelves			629
Remote Refri	geration (Shipped Separately)	(Indoor Use)		N/C
Remote Refri	geration Without Compressor	Supplied		Deduct 688
Remote Refri	geration With Outdoor Conde	nsing Unit		4,450
Top-Mounted	Electrical (Cord Not Available	e)		N/C
Top-Mounted	Refrigeration Drain Line (Ren	note Only)		N/C
Top-Mounted	Condensate Pump Drain Line	е		N/C
Top Chase Ki	t Connections (Black Texture/	White 4" x 4" x 5' Lor	ng)	271
Price Tag Mo	lding			106
Graphic Wrap	Band/Base		Con	tact Factory
Graphic Wrap	Band/Base/Canopy		Con	tact Factory
Condenser A	ir Filter			240
Alternate Pov	ver Supply:			
2	220-240V 50HZ 1PH			1,083



WALL DISPLAYS – NON-REFRIGERATED SELF-SERVE

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE	
FULL PAN					
WDC4276SS	42" x 29.75" x 76"	120/60/1	600	\$ 11,313	
ACCESSORII	ES For Full-Pan Wall Display	'S			
LED Top Light (35	500K)			N/C	
Special Painted F	inish (Standard Colors: White,	Black)	Contact Factory		
Mirrored Ends			446		
LED Lights - 3500	OK (Below Shelves)			560	
Casters (4")/Legs (6")			654		
Alternate Power S	Supply:				
220-	240V 50HZ 1PH			500	

WALL DISPLAYS - NON-REFRIGERATED SELF-SERVE

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
HALF PAN				
WDC-42	42" x 30" x 62"	120/60/1	350	7,483
ACCESSORI	ES For Floor Displays			
LED Vertical Ligh	its - 3500K (Includes Cord an	id Plug)		888
Casters or Legs				654
Laminated Base	(Standard Colors: Walnut, Na	atural Oak, Cherry,	Beige, White, Bl	ack) N/C
Spe	cial Color Laminated Base			
(For	mica® and Wilsonart® Stanc	lard Offerings)		407
Mirrored Ends (P	air)			459
Rear Sliding Glas	ss Doors			1,518
*Cord and Plug N	Not Available Without Lights			
Alternate Power	Supply:			
220-	-240V 50HZ 1PH			500



Model WDC4276SS



Model WDC-42





Model CRR3628/RSS3SC



Model CD3628SS/RSS3SC



Model CH3628/RSS3SC

HYBRID MERCHANDISERS

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
SERVICE REFRIC	SERATED OVER SEI	F-SERVE	REFRIGERATI	ED
CRR3628/RSS3SC	36.25" x 43.25" x 72.5"	120/60/1	847	\$ 25,710
CRR4828/RSS4SC	48" x 43.25" x 72.5"	120/60/1	1,010	27,532
(2)CRR3628/RSS6SC	72" x 43.25" x 72.5"	120/60/1	1,500	41,659
SERVICE NON-R	EFRIGERATED OVE	R SELF-SE	RVE REFRIGI	ERATED
CD3628/RSS3SC	36.25" x 39" x 69.75"	120/60/1	847	19,372
CD4828/RSS4SC	48" x 39" x 69.75"	120/60/1	1,010	20,009
(2)CD3628/RSS6SC	72" x 39" x 69.75"	120/60/1	1,500	28,982
SELF-SERVE NON	N-REFRIGERATED O	VER SELF-S	ERVE REFRIG	ERATED
CD3628SS/RSS3SC	36.25" x 39" x 69.75"	120/60/1	780	21,394
CD4828SS/RSS4SC	48" x 39" x 69.75"	120/60/1	900	22,089
(2)CD3628SS/RSS6SC	72" x 39" x 69.75"	120/60/1	1,300	33,022
SERVICE HOT O	VER SELF-SERVE R	EFRIGERA	TED	
CH3628/RSS3SC	36.25" x 39" x 69.75"	120/60/1	790	22,037
CH4828/RSS4SC	48" x 39" x 69.75"	120/60/1	935	22,933
(2)CH3628/RSS6SC	72" x 39" x 69.75"	120/60/1	1,400	34,310
SELF-SERVE HO	T OVER SELF-SERV	E REFRIGI	ERATED	
CH3628SS/RSS3SC	36.25" x 39" x 69.75"	120/60/1	790	22,690
CH4828SS/RSS4SC	48" x 39" x 69.75"	120/60/1	935	23,404
(2)CH3628SS/RSS6SC	72" x 39" x 69.75"	120/60/1	1,400	35,619
ACCESSORIES F	or Hybrid Merchandisers	S		
LED Lighting (Top & Be	elow Shelf Lighting - 3500	K) (Not Availab	le on Hot)	N/C
For Top Display				
Glass Shelves (For F	Refrigerated and Non-Refr	igerated)		330
Reflective Ends (Pai	r)			470
Reflective Rear Doo	rs (3' and 4')			824
Reflective Rear Doo	()			1,648
For Self-Serve Refrig				
Energy Saving Night	t Curtain			397
Stainless Steel Trim			D : 14/1:: 5	741
	andard Colors: Walnut, Na		• •	
	olor Laminate (Formica® a		Standard Offering	
	Steel Base in Lieu of Lami	nate		1,524
Mirrored Interior Ends	,			470
Reflective End Glass (F	· ·			448
Rear Door (Sliding) N/A				1,524
Security Night Cover (I Stainless Steel Steps i				1,052
Casters (N/A on 6' Cas				584 654
Casters (IN/A on 6 Cas	004			



CONVERTIBLE SERVICE OVER REFRIGERATED SELF-SERVE

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
SSRC-2452	24" x 34" x 52"	120/60/1	480	\$ 18,715
SSRC-3652	36" x 34" x 52"	120/60/1	590	20,348
SSRC-5052	50" x 34" x 52"	208-240/60/1	720	21,797
SSRC-5952	59" x 34" x 52"	208-240/60/1	845	23,263
SSRC-7752	77" x 34" x 52"	208-240/60/1	1,010	23,900
ACCESSO	PRIES For Service Top Dis	splay		
LED Lighting	(Top & Below Shelf Lighting	- 3500K)		N/C
Reflective Re	ear Doors			784
Glass Shelve	es (One Tier)			633
ACCESSO	ORIES For Self-Serve Refi	rigerated Base		
Casters or Le	egs (Recessed or 4" Casters)	(Includes Cord and I	Plug)	917
Cord and Plu	ıg (Six Foot)			263
Laminated B	ase (Standard Colors: Walnu	t, Natural Oak, Cherr	y, Beige, White, Bla	ack) N/C
	Special Color Laminated Bas			
	(Formica® and Wilsonart® St	<u> </u>		397
	Plain Base Without Laminate			N/C
	Stainless Steel Base in Lieu	of Laminate		1,008
	el Interior Includes Steps			762
	nt Cover (Black Poly Carbona			1,149
	liding Access Doors – Bottor			1,524
	igeration Without Compresso	or Supplied		Deduct 423
Rear Wrappii	<u> </u>			590
	helf (or Glass) with Light in L			205
	nd Glass (Top and Bottom Se	, , ,		784
	for Non-Refrigerated Produc	cts		415
	Pump (In Lieu of Pan)			N/C
	or Continuous Line-ups (N/A	With Casters)		N/C
	ng Night Curtain			\$379
Alternate Pov	,			
	220-240V 50HZ 1PH			1,083



Model SSRC-5952



Model SSRC-5952





Model SSRPF-5952

SELF-SERVE REFRIGERATED PREPARED FOODS MERCHANDISER

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
SSRPF-3652	36" x 34" x 52"	120/60/1	590	\$ 18,182
SSRPF-5052	50" x 34" x 52"	208-240/60/1	720	18,857
SSRPF-5952	59" x 34" x 52"	208-240/60/1	845	20,810
SSRPF-7752	77" x 34" x 52"	208-240/60/1	1,010	21,975
ACCESSO	RIES			
LED Lighting (Top & Below Shelf Lighting	- 3500K)		N/C
Casters (Rece	ssed) or 4" Legs (Includes	Cord and Plug)		917
Cord and Plug	g (Six Foot)			263
Laminated Ba	se (Standard Colors: Walnu	t, Natural Oak, Cherry, Be	eige, White, Bl	ack) N/C
	pecial Color Laminated Bas Formica® and Wilsonart® St			397
<u> </u>	lain Base Without Laminate	<u> </u>		N/C
_	tainless Steel Base in Lieu			1,008
White Interior	(Includes Shelves)			N/C
Stainless Stee	Interior Includes Shelves			762
Security Night	: Cover (Black Poly Carbon	ate)		1,149
Remote Refrig	geration Shipped Separately	/ (Indoor Use)		N/C
Remote Refrig	geration With Outdoor Cond	densing Unit		
S	SRPF-3652			3,185
S	SRPF-5052			3,185
S	SRPF-5952			3,745
S	SRPF-7752			3,745
Remote Refrig	geration Without Compress	or Supplied		Deduct 423
Solid Rear Slid	ding Access Doors			1,524
Glass Shelves	with Light in Lieu of Solid	Shelves (Per Tier)		205
Reflective End	l Glass			784
Energy Saving	Night Curtain			379
	or Non-Refrigerated Produ	cts		415
Condensate P	ump (In Lieu of Pan)			N/C
Joining Kit for	Continuous Line-ups (N/A	With Casters)		N/C
Rear Vent Exh	aust Extension (Adds 4" to	Rear of Case) (Rear Door	s N/A)	130
Stainless Stee	el Shelves (In Lieu of Black S	Shelves) (Per Tier) 36", 50	", and 59"	377
Stainless Stee	el Shelves (In Lieu of Black S	Shelves)(Per Tier) 77"		754
Alternate Pow	er Supply:			
2	20-240V 50HZ 1PH			1,083



VERSATILE SERVICE TOP OVER REFRIGERATED SELF-SERVE MERCHANDISER

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
SSRVS-3642	36" x 34" x 42"	120/60/1	590	\$ 16,664
SSRVS-5042	50" x 34" x 42"	208-240/60/1	720	17,320
SSRVS-5942	59" x 34" x 42"	208-240/60/1	845	18,806
SSRVS-7742	77" x 34" x 42"	208-240/60/1	1,010	20,117
ACCESSO	RIES For Self-Serve Ref	rigerated Base		
LED Lighting	(Top & Below Shelf Lighting	ı - 3500K)		N/C
Casters (Rece	essed) or 4" Legs (Includes	Cord and Plug)		917
Cord and Plu	g (Six Foot)			263
Laminated Ba	ase (Standard Colors: Walnu	ıt, Natural Oak, Cherr	y, Beige, White, Bl	ack) N/C
	Special Color Laminated Ba			
	Formica® and Wilsonart® S	- ,		397
-	Plain Base Without Laminate			N/C
	Stainless Steel Base in Lieu	of Laminate		1,008
White Interior	(Includes Shelves)			N/C
Stainless Ste	el Interior (Includes Shelves)		762
Security Nigh	t Cover (Black Poly Carbon	ate)		1,149
Solid Rear Sli	iding Access Doors for Bott	om Section		1,524
	geration Without Compress	<u>''</u>		Deduct 423
Remote Refri	geration Shipped Separatel	y (Indoor Use)		N/C
Glass Shelves	s with Light in Lieu of Solid	Shelves (Per Tier)		205
Remote Refri	geration With Outdoor Cond	densing Unit		
9	SSRVS-3642			3,185
9	SSRVS-5042			3,185
9	SSRVS-5942			3,745
	SSRVS-7742			3,745
Reflective En	d Glass (Pair)			784
Energy Savin	g Night Curtain			379
Front Basket	for Non-Refrigerated Produ	cts		415
Condensate I	Pump (In Lieu of Pan)			N/C
Joining Kit fo	r Continuous Line-ups (N/A	With Casters)		N/C
Sneeze Guard	d with Top Service Shelf			
3	36", 50"			1,211
5	59", 77"			1,629
Sneeze Guard	d with Two Bakery Shelves (N	ight Curtain N/A With S	Sneeze Guard/Bake	ery Shelves
3	36", 50"			3,363
-	59", 77"			4,689
Rear Wrappir				590
	haust Extension (Adds 4" to with Rear Door Option	Rear of Case 42" On	ly)	130
Alternate Pow	er Supply:			
2	220-240V 50HZ 1PH			1,083



*Sneeze guard/bakery shelves cannot be installed in the field *Shown With Optional Sneeze Guard



Model SSRVS-5942





Model SSRVS-5933 Shown with optional shelf



Model SSRSP-5952



Model SSRSP-5952 LED lighting lower section only

VERSATILE SERVICE TOP OVER REFRIGERATED SELF-SERVE COUNTER CASE

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
SSRVS-3633	36" x 34" x 32.63"	120/60/1	450	\$ 13,965
SSRVS-5033	50" x 34" x 32.63"	120/60/1	620	15,241
SSRVS-5933	59" x 34" x 32.63"	208-240/60/1	750	16,546
SSRVS-7733	77" x 34" x 32.63"	208-240/60/1	980	17,702
ACCESSO	RIES For Self-Serve Refr	rigerated Base		
LED Top Light	t (3500K)			N/C
Casters (Rece	essed or 4") or 6" Legs (Inclu	udes Cord and Plug)		917
Cord and Plug	g (Six Foot)			263
Laminated Fir	nish (Standard Colors: Walnu	ut, Natural Oak, Cherr	y, Beige, White, B	lack) N/C
	Special Color Laminate Base			
(Formica® and Wilsonart® Standard Offerings)				
Stainless Steel Base In Lieu of Laminate				
White Interior (Includes Step Riser)				
Stainless Steel Interior (Includes Step Riser)				
Security Night Cover (Black Poly Carbonate) 1,				
Remote Refrigeration Shipped Separately (Indoor Use) N/				
Remote Refrigeration Without Compressor Supplied Deduct 42				
Glass with Lig	ht in Lieu of Display Steps			205
Reflective End	d Glass			784
Energy Saving	Night Curtain			379
Front Basket	Non-Refrigerated Products			415
Condensate F	Pump (In Lieu of Pan)			N/C
Joining Kit for	Joining Kit for Continuous Line-ups (N/A With Casters)			
Solid Ends in Lieu of Glass (Specify Curved or Square Ends)				
Front Conden	sing Unit Air Discharge and	Intake		820

SANDWICH OR SALAD PREP OVER REFRIGERATED SELF-SERVE

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE			
SSRSP-5052	50" x 34" x 52"	208-240/60/1	690	21,621			
SSRSP-5952	59" x 34" x 52"	208-240/60/1	735	23,113			
SSRSP-7752	77" x 34" x 52"	208-240/60/1	940	23,763			
ACCESSO	RIES For Self-Serve Ref	rigerated Base					
LED Top Ligh	LED Top Light (3500K)						
Casters (Rece	Casters (Recessed) or 4" Legs (Includes Cord and Plug)						
Cord and Plu	g (Six Foot)			263			
Laminated Ba	ase (Standard Colors: Walnu	ıt, Natural Oak, Cherry, B	eige, White, Bl	ack) N/C			
	Special Color Laminated Ba						
<u>(</u>	Formica® and Wilsonart® St	andard Offerings)		397			
<u> </u>	Plain Base Without Laminate	9		N/C			
	Stainless Steel Base in Lieu	of Laminate		1,008			
	el Interior Includes Shelf			762			
Security Night Cover (Black Poly Carbonate)							
Solid Rear Sliding Access Doors for Bottom Section							
Remote Refrigeration Without Compressor Supplied							
Remote Refrigeration Shipped Separately (Indoor Use)							
Remote Refrigeration With Outdoor Condensing Unit							
5	SSRSP-5052			3,185			
5	SSRSP-5952			3,745			
5	SSRSP-7752			3745			
Glass Shelf w	rith Light in Lieu of Solid Sh	elves		205			
Reflective En	d Glass (Top and Bottom Se	ections) (Pair)		784			
Two-Tier Disp	olay Riser in Lieu of Shelf			173			
Rear Refriger	ation Storage (Includes Rea	r Sliding Door and Storag	ge Enclosure)	1,873			
Front Basket	for Non-Refrigerated Produ	cts		395			
Condensate Pump (In Lieu of Pan)				N/C			
Joining Kit fo	r Continuous Line-ups (N/A	With Casters)		N/C			
Alternate Pov	ver Supply:						

1,083

220-240V 50HZ 1PH

The Signature of Quality.

COUNTER TOP MERCHANDISERS

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE			
REFRIGE	REFRIGERATED – SELF-CONTAINED REAR MOUNT						
CRR3628	36" x 29.7" x 28"	120/60/1	390	\$ 12,316			
CRR4828	48" x 29.7" x 28"	120/60/1	450	13,704			
REFRIGER	RATED SELF-SERVE	- SELF-CONTAI	INED REAR MO	DUNT			
CRR3628SS	36" x 29.7" x 28"	120/60/1	400	12,672			
CRR4828SS	48" x 29.7" x 28"	120/60/1	460	14,045			
REFRIGER	RATED - SELF-CONT	TAINED BOTTON	MOUNT				
CRB3628	36" x 29.7" x 28"	120/60/1	390	12,316			
CRB4828	48" x 29.7" x 28"	120/60/1	450	13,704			
REFRIGER	RATED SELF-SERVE	- SELF-CONTAI	INED BOTTOM	MOUNT			
CRB3628SS	36" x 29.7" x 28"	120/60/1	400	12,672			
CRB4828SS	48" x 29.7" x 28"	120/60/1	460	14,045			
NON-REF	RIGERATED						
CD3628	36" x 29.7" x 28"	120/60/1	275	5,921			
CD4828	48" x 29.7" x 28"	120/60/1	350	6,158			
NON-REF	RIGERATED - SELF-	SERVE					
CD3628SS	36" x 29.7" x 28"	120/60/1	275	7,963			
CD4828SS	48" x 29.7" x 28"	120/60/1	350	8,210			
НОТ							
CH2428	24" x 29.7" x 28"	120/60/1	290	8,157			
CH3628	36" x 29.7" x 28"	120/60/1	333	8,612			
CH4828	48" x 29.7" x 28"	120/60/1	375	9,066			
HOT - SEI	LF-SERVE						
CH2428SSD	24" x 29.7" x 28"	120/60/1	290	8,975			
CH3628SSD	36" x 29.7" x 28"	120/60/1	333	9,322			
CH4828SSD	48" x 29.7" x 28"	120/60/1	375	9,532			
ACCESSO	RIES For Signature Ser	ies Counter Top					
LED Lighting	(Top & Below Shelf Lighting	g - 3500K) (Not Availa	able on Hot Case)	N/C			
Glass Shelves				314			
Solid Insulate	ed End Panel (For Hot Case	Lineup with Refriger	ated / Ambient Cas				
Reflective En				446			
Reflective Re				784 Deduct 423			
	Remote Refrigeration Without Compressor Supplied						
Remote Refrigeration With Outdoor Condensing Unit				3,060			
Front Mount Control (On Hot Cases Only) Pedestal & Cutting Board 36"				462			
	utting Board 36" utting Board 48"			550 589			
reuestal & Cl	utting board 46			569			



Model CRB4828SS



Model CD4828SS



Model CH3628SS





Model FCCR-5



Hinged front glass tilts forward for easy cleaning.

Chocolate and Confectionery Cases

MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE		
CLIMATE C	CONTROLLED					
FCCR-4	48" x 24" x 48"	120/60/1	635	\$ 20,786		
FCCR-5	60.75" x 24" x 48"	120/60/1	750	21,717		
FCCR-6	72" x 24" x 48"	120/60/1	850	22,436		
NON-REFR	RIGERATED					
FCC-4	48" x 24" x 48"	120/60/1	535	17,581		
FCC-5	60.75" x 24" x 48"	120/60/1	640	18,460		
FCC-6	72" x 24" x 48"	120/60/1	695	19,063		
ACCESSOR	RIES					
LED Lighting (Top & Below Shelf Lighting - 4000K)						
Casters or Leg	Casters or Legs (Includes Cord and Plug)					
Cord and Plug				263		
Laminated Bas	Laminated Base (Standard Color Black)					
Special Color Laminated Base (Formica® and Wilsonart® Standard Offerings)						
St	tainless Steel Base in Lieu of Lami	nate		1,008		
Silver Trim				N/C		
Top Rear Wrap	Board	-		620		



The Zignature of Quality



Elements Bakery and Deli Cases							
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE			
REFRIGER	RATED BAKERY						
ECGR-50	50" x 35" x 48"	120/60/1	640	\$ 14,142			
ECGR-59	59" x 35" x 48"	120/60/1	765	15,760			
ECGR-77	77" x 35" x 48"	120/60/1	930	16,642			
NON-REFRIGERATED BAKERY							
ECGD-50	50" x 35" x 48"	120/60/1	500	10,054			
ECGD-59	59" x 35" x 48"	120/60/1	535	10,408			
ECGD-77	77" x 35" x 48"	120/60/1	715	10,990			
REFRIGERATED DELI							
ECGR-50CD	50" x 35" x 48"	120/60/1	620	13,574			
ECGR-59CD	59" x 35" x 48"	120/60/1	650	13,940			
ECGR-77CD	77" x 35" x 48"	120/60/1	870	15,145			
*Optional Field Install Caster Kit 366							

Elements Counter Top Merchandisers								
MODEL	DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE				
REFRIGER	REFRIGERATED REAR MOUNT							
ERR-3628	36" x 29.7" x 28"	120/60/1	390	9,531				
ERR-4828	48" x 29.7" x 28"	120/60/1	450	10,689				
REFRIGER	ATED SELF-SERVE	REAR MOUNT						
ERR-3628SS	36" x 29.7" x 28"	120/60/1	400	9,963				
ERR-4828SS	48" x 29.7" x 28"	120/60/1	460	11,106				
HOT								
EH-2428	24" x 29.7" x 28"	120/60/1	290	6,517				
EH-3628	36" x 29.7" x 28"	120/60/1	333	6,673				
EH-4828	48" x 29.7" x 28"	120/60/1	375	6,834				
HOT SELF-SERVE								
EH-2428SS	24" x 29.7" x 28"	120/60/1	290	6,960				
EH-3628SS	36" x 29.7" x 28"	120/60/1	333	7,235				
EH-4828SS	48" x 29.7" x 28"	120/60/1	375	7,511				

Elements	Specialty D	isplay Cases		
MODEL DES	SCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	LIST PRICE
REFRIGERAT	ED SELF-SERVE I	HIGH PROFILE		
ERSSHP-378SC-5	36.5" x 34.25" x 78"	208-240/60/1 (4 wire)	834	13,974
ERSSHP-478SC-5	5 47" x 34.25" x 78"	208-240/60/1 (4 wire)	925	14,605
ERSSHP-678SC-5	71" x 34.25" x 78"	208-240/60/1 (4 wire)	1,220	16,820
REFRIGERAT	ED SELF-SERVE I	LOW PROFILE		
ELPRSS-3	34.6" x 34" x 46"	120/60/1	457	8,965
ELPRSS-4	46.6" x 34" x 46"	120/60/1	560	9,119
ELPRSS-6	70.6" x 34" x 46"	208-240/60/1	750	11,251
CONVERTIBL	E SERVICE HIGH	PROFILE SELF-S	ERVE	
ESSRC-5052	50" x 34" x 52"	208-240/60/1	720	17,604
ESSRC-5952	59" x 34" x 52"	208-240/60/1	845	19,212
ESSRC-7752	77" x 34" x 52"	208-240/60/1	1,010	19,800
*Optional Field Ins	tall Caster Kit			384
Notes:				

All Elements cases are supplied with LED lights standard
Bakery and Deli cases are supplied with LED 3000K lights, all other cases are supplied
with LED 3500K lights

ERSSHP has vertical LED 3500K lights and top LED 3500K lights













Reach-In Glass Door Merchandiser

ZEROSHELF

ZM/ZL MODELS - REMOTE REFRIGERATION 30-INCH WIDE DOORS

DESCRIPTION (L X D X H)	ELECTRICAL	SHIP WEIGHT	NO. OF DOORS	LIST PRICE		
1 TEMP						
61.93" x 37.4" x 81.8"	120/60/1	1,085	2	\$ 10,125		
92.37" x 37.4" x 81.8"	120/60/1	1,325	3	16,304		
122.81" x 37.4" x 81.8"	120/60/1	1,915	4	20,684		
153.25" x 37.4" x 81.8"	120/60/1	1,955	5	24,260		
s (Adds 5" to Length Total)			1,358		
MP						
61.93" x 37.4" x 81.8"	120-230/60/	1 1,085	2	12,827		
92.37" x 37.4" x 81.8"	120-230/60/	1 1,325	3	15,250		
122.81" x 37.4" x 81.8"	120-230/60/	1 1,915	4	20,901		
153.25" x 37.4" x 81.8"	120-230/60/	1 1,955	5	25,533		
Pair of Ends (Adds 5" to Length Total)						
ACCESSORIES For ZEROSHELF Reach-In Glass Door Merchandisers						
Insulated Partition						
Plexiglas Partition						
Condensate Pump						
Extra Shelves - each						
Remote Refrigeration With Outdoor Condensing Unit						
	61.93" x 37.4" x 81.8" 92.37" x 37.4" x 81.8" 122.81" x 37.4" x 81.8" 153.25" x 37.4" x 81.8" s (Adds 5" to Length Total MP 61.93" x 37.4" x 81.8" 92.37" x 37.4" x 81.8" 122.81" x 37.4" x 81.8" 153.25" x 37.4" x 81.8" s (Adds 5" to Length Total CORIES For ZEROSHER CORIES For ZEROSHER CORIES For ZEROSHER CORIES FOR ENDER CORIES	61.93" x 37.4" x 81.8" 120/60/1 92.37" x 37.4" x 81.8" 120/60/1 122.81" x 37.4" x 81.8" 120/60/1 153.25" x 37.4" x 81.8" 120/60/1 s (Adds 5" to Length Total) MP 61.93" x 37.4" x 81.8" 120-230/60/ 92.37" x 37.4" x 81.8" 120-230/60/ 122.81" x 37.4" x 81.8" 120-230/60/ 153.25" x 37.4" x 81.8" 120-230/60/ s (Adds 5" to Length Total) CORIES For ZEROSHELF Reach-In Cartition artition e Pump es - each	1 TEMP 61.93" x 37.4" x 81.8"	1 TEMP 61.93" x 37.4" x 81.8"		

^{*}Length Dimension Listed is Without Pair of Ends



*For Outdoor Remote Condensing Unit Selection & Creating Glass Door Lineups, Contact Factory.

WARRANTIES

FEDERAL'S STANDARD LIMITED WARRANTIES: ONE YEAR PARTS/ONE YEAR LABOR/FIVE YEAR MOTOR COMPRESSOR

PARTS — **ONE YEAR:** Federal Industries warrants to the original purchasers, the equipment manufactured by it to be free from defects in material and workmanship under normal use and service within 12 months from the date of original shipment from the factory.

Any items returned to the factory must be authorized by Federal's Customer Service Department and be shipped prepaid. Replacements will be shipped collect.

This warranty does not include any material which has been subject to misuse, neglect, damage in transit, accident, negligence, or alteration. Warranties do not cover: coated incandescent light bulbs, fluorescent lights, decorative heat lamp bulbs, coated halogen light bulbs, halogen heat lamp bulbs and LED light strips.

LABOR — **ONE YEAR:** Federal Industries warrants to the original purchasers, the equipment manufactured by it. Federal will for a period of 12 months from the date of original shipment from the factory pay the cost of labor for repairs and replacement of parts that it has determined to be defective

This warranty does not include the cost of labor for initial installation, start-up, correction of improper installations, misapplications, repairs caused by abuse and negligence, modifications, normal adjustments, drive time to and from repair site, and freon recovery. The cost of service labor reimbursed will be based on straight-time rate and reasonable time for the repair of the defect.

All service labor charges are subject to approval by Federal Industries Service Department.

MOTOR-COMPRESSOR — FIVE YEAR: Federal Industries warrants to the original purchasers that it will repair or exchange at our option, at any time during the five years following the date of original shipment from the factory a motor-compressor assembly of like design and capacity if the motor-compressor assembly or any part thereof is returned prepaid to nearest authorized jobber and is proved to our satisfaction to be inoperative due to defects in material or factory workmanship.

The term "motor-compressor assembly" consists of the stator, rotor, eccentric rod, eccentric shaft, piston, wrist pin, suction valve, discharge valve, and the cast housing in which these parts are enclosed.

This warranty does not apply to any electrical controls, condenser, evaporator, fan motors, overload switch, starting relay, temperature control, dryer, accumulator, or wiring harnesses. No claims can be made against this warranty for spoilage of product.

Replacement of the motor-compressor assembly must receive prior approval from Federal Industries Service Department.

This warranty does not apply to remote compressors furnished by Federal.

This warranty applies to the original motor compressor only.

GENERAL CONDITIONS: Federal Industries recommends that the installation, inspection, and start-up of refrigeration equipment be performed by a qualified refrigeration technician.

Federal Industries makes no other expressed or implied warranty, and no person or representative of the seller is authorized to add to the seller's liabilities in connection with its products other than what is expressed.

These warranties do not apply to remote motor compressor applications.

Warranties listed here are for equipment located inside the continental United States and Canada.

All service labor and/or parts charges are subject to approval by Federal Industries. Contact the service department in writing or call (608) 424-3331.

All claims must contain the following information:

- The model and serial number of the equipment.
- The date of the equipment failure and place of installation.
- The name and address of the agency which performed the service work.
- A complete description of the equipment failure, circumstances relating to that failure, parts replaced and itemized list of all labor charges incurred.

Federal Industries shall not be liable for any default or delay in performance caused by any contingency beyond its control.

Warranties do not include any food or business loss and transportation charges to or from Federal Industries factory.

Cases are designed to operate in an environment of 75°F ambient and 55% relative humidity.

TERMS OF SALE

- 1. PRICES. This price list supersedes all other price lists. Federal Industries reserves the right to change the price of the equipment without notice. All quotations for equipment shall be void if not accepted within 30 days.
- 2. DELIVERY. Shipping or delivery date is approximate. Seller will not be liable for failure to deliver due to strikes, suppliers' delays, changes requested by Buyer, or any causes beyond its control.
- **3. SHIPMENT.** When possible, requested carrier will be used. Federal, however, reserves the right to ship via any responsible carrier. Shipping charges are payable by consignee and any claims arising as to such charges shall be resolved between the carrier and consignee.
- 4. DAMAGE. Claims for damage in transit must be made by the consignee with the carrier. Federal Industries assumes no responsibility for damages while in transit.

- **5. TAXES.** Federal, state, city sales or use taxes are not included with these prices.
- 6. CANCELLATIONS. Buyer shall compensate Seller for all special items not normally stocked. Buyer shall also compensate Seller for special labor, material costs, special engineering, etc., on all cancelled orders.
- 7. RETURNED GOODS. No returns will be accepted without the prior approval of the Seller. A Return Authorization Number must be given by the Seller prior to Products being shipped, freight prepaid, by Buyer. Any damage in transit to Product being returned is Buyer's responsibility. All accepted returns are subject to a 35% restocking charge. Returns that have been approved by Seller must be received within (30) days after approval. Returns will not be considered after 90 days from assignment of RMA number. Returns must be made in original factory crate and must not have been used.



For all non-warranty parts sales visit:

1200 Greenbriar Dr. • Addison, IL 60101 • Toll Free 800-438-8898 • Fax 888-513-0259 • Email: customerservice@partstown.com



FEDERAL INDUSTRIES

A Standex Company

215 FEDERAL AVENUE, BELLEVILLE, WISCONSIN 53508-9201 PHONE: 800-356-4206 FAX: 608-424-3234

PHONE: 800-356-4206 FAX: 608-424-3234 WEBSITE: www.federalind.com













The Signature of Quality

FEDERAL INDUSTRIES

A Standex Company

215 Federal Avenue Belleville, Wisconsin 53508-9201

Phone: 800-356-4206 **Fax:** 608-424-3234

Email: Geninfo@Federalind.com **Website:** Federalind.com

