

# Glastender®

A Family Company  
Manufacturing in the USA

creative bar solutions



Expect more  
*more flexibility*  
more features

GLASSWASHERS • COCKTAIL STATIONS • COOLERS • FROSTERS • BEER SYSTEMS



## 2019

Product Directory & Price List

*Prices effective January 1, 2019*

# Terms and Conditions

## **PRICES:**

All prices are LIST. Applicable taxes will be added.

## **QUOTATIONS:**

Unless otherwise stated, quotations are effective for 30 days only.

## **ACCEPTANCE:**

All orders are subject to acceptance by Glastender, Inc.'s headquarters in Saginaw, Michigan. Possession of the Product Directory and Price List is not an offer to sell.

## **SHIPMENTS:**

F.O.B. factory in Saginaw, Michigan. Freight terms are Third Party or Collect if shipped directly to you. Prepay and Add to Invoice freight terms are available upon request. The approximate shipping weights of all products are listed with the prices. Partial shipments will be made unless otherwise specified by the customer. Surface freight classifications are:

- GT-24/GT-30/GW24 Glasswashers - Class 175
- GT-18 Glasswashers - Class 250
- All Underbar Equipment - Class 175
- Bar Die Orders - Class 250
- Portable Bars - Class 175
- Remote refrigerators (i.e., no compressor) or dry storage back bar equipment - Class 175
- Self-contained refrigeration equipment - Class 150
- Ice Display Units (IDU and GDU) - Class 85
- Lighted Liquor Displays - Class 85
- Beer line chillers and beer towers (beverage dispensing equipment) - Class 92.5
- Bottle Disintegration System - Class 150
- Ice Cream Freezers - Class 77.5

All small items are evaluated to see the most cost effective means for shipment. Many small items ship via UPS or FedEx; however, when dimensional weight is excessive, LTL carriers are the most cost effective choice. Spare parts orders received before 1:00 PM EST can usually be shipped the same day.

The order department is happy to assist with routing or shipping questions.

## **PAYMENT TERMS:**

Cash should be included with all orders unless credit terms have been arranged. To establish credit, banking and trade references are required. A convenient credit application is available upon request. Payment via credit card is not our normal means of receiving payment. Visa and MasterCard will be accepted, but must be charged at the time of shipment. In addition, a payment via credit card for orders totaling more than \$500 will incur a 3% convenience fee on the total transaction amount.

## **DELIVERY:**

The majority of equipment is manufactured to order and typically ships within three to six weeks after complete order information is received by the factory. In-stock equipment typically ships within two to three days of the factory receiving complete order information.

## **RETURNS:**

Items specified as "Manufactured to Order" are NOT returnable.

A Return Authorization number must be issued by the factory in advance for any items that are returnable. The number MUST be noted on the outside of the returned package. Returns must be received within 90 days of the issue date. Shipping charges must be prepaid. A minimum 20% restocking charge will be applied to all authorized returns if received in new, unused condition in the original packaging.

The above conditions apply to spare part returns, except spare part returns must be received within 30 days of original shipment for electronic or electrical parts or within 90 days for all other parts.

## **LOSS OR DAMAGE:**

For customer routed shipments, Glastender, Inc. is not responsible for any loss, damage, or delay of merchandise during shipment. Such transit claims must be filed with the carrier. Merchandise must be examined on arrival. If shortages occur, Glastender, Inc. must be notified in writing within five (5) days of delivery to honor any shortage claim. Glastender will assume responsibility for freight claims on Prepay and Add shipments but the customer must inspect freight and note any damage upon receipt. Failure to do so may result in losses at the customer's expense.

## **CUSTOM ORDERS:**

Custom orders must be paid in advance and are not subject to cancellation.

## **LAMINATES:**

Some products include common, readily available plastic laminates of the customer's selection. There may be an additional charge if uncommon varieties are ordered.

12/14/17



Glastender, Inc. • 5400 North Michigan Road • Saginaw, MI • 48604-9780  
800.748.0423 • 989.752.4275 • Fax 989.752.4444 • [www.glastender.com](http://www.glastender.com)

# Table of Contents



Vinifinity Wine Preservation System.....	1 - 2
Bottle Disintegration System .....	3 - 4
Glasswashers.....	5 - 10
<ul style="list-style-type: none"> <li>• GW24 Rotary Glasswasher • GWS66 Glass Washing Station</li> <li>• GT-18 Series Rotary Rack Glasswashers • GT-24 and GT-30 Rotary Glasswashers</li> </ul>	
Cocktail Stations .....	11 - 18
<ul style="list-style-type: none"> <li>• Assembly, Disassembly, and Complete Cocktail Stations</li> </ul>	



DS12-6BN(L)



**Vinifinity Wine  
Preservation System**  
pages 1 - 2

DBGR-24-RS-V



**Mixology Units**  
page 42

MFT-20



Bar Fabrication - Main Line and Choice .....	19 - 76
<ul style="list-style-type: none"> <li>• Portable Bars • Ice Bins • Soda Gun Holders • Soda Manifold Housing • Bottle Wells and Racks • Speed Rails</li> <li>• Blender Stations • Drainboards • Cabinets • Sinks • Mixology Units, Stations, Wells and Drink Rails</li> <li>• Drink Rails • Rinser Faucets • Liquor Displays • Dry Waste Chutes and Rails • Ice Cream Freezers</li> <li>• Wait Stations • All-In-One Stations • Tubing Chases • Beer Drainers • Modular Bar Die</li> </ul>	
Bar Refrigeration .....	77 - 116
<ul style="list-style-type: none"> <li>• Bar Profile Coolers • Direct Draw Draft Beverage Towers • Low Profile Coolers • Reach-In Frosters</li> <li>• Slide Top Coolers • Slide Top Mug Frosters • Ice Display Units • Lighted Liquor Displays</li> <li>• Dry Storage Cabinets • Back Bar Glass Storage • Back Bar Liquor Displays</li> </ul>	
Beverage Dispensing .....	117 - 122
<ul style="list-style-type: none"> <li>• Beer Line Chillers • Draft Beverage Towers</li> </ul>	
Kitchen Fabrication and Refrigeration.....	123 - 133
<ul style="list-style-type: none"> <li>• Kitchen Cabinets • Wall-Mount Sorting Rack • Kitchen Shelves • Kitchen Sinks • Kitchen Stands</li> <li>• Kitchen Tables • Hand Sinks • Drop-In Units • Undercounter Coolers • Lettuce Crispers</li> <li>• Countertop Merchandisers • Wall-Mount Refrigerators • Drop-In Ice Cream Freezers</li> <li>• Mobile Ice Cream Freezers • Mobile Ice Baths • Specialty Ice Bins • Mobile Ice Bins • Wall Cabinets</li> </ul>	
Terms and Conditions / General Information .....	Inside front cover
Warranty.....	Inside back cover
Index .....	134 - 135
Spec Sheets .....	specs.glastender.com



# Vinfinity Wine Preservation System

Expand your wine-by-the-glass service and increase revenue with the Glastender Vinity® Wine Preservation System. Its patented technology removes 95% of the air in any open bottle in less than two seconds, protecting wine flavor after every pour to minimize waste and maximize profit.



VGK



CVU-H

## HORIZONTAL VINFINITY CENTRAL VACUUM UNIT

MODEL	DESCRIPTION	LIST	WEIGHT
CVU-H	Vinity central vacuum unit for horizontal cabinet installation. Includes 50 Vacu-Vin® stoppers. Must order one of the cabinets below to meet requirements of UL 963.	\$7,167	55#

## VACUUM GUN KIT

One or more vacuum guns can be connected to the Central Vacuum Unit (CVU) and positioned where desired to maximize efficiency. Order as many as you require. NOTE: Each vacuum gun kit includes 25 feet of vacuum hose. For guns located further away from the CVU, order additional hose under part #01000617 at \$1.60 List per foot.

MODEL	DESCRIPTION	LIST	WEIGHT
VGK	Vacuum gun kit, includes 25' of vacuum hose	\$960	15#



DBGR-24-V



DBGR-24-RS-V



DBCB-24-V



ACB-24-V

Some images ghosted for illustrative purposes.

## CABINETS FOR VINFINITY CVU-H

MODEL	DESCRIPTION	LIST	WEIGHT
DBGR-24-V*	24" wide by 24" deep drainboard glassrack with intermediate shelf and access doors to CVU	\$1,756	95#
DBGR-24-RS-V*	24" wide by 24" deep drainboard glassrack with roll-out intermediate shelf and access doors to CVU	\$2,084	105#
DBCB-24-V*	24" wide by 24" deep drainboard cabinet with full height door for access to intermediate shelf and CVU	\$1,756	105#
ACB-24-V*	24" wide by 24" deep add-on cabinet base with access doors to CVU. NOTE: For mounting below another piece of underbar (e.g. liquor display) that does not have a drain connection.	\$757	30#

\*NOTE: Cabinets for Vinity CVU-H are manufactured to order and are not returnable

## VERTICAL VINIFINITY CENTRAL VACUUM UNIT

MODEL	DESCRIPTION	LIST	WEIGHT
CVU-V	Vinifinity central vacuum unit for vertical cabinet installation. Includes 50 Vacu-Vin® stoppers. Must order one of the cabinets below to meet requirements of UL 963.	\$7,038	45#

## VACUUM GUN KIT

One or more vacuum guns can be connected to the Central Vacuum Unit (CVU) and positioned where desired to maximize efficiency. Order as many as you require. NOTE: Each vacuum gun kit includes 25 feet of vacuum hose. For guns located further away from the CVU, order additional hose under part #01000617 at \$1.60 List per foot.

MODEL	DESCRIPTION	LIST	WEIGHT
VGK	Vacuum gun kit, includes 25' of vacuum hose	\$960	15#

## CABINETS FOR VINIFINITY CVU-V

MODEL	DESCRIPTION	LIST	WEIGHT
DBCA-12-V*	12" wide by 19" deep drainboard cabinet with full height door for access to CVU	\$1,367	75#
DBCB-12-V*	12" wide by 24" deep drainboard cabinet with full height door for access to CVU	\$1,389	85#
DS12*	12" wide back bar dry storage cabinet with access door to intermediate shelf and CVU. Includes vacuum nozzle. Additional vacuum guns may be ordered if desired. See model number key below for complete model number and pricing information.	See Below	95#

## ACCESSORIES

MODEL	DESCRIPTION	LIST
CKR-12	12" kick rail	\$66
CKR-L	Left side kick rail	\$75
CKR-R	Right side kick rail	\$75
SL-L	Left side lamination	\$158
SL-R	Right side lamination	\$158
SS-L	Left side stainless steel	\$30
SS-R	Right side stainless steel	\$30
03015039	Vacu-Vin® stopper, each (additional)	\$5
01000617	Vacuum hose, 3/8" ID, per foot	\$1.60

## FEATURES

Wine is free poured for convenient, traditional service • Fast operation allows busy bartenders to use the system after every pour to ensure wine quality is maintained • There is no limit on the number of bottles that can be used with the system • No special dispensing apparatus is required, which means there is no tubing or dispense valve to maintain, eliminating the risk of flavor contamination • Regular maintenance consists of cleaning the vacuum gun each day, which is a simple 30 second process • Cost of operation is negligible - uses about 3 minutes of electricity for every 50 glasses of wine served

## SPECS

### Electrical

- 120V, 1 phase, 60 Hz, 3.7 full load amps
- Dedicated 15 amp circuit is recommended
- Includes 6 foot NEMA 5-15P grounded cord and plug



CVU-V

\*NOTE: Cabinets for Vinifinity CVU-V are manufactured to order and are not returnable



DS12 includes vacuum nozzle



DBCB-12-V

Images ghosted for illustrative purposes.



DS12-6BN(L)

## DS12 CVU-V VINIFINITY CABINET

Standard List = \$2,475

Weight = 95#

DS12- ( )

**Base Height:**  
1 = 1"  
6 = 6" Legs - Add \$128

**Door Style:**  
B = Black vinyl clad  
U = Unlaminated  
L = Laminated - Add \$158  
S = Stainless - Add \$30

**Door Hinge Location:**  
(from left to right)  
L = Left or R = Right

**Top Style:**  
N = No finished top  
L = Laminated - Add \$541  
S = Stainless - Add \$234

## Increase your cash flow by decreasing your trash flow

Glastender's Bottle Disintegration System reduces the volume of glass bottle waste by as much as 85%, lowering your disposal fees and paying for itself over time. The BDS unit is easy to use and crushes a bottle in mere seconds, while being no louder than a standard blender.

### Bottle Disintegration



Bucket stop bar ensures bucket is fully seated when door is closed



Closed door safety sensor prevents operation when front door is open



Multi-level baffle system on feed chute for safe operation and glass containment

**Includes safety interlock switches**



Bucket seating safety sensor prevents operation when the bucket is not in place

• UP TO •  
**85%**  
VOLUME  
REDUCTION



From this  
to this

The 4-gallon bucket weighs approximately 43 pounds and holds approximately 4 cases of disintegrated long neck beer bottles when full

# Bottle Disintegration System

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES:

- Reduces volume of glass bottle waste by as much as 85%
- Disintegrates beer, wine, and liquor bottles up to 4" in diameter and 14" in height
- The 4-gallon bucket holds approximately 43 lbs. when full and is accessible for emptying by opening the front door (two buckets included)
- Compact design fits easily under the bar or in a service station
- It takes mere seconds to crush a bottle and is no louder than a standard blender
- Stainless steel interior and exterior resists corrosion and is easy to keep clean
- Includes safety interlock switches to ensure safe operation. The unit shuts down and a red indicator light is illuminated if the front access door is open or the bucket is not in place.
- Multi-level baffle system on feed chute and gasket seal to maximize glass containment
- Green indicator light identifies when unit is running
- Easy operation - simply turn it on and push a bottle down the feed chute
- Includes locking casters so unit can be easily moved for cleaning



BDS

Bottle Disintegration

### BDS

MODEL	LIST	WEIGHT	WIDTH	DEPTH	HEIGHT
BDS	\$4,763	185#	20"	22"	38"


### ACCESSORIES

MODEL	DESCRIPTION	LIST	WEIGHT
CE-BDS	Convert to 220V/50Hz or 220V/60Hz electrical	\$467	185#
14000053	Bucket (additional)	\$28	5#

BDS with door open showing access to bucket



14000053



PLAN VIEW

FRONT ELEVATION

SIDE VIEW





GW24 shown with chemical bottles (not included)



GW24

### STANDARD FEATURES

- Fill and dump style cycle uses less water and energy than traditional rotary glasswashers
- Unit plugs into standard 120V electrical outlet for an easy installation
- Computer controlled fill cycle allows for 75°F (24°C) rinse, providing clean glasses that are cool to the touch
- Specifically designed with a 30" work height to align with adjacent underbar for an attractive installation
- The sliding cover and cold water rinse prevent steam from escaping during and after the cycle
- Unique drainboard top provides integrated glassware landing area
- Exclusive design with side notch provides space for three one-gallon chemical containers within the 24" by 24" foot print
- Conveyor advance switch rotates conveyor one-half turn for easy loading and unloading of glassware
- Covers and drainboard top are easily removable for cleaning access
- Pumped wash and rinse ensures water line pressure variances do not affect wash results
- Pre-programmed de-liming cycle for easy removal of mineral deposits during maintenance (de-liming agent must be added)
- Conveyor and stationary spray box are easily removed for cleaning and visual inspection
- Removable side panels for easy service access
- Automatic peristaltic metering pumps accurately dispense detergent, sanitizer, and rinse aid
- Includes priming switches for easy priming of chemical pumps

### PRODUCT INFORMATION

(see Spec Sheets for complete details)

#### Electrical

- 120V, single phase, 60Hz, 6-foot grounded cord included
- Dedicated 15 amp circuit recommended
- Power requirements - 3.5 amps

#### Operation / Capacity

- 120°F (49°C) minimum wash temp and rinse temp adjustable down to 75°F (24°C)
- 2 minute 15 second cycle
- 41 glasses† per cycle
- Maximum glass height 10"

† Based on 2-3/4" diameter bar glasses



## The GWS66 includes:

- GW24 glasswasher with 01001500 Slide-out Chemical Bottle Rack
- SWB-18-DW wet waste sink cabinet with 03005491 trash receptacle
- DBGR-24-RS drainboard glassrack with roll-out shelves


(see Spec Sheets for complete details)

## GLASS WASHING STATION

MODEL	LIST	WEIGHT	LENGTH	DEPTH
GWS66	\$13,699	380#	66"	24"



GWS66



Accessory  
01001602  
Backsplash



Accessory 01001500  
Chemical Bottle Rack



Accessory  
01001601  
Rack Divider



Accessory  
01001541  
Export  
transformer  
220V/50Hz  
electrical

## Pricing On Individual Components

See \* below for included GWS66 components

### 24" ROTARY GLASSWASHER

MODEL	LIST	WEIGHT	LENGTH	DEPTH
GW24*	\$9,085	165#	24"	24"

### GW24 ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
01001500*	Slide-out Chemical Bottle Rack	\$473	25#
01001541	Export transformer 220V/50Hz electrical NOTE: Eliminates side notch	\$1,040	30#
CWET-GW	Clip-on wet waste for GW24	\$278	10#
01001601	Rack divider, two-piece assembly	\$166	7#
01001602	Backsplash, clip-on	\$121	5#

### 18" WET WASTE SINK CABINET W/DRY WASTE CHUTE

MODEL	LIST	WEIGHT	LENGTH	DEPTH
SWB-18-DW*†	\$2,004	85#	18"	24"

†Individual SWB-18-DW purchase does not include 03005491 trash receptacle

### WET WASTE SINK CABINET ACCESSORY

MODEL	DESCRIPTION	LIST	WGT
03005491*	Trash receptacle, 28-1/2 qt, gray plastic	\$53	5#
DWC	Stainless dry waste container	\$337	10#

### 24" DRAINBOARD GLASSRACK CABINET W/ROLL-OUT SHELVES

MODEL	LIST	WEIGHT	LENGTH	DEPTH
DBGR-24-RS*	\$2,084	95#	24"	24"

**⚠ WARNING:** The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).  
**Warning applies to State of California only.** Part #03000483

## There are ten different GT-18 models to choose from.

The top of every GT-18 glasswasher is removable. The same base, which houses all the electrical and mechanical components, is used with all of the different top styles. The various tops are used in different situations to increase glasswasher throughput. A suffix is added to the GT-18 model number to specify a top different than the standard door type. The different models are pictured below:



GT-18  
Front load door type



GT-18+1  
Front-to-back  
pass thru



Cocktail server view  
with simulated bar  
top and bar die



GT-18+1L  
Front-to-side pass thru with left side  
drain table (GT-18+1R with right side  
drain table is also available)



GT-18+2  
Side-to-side  
pass thru



GT-18+2-IC  
Side-to-side corner  
pass thru

### PRODUCT INFORMATION

(see Spec Sheets for complete details)

#### STANDARD FEATURES:

- Drive wheel and glass rack lift out for cleaning
- Two 16" diameter polypropylene racks included
- Spray box unlatches for easy cleaning and visual inspection - 15 spray nozzles have been engineered for maximum soil removal
- Digital temperature gauge built into switch panel
- Intelligent microprocessor control delays cycle start, up to two minutes, when incoming water is below 120°F (49°C)
- Automatic peristaltic metering pumps accurately dispense detergent, sanitizer and rinse aid
- Prime Switch for quick chemical priming
- 1/6 HP pump recirculates wash water and rinse water
- Fractional HP drive motor powers the belt driven rotary rack and includes built-in slip clutch

#### ELECTRICAL:

- 120V, single phase, 60Hz, 6-foot grounded cord and plug included

#### CAPACITY:

- 2 minute cycle, 70 second wash and 22 second rinse exposure
- 720 - 2-1/2" diameter or 600 - 2-3/4" diameter glasses per hour (maximum glass height 10" - including pitchers and wine carafes)

## EXTENDED GT-18+2 MODELS

Extended GT-18+2 models have the drain table extended on one side of the glasswasher to hold more than one rack. This increases overall glasswasher throughput by allowing multiple racks of glassware to be pre-loaded for washing. The model number specifies the overall glasswasher length and the location of the extended drain table. For example, the GT-18+2-78L (pictured) is 78" long overall and has the left side drain table extended. Extended +2's are available in 78" and 90" overall lengths. The 78" models come with three racks and the 90" models come with four racks. A leg set is included under the extended drain table.



GT-18+2-78L with 01000708 glass rack holder

### ROTARY RACK GLASSWASHERS

MODEL	DESCRIPTION	LIST	WEIGHT	LENGTH	DRAIN TABLE
GT-18	Front load door type	\$7,828	145#	18"	N/A
GT-18+1	Front-to-back pass thru	\$8,437	155#	18"	Back
GT-18+1L	Front-to-side pass thru	\$8,783	175#	36"	Left
GT-18+1R	Front-to-side pass thru	\$8,783	175#	36"	Right
GT-18+2	Side-to-side pass thru	\$9,194	195#	60"	Left & Right

### CUSTOM ROTARY RACK GLASSWASHERS\*

MODEL	DESCRIPTION	LIST	WEIGHT	LENGTH	DRAIN TABLE
GT-18+2-IC	Side-to-side corner pass thru	\$9,805	245#	42" x 42"	Left & Right
GT-18+2-78L	Side-to-side pass thru, left extended	\$9,711	275#	78"	Left & Right
GT-18+2-78R	Side-to-side pass thru, right extended	\$9,711	275#	78"	Left & Right
GT-18+2-90L	Side-to-side pass thru, left extended	\$10,056	300#	90"	Left & Right
GT-18+2-90R	Side-to-side pass thru, right extended	\$10,056	300#	90"	Left & Right

\*NOTE: These units are manufactured to order and are not returnable

### ACCESSORIES

MODEL	DESCRIPTION	LIST	WEIGHT
01000532	Glass rack	\$105	2#
01000533	Dish rack	\$200	4#
01000536	Glass rack insert for stemware	\$260	6#
01000710	Clip-on chemical rail	\$261	10#
01000706	Glass rack holder (for GT-18+1 only)	\$330	10#
01000708	Glass rack holder (+2, +1L, or +1R models)	\$667	20#
01000709	Glass rack holder w/shelf (+2, +1L, or +1R models)	\$836	25#
01000557	Export transformer†	\$1,040	20#

See underbar section for wet waste sinks and drainboards.

†EXPORT TRANSFORMER- The export transformer converts the electrical requirement to 220V, 1 phase, 50Hz.



GT-18 with 01000710 chemical rail



01000536 Glass rack insert for stemware



01000533 Dish rack



GT-18+2 with SWA-12 wet waste sink and 01000709 glass rack holder



GT-18+1 with 01000706 glass rack holder



GT-18+2-78L with 01000708 glass rack holder



GT-24-CW



GT-30-CCW

### STANDARD FEATURES

- Removable top and front shield for easy cleaning access
- Available with clockwise or counterclockwise rotation
- Conveyor lifts out for easy cleaning
- Set of three separate curtains is included
- Switch panel may be relocated in the field
- Removable side panels for easy service access
- Spray boxes unlatch for easy cleaning - engineered for maximum soil removal
- 4000 watt heater encased in an incoloy sheath to resist caustic detergents
- Digital temperature gauges built into switch panel
- Thermostat controls wash tank temperature
- Automatic electronic peristaltic metering pumps
- 1/6 HP pumps recirculate wash water and rinse water
- Fractional HP drive motor powers the belt driven conveyor and includes built-in slip clutch
- Sensor activated low water cut off in wash tank protects heater
- Automatic chemical sensor alerts operator when detergent and sanitizer is low
- Prime switches provided for high speed chemical priming

### PRODUCT INFORMATION

(see Spec Sheets for complete details)

#### ELECTRICAL

- 120/208V or 120/240V, single phase, 60Hz, 3-wire (two hot and one neutral), ground connected per local code (green wire), 20 amp (4 wire total), unit operates within 10% of rated voltage
- Separate 20 amp circuit required [30 amp for 208V]
- A power relay in the unit separates the high and low voltages and directs the respective power to the electrical components. The heater and power light operate on 208 or 240 volts - all other components operate on 120 volts.

#### DETERGENT

- Extra heavy duty, non-foaming, commercial liquid dishwashing detergent is required - .30% concentration

#### SANITIZER

- Liquid chlorine bleach (sodium hypochlorite - 5.25% solution) adjusted to 50 ppm or iodophor adjusted to 12.5 ppm

#### CAPACITY


- 3 minute cycle, 60 second wash and 60 second rinse exposure
- GT-24: 1000 - 2-1/2" diameter or 800 - 2-3/4" diameter glasses per hour
- GT-30: 1440 - 2-1/2" diameter or 1260 - 2-3/4" diameter glasses per hour
- Maximum glass height - 10"



## What operational features must be specified?


**1. SWITCH PANEL LOCATION:** The standard switch panel location is on the front unloading side of the glasswasher, because most glasswashers are in an underbar environment (see underbar plan view). In a pass-thru style cocktail station, the switch panel is located on the bartender side of the glasswasher (see pass-thru station plan view). If a side mounted switch panel is required, it must be specified when ordering.

### UNDERBAR PLAN VIEW



**2. ROTATION:** Conveyor rotation can be clockwise or counterclockwise. The rotation selection is based on work flow. In an underbar environment, the wet waste sink should be on the load side of the glasswasher to prevent crossover (see underbar plan view). In a pass-thru style cocktail station, the load side should be toward the servers (see pass-thru station plan view).

### PASS THRU STATION PLAN VIEW



**3. VOLTAGE:** Within the United States, electrical power is available as either 208V or 240V. To ensure that the 4000 watt heater operates at maximum efficiency, Glastender offers either 208V or 240V heaters. The selection of voltage depends on what is supplied to the job site. You may need to consult your electrician.

## ROTARY CONVEYOR GLASSWASHERS

MODEL	LIST	WEIGHT	LENGTH	DEPTH	ROTATION	VOLTAGE
GT-24-CW-208	\$11,711	180#	24"	24"	Clockwise	208V
GT-24-CW-240	\$11,711	180#	24"	24"	Clockwise	240V
GT-24-CCW-208	\$11,711	180#	24"	24"	Counterclockwise	208V
GT-24-CCW-240	\$11,711	180#	24"	24"	Counterclockwise	240V
GT-30-CW-208	\$13,101	215#	30"	30"	Clockwise	208V
GT-30-CW-240	\$13,101	215#	30"	30"	Clockwise	240V
GT-30-CCW-208	\$13,101	215#	30"	30"	Counterclockwise	208V
GT-30-CCW-240	\$13,101	215#	30"	30"	Counterclockwise	240V

## ACCESSORIES

MODEL	DESCRIPTION	LIST	WEIGHT
01000557	Export transformer†	\$1,040	20#
01000828	Mixing valve♦	\$234	1#
CWET-24	Clip-on wet waste for GT-24	\$310	10#
CWET-30	Clip-on wet waste for GT-30	\$341	15#
01000534	Stemware rack for GT-24	\$310	15#
01000535	Stemware rack for GT-30	\$404	15#



CWET-24  
shown installed  
on a GT-24-CW

See underbar section for wet waste sinks and drainboards.



01000534  
Stemware Rack  
for GT-24

†EXPORT TRANSFORMER- The export transformer converts the electrical requirement to 220V, 1 phase, 50Hz.

♦MIXING VALVE- A cold supply line is used to provide water to the rinse tank. If the cold water supply is less than 75°F (24°C), then a mixing valve should be installed. A mixing valve allows hot and cold water supply lines to be mixed to achieve the desired temperature.

### TEAMWORK IS THE KEY.

Imagine owning a piece of equipment that turns your conventional station into a profit-maker. Glastender Cocktail Stations let bartenders and cocktail servers share the work. Teamwork is the key to increasing bartender output and your bottom line.



### AN OPERATIONAL APPROACH TO EQUIPMENT DESIGN

Glastender products are designed to eliminate wasted steps and save time at every stage of the Cocktail Life Cycle. Saving time allows you to prepare and serve more drinks per hour - and more drinks served means more drinks sold.

The three styles of pass-thru cocktail stations offered are based on the Cocktail Life Cycle: assembly, disassembly, and complete.


1. Assembly: A pass-thru ice bin for making drinks.
2. Disassembly: An automatic glasswasher for handling soiled glassware.
3. Complete: A pass-thru ice bin and automatic glasswasher for making drinks and handling soiled glassware.

#### ASSEMBLY PROCESS

1. Secure Clean Glass
2. Ice Clean Glass
3. Add Liquor Ingredient(s)
4. Add Mix Ingredient(s)
5. Record the Sale
6. Garnish the Cocktail
7. Serve the Cocktail


#### DISASSEMBLY PROCESS

8. Return Soiled Glass
9. Dispose Dry Waste
10. Dispose Wet Waste
11. Wash Soiled Glass



## PROMOTE TEAM WORK, INCREASE EFFICIENCY.

Glastender manufactures a large variety of pass-thru cocktail stations which are listed in the following pages. Many of the typical features are detailed below in this one example.



**CS-72-CCW with optional SOS/SS-72 single overshelf and SG-30 sneeze guard**

### What is an orientation or rotation specification?

All Cocktail Stations have an orientation or rotation that determines the work flow. The orientation is dictated by the position of the glasswasher within the station. Even though assembly style Cocktail Stations do not have a glasswasher, their orientation is based on the complete Cocktail Stations from which they are derived.


The orientation and work flow are determined as follows:

**Counterclockwise:** The glasswasher is positioned to the bartender's left. The work flow is right to left.

**Clockwise:** The glasswasher is positioned to the bartender's right. The work flow is left to right.

# Assembly Style Pass-Thru Cocktail Stations\*

**All faucets are certified low lead compliant**




CS-42x26-CW

## CS-42x26


(see Spec Sheets for complete details)

The CS-42x26 pass-thru assembly cocktail station includes the following standard features: pass-thru ice bin, tubing chase, wet waste sink with gooseneck faucet and strainer, blender shelf, double speed rail, 12" wide stainless steel draining tray shelf, and laminated or stainless steel front and end panels.



CS-42x26-CW  
(plan view)

MODEL	LIST	WEIGHT	ROTATION	FINISH PANELS
CS-42x26-CW	\$6,724	315#	Clockwise	Included
CS-42x26-CCW	\$6,724	315#	Counterclockwise	Included




CS-42x32-CCW  
with optional double  
overshelf

## CS-42x32


(see Spec Sheets for complete details)

The CS-42x32 pass-thru assembly cocktail station includes the following standard features: pass-thru ice bin, tubing chase, two wet waste sinks with gooseneck faucet and strainers, blender shelf, double speed rail, 15" wide stainless steel draining tray shelf, and laminated or stainless steel front and end panels.



CS-42x32-CCW  
(plan view)

MODEL	LIST	WEIGHT	ROTATION	FINISH PANELS
CS-42x32-CW	\$7,292	345#	Clockwise	Included
CS-42x32-CCW	\$7,292	345#	Counterclockwise	Included




CS-54x32-CCW  
with optional  
double overshelf

## CS-54x32

(see Spec Sheets for complete details)

The CS-54x32 pass-thru assembly cocktail station includes the following standard features: pass-thru ice bin, tubing chase, eight bottle insulated storage well, two wet waste sinks with gooseneck faucet and strainers, blender shelf, double speed rail, 15" wide stainless steel draining tray shelf, and laminated or stainless steel front and end panels.



CS-54x32-CCW  
(plan view)


MODEL	LIST	WEIGHT	ROTATION	FINISH PANELS
CS-54x32-CW	\$9,098	395#	Clockwise	Included
CS-54x32-CCW	\$9,098	395#	Counterclockwise	Included

\*NOTE: Cocktail Stations are manufactured to order and are not returnable

**WARNING:** The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).  
**Warning applies to State of California only.** Part #03000483



# Assembly Style Pass-Thru Cocktail Stations\*




CS-60x32-CW

## CS-60x32

(see Spec Sheets for complete details)

The CS-60x32 pass-thru assembly cocktail station includes the following standard features: two pass-thru ice bins, tubing chase, two wet waste sinks with gooseneck faucet and strainers, blender shelf, double speed rail, 15" wide stainless steel draining tray shelf, and laminated or stainless steel front and end panels.



CS-60x32-CW  
(plan view)

MODEL	LIST	WEIGHT	ROTATION	FINISH PANELS
CS-60x32-CW	\$9,358	435#	Clockwise	Included
CS-60x32-CCW	\$9,358	435#	Counterclockwise	Included

### ACCESSORIES

MODEL	DESCRIPTION	LIST	WEIGHT	CS-42x26	CS-42x32	CS-54x32	CS-60x32
<b>COLD PLATES</b> (Built in to pass thru ice bin liner at factory)							
02000624	Ten-circuit cold plate, for 26" deep stations	\$1,526	115#	x			
02000626	Ten-circuit cold plate, for 32" deep stations	\$1,526	120#		x	x	x
<b>OVERSHELVES</b> (Mounts to end panels of station - brackets included)							
SOS/SS-42	42" stainless steel single overshelf	\$752	53#	x	x		
SOS/SS-54	54" stainless steel single overshelf	\$924	68#			x	
SOS/SS-60	60" stainless steel single overshelf	\$1,010	75#				x
DOS/SS-42	42" stainless steel double overshelf	\$1,412	98#	x	x		
DOS/SS-54	54" stainless steel double overshelf	\$1,757	126#			x	
DOS/SS-60	60" stainless steel double overshelf	\$1,929	140#				x
<b>ICE BIN DIVIDERS</b>							
IBD-H-CS26	Ice bin divider, half, for 26" deep station	\$100	4#	x	x	x	x
IBD-H-CS32	Ice bin divider, half, for 32" deep station	\$107	4#	x	x	x	x
<b>CLIP-ON CONDIMENT DISPENSER</b> (Clips to tray shelf on bartender or server side)							
CCD/T	Condiment dispenser, clip-on to tray shelf	\$163	4#	x	x	x	x
<b>SNEEZE GUARD</b>							
03000508	Sneeze guard for 26" deep stations	\$273	15#	x			
03000509	Sneeze guard for 32" deep stations	\$273	15#		x	x	x
<b>CLIP-ON DRY WASTE RECEPTACLE</b> (Clips to front panel on cocktail server side of station)							
CDRY	Clip-on dry waste (stainless steel)	\$502	30#	x	x	x	x



CDRY  
(Shown with cocktail station)



CCD/T  
(Shown clipped to tray shelf)



03000509  
(Shown with cocktail station)




IBD-H-CS26

\*NOTE: Cocktail Stations are manufactured to order and are not returnable

**WARNING:** The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). **Warning applies to State of California only.** Part #03000483

# Disassembly Style Pass-Thru Cocktail Stations\*

**All faucets are certified low lead compliant**




CS-42x26G-CW  
with optional double overshelf

## CS-42x26G

(see Spec Sheets for complete details)

The CS-42x26G pass-thru disassembly cocktail station includes the following standard features: GT-24\* automatic conveyor glasswasher, wet waste sink with gooseneck faucet and strainer, 12" wide stainless steel draining tray shelf, and laminated or stainless steel front and end panels.

- ♦ The GT-24 glasswasher voltage must be specified as either 208V or 240V when ordering (see page 10 for complete explanation).



CS-42x26G-CW  
(plan view)


MODEL	LIST	WEIGHT	ROTATION	FINISH PANELS
CS-42x26G-CW	\$16,197	500#	Clockwise	Included
CS-42x26G-CCW	\$16,197	500#	Counterclockwise	Included

## CS-42x32G


(see Spec Sheets for complete details)

The CS-42x32G pass-thru disassembly cocktail station includes the following standard features: GT-24\* automatic conveyor glasswasher, stainless steel removable dry waste receptacle, two wet waste sinks with gooseneck faucet and strainers, 12" wide stainless steel draining tray shelf, and laminated or stainless steel front and end panels.

- ♦ The GT-24 glasswasher voltage must be specified as either 208V or 240V when ordering (see page 10 for complete explanation).



CS-42x32G-CW



CS-42x32G-CW  
(plan view)


MODEL	LIST	WEIGHT	ROTATION	FINISH PANELS
CS-42x32G-CW	\$17,054	540#	Clockwise	Included
CS-42x32G-CCW	\$17,054	540#	Counterclockwise	Included

## CS-48x32G


(see Spec Sheets for complete details)

The CS-48x32G pass-thru disassembly cocktail station includes the following standard features: GT-30\* automatic conveyor glasswasher, two wet waste sinks with gooseneck faucet and strainers, 15" wide stainless steel draining tray shelf, and laminated or stainless steel front and end panels.

- ♦ The GT-30 glasswasher voltage must be specified as either 208V or 240V when ordering (see page 10 for complete explanation).



CS-48x32G-CCW  
with optional double overshelf



CS-48x32G-CCW  
(plan view)

MODEL	LIST	WEIGHT	ROTATION	FINISH PANELS
CS-48x32G-CW	\$18,109	540#	Clockwise	Included
CS-48x32G-CCW	\$18,109	540#	Counterclockwise	Included

\* NOTE: Cocktail Stations are manufactured to order and are not returnable

**⚠ WARNING:** The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).  
**Warning applies to State of California only.** Part #03000483

# Disassembly Style Pass-Thru Cocktail Stations\*

ACCESSORIES								
MODEL	DESCRIPTION	LIST	WEIGHT	CS-42x26G	CS-42x32G	CS-48x32G		
<b>OVERSHELVES</b> (Mounts to end panels of station - brackets included)								
SOS/SS-42	42" stainless steel single overshelf	\$752	53#	x	x			
SOS/SS-48	48" stainless steel single overshelf	\$838	60#			x		
DOS/SS-42	42" stainless steel double overshelf	\$1,412	98#	x	x			
DOS/SS-48	48" stainless steel double overshelf	\$1,584	112#			x		
<b>CLIP-ON SINGLE AND DOUBLE SPEED RAIL</b> (Clips to glasswasher on the bartender side of station)								
CSR-16	16" clip-on single speed rail	\$183	5#	x	x			
CSR-22	22" clip-on single speed rail	\$197	6#			x		
CDSR-16	16" clip-on double speed rail	\$329	10#	x	x			
CDSR-22	22" clip-on double speed rail	\$380	12#			x		
<b>CLIP-ON DRY WASTE RECEPTACLE</b> (Clips to front panel on cocktail server side of station)								
CDRY	Clip-on dry waste (stainless steel)	\$502	30#	x	x	x		
<b>SPEED RAILS AND BOLT-ON BLENDER SHELVES</b> (Mounts to sink section on bartender side of station)								
SSR-16	16" single speed rail	\$159	4#	x	x	x		
DSR-16	16" double speed rail	\$313	8#	x	x	x		
BBS-16	16" bolt-on blender shelf	\$218	16#	x	x	x		



DSR-16  
(Shown mounted to sink section)




BBS-16  
(Shown mounted to sink section)



CSR-16  
(Shown clipped to glasswasher)

## Cocktail Stations

## Complete Style Pass-Thru Cocktail Stations\*




CS-66x26-CW

### CS-66x26

(see Spec Sheets for complete details)

The CS-66x26 pass-thru cocktail station includes the following standard features: GT-24\* automatic conveyor glasswasher, wet waste sink with gooseneck faucet and strainer, pass thru ice bin, tubing chase, blender shelf, double speed rail, 12" wide stainless steel draining tray shelf, and laminated or stainless steel front and end panels.

- \* The GT-24 glasswasher voltage must be specified as either 208V or 240V when ordering (see page 10 for complete explanation).



CS-66x26-CW  
(plan view)


MODEL	LIST	WEIGHT	ROTATION	FINISH PANELS
CS-66x26-CW	\$19,113	550#	Clockwise	Included
CS-66x26-CCW	\$19,113	550#	Counterclockwise	Included

\*NOTE: Cocktail Stations are manufactured to order and are not returnable

**WARNING:** The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). **Warning applies to State of California only.** Part #03000483

# Complete Style Pass-Thru Cocktail Stations\*

**All faucets are certified low lead compliant**




CS-66x32-CW  
with optional double overshelf

## CS-66x32

(see Spec Sheets for complete details)


The CS-66x32 pass-thru cocktail station includes the following standard features: GT-24\* automatic conveyor glasswasher, stainless steel removable dry waste receptacle, two wet waste sinks with gooseneck faucet and strainers, pass-thru ice bin, tubing chase, blender shelf, double speed rail, 12" wide stainless steel draining tray shelf, and laminated or stainless steel front and end panels.

- ♦ The GT-24 glasswasher voltage must be specified as either 208V or 240V when ordering (see page 10 for complete explanation).



CS-66x32-CW  
(plan view)

MODEL	LIST	WEIGHT	ROTATION	FINISH PANELS
CS-66x32-CW	\$20,114	600#	Clockwise	Included
CS-66x32-CCW	\$20,114	600#	Counterclockwise	Included




CS-72-CCW  
with optional single overshelf

## CS-72

(see Spec Sheets for complete details)


The CS-72 pass-thru cocktail station includes the following standard features: GT-30\* automatic conveyor glasswasher, two wet waste sinks with gooseneck faucet and strainers, pass-thru ice bin, tubing chase, blender shelf, double speed rail, 15" wide stainless steel draining tray shelf, and laminated or stainless steel front and end panels.

- ♦ The GT-30 glasswasher voltage must be specified as either 208V or 240V when ordering (see page 10 for complete explanation).



CS-72-CCW  
(plan view)

MODEL	LIST	WEIGHT	ROTATION	FINISH PANELS
CS-72-CW	\$21,184	700#	Clockwise	Included
CS-72-CCW	\$21,184	700#	Counterclockwise	Included




CS-84-CCW with optional  
double overshelf

## CS-84

(see Spec Sheets for complete details)

The CS-84 pass-thru cocktail station includes the following standard features: GT-30\* automatic conveyor glasswasher, two wet waste sinks with gooseneck faucet and strainers, pass-thru ice bin, tubing chase, eight bottle insulated storage well, blender shelf, double speed rail, 15" wide stainless steel draining tray shelf, and laminated or stainless steel front and end panels.

- ♦ The GT-30 glasswasher voltage must be specified as either 208V or 240V when ordering (see page 10 for complete explanation).



CS-84-CCW  
(plan view)

MODEL	LIST	WEIGHT	ROTATION	FINISH PANELS
CS-84-CW	\$23,084	750#	Clockwise	Included
CS-84-CCW	\$23,084	750#	Counterclockwise	Included

\* NOTE: Cocktail Stations are manufactured to order and are not returnable

**WARNING:** The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).  
**Warning applies to State of California only.** Part #03000483



# Complete Style Pass-Thru Cocktail Station Accessories\*

## ACCESSORIES

MODEL	DESCRIPTION	LIST	WEIGHT	CS-66x26	CS-66x32	CS-72	CS-84
<b>COLD PLATES</b> (Built in to pass-thru ice bin liner at factory)							
02000624	Ten-circuit cold plate, for 26" deep stations	\$1,526	115#	x			
02000626	Ten-circuit cold plate, for 32" deep stations	\$1,526	120#		x	x	x
<b>OVERSHELVES</b> (Mounts to end panels of station - brackets included)							
SOS/SS-66	66" stainless steel single overshelf	\$1,096	83#	x	x		
SOS/SS-72	72" stainless steel single overshelf	\$1,182	90#			x	
SOS/SS-84	84" stainless steel single overshelf	\$1,355	105#				x
DOS/SS-66	66" stainless steel double overshelf	\$2,101	154#	x	x		
DOS/SS-72	72" stainless steel double overshelf	\$2,273	168#			x	
DOS/SS-84	84" stainless steel double overshelf	\$2,618	196#				x
<b>ICE BIN DIVIDERS</b>							
IBD-H-CS26	Ice bin divider, half, for 26" deep station	\$100	4#	x			
IBD-H-CS32	Ice bin divider, half, for 32" deep station	\$107	4#		x	x	x
<b>CLIP-ON CONDIMENT DISPENSER</b> (Clips to tray shelf on bartender or server side)							
CCD/T	Condiment dispenser, clip-on to tray shelf	\$163	4#	x	x	x	x
<b>SNEEZE GUARD</b>							
03000508	Sneeze guard for 26" deep stations	\$273	15#	x			
03000509	Sneeze guard for 32" deep stations	\$273	15#		x	x	x
<b>CLIP-ON SINGLE AND DOUBLE SPEED RAILS</b> (Clips on to glasswasher on bartender side)							
CSR-16	16" Clip-on single speed rail	\$183	5#	x	x		
CSR-22	22" Clip-on single speed rail	\$197	6#			x	x
CDSR-16	16" Clip-on double speed rail	\$329	10#	x	x		
CDSR-22	22" Clip-on double speed rail	\$380	12#			x	x
<b>CLIP-ON DRY WASTE RECEPTACLE</b> (Clips to front panel on cocktail server side of station)							
CDRY	Clip-on dry waste (stainless steel)	\$502	30#	x	x	x	x



03000509  
(Shown with cocktail station)



IBD-H-CS26



CSR-16  
(Shown clipped to glasswasher)

## Cocktail Stations

### LAMINATED PANELS

MODEL	DESCRIPTION	LIST	WT
EP-24	26" deep station end panel	\$800	40#
EP-30	32" deep station end panel	\$800	45#
FP-26	54" station front panel (2 required)	\$501	18#
FP-29	60" station front panel (2 required)	\$501	19#
FP-32	66" station front panel (2 required)	\$501	20#
FP-35	72" station front panel (2 required)	\$501	23#
FP-40	42" station front panel	\$699	25#
FP-41	84" station front panel (2 required)	\$699	26#
FP-46	48" station front panel	\$699	32#

### STAINLESS STEEL PANELS

MODEL	DESCRIPTION	LIST	WT
EP-24-SS	26" deep station end panel	\$840	45#
EP-30-SS	32" deep station end panel	\$840	50#
FP-26-SS	54" station front panel (2 required)	\$526	21#
FP-29-SS	60" station front panel (2 required)	\$526	22#
FP-32-SS	66" station front panel (2 required)	\$526	23#
FP-35-SS	72" station front panel (2 required)	\$526	26#
FP-40-SS	42" station front panel	\$734	28#
FP-41-SS	84" station front panel (2 required)	\$734	29#
FP-46-SS	48" station front panel	\$734	35#

### TRAY SHELVES


MODEL	DESCRIPTION
TSC- ♦	12" wide tray shelf \$316 list for first 12". Add \$165 list for each additional 12". Weight 10# per foot.
TSD- ♦	15" wide tray shelf \$321 list for first 12". Add \$172 list for each additional 12". Weight 12# per foot.
TS-20X- ♦	20" wide tray shelf \$333 list for first 12". Add \$186 list for each additional 12". Weight 15# per foot.
♦ Specify length in inches	

\*NOTE: Cocktail Stations are manufactured to order and are not returnable



PBC48-12

Portable bars for stackable cups come with a cup storage well for three rows up to 4-1/4" in diameter, as well as a cocktail ice bin and an iced beverage storage bin. The size of the cocktail bin and beverage storage bin vary depending on the model ordered.



PBG72-12

Portable bars for glassware come with a glass storage work surface area consisting of a seamless-welded pan with perforated insert and rack slides for storing three 20"x20" glass racks below. They also include a cocktail ice bin and an iced beverage storage bin, the sizes of which vary depending on the model ordered.

\*NOTE: Portable bars are made to order and are not returnable.

### PORTABLE BAR FOR STACKABLE CUPS

MODEL	LIST	COCKTAIL ICE BIN	BEVERAGE BIN	WT	OVERALL LENGTH
PBC48-12	\$6,621	12"	24"	275#	48"
PBC48-18	\$6,673	18"	18"	275#	48"
PBC54-12	\$7,037	12"	30"	300#	54"
PBC54-18	\$7,089	18"	24"	300#	54"
PBC60-12	\$7,464	12"	36"	325#	60"
PBC60-18	\$7,506	18"	30"	325#	60"

### PRODUCT INFORMATION

(see Spec Sheets for complete details)

#### STANDARD FEATURES:

- Weather resistant stainless steel construction
- Stainless steel bottle rail with PVC plastic sound deadening cover. Rail includes clear snap-on liquor identification label cover.
- PBC and PBCR - Cup storage well for three rows up to 4-1/4" in diameter
- PBG and PBGR - Seamless-welded glass storage pan with perforated insert and storage for three glass racks below
- Cocktail ice bin with sliding cover and condiment cup area. Rear condiment area has hinged stainless steel sanitary cover with three (12") or four (18") cups.
- Iced beverage storage bin with separate drain to prevent contamination of ice used to make cocktails. Drain includes flexible hose and on/off valve for draining when convenient.
- Foamed-in-place insulation and an PVC plastic breaker strip around ice bin liners to prevent thermal transfer from outside the ice bin so ice lasts longer
- 6-gallon plastic drain tank with on-off valve to collect melting ice water from cocktail bin
- 4" heavy-duty rubberized casters. The two bartender side corner casters are locking.
- Stainless steel front and side panels are welded to the 16-gauge stainless steel base for incredible durability
- Stainless steel bar top and front and side panels have a plastic honeycomb core for durability and sound deadening
- Stylish feathered jewel finish on bar top hides scratches

### PORTABLE BAR FOR GLASSWARE

MODEL	LIST	COCKTAIL ICE BIN	BEVERAGE BIN	WT	OVERALL LENGTH
PBG66-12	\$8,153	12"	24"	355#	66"
PBG66-18	\$8,204	18"	18"	355#	66"
PBG72-12	\$8,583	12"	30"	380#	72"
PBG72-18	\$8,634	18"	24"	380#	72"
PBG78-12	\$9,011	12"	36"	405#	78"
PBG78-18	\$9,063	18"	30"	405#	78"

## PORTABLE BAR FOR STACKABLE CUPS WITH SPACE FOR REFRIGERATOR

MODEL	LIST	COCKTAIL ICE BIN	BEVERAGE BIN	WT	OVERALL LENGTH
PBCR72-12	\$8,195	12"	12"	340#	72"
PBCR78-12	\$8,616	12"	18"	365#	78"
PBCR78-18	\$8,667	18"	12"	365#	78"
PBCR84-12	\$9,044	12"	24"	390#	84"
PBCR84-18	\$9,094	18"	18"	390#	84"
PBCR90-12	\$9,461	12"	30"	415#	90"
PBCR90-18	\$9,512	18"	24"	415#	90"
PBCR96-12	\$9,876	12"	36"	440#	96"
PBCR96-18	\$9,928	18"	30"	440#	96"



PBGR96-18

Portable bars for stackable cups with space for a refrigerator share the same features as the other stackable cups models, except they also include a 36" w by 25" d by 38-3/4" h space for an on-board refrigerator. The refrigerator must be ordered separately. A Glastender model C1FB36 (page 77) or ST36 (Page 107) is recommended. If a non-Glastender refrigerator is being used, verify the power cord can exit the front of the 36" opening.



PBCR72-12

## PORTABLE BAR FOR GLASSWARE WITH SPACE FOR REFRIGERATOR

MODEL	LIST	COCKTAIL ICE BIN	BEVERAGE BIN	WT	OVERALL LENGTH
PBGR90-12	\$9,541	12"	12"	415#	90"
PBGR96-12	\$9,970	12"	18"	440#	96"
PBGR96-18	\$10,021	18"	12"	440#	96"

Portable bars for glassware with space for a refrigerator share the same features as the other glassware models, except they also include a 36" w by 25" d by 38-3/4" h space for an on-board refrigerator. The refrigerator must be ordered separately. A Glastender model C1FB36 (page 77) or ST36 (Page 107) is recommended. If a non-Glastender refrigerator is being used, verify the power cord can exit the front of the 36" opening.

\*NOTE: Portable bars are made to order and are not returnable.

## Portable Bars Graphic Wraps



We can apply a wrap to your portable bar with any image.

Pricing assumes camera-ready artwork provided by customer.

### GRAPHIC WRAPS FOR PORTABLE BARS

MODEL	DESCRIPTION	LIST
GWP48	Wrap for 48" w unit	\$1,878
GWP54	Wrap for 54" w unit	\$1,960
GWP60	Wrap for 60" w unit	\$2,037
GWP66	Wrap for 66" w unit	\$2,113
GWP72	Wrap for 72" w unit	\$2,176
GWP78	Wrap for 78" w unit	\$2,265
GWP84	Wrap for 84" w unit	\$2,342
GWP90	Wrap for 90" w unit	\$2,418
GWP96	Wrap for 96" w unit	\$2,548



IBA-24-CP10

**PRODUCT INFORMATION**

(see Spec Sheets for complete details)

**STANDARD FEATURES**

- One-piece, seamless top and back splash
- PVC plastic breaker strip around ice bin liner: creates 5/16" raised edge around liner (NSF® requirement is 3/16"), acts as a thermal barrier to prevent heat transfer, and makes the covers slide easier
- Tubing chase available centered in back splash of 12" and larger models. Specify accessory model #TC-BS.
- 24" deep version provides a larger ice bin, not just a deck extension on the back of 19" deep model
- Sliding stainless steel cover
- Foamed-in-place insulation
- Models without cold plates have a 1-1/2" welded tailpiece - no drain fitting to break or come loose
- 10-1/2" deep liner (Extra deep models have a 14-1/2" deep liner)
- Adjustable stainless steel bullet feet

***What is a cold plate?***

A cold plate is an aluminum block with stainless steel lines or circuits molded within. Glastender ice bins can be manufactured with a ten-circuit cold plate built into the bottom liner. Soda lines are attached by the soda vendor to the input and output lines of the cold plate and the soda water and syrup is chilled as it passes through these lines. Please consult your soda vendor to determine if cold plates are required in your ice bins.

**19" DEEP ICE BINS\***

MODEL	LIST	LENGTH	WEIGHT	ICE CAPACITY
IBA-6†	\$779	6"	40#	17#
IBA-12	\$1,103	12"	50#	33#
IBA-18	\$1,246	18"	60#	50#
IBA-24	\$1,390	24"	70#	67#
IBA-30	\$1,536	30"	80#	84#
IBA-36	\$1,702	36"	90#	100#
IBA-42	\$1,850	42"	100#	117#
IBA-48	\$1,997	48"	110#	134#

**19" DEEP EXTRA DEEP ICE BINS\***

IBA-18-ED	\$1,409	18"	75#	69#
IBA-24-ED	\$1,570	24"	80#	92#
IBA-30-ED	\$1,733	30"	90#	116#
IBA-36-ED	\$1,914	36"	100#	139#
IBA-42-ED	\$2,078	42"	110#	162#
IBA-48-ED	\$2,241	48"	125#	185#

**WITH 10-CIRCUIT COLD PLATE**

IBA-24-CP10	\$2,465	24"	130#	67#
IBA-30-CP10	\$2,653	30"	145#	84#
IBA-36-CP10	\$2,903	36"	160#	100#
IBA-42-CP10	\$3,283	42"	170#	117#
IBA-48-CP10	\$3,430	48"	180#	134#

**19" EXTRA DEEP ICE BINS  
WITH 10-CIRCUIT COLD PLATE\***

IBA-24-CP10-ED	\$2,755	24"	140#	92#
IBA-30-CP10-ED	\$2,967	30"	155#	116#
IBA-36-CP10-ED	\$3,277	36"	170#	139#
IBA-42-CP10-ED	\$3,650	42"	180#	162#
IBA-48-CP10-ED	\$3,830	48"	190#	185#

† Not free standing

**24" DEEP ICE BINS\***

MODEL	LIST	LENGTH	WEIGHT	ICE CAPACITY
IBB-6†	\$844	6"	45#	21#
IBB-12	\$1,192	12"	55#	42#
IBB-18	\$1,358	18"	70#	64#
IBB-24	\$1,547	24"	80#	85#
IBB-30	\$1,696	30"	95#	106#
IBB-36	\$1,875	36"	110#	127#
IBB-42	\$2,055	42"	120#	149#
IBB-48	\$2,219	48"	130#	170#

**WITH 10-CIRCUIT COLD PLATE\***

IBB-24-CP10	\$2,599	24"	145#	85#
IBB-30-CP10	\$3,081	30"	160#	106#
IBB-36-CP10	\$3,280	36"	170#	127#
IBB-42-CP10	\$3,473	42"	185#	149#
IBB-48-CP10	\$3,651	48"	195#	170#

**24" EXTRA DEEP ICE BINS  
WITH 10-CIRCUIT COLD PLATE\***

IBB-24-CP10-ED	\$2,851	24"	155#	117#
IBB-30-CP10-ED	\$3,359	30"	170#	147#
IBB-36-CP10-ED	\$3,578	36"	180#	176#
IBB-42-CP10-ED	\$3,794	42"	195#	205#
IBB-48-CP10-ED	\$3,992	48"	205#	235#

† Not free standing

\*NOTE: These ice bin models are manufactured to order and are not returnable



**PASS-THRU ICE BINS**


MODEL	LIST	COLD PLATE	WEIGHT	ICE CAPACITY
IB-38X24*	\$2,516	N/A	100#	175#
IB-38X24-CP10	\$3,619	10 circuit	190#	175#

A 24" wide by 38" deep pass-thru ice bin is used to provide the cocktail servers with access to the ice. Pass-thru ice bins have the same features as standard ice bins, except there is no backsplash and the sliding cover is double sided. The bartender side of the ice bin lines up with the underbar equipment the same as a standard ice bin. The 38" deep dimension also allows a pass-thru ice bin to line up with back-to-back mounted underbar equipment (see sample drawings).


\*NOTE: This model is manufactured to order and is not returnable



IB-38X24



BARTENDER SIDE

Underbar Plan View with Pass-Thru Ice Bin  
and Back-to-Back Mounted Underbar

BARTENDER SIDE

Underbar Plan View with  
Pass-Thru Ice Bin**ACCESSORIES**

MODEL	DESCRIPTION	LIST	WEIGHT
TC-BS	Tubing chase centered in backsplash (12" wide and larger models only)	\$44	N/A
SSR-12	12" single speed rail	\$144	4#
SSR-18	18" single speed rail	\$159	6#
SSR-24	24" single speed rail	\$173	7#
SSR-30	30" single speed rail	\$187	10#
SSR-36	36" single speed rail	\$202	12#
SSR-42	42" single speed rail	\$216	18#
SSR-48	48" single speed rail	\$231	22#
DSR-12	12" double speed rail	\$285	8#
DSR-18	18" double speed rail	\$313	12#
DSR-24	24" double speed rail	\$338	14#
DSR-30	30" double speed rail	\$366	20#
DSR-36	36" double speed rail	\$394	24#
DSR-42	42" double speed rail	\$422	36#
DSR-48	48" double speed rail	\$455	44#
CCD	Condiment dispenser	\$132	5#
CCD6-12	Condiment dispenser, ice chilled, includes six cups and two lift off covers, for IBA-12 or well of CBA model	\$331	8#
IBD-H-A	Ice bin divider, half, for 19" deep ice bin	\$67	4#
IBD-H-B	Ice bin divider, half, for 24" deep ice bin	\$85	4#
IBD-H-A-ED	Ice bin divider, half, for 19" deep extra deep ice bin	\$79	4#
IBD-H-B-ED	Ice bin divider, half, for 24" deep extra deep ice bin	\$100	4#
IBD-H-P	Ice bin divider, half, for IB-38X24	\$113	4#
IBD-H-P-CP	Ice bin divider, half, for IB-38X24-CP10	\$120	4#
IBD-H-P-LR	Ice bin divider, half, left to right for IB-38X24	\$85	4#

NOTE: For Bottle Wells or Racks see following page



SSR-24



DSR-24



CCD6-12



TC-BS



IBD-H-A



CCD

# Combo Ice Bins



CBA-36R-CP10  
with optional SSR-36

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- One-piece, seamless top and backsplash
- PVC plastic breaker strip around ice bin liner: creates 5/16" raised edge around liner (NSF® requirement is 3/16"), acts as thermal barrier to prevent heat transfer, and makes the covers slide easier
- Tubing chase available centered in backsplash of 12" and larger models. Specify accessory model #TC-BS.
- 24" deep version provides a larger ice bin, not just a deck extension on the back of 19" deep model
- Sliding stainless steel cover
- Foamed-in-place insulation
- Models without cold plates have a 1-1/2" welded tailpiece - no drain fitting to break or come loose
- 10-1/2" deep liner (Extra deep models have a 14-1/2" deep liner)
- Adjustable stainless steel bullet feet

Combo Ice Bins combine separate draining ice bin and bottle well compartments into one integral unit. The fully insulated bottle well comes with wire rack(s) for ice chilled storage of bottles. The bottle well may be located on the left, right, or both sides of the ice bin.

### 19" DEEP COMBO ICE BINS\*

MODEL	LIST	LENGTH	WT	ICE CAPACITY	BOTTLES STORED
CBA-30L3 or R3	\$2,002	30"	90#	67#	3
CBA-30L or R	\$2,002	30"	90#	50#	6
CBA-36L or R	\$2,153	36"	100#	67#	6
CBA-42	\$2,621	42"	110#	50#	12
CBA-42L or R	\$2,303	42"	110#	84#	6
CBA-48	\$2,791	48"	120#	67#	12
CBA-48L or R	\$2,477	48"	120#	100#	6

### WITH 10-CIRCUIT COLD PLATE

CBA-30L3 or R3-CP10	\$3,242	30"	165#	67#	3
CBA-36L or R-CP10	\$3,393	36"	170#	67#	6
CBA-42L or R-CP10	\$3,589	42"	180#	84#	6
CBA-48-CP10	\$4,096	48"	200#	67#	12
CBA-48L or R-CP10	\$3,857	48"	200#	100#	6
CBA-54-CP10*	\$4,298	54"	210#	84#	12
CBA-60-CP10*	\$4,564	60"	220#	100#	12

### 19" EXTRA DEEP COMBO ICE BINS WITH 10-CIRCUIT COLD PLATE\*

CBA-30L3 or R3-CP10-ED	\$3,483	30"	175#	92#	3
CBA-36L or R-CP10-ED	\$3,633	36"	180#	92#	6
CBA-42L or R-CP10-ED	\$3,847	42"	190#	116#	6
CBA-48-CP10-ED	\$4,380	48"	210#	92#	12
CBA-48L or R-CP10-ED	\$4,132	48"	210#	139#	6

### 24" DEEP COMBO ICE BINS WITH 10-CIRCUIT COLD PLATE\*

CBB-30L4 or R4-CP10	\$3,662	30"	175#	85#	4
CBB-36L or R-CP10	\$3,821	36"	180#	85#	8
CBB-42L or R-CP10	\$3,980	42"	190#	106#	8
CBB-48-CP10	\$4,719	48"	210#	85#	16
CBB-48L or R-CP10	\$4,138	48"	210#	127#	8

\*NOTE: These Combo Ice Bin models are manufactured to order and are not returnable

### COMBO ICE BIN ACCESSORIES

MODEL	DESCRIPTION	LIST	WEIGHT
TC-BS	Tubing chase centered in backsplash	\$44	N/A
SSR-30	30" single speed rail	\$187	10#
SSR-36	36" single speed rail	\$202	12#
SSR-42	42" single speed rail	\$216	18#
SSR-48	48" single speed rail	\$231	22#
SSR-54	54" single speed rail	\$338	25#
SSR-60	60" single speed rail	\$353	28#
DSR-30	30" double speed rail	\$366	20#
DSR-36	36" double speed rail	\$394	24#
DSR-42	42" double speed rail	\$422	36#
DSR-48	48" double speed rail	\$455	44#
DSR-54	54" double speed rail	\$607	50#
DSR-60	60" double speed rail	\$628	56#
CCD	Condiment dispenser	\$132	5#
IBD-H-A	Ice bin divider, half, for 19" deep ice bin	\$67	4#
IBD-H-B	Ice bin divider, half, for 24" deep ice bin	\$85	4#



SSR-54



IBD-H-A



TC-BS



DSR-54



CCD



CBA-36-CP10-CS



Large chase behind each bottle well provides access for soda and liquor lines.

## CASINO STYLE COMBO ICE BIN\*

MODEL	LIST	LENGTH	WT	ICE CAPACITY	BOTTLES STORED
CBA-36-CP10-CS	\$4,222	36"	190#	67#	6

\*NOTE: Casino Style Combo Ice Bin model is manufactured to order and not returnable

## CASINO STYLE COMBO ICE BIN ACCESSORY

MODEL	DESCRIPTION	LIST	WEIGHT
CCD	Condiment dispenser	\$132	5#

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- Integrates one ice bin, two separate draining bottle wells, and two tubing chases into a one-piece seamless top and backsplash
- All stainless steel construction
- PVC plastic breaker strip around ice bin liner: creates 5/16" raised edge around liner, acts as thermal barrier to prevent heat transfer, and makes the cover slide easier
- One 3-bottle well to the left and right of the main ice bin liner
- 4" by 4-1/2" chase opening located behind each bottle well
- 24" single speed rail with PVC sound deadening cover included
- Sliding stainless steel cover for main ice bin liner
- Adjustable stainless steel bullet feet
- Ten circuit cold plate standard in main ice bin liner

Protected by one or more patents. For more information visit:  
<https://www.glastender.com/patent.html>



## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- Designed to house the manifold of Wunder-Bar® or Schroeder America™ 8 to 14 button soda guns
- Includes integral drip pan with radius corners for easy cleaning
- Built-in holder for soda gun
- Top cover is removable for access to the soda manifold
- Allows you to dictate the soda gun location
- Eliminates the need for tubing bundles above the work surface
- Designed to mount to at least one other piece of underbar equipment (there is no provision for leg mounting)
- Includes camlock in backsplash for mounting to adjacent underbar
- Extra deep “-ED” models available to align with extra-deep style ice bins

### 19" DEEP SODA GUN HOLDERS

MODEL	LIST	LENGTH	WEIGHT
SHA-4	\$499	4"	22#
SHA-4-ED	\$530	4"	24#
SHA-6	\$522	6"	25#
SHA-6-ED	\$558	6"	27#

### 24" DEEP SODA GUN HOLDERS

MODEL	LIST	LENGTH	WEIGHT
SHB-4	\$529	4"	22#
SHB-4-ED	\$566	4"	24#
SHB-6	\$553	6"	25#
SHB-6-ED	\$594	6"	27#

### 38" DEEP PASS THRU SODA GUN HOLDERS

MODEL	LIST	LENGTH	WEIGHT
SHP-4	\$798	4"	32#
SHP-4-ED	\$851	4"	34#
SHP-6	\$845	6"	35#
SHP-6-ED	\$903	6"	37#





SMHA-4

Installation photo showing soda gun drip cup mounted below bar top (soda gun and drip cup not included)



## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- Stainless steel construction
- Designed to house the manifold of Wunder-Bar® or Schroeder America™ 8 to 14 button soda guns
- Once installed, the top of the housing is 34" high
- Top cover is removable for access to the soda manifold
- Eliminates the need for tubing bundles above the work surface
- Mounts to an adjacent piece of underbar (there is no provision for leg mounting)
- The soda gun drip cup supplied by the soda gun manufacturer mounts to the underside of your bar top
- Extra deep "-ED" models available to align with extra-deep style ice bins

### 19" DEEP SODA MANIFOLD HOUSING

MODEL	LIST	LENGTH	WEIGHT
SMHA-4	\$368	4"	20#
SMHA-4-ED	\$392	4"	22#
SMHA-6	\$393	6"	23#
SMHA-6-ED	\$419	6"	25#

### 24" DEEP SODA MANIFOLD HOUSING

MODEL	LIST	LENGTH	WEIGHT
SMHB-4	\$403	4"	24#
SMHB-4-ED	\$434	4"	26#
SMHB-6	\$431	6"	28#
SMHB-6-ED	\$463	6"	30#

### 38" DEEP PASS THRU MANIFOLD HOUSING

MODEL	LIST	LENGTH	WEIGHT
SMHP-4	\$594	4"	35#
SMHP-4-ED	\$643	4"	37#
SMHP-6	\$637	6"	40#
SMHP-6-ED	\$689	6"	42#

## Undercounter Mount Gun Holder



UMGH

14 gauge stainless steel with rubber grommet and plastic drip pan. Grommet is specially sized to properly hold both Wunder-Bar® and Schroeder America™ style soda guns. Includes 10' of drain line tube.



### UNDERCOUNTER MOUNT GUN HOLDER

MODEL	LIST	WEIGHT
UMGH	\$103	3#

# Bottle Wells

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

Bottle Wells are PVC plastic-molded bottle holders that are placed in an ice bin to hold ice-chilled mix-ingredient pour and store bottles. There are two sizes of wells: 3 bottle for 19" deep ice bins and four bottle for 24" deep ice bins. The 3 bottle notched model is used with the IB-38x24 pass-thru ice bin.

A bottle well may be placed on one or both sides of an ice bin and is designed with a special ledge on one side to hold a sliding ice bin cover. When bottle wells are ordered with an original ice bin, the correct, smaller-sliding ice bin cover is automatically provided.

For three bottles stored on one side of a 19" deep ice bin, order one model number BW3. For three bottles stored on both sides of a 19" deep ice bin, order a quantity of two BW3.

For four bottles stored on one side of a 24" deep ice bin, order one model number BW4. For four bottles stored on both sides of a 24" deep ice bin, order a quantity of two BW4.



BW3  
(Positioned Left)

BW3  
(Positioned Right)

MODEL	DESCRIPTION	LIST	WEIGHT
BW3	3 bottle well for 19" deep ice bin	\$44	4#
BW3-N	3 bottle well with notch for IB-38x24 ice bin	\$69	4#
BW4	4 bottle well for 24" deep ice bin	\$97	5#

# Bottle Racks

## BR3 AND BR4 PRODUCT INFORMATION

(see Spec Sheets for complete details)

BR3 and BR4 bottle racks are vinyl-coated wire racks that are placed in an ice bin to hold ice-chilled mix-ingredient pour and store bottles. There are two sizes of wire racks: 3 bottle for 19" deep ice bins and four bottle for 24" deep ice bins.

The BR3 and BR4 are intended for use with smaller ice bins, where the sole purpose of the ice bin is to provide insulated storage for pour and store bottles. Bottle racks are most often used with 6" or 12" wide ice bins, which hold one or two racks, respectively. For example, an IBA-6 ice bin holds one BR3, while an IBA-12 ice bin holds two BR3.



BR4  
(Bottles not included)

BR3

MODEL	DESCRIPTION	LIST	WEIGHT
BR3	3 bottle rack for 19" deep ice bin	\$47	3#
BR4	4 bottle rack for 24" deep ice bin	\$57	4#



BRM15  
(Bottles not included)

## BRM15 PRODUCT INFORMATION

The BRM15 stainless steel mixology bottle rack fits into an IBA-12 model ice bin or the bottle well of a CBA model combo ice bin to provide ice-chilled storage for 15 elixir bottles. NOTE: Recommend Tablecraft 916 (16 oz.) or 9085 (8.5 oz.) olive oil bottles.

MODEL	DESCRIPTION	LIST	WEIGHT
BRM15	Mixology bottle rack, 15 bottle, 3" by 3" openings	\$235	3#



SSR-24

## SINGLE SPEED RAILS

MODEL	LIST	LENGTH	WEIGHT
SSR-12	\$144	12"	4#
SSR-13 to 18	\$159	13" to 18"	6#
SSR-19 to 24	\$173	19" to 24"	7#
SSR-25 to 30	\$187	25" to 30"	10#
SSR-31 to 36	\$202	31" to 36"	12#
SSR-37 to 42	\$216	37" to 42"	18#
SSR-43 to 48	\$231	43" to 48"	22#
SSR-49 to 54	\$338	49" to 54"	25#
SSR-55 to 60	\$353	55" to 60"	28#
SSR-61 to 66	\$368	61" to 66"	32#
SSR-67 to 72	\$382	67" to 72"	35#
SSR-73 to 78	\$397	73" to 78"	38#
SSR-79 to 84	\$412	79" to 84"	42#



DSR-54



DSR-24

## DOUBLE SPEED RAILS

MODEL	LIST	LENGTH	WEIGHT
DSR-12	\$285	12"	8#
DSR-13 to 18	\$313	13" to 18"	12#
DSR-19 to 24	\$338	19" to 24"	14#
DSR-25 to 30	\$366	25" to 30"	20#
DSR-31 to 36	\$394	31" to 36"	24#
DSR-37 to 42	\$422	37" to 42"	36#
DSR-43 to 48	\$455	43" to 48"	44#
DSR-49 to 54	\$607	49" to 54"	50#
DSR-55 to 60	\$628	55" to 60"	56#
DSR-61 to 66	\$663	61" to 66"	64#
DSR-67 to 72	\$691	67" to 72"	70#
DSR-73 to 78	\$719	73" to 78"	76#
DSR-79 to 84	\$747	79" to 84"	84#



CSR-24-SR

Locking covers for Single Speed Rails include built-in storage hangers when ordered with original equipment

SSRC-36 installed



Built-in storage hangers



SSRC-36 in storage below speed rail

## SINGLE SPEED RAIL LOCKING COVERS

MODEL	LIST	LENGTH	WEIGHT
SSRC-12	\$195	12"	7#
SSRC-13 to 18	\$210	13" to 18"	9#
SSRC-19 to 24	\$226	19" to 24"	11#
SSRC-25 to 30	\$244	25" to 30"	13#
SSRC-31 to 36	\$255	31" to 36"	16#
SSRC-37 to 42	\$270	37" to 42"	18#
SSRC-43 to 48	\$285	43" to 48"	21#

## DOUBLE SPEED RAIL LOCKING COVERS

MODEL	LIST	LENGTH	WEIGHT
DSRC-12	\$390	12"	14#
DSRC-13 to 18	\$420	13" to 18"	18#
DSRC-19 to 24	\$452	19" to 24"	22#
DSRC-25 to 30	\$488	25" to 30"	26#
DSRC-31 to 36	\$510	31" to 36"	32#
DSRC-37 to 42	\$540	37" to 42"	36#
DSRC-43 to 48	\$570	43" to 48"	42#

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- Open channel-and-rail design for easy cleaning and better view of bottles
- PVC sound deadening covers
- Locking covers for Single Speed Rails include built-in storage hangers when ordered with original equipment
- Each rail includes a clear lift-off liquor-identification cover
- Radius corners for easy cleaning

## CLIP-ON SINGLE SPEED RAILS

MODEL	DESCRIPTION	LIST	WEIGHT
CSR-12-SR	12" Clip-on single to existing single	\$168	4#
CSR-18-SR	18" Clip-on single to existing single	\$183	6#
CSR-24-SR	24" Clip-on single to existing single	\$197	7#
CSR-30-SR	30" Clip-on single to existing single	\$211	10#
CSR-36-SR	36" Clip-on single to existing single	\$226	12#
CSR-42-SR	42" Clip-on single to existing single	\$240	15#
CSR-48-SR	48" Clip-on single to existing single	\$255	18#



Rinser faucet installation notes:

- Important: Unit must be installed in conformance with applicable federal, state, and local plumbing codes, including adequate backflow when required.
- Install in-line water regulator (included).
- A separate shut-off valve is recommended (not included).

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- Adjustable stainless steel bullet feet
- Sink models feature a 9-1/4" by 11-1/2" by 6" deep sink bowl, a lift-out plastic perforated sink strainer and a hot and cold water faucet
- Drainboard models feature drainboard work surface consisting of drain pan with separate removable perforated insert
- "-RF" models include a rinsing faucet for rinsing blender cups
- 24" deep models have a 9" deep shelf
- 29" deep models have a 10" deep shelf
- Junction box for duplex outlet mounted underneath blender shelf (outlet not included)

**⚠ WARNING:** The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). **Warning applies to State of California only.** Part #03000483

Blender Stations come standard with a sink, faucet, and wet waste strainer. Drainboard Blender Stations come standard with a drainboard work surface consisting of a drain pan with separate removable perforated insert.

The integral blender shelf is 9" deep on the 24" deep models and 10" deep on 29" models. The shelf stores the blender at the 19" high level. A grommeted cord access hole is provided in the front skirt.

### 24" DEEP BLENDER STATIONS

(Aligns with 19" deep underbar that has a single speed rail)

MODEL	LIST	LENGTH	WEIGHT
BSA-12	\$1,329	12"	48#
BSA-14	\$1,315	14"	50#
BSA-18L†	\$1,369	18"	55#
BSA-18R†	\$1,369	18"	55#

† Denotes faucet location as Left or Right

### 24" DEEP BLENDER STATION WITH RINSER FAUCET

(Aligns with 19" deep underbar that has a single speed rail)

MODEL	LIST	LENGTH	WEIGHT
BSA-18-RF*	\$1,737	18"	60#

### 29" DEEP BLENDER STATIONS

(Aligns with 24" deep underbar that has a single speed rail or 19" deep underbar that has a double speed rail)

MODEL	LIST	LENGTH	WEIGHT
BSB-12	\$1,419	12"	53#
BSB-14	\$1,463	14"	55#
BSB-18	\$1,539	18"	60#

### 24" DEEP DRAINBOARD BLENDER STATIONS

(Aligns with 19" deep underbar that has a single speed rail)

MODEL	LIST	LENGTH	WEIGHT
DBSA-12	\$812	12"	40#
DBSA-14*	\$844	14"	42#
DBSA-18*	\$906	18"	45#
DBSA-24*	\$1,000	24"	55#

### 24" DEEP DRAINBOARD BLENDER STATIONS WITH RINSER FAUCET

(Aligns with 19" deep underbar that has a single speed rail)

MODEL	LIST	LENGTH	WEIGHT
DBSA-12-RF*	\$1,124	12"	45#
DBSA-14-RF*	\$1,158	14"	47#
DBSA-18-RF*	\$1,225	18"	50#

### 29" DEEP DRAINBOARD BLENDER STATIONS

(Aligns with 24" deep underbar that has a single speed rail or 19" deep underbar that has a double speed rail)

MODEL	LIST	LENGTH	WEIGHT
DBSB-12*	\$859	12"	45#
DBSB-14*	\$893	14"	47#
DBSB-18*	\$963	18"	50#

\*NOTE: These items are manufactured to order and are not returnable

Blender stations cannot have a speed rail mounted to them. Since speed rails are so common on underbar, blender stations come in 24" and 29" depths and are designed to align with underbar that has a speed rail.





Additional blender shelf space can be added to standard underbar units by specifying a Bolt-on Blender Shelf. Bolt-on Blender Shelves are 10" deep and include a junction box for duplex outlet (outlet not included) mounted below the shelf.

ACCESSORIES				
MODEL	DESCRIPTION	LIST	WT	
LS15-F	15" D left side splash (BSA models)	\$102	4#	
RS15-F	15" D right side splash (BSA models)	\$102	4#	
LS15-D	15" D left side splash (DBSA models)	\$102	4#	
RS15-D	15" D right side splash (DBSA models)	\$102	4#	
LSA-D	19" deep left end splash (BSB & DBSB models)	\$102	4#	
RSA-D	19" deep right end splash (BSB & DBSB models)	\$102	4#	
LSRF	Left end splash (-RF models)	\$102	4#	
RSRF	Right end splash (-RF models)	\$102	4#	
TR	Towel ring	\$13	1#	

BOLT-ON BLENDER SHELVES				
MODEL	DESCRIPTION	LIST	WT	
BBS-8	8" bolt-on blender shelf	\$196	8#	
BBS-12	12" bolt-on blender shelf	\$206	12#	
BBS-14	14" bolt-on blender shelf	\$211	14#	
BBS-16	16" bolt-on blender shelf	\$218	16#	
BBS-18	18" bolt-on blender shelf	\$224	18#	
BBS-24	24" bolt-on blender shelf	\$243	28#	
BBS-30	30" bolt-on blender shelf	\$258	36#	

## In-Counter Blender Stations\*

In-Counter Blender Stations are specifically designed for in-counter blenders. There are three different models to accommodate blender units manufactured by Blendtec®, Hamilton Beach®, and Vita-Mix®. All models are 12" wide and 24" deep with a lowered work surface to allow the use of the sound enclosure available on each model.

### PRODUCT INFORMATION

(see Spec Sheets for complete details)

#### STANDARD FEATURES

- All stainless steel construction
- Adjustable stainless steel bullet feet
- Radius work surface corners for easy cleaning
- One-piece seamless top and backsplash
- Designed with cut-out to accommodate various in-counter blenders



IBS-12-H

IBS-12-B

IBS-12-V

(Blender is not included)

### IN-COUNTER BLENDER STATIONS

MODEL	LIST	LENGTH	DEPTH	WEIGHT	ACCOMMODATES
IBS-12-B	\$765	12"	24"	35#	Blendtec™ Smoother, Titan, or ABC In-Counter Blenders
IBS-12-H	\$765	12"	24"	35#	Hamilton Beach™ 91655 In-Counter Commercial Blender
IBS-12-V	\$765	12"	24"	35#	Vita-Mix® In-Counter Touch & Go® Blending Station®

\*NOTE: These items are manufactured to order and are not returnable



DBA-18 with optional SSR-18

Glastender drainboards have an exclusive 1" deep sloped stainless steel drain pan with a separate removable perforated insert. The 1" high perforated insert allows air circulation beneath the glassware, and since the pan is sloped and not the insert, all glassware is stored on a level plane.

NOTE: Drainboards are also available with a flat stainless steel filler board top in lieu of the drainboard top. Substitute an 'F' for the 'D' in the model number when ordering and use the same price. Filler boards are manufactured to order and are not returnable.

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- Adjustable stainless steel bullet feet
- 24" deep models provide a larger drainboard storage area, not just a deck extension on the back of the 19" deep model
- One-piece seamless top, front rail and backsplash
- Exclusive design with drain pan and separate perforated insert for better air circulation
- All storage is on level plane

### 19" DEEP DRAINBOARDS

MODEL	LIST	LENGTH	WEIGHT
DBA-12	\$660	12"	45#
DBA-18	\$732	18"	50#
DBA-24	\$811	24"	55#
DBA-30	\$890	30"	60#
DBA-36	\$957	36"	65#
DBA-42	\$1,029	42"	70#
DBA-48	\$1,103	48"	75#

### 24" DEEP DRAINBOARDS

MODEL	LIST	LENGTH	WEIGHT
DBB-12	\$716	12"	50#
DBB-18	\$807	18"	55#
DBB-24	\$895	24"	60#
DBB-30	\$986	30"	65#
DBB-36	\$1,064	36"	70#
DBB-42	\$1,150	42"	80#
DBB-48	\$1,237	48"	85#

### ACCESSORIES

MODEL	DESCRIPTION	LIST	WEIGHT
SSR-12	12" single speed rail	\$144	4#
SSR-18	18" single speed rail	\$159	6#
SSR-24	24" single speed rail	\$173	7#
SSR-30	30" single speed rail	\$187	10#
SSR-36	36" single speed rail	\$202	12#
SSR-42	42" single speed rail	\$216	18#
SSR-48	48" single speed rail	\$231	22#
DSR-12	12" double speed rail	\$285	8#
DSR-18	18" double speed rail	\$313	12#
DSR-24	24" double speed rail	\$338	14#
DSR-30	30" double speed rail	\$366	20#
DSR-36	36" double speed rail	\$394	24#
DSR-42	42" double speed rail	\$422	36#
DSR-48	48" double speed rail	\$455	44#
TC*	4" X 4" x 6-1/2" H tubing chase	\$166	5#



Tubing Chase  
accessory added to a  
drainboard at the factory



DSR-24



SSR-24

\*NOTE: Drainboard units with a TC accessory added are manufactured to order and are not returnable

Recessed drainboards have the same drain pan with separate perforated insert design as normal drainboards, except the work surface has been lowered to allow stacking of glassware. A perforated shelf is placed on top of the first level of glassware and a second layer of glassware is stacked on top of it. Recessed drainboards work best when only one style of glassware is being stored.

Recessed drainboards cannot have a speed rail mounted to them. Since speed rails are so common on underbar, recessed drainboards have been designed to align with underbar that has a speed rail. The four different recessed drainboard styles are based on the four different equipment-mounting situations.

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- Adjustable stainless steel bullet feet
- One-piece seamless top, front rail and backsplash
- Exclusive design with drain pan and separate perforated insert for better air circulation
- Lift-out stainless steel perforated shelf for stacking glassware
- Specially designed side profiles to align with four different equipment-mounting situations



RDBA-18S



RDBB-18 with  
DHSB-12 attached left

### 24" DEEP RECESSED DRAINBOARDS

(Aligns with 19" deep underbar that has a single speed rail)

MODEL	LIST	LENGTH	WEIGHT
RDBA-12S	\$784	12"	50#
RDBA-18S	\$886	18"	55#
RDBA-24S	\$995	24"	60#
RDBA-30S*	\$1,096	30"	65#

### 24" DEEP RECESSED DRAINBOARDS

(Aligns with 24" deep underbar that has no speed rail)

MODEL	LIST	LENGTH	WEIGHT
RDBB-12	\$784	12"	50#
RDBB-18	\$886	18"	55#
RDBB-24	\$995	24"	60#
RDBB-30*	\$1,096	30"	65#



RDBA-18D

\*NOTE: These items are manufactured to order and are not returnable



RDBB-18S

### 29" DEEP RECESSED DRAINBOARDS\*

(Aligns with 19" deep underbar that has a double speed rail)

MODEL	LIST	LENGTH	WEIGHT
RDBA-12D*	\$870	12"	60#
RDBA-18D*	\$984	18"	65#
RDBA-24D*	\$1,120	24"	70#
RDBA-30D*	\$1,233	30"	75#

### 29" DEEP RECESSED DRAINBOARDS\*

(Aligns with 24" deep underbar that has a single speed rail)

MODEL	LIST	LENGTH	WEIGHT
RDBB-12S*	\$870	12"	60#
RDBB-18S*	\$984	18"	65#
RDBB-24S*	\$1,120	24"	70#
RDBB-30S*	\$1,233	30"	75#

# Corner Drainboards

Corner drainboards are used when an underbar line-up turns, either 90° or less. The direction of the turn may be toward or away from the bartender. A turn that is toward the bartender requires an inside corner. A turn that is away from the bartender requires an outside corner. Corner drainboards are constructed using the same drain pan with separate removable perforated-insert design as all Glastender drainboards.




## 90° FULL CORNER DRAINBOARDS

MODEL	LIST	DEPTH	TURN	WEIGHT
IFCA-90	\$797	19"	Inside	50#
OFCA-90	\$797	19"	Outside	50#
IFCB-90	\$907	24"	Inside	60#
OFCB-90	\$907	24"	Outside	60#

Angular 90° Full Corner Drainboards are for 90° inside or outside turns. They are designed to align with 19" or 24" deep underbar and they come with a front rail to match the front rail adjacent equipment.

### Sample 90° Full Corner Drainboard Plan Views



## DIMENSIONAL FULL CORNER DRAINBOARDS


MODEL	LIST	LEFT	RIGHT	WEIGHT
IFC-19/19	\$657	19"	19"	40#
IFC-19/24L	\$731	24"	19"	45#
IFC-19/24R	\$731	19"	24"	45#
IFC-19/30L	\$803	30"	19"	50#
IFC-19/30R	\$803	19"	30"	50#
IFC-24/24	\$797	24"	24"	50#
IFC-24/30L	\$869	30"	24"	60#
IFC-24/30R	\$869	24"	30"	60#

Dimensional Full Corner Drainboards are for 90° inside turns only. The dimensions of the corner are specified in the model number. If the dimensions of each side are not the same, the longest dimension is specified second along with its location. See sample drawings.



IFC-24/24

### Sample Dimensional Full Corner Drainboard Plan Views






Clip Corner Drainboards are for 90° and smaller inside and outside turns. They are designed to align with 19" or 24" deep underbar and they come with a front rail to match adjacent equipment. The difference between 90° Clip Corners and 90° Full Corners is that the rear has a larger chamfer. See sample drawings.




ICCA-45

## Sample Dimensional Full Corner Drainboard Plan Views



ICCA-90  
(Plan View)

OCCA-90  
(Plan View)



ICCB-45  
(Plan View)

OCCB-45  
(Plan View)

### 19" DEEP CLIP CORNER DRAINBOARDS

MODEL	LIST	DEGREE	TURN	WEIGHT
ICCA-90	\$797	90°	Inside	50#
OCCA-90	\$797	90°	Outside	50#
ICCA-75	\$718	75°	Inside	45#
OCCA-75	\$718	75°	Outside	45#
ICCA-60	\$646	60°	Inside	40#
OCCA-60	\$646	60°	Outside	40#
ICCA-45	\$582	45°	Inside	36#
OCCA-45	\$582	45°	Outside	36#
ICCA-30	\$524	30°	Inside	33#
OCCA-30	\$524	30°	Outside	33#
ICCA-15	\$471	15°	Inside	30#
OCCA-15	\$471	15°	Outside	30#

### 24" DEEP CLIP CORNER DRAINBOARDS

MODEL	LIST	DEGREE	TURN	WEIGHT
ICCB-90	\$907	90°	Inside	55#
OCCB-90	\$907	90°	Outside	55#
ICCB-75	\$817	75°	Inside	50#
OCCB-75	\$817	75°	Outside	50#
ICCB-60	\$734	60°	Inside	45#
OCCB-60	\$734	60°	Outside	45#
ICCB-45	\$660	45°	Inside	40#
OCCB-45	\$660	45°	Outside	40#
ICCB-30	\$595	30°	Inside	37#
OCCB-30	\$595	30°	Outside	37#
ICCB-15	\$536	15°	Inside	35#
OCCB-15	\$536	15°	Outside	35#



IFC-24/24 with CB-LEG  
shown with FSB-48  
attached left

### Does your Corner Drainboard need a full side and leg set?

Corner drainboards are designed to mount between two pieces of underbar. However, corner drainboards can be used to mount between any two stable vertical surfaces. Corners should not be mounted to objects that are mobile or on casters. Because they are intended to mount between two vertical surfaces, corner drainboards do not come free standing with finished sides and leg sets. If one side of the corner does not have a vertical surface on which to mount, then a side and leg set must be ordered as an accessory.

### PRODUCT INFORMATION

(see Spec Sheets for complete details)

#### STANDARD FEATURES

- All stainless steel construction
- 36 different standard models to choose from
- Exclusive design with drain pan and separate perforated insert for better air circulation
- All storage is on level plane

### FULL SIDE AND LEG SET ACCESSORIES

MODEL	LIST	DEPTH	WEIGHT
CA-LEG	\$173	19"	6#
CB-LEG	\$193	24"	7#

# Glassracks

Glassracks are designed to hold three racks of glassware: one on the bottom shelf and one on each of the two adjustable glass rack slides. The 24" wide models hold 20" by 20" racks and the 18" wide models hold the 16" round racks used with the Glastender GT-18 glasswashers.

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- Adjustable stainless steel bullet feet
- Full bottom shelf with drain
- Two adjustable glass rack slides
- Storage for three (3) glassracks

\*NOTE: These items are manufactured to order and are not returnable



GRA-24

19" DEEP GLASSRACKS			
MODEL	LIST	LENGTH	WEIGHT
GRA-18*	\$1,052	18"	60#
GRA-24	\$1,166	24"	70#

24" DEEP GLASSRACKS			
MODEL	LIST	LENGTH	WEIGHT
GRB-18*	\$1,177	18"	70#
GRB-24	\$1,296	24"	80#

## Drainboard Glassracks

Drainboard Glassracks have a stationary or roll-out bottom shelf, adjustable or roll-out intermediate shelf, and drainboard work surface. All models are 24" deep. The 24" wide models hold 20" by 20" racks and the 18" wide model holds the 16" round racks used with the Glastender GT-18 glasswashers. Since drainboard glassrack shelves are solid, they can be used for non-glassrack storage also. (If a 19" deep drainboard glassrack is required, please see 19" deep drainboard cabinets less doors on page 36.)

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- Adjustable stainless steel bullet feet
- One-piece seamless top, front rail and backsplash
- DBGR-18 and DBGR-24 have bottom shelf and one adjustable intermediate shelf
- DBGR-24-RS has roll-out bottom shelf and one roll-out intermediate shelf (intermediate shelf is not adjustable)
- Solid shelves are also usable for non-glassrack storage
- Exclusive design drainboard top with drain pan and separate perforated insert for better air circulation
- Intermediate shelf is still removable after unit is plumbed
- Smooth interior walls for easy cleaning and a finished appearance



DBGR-24-RS  
(Glassrack not included)

DBGR-18

24" DEEP DRAINBOARD GLASSRACKS			
MODEL	LIST	LENGTH	WEIGHT
DBGR-18	\$1,288	18"	80#
DBGR-24	\$1,424	24"	90#
DBGR-24-RS	\$2,084	24"	100#



DBCB-18

Drainboard Cabinets have a bottom shelf, adjustable intermediate shelf, and drainboard work surface. They are available with or without doors. The models with doors come with a lock standard. The 12", 18", and 24" wide models have one door and all other models have two doors.

NOTE: Drainboard Cabinets are also available with a flat stainless steel filler board top in lieu of the drainboard top. Substitute an 'F' for the 'D' in the model number when ordering and use the same price. Filler boards cabinets are manufactured to order and are not returnable.

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- Adjustable stainless steel bullet feet
- One-piece seamless top, front rail and backsplash
- One bottom shelf and one adjustable intermediate shelf
- Shelves are removable and feature radius corners for easy cleaning
- Available with or without doors
- Doors feature integral handle
- Lock standard on models with doors
- Exclusive design drainboard top with drain pan and separate perforated insert for better air circulation
- Floor and intermediate shelf are still removable after unit is plumbed
- Smooth interior walls for easy cleaning and a finished appearance

### 19" DEEP DRAINBOARD CABINETS

MODEL	LIST	LENGTH	WEIGHT
DBCA-12	\$1,367	12"	75#
DBCA-18	\$1,541	18"	85#
DBCA-24	\$1,717	24"	95#
DBCA-30	\$1,929	30"	105#
DBCA-36	\$2,104	36"	115#
DBCA-42*	\$2,280	42"	125#
DBCA-48*	\$2,455	48"	135#

### 24" DEEP DRAINBOARD CABINETS

MODEL	LIST	LENGTH	WEIGHT
DBCB-12	\$1,389	12"	85#
DBCB-18	\$1,573	18"	95#
DBCB-24	\$1,756	24"	105#
DBCB-30	\$1,983	30"	115#
DBCB-36	\$2,166	36"	125#
DBCB-42*	\$2,349	42"	135#
DBCB-48*	\$2,534	48"	145#

### 19" DEEP DRAINBOARD CABINETS LESS DOORS

MODEL	LIST	LENGTH	WEIGHT
DBCA-12-LD	\$1,113	12"	60#
DBCA-18-LD	\$1,237	18"	70#
DBCA-24-LD	\$1,362	24"	80#
DBCA-30-LD	\$1,487	30"	90#
DBCA-36-LD	\$1,612	36"	100#
DBCA-42-LD*	\$1,737	42"	110#
DBCA-48-LD*	\$1,863	48"	120#

### 24" DEEP DRAINBOARD CABINETS LESS DOORS

MODEL	LIST	LENGTH	WEIGHT
DBCB-12-LD	\$1,152	12"	70#
DBCB-18-LD	\$1,288	18"	80#
DBCB-24-LD	\$1,424	24"	90#
DBCB-30-LD	\$1,557	30"	100#
DBCB-36-LD	\$1,692	36"	110#
DBCB-42-LD*	\$1,827	42"	120#
DBCB-48-LD*	\$1,964	48"	130#

\*NOTE: These items are manufactured to order and are not returnable

# Drainboard Half Cabinets\*



DBHA-18-LD

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

**STANDARD FEATURES:** All stainless steel construction • Adjustable stainless steel bullet feet • One-piece seamless top, front rail and back splash • Available with or without a door • Door features integral handle • Lock standard on models with a door • Exclusive design drainboard top with drain pan and separate perforated insert for better air circulation • Floor is still removable after unit is plumbed and includes radius corners for easy cleaning • Smooth interior walls for easy cleaning and a finished appearance

Drainboard Half Cabinets increase the available storage area yet are still on 16" legs allowing room for cleaning underneath. Drainboard Half Cabinets have a bottom shelf and drainboard work surface. They are available with or without a door (use suffix '-LD' for models without a door). The models with a door include a lock standard.

NOTE: Drainboard Half Cabinets are also available with a flat stainless steel filler board top in lieu of the drainboard top. Substitute an 'F' for the 'D' in the model number when ordering and use the same price.

### 19" DEEP DRAINBOARD HALF CABINETS

MODEL	LIST	DOOR	LENGTH	WEIGHT
DBHA-12	\$957	Yes	12"	50#
DBHA-18	\$1,059	Yes	18"	55#
DBHA-24	\$1,182	Yes	24"	60#
DBHA-12-LD	\$820	No	12"	40#
DBHA-18-LD	\$914	No	18"	45#
DBHA-24-LD	\$1,020	No	24"	50#

### 24" DEEP DRAINBOARD HALF CABINETS

MODEL	LIST	DOOR	LENGTH	WEIGHT
DBHB-12	\$1,072	Yes	12"	60#
DBHB-18	\$1,177	Yes	18"	65#
DBHB-24	\$1,307	Yes	24"	70#
DBHB-12-LD	\$927	No	12"	50#
DBHB-18-LD	\$1,020	No	18"	55#
DBHB-24-LD	\$1,141	No	24"	60#

\*NOTE: Drainboard Cabinets are manufactured to order and are not returnable

# Drainboard Drawer Units\*



DBDA-18

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

**STANDARD FEATURES:** All stainless steel construction • Adjustable stainless steel bullet feet • One-piece seamless top, front rail and back splash • Heavy duty drawer slides • Drawers feature integral handle • Lock standard • Exclusive design drainboard top with drain pan and separate perforated insert for better air circulation • Cabinet storage without sacrificing ability to have a speed rail†

Drainboard Drawer Units have a locking drawer and drainboard work surface. This allows for more storage space without sacrificing the ability to have a speed rail. The drawer pan is also removable for thorough cleaning.

NOTE: Drainboard Drawer Units are also available with a flat stainless steel filler board top in lieu of the drainboard top. Substitute an 'F' for the 'D' in the model number when ordering and use the same price.

† Special speed rails are required for use with drawer units. See accessories below.

### 19" DEEP DRAINBOARD DRAWER UNITS

MODEL	LIST	LENGTH	WEIGHT
DBDA-18	\$1,681	18"	60#
DBDA-24	\$1,872	24"	65#
DBDA-30	\$2,084	30"	70#

### 24" DEEP DRAINBOARD DRAWER UNITS

MODEL	LIST	LENGTH	WEIGHT
DBDB-18	\$1,865	18"	65#
DBDB-24	\$2,077	24"	70#
DBDB-30	\$2,302	30"	75#

\*NOTE: Drainboard Drawer Units are manufactured to order and are not returnable

### SPEED RAIL ACCESSORIES

MODEL	LIST	LENGTH	WEIGHT
SSR-18-D	\$171	18"	6#
SSR-24-D	\$186	24"	7#
SSR-30-D	\$200	30"	10#





ACB-18  
(Shown without attached equipment)

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

The Add-On Cabinet Base is designed to be installed beneath standard underbar equipment to provide additional storage • It can also enhance the look of your bar by eliminating the need to store loose items on the floor and making plumbing less visible • The Add-On Cabinet Base features a stainless steel floor that does not go all the way to the back of the cabinet, which provides an access opening for plumbing • The removable stainless steel floor has radius corners for easy cleaning • The interior walls are dual panel constructed for an easy to clean, smooth interior




ACB-18 with LDA-18S attached

**STANDARD FEATURES:** All stainless steel construction • Can be mounted below any standard underbar unit • Enhance the look of your bar by making the plumbing less visible • Increase your available storage space by taking advantage of the area below your underbar • Includes a removable half floor to allow plumbing access out the bottom of the cabinet • Floor has radius corners for easy cleaning • Dual wall construction for smooth interior • Add-On Cabinet Bases do not come with door locks

## ADD-ON CABINET BASES

MODEL	LIST	DOOR	LENGTH	WEIGHT
ACB-12	\$585	One	12"	20#
ACB-14	\$613	One	14"	22#
ACB-18	\$660	One	18"	25#
ACB-24	\$757	Two	24"	30#
ACB-30	\$854	Two	30"	35#
ACB-36	\$949	Two	36"	40#
ACB-42	\$1,046	Two	42"	45#
ACB-48	\$1,142	Two	48"	50#

\*NOTE: Add-On Cabinet Bases are manufactured to order and are not returnable



## POS Cabinets



PCB-24

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

Available in 18" and 24" lengths, POS Cabinets have a 26" high work surface to accommodate a cash drawer and POS monitor • Left and right side splashes are standard as well as a louvered door to ventilate the storage cabinet • The work surface includes a grommated cord access hole

## STANDARD FEATURES

- All stainless steel construction with adjustable bullet feet
- One-piece, seamless top and backsplash
- Louvered door features integral handle
- Door lock standard
- Special 26" high work surface height to accommodate cash drawer and POS monitor
- Grommated cord access hole in work surface
- Large access hole in back wall of unit
- Includes left and right side splashes
- Smooth interior walls for easy cleaning and a finished appearance

## 24" DEEP POS CABINETS

MODEL	LIST	LENGTH	WEIGHT
PCB-18	\$1,911	18"	80#
PCB-24	\$2,084	24"	90#

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

**STANDARD FEATURES:** Manufactured with total welded construction to meet NSF® standards • All stainless steel construction • One-piece seamless top and backsplash featuring 1/4" radius corners for easy cleaning • Adjustable stainless steel bullet feet • 9-1/4" by 11-1/2" by 6" deep sink bowl with hot and cold water gooseneck faucet with 2.0 GPM aerator • Faucets are standard and ship mounted • Models HSA-12-D, HSB-12-D, and HSB-12-AD feature a soap dispenser and front-skirt-mounted C-fold paper towel dispenser • Models DHSA-18, DHSB-12, and DHSB-18 feature a soap dispenser and hinged front-access door to conceal C-fold paper towel dispenser • All wet waste sink models include a lift-out perforated-plastic wet waste strainer • Soap dispenser is easily refilled from above, no need to crawl under equipment



Single bowl sinks are available as hand sinks and wet waste sink models. Hand sink models HSA-12, HSA-18, HSB-12, and HSB-18 feature a standard stainless steel bowl and mounted faucet.

Hand sink models HSA-12-D, HSB-12-D, and HSB-12-AD include a soap dispenser and front-skirt-mounted C-fold paper towel dispenser.

Hand sink models DHSA-18, DHSB-12, and DHSB-18 feature a soap dispenser and hinged front-access door to conceal C-fold paper towel dispenser. Paper towels are easily accessed below the door. The access door is only opened for re-loading paper towels into the dispenser.

Wet waste sink models SWA-12, SWA-18, and SWB-18 include a lift-out perforated plastic wet waste strainer.

### 19" DEEP HAND SINKS

MODEL	LIST	LENGTH	WEIGHT
HSA-12	\$1,141	12"	45#
HSA-18	\$1,158	18"	50#
HSA-12-D	\$1,341	12"	50#
DHSA-18	\$1,593	18"	60#

### 19" DEEP WET WASTE SINKS

MODEL	LIST	LENGTH	WEIGHT
SWA-12	\$1,183	12"	47#
SWA-18	\$1,200	18"	52#



### ACCESSORIES

MODEL	DESCRIPTION	LIST	WEIGHT
SSR-12†	12" single speed rail	\$144	4#
SSR-18†	18" single speed rail	\$159	6#
DSR-12†	12" double speed rail	\$285	8#
DSR-18†	18" double speed rail	\$313	12#
03000483	Wet waste sink strainer	\$42	2#
TR	Towel ring	\$13	1#
DWR-12†	Dry waste rail	\$150	6#
03000511	Wrist handles (set of two)	\$35	2#
DWC	Trash receptacle, stainless steel	\$337	10#
03005491	Trash receptacle, 28½ qt, gray plastic	\$53	5#
LSA-D	19" deep left end splash	\$102	4#
RSA-D	19" deep right end splash	\$102	4#
LSB-D	24" deep left end splash	\$119	5#
RSB-D	24" deep right end splash	\$119	5#
TD-C♦	Paper towel dispenser, C-fold	\$184	5#
03001873	Liquid soap dispenser, hand-pump	\$55	1#
03014739	Aerator, faucet, 1.5 GPM	\$10	1#
03014738	Aerator, faucet, 0.5 GPM	\$10	1#
03014737	Aerator, faucet, 0.2 GPM	\$10	1#

†NOTE: Speed rails and dry waste rails cannot be mounted to models:

- HSA-12-D • SWB-12-C
- DHSA-18 • SWB-18-DW
- HSB-12-D • SWB-18-DB
- HSB-12-AD • SWB-24L-C
- DHSB-12 • SWB-24R-C
- DHSB-18

♦NOTE: TD-C Paper towel dispenser cannot be mounted to models:

- SWB-12-C
- SWB-18-DW
- SWB-18-DB
- SWB-24L-C
- SWB-24R-C

**⚠ WARNING:** The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).  
**Warning applies to State of California only.** Part #03000483

## 24" DEEP HAND SINKS

MODEL	LIST	LENGTH	WEIGHT
HSB-12	\$1,194	12"	50#
HSB-18	\$1,252	18"	55#
HSB-12-D	\$1,400	12"	55#
HSB-12-AD	\$1,428	12"	55#
DHSB-12	\$1,574	12"	60#
DHSB-18	\$1,659	18"	70#



SWB-12



HSB-12-AD



DHSB-12

## 24" DEEP WET WASTE SINKS

MODEL	LIST	LENGTH	WEIGHT
SWB-12	\$1,236	12"	52#
SWB-18	\$1,294	18"	57#



faucet and soap dispenser, a lower sink with lift-out perforated plastic wet waste strainer, and side splashes. The upper sink drains into the lower sink to help melt ice. A front-flush C-fold paper towel dispenser is included in the front skirt.



Patent Pending

FS12 - The Fusion Sink is a combination hand sink and wet waste sink. The tiered unit includes an upper hand sink with



SWB-12-C - Includes a sink with faucet and lift-out perforated plastic wet waste strainer and cabinet base with hinged access door for storing up to three one-gallon chemical containers.

## 24" DEEP MULTI-PURPOSE SINKS

MODEL	LIST	LENGTH	WEIGHT
FS12	\$2,517	12"	
SWB-12-C	\$1,790	12"	75#
SWB-18-DW	\$2,004	18"	85#
SWB-18-DB	\$1,614	18"	65#
SWB-24L-C*	\$2,385	24"	105#
SWB-24R-C*	\$2,385	24"	105#

\*L = Sink Left, R = Sink Right



SWB-18-DW - Includes a sink with faucet and lift-out perforated plastic wet waste strainer, dry waste chute and cabinet base with hinged access door for storing a trash receptacle. A stainless (DWC) or plastic (03005391) trash receptacle is offered as a separate accessory.



SWB-18-DB - Tiered unit includes an upper drainboard deck for storing glassware and a lower sink with a faucet and lift-out perforated plastic wet waste strainer.



SWB-24L-C - Dual purpose work surface is half drainboard and half sink. Includes a faucet and lift-out perforated plastic wet waste strainer. The open-front cabinet base includes a center divider wall for storing up to three one-gallon chemical containers on one side and dry storage on the other.

**⚠ WARNING:** The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). **Warning applies to State of California only.** Part #03000483



## PRODUCT INFORMATION

(see Spec Sheets for complete details)

- Multiple Sinks come in three different varieties: two, three, and four compartment
- They feature an exclusive one-piece 18 gauge stainless steel top that is seamless from the front rail all the way through the backsplash
- Each variety is offered with or without built-in drainboards on one or both sides of the sink compartment
- Drainboards, where included, are a seamless and integral part of the work surface
- The seamless welded bowls are 16 gauge fabricated stainless steel
- An 'L' or 'R' suffix in the model number designates the location of the sink compartment as left or right when there is only one drainboard

## STANDARD FEATURES

- All stainless steel construction and stainless steel bullet feet
- One-piece seamless top, front rail and backplash
- 16 gauge stainless steel fabricated sink bowls
- 19" deep models have a backplash mounted faucet
- Integral drainboards have lift-out stainless steel perforated insert
- Perforated stainless steel inserts are available to cover sinks when not in use
- Includes one overflow tube per bowl



## TWO COMPARTMENT SINKS WITH STAINLESS SINK SECTION

19" DEEP		24" DEEP		OVERALL LENGTH	SINK LOCATION	DRAINBOARD LENGTH	WEIGHT
MODEL	LIST	MODEL	LIST				
DSA-24-S*	\$2,027	DSB-24-S*	\$2,022	24"	Center	N/A	90#
DSA-36L-S*	\$2,207	DSB-36L-S*	\$2,223	36"	Left	12"	100#
DSA-36R-S*	\$2,207	DSB-36R-S*	\$2,223	36"	Right	12"	100#
DSA-48-S*	\$2,363	DSB-48-S*	\$2,437	48"	Center	2 @ 12"	110#

## THREE COMPARTMENT SINKS WITH STAINLESS SINK SECTION

19" DEEP		24" DEEP		OVERALL LENGTH	SINK LOCATION	DRAINBOARD LENGTH	WEIGHT
MODEL	LIST	MODEL	LIST				
TSA-36-S	\$2,343	TSB-36-S	\$2,360	36"	Center	N/A	110#
TSA-48L-S*	\$2,502	TSB-48L-S*	\$2,559	48"	Left	12"	120#
TSA-48R-S*	\$2,502	TSB-48R-S*	\$2,559	48"	Right	12"	120#
TSA-60-S	\$2,675	TSB-60-S	\$2,762	60"	Center	2 @ 12"	130#
TSA-60L-S*	\$2,675	TSB-60L-S*	\$2,762	60"	Left	24"	130#
TSA-60R-S*	\$2,675	TSB-60R-S*	\$2,762	60"	Right	24"	130#
TSA-66L-S*	\$2,741	TSB-66L-S*	\$2,847	66"	Left	30"	140#
TSA-66R-S*	\$2,741	TSB-66R-S*	\$2,847	66"	Right	30"	140#
TSA-72-S	\$2,815	TSB-72-S	\$2,928	72"	Center	2 @ 18"	145#
TSA-84-S*	\$3,009	TSB-84-S*	\$3,157	84"	Center	2 @ 24"	160#
TSA-96-S*	\$3,165	TSB-96-S*	\$3,347	96"	Center	2 @ 30"	175#

## FOUR COMPARTMENT SINKS WITH STAINLESS SINK SECTION

19" DEEP		24" DEEP		OVERALL LENGTH	SINK LOCATION	DRAINBOARD LENGTH	WEIGHT
MODEL	LIST	MODEL	LIST				
FSA-48-S	\$2,881	FSB-48-S	\$2,921	48"	Center	N/A	125#
FSA-60L-S*	\$3,041	FSB-60L-S*	\$3,113	60"	Left	12"	140#
FSA-60R-S*	\$3,041	FSB-60R-S*	\$3,113	60"	Right	12"	140#
FSA-66L-S*	\$3,119	FSB-66L-S*	\$3,210	66"	Left	18"	150#
FSA-66R-S*	\$3,119	FSB-66R-S*	\$3,210	66"	Right	18"	150#
FSA-72-S	\$3,216	FSB-72-S	\$3,302	72"	Center	2 @ 12"	155#
FSA-72L-S*	\$3,216	FSB-72L-S*	\$3,302	72"	Left	24"	155#
FSA-72R-S*	\$3,216	FSB-72R-S*	\$3,302	72"	Right	24"	155#
FSA-84-S*	\$3,398	FSB-84-S*	\$3,526	84"	Center	2 @ 18"	170#
FSA-96-S*	\$3,558	FSB-96-S*	\$3,712	96"	Center	2 @ 24"	185#

## ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
SSR-24	24" single speed rail	\$173	7#
SSR-36	36" single speed rail	\$202	12#
SSR-48	48" single speed rail	\$231	18#
SSR-60	60" single speed rail	\$353	28#
SSR-66	66" single speed rail	\$368	32#
SSR-72	72" single speed rail	\$382	35#
SSR-84	84" single speed rail	\$412	42#
DSR-24	24" double speed rail	\$338	14#
DSR-36	36" double speed rail	\$394	24#
DSR-48	48" double speed rail	\$455	44#
DSR-60	60" double speed rail	\$628	56#
DSR-66	66" double speed rail	\$663	64#
DSR-72	72" double speed rail	\$691	70#
DSR-84	84" double speed rail	\$747	84#
TR	Towel ring	\$13	1#
LWS	Large wet waste strainer	\$99	2#
DWR-12	Dry waste rail	\$150	6#
03002552	Sink cover, perforated for DSA or DSB	\$99	5#
03002553	Sink cover, perforated for TSA or TSB	\$148	8#
03002554	Sink cover, perforated for FSA or FSB	\$198	12#

\*NOTE: These Multiple Sink Units are manufactured to order and are not returnable



### PRODUCT INFORMATION

(see Spec Sheets for complete details)

#### STANDARD FEATURES

- Manufactured with total welded construction to meet NSF® standards
- All stainless steel construction
- One-piece seamless top and backsplash featuring 1/4" radius corners for easy cleaning
- Adjustable stainless steel bullet feet (does not include MFT-8)
- All faucets are shipped mounted

**⚠ WARNING:** The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). **Part #03000483**  
**Warning applies to State of California only.**



MRS-12

#### MRS-12 MIXOLOGY UNIT

Includes 9-1/4" by 11-1/2" by 6" deep sink, backsplash-mounted faucet, lift-out perforated plastic sink strainer, and push-down rinser faucet.

MODEL	LIST	LENGTH	WEIGHT
MRS-12	\$1,578	12"	55#

#### MTS-14 MIXOLOGY UNIT

Includes 9-1/4" by 11-1/2" by 6" deep sink, backsplash-mounted faucet, lift-out perforated plastic sink strainer, push-down rinser faucet, and 6" diameter mixology tool well with faucet.

MODEL	LIST	LENGTH	WEIGHT
MTS-14	\$2,332	14"	55#



MTS-14



MFS-12

#### MFS-12 MIXOLOGY UNIT

Includes 9-1/4" by 11-1/2" by 6" deep sink, backsplash-mounted faucet, lift-out perforated plastic sink strainer, and 8" by 11" securely mounted and easily removable cutting board.

MODEL	LIST	LENGTH	WEIGHT
MFS-12	\$1,466	12"	55#

#### MFT-8 MIXOLOGY UNIT

Includes 6" diameter mixology tool well with faucet, push-down rinser faucet, and 7-1/2" by 7-1/2" securely mounted and easily removable cutting board. NOTE: No legs. Must mount to adjacent underbar.

MODEL	LIST	LENGTH	WEIGHT
MFT-8	\$1,561	8"	40#




MFT-8

#### MFT-20 MIXOLOGY UNIT

Includes 9-1/4" by 11-1/2" by 6" deep sink, backsplash-mounted faucet, lift-out perforated plastic sink strainer, push-down rinser faucet, 6" diameter mixology tool well with faucet, 8" by 11" securely mounted and easily removable cutting board, and removable ice scoop well.

MODEL	LIST	LENGTH	WEIGHT
MFT-20	\$2,557	20"	65#



MFT-20

#### ACCESSORIES

MODEL	DESCRIPTION	LIST	WEIGHT
LSM	Left end splash, MFS-12, MFT-8 or MFT-20	\$102	4#
RSM	Right end splash, MFS-12, MFT-8 or MFT-20	\$102	4#
LSB-D	24" deep left end splash	\$119	5#
RSB-D	24" deep right end splash	\$119	5#

Rinser faucet installation notes:

- Important: Unit must be installed in conformance with applicable federal, state, and local plumbing codes, including adequate backflow when required.
- Install in-line water regulator (included).
- A separate shut-off valve is recommended (not included).


# Mixology Stations\*

All faucets are certified low lead compliant

Mixology Stations include the following standard features:

- 4" soda manifold holder
- 24" main ice bin liner
- 12" condiment well
- Single speed rail
- 20" mixology unit



\*NOTE: Mixology stations are manufactured to order and are not returnable



Drop-in mixology drink rail  
(See next page for drop-in mixology wells)

## What is different about the 72" mixology station?

The MXS72-CP10 mixology station is 12" longer, because it also includes a 12" elixir bottle well.



## PRODUCT INFORMATION (see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- Complete line up is flush at 24" deep to match adjacent underbar
- The SMHA-4 soda manifold housing is designed to house the manifold of Wunder-Bar® or Schroeder America™ 8 to 14 button soda guns
- The condiment well and ice bin are foamed-in-place insulated and include a PVC plastic breaker strip around the liner to prevent thermal transfer so ice lasts longer
- The ice bin includes a built-in ten circuit cold plate, sliding stainless steel cover, and stainless steel ice bin divider
- The condiment well provides ice-chilled storage for six pint-size (16 oz.) condiment cups and includes two lift-off stainless steel covers
- A single speed rail is included
- The MFT-20 model mixology unit includes a push-down rinser faucet to rinse shaker cans, a lift-out perforated plastic sink strainer, a 6" diameter seamless welded draining dipper well and faucet for mixology tools, an 8" x 11" cutting board that is securely mounted but easily removable for cleaning, and an ice scoop well
- The MXS72-CP10 model also includes an elixir bottle well with BRM15 stainless steel rack to hold 15 elixir bottles (NOTE: Recommend Tablecraft 916 (16 oz.) or 9085 (8.5 oz.) olive oil bottles)

### MIXOLOGY STATION

MODEL	LIST	LENGTH	WEIGHT
MXS60-CP10	\$6,837	60"	279#
MXS72-CP10	\$7,803	72"	322#

### Rinser faucet installation notes:

- Important: Unit must be installed in conformance with applicable federal, state, and local plumbing codes, including adequate backflow when required.
- Install in-line water regulator (included).
- A separate shut-off valve is recommended (not included).

**⚠ WARNING:** The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).  
**Warning applies to State of California only.** Part #03000483



DI-MW30  
1/9th pans and bottles not included

## DROP-IN MIXOLOGY WELLS

MODEL	LIST	LENGTH	WEIGHT
DI-MW24	\$728	24"	13#
DI-MW30	\$773	30"	16#
DI-MW36	\$820	36"	19#

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES:

- Stainless steel top and interior liner
- PVC plastic breaker strip around well liner: creates 5/16" raised edge around liner and acts as thermal barrier to prevent heat transfer
- Stainless steel exterior wrap
- 4" deep well liner is 3-5/8" front-to-back
- Designed to hold up to 3-1/2" wide bottles or 1/9th pans
- Installation kit includes: 10' of clear vinyl drain tube, five - 4" Ty-wraps, one - 1/2" PVC elbow, one - 1/2" nylon elbow, and one drainline splicer

# Drop-In Mixology Drink Rails



DI-MDR30  
1/9th pans and bottles not included

## DROP-IN MIXOLOGY DRINK RAILS

MODEL	LIST	LENGTH	WEIGHT
DI-MDR24	\$1,099	24"	16#
DI-MDR30	\$1,153	30"	20#
DI-MDR36	\$1,210	36"	24#

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- Stainless steel top and interior liner
- PVC plastic breaker strip around ice bin liner: creates 5/16" raised edge around liner and acts as thermal barrier to prevent heat transfer
- One-piece top includes drain pan with removable perforated insert
- Stainless steel exterior wrap
- 4" deep well liner is 3-5/8" front-to-back
- Designed to hold up to 3-1/2" wide bottles or 1/9th pans
- Installation kit includes: 10' of clear vinyl drain tube, seven - 4" Ty-wraps, one - 1/2" PVC tee, one - 1/2" nylon elbow, and two drainline splicers



# Drop-In Drink Rails

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES:

- All stainless steel construction
- Available in 24", 30", or 36" lengths
- Drain is a 1/2" welded tailpiece that exits from the bottom of the unit
- Drain pan includes 1/2" flange
- Installation kit includes: 10' of clear vinyl drain tube, five - 4" Ty-wraps, and two - 1/2" plastic elbows

### DROP-IN DRINK RAILS

MODEL	LIST	LENGTH	WEIGHT
DI-DR24	\$305	24"	7#
DI-DR30	\$316	30"	9#
DI-DR36	\$327	36"	11#



DI-DR30

# Undercounter Mount Rinser Faucet

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES:

- All 18 gauge stainless steel construction
- Pan includes radius interior corners for easy cleaning
- Total welded construction with integrated C-channel sides for incredible rigidity
- Installation kit for plumbing 1/2" tailpiece drain - includes 10' of vinyl drain tube, (3) ty wraps, (1) elbow, (1) elbow to drain-line adaptor, (4) #10 x 1/2 screws
- Rear deck area with pre-punched screw holes for mounting to underside of bar top



### UMRF

MODEL	LIST	WEIGHT	WIDTH	DEPTH	HEIGHT
UMRF	\$506	8#	5"	9"	1-1/2"

# Drop-In Rinser Faucets

## PRODUCT INFORMATION


(see Spec Sheets for complete details)

### STANDARD FEATURES:

- All stainless steel construction
- Pan includes radius corners for easy cleaning
- Drain is a 1/2" welded tailpiece that exits from the bottom of the unit
- Drain pan includes 1/2" flange
- Installation kit includes: 10' of clear vinyl drain tube, five - 4" Ty-wraps, and two - 1/2" plastic elbows



DI-RF7



DI-RF24

### DROP-IN DRINK RAILS

MODEL	LIST	LENGTH	WEIGHT
DI-RF7	\$527	7"	8#
DI-RF12	\$541	12"	10#
DI-RF18	\$557	18"	12#
DI-RF24	\$572	24"	14#





DR-36L

## DRINK RAILS

MODEL	LIST	LENGTH	DRAIN	WEIGHT
DR-12L	\$305	12"	Left	7#
DR-12R	\$305	12"	Right	7#
DR-18L	\$323	18"	Left	8#
DR-18R	\$323	18"	Right	8#
DR-24L	\$340	24"	Left	9#
DR-24R	\$340	24"	Right	9#
DR-30L	\$362	30"	Left	11#
DR-30R	\$362	30"	Right	11#
DR-36L	\$379	36"	Left	13#
DR-36R	\$379	36"	Right	13#
DR-42L	\$400	42"	Left	15#
DR-42R	\$400	42"	Right	15#
DR-48L	\$418	48"	Left	18#
DR-48R	\$418	48"	Right	18#

Conveniently mounts to underside of bar top to provide stainless steel draining drink rail.

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

**STANDARD FEATURES:** All stainless steel construction • 18 gauge stainless steel pan with removable perforated insert (corner units are flat fillers) • 30" and 36" models have one gusset and 42" and 48" models have two gussets for added strength • Drain consists of 1/2" welded tailpiece that exits from the back of the unit • 45° and 90° inside and outside corner filler sections available • Installation kit includes: 10' of clear vinyl drain tube, one 4" Ty-wrap, three #10 x 1/2" stainless steel wood screws, three cable clamps and one 1/2" x 1/2" x 1/2" plastic tee

## INSIDE AND OUTSIDE CORNER FILLERS

MODEL	DESCRIPTION	LIST	WEIGHT
DR-IC45	45° inside corner filler	\$183	8#
DR-IC90	90° inside corner filler	\$189	10#
DR-OC45	45° outside corner filler	\$183	8#
DR-OC90	90° outside corner filler	\$189	10#

\*NOTE: Drink Rails are manufactured to order and are not returnable

## Drop-In Drain Pans\*



DI-DP12X24

Drain pan drops into a cut-out in your bartop to provide a stainless steel draining work surface.

## DROP-IN DRAIN PANS


MODEL	OVERALL DIMENSIONS	LIST	WEIGHT
DI-DP12X24	12" x 24"	\$385	14#
DI-DP12X30	12" x 30"	\$415	16#
DI-DP12X36	12" x 36"	\$445	18#
DI-DP12X42	12" x 42"	\$485	20#
DI-DP12X48	12" x 48"	\$531	22#
DI-DP18X24	18" x 24"	\$475	18#
DI-DP18X30	18" x 30"	\$513	21#
DI-DP18X36	18" x 36"	\$576	24#
DI-DP18X42	18" x 42"	\$645	27#
DI-DP18X48	18" x 48"	\$713	30#

\*NOTE: Drop-In Drain Pans are manufactured to order and are not returnable

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

**STANDARD FEATURES:** All stainless steel construction • 18 gauge stainless steel pan with removable perforated inserts • Available in standard widths of 12" or 18" and lengths from 24" to 48". Custom sizes also available • Drain consists of 1/2" welded tailpiece that exits from the bottom of the unit • Drain pan flange includes self-rimming edge for tight fit to work surface • Installation kit includes: 10' of clear vinyl drain tube, one 4" Ty-wrap, three #10 x 1/2" stainless steel wood screws, three #10 x 1/2" black sheet metal screws, three cable clamps, two 1/2" x 1/2" plastic elbows • Cut-out dimensions are 1-3/4" smaller than the outer flange dimensions • Install by making cut-out in work surface, apply silicone sealant to edge of unit, set in place and plumb drain line



EXAMPLE: A DI-DP12X24 which measures 12" x 24" would require a cut-out size of 10-1/4" x 22-1/4"

# Liquor Displays

Liquor Displays provide tiered liquor bottle storage at a height convenient for bartender use. They maintain the same easy-to-clean, open step and rail design as a speed rail. Each step and rail has PVC sound deadening covers and each rail includes a clear lift-off liquor-identification cover. The 24" deep models provide four levels of storage front to back and the 29" deep models provide five levels.

Liquor displays cannot have a speed rail mounted to them. Since speed rails are so common on underbar, liquor displays have been designed to align with underbar that has a speed rail. The four different liquor display styles are based on the four different equipment-mounting situations.

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- Easily-usable height for storage
- All stainless steel construction and stainless steel bullet feet
- Includes radius interior corners for easy cleaning
- Four (4) levels of liquor bottle storage for 24" deep models and five (5) levels for 29" deep models
- Bottle retaining rails with clear lift-off liquor-identification cover
- Open step-and-rail design for easy cleaning and better view of bottles
- Locking covers are available for each individual row - see Locking Speed Rail Covers on page 28
- Matches speed rail design for continuity
- Specially designed side profiles to align with four different equipment-mounting situations
- Rear step on each model is extra wide for specialty liquor bottles



LDA-18S



LDB-18

### 24" DEEP LIQUOR DISPLAYS

(Aligns with 19" deep underbar that has a single speed rail)

MODEL	LIST	LENGTH	WEIGHT
LDA-12S	\$1,062	12"	50#
LDA-18S	\$1,162	18"	60#
LDA-24S	\$1,266	24"	70#
LDA-30S*	\$1,368	30"	80#
LDA-36S*	\$1,469	36"	90#
LDA-42S*	\$1,571	42"	100#

### 24" DEEP LIQUOR DISPLAYS

(Aligns with 24" deep underbar that has no speed rail)

MODEL	LIST	LENGTH	WEIGHT
LDB-12	\$1,062	12"	50#
LDB-18	\$1,162	18"	60#
LDB-24	\$1,266	24"	70#
LDB-30*	\$1,368	30"	80#
LDB-36*	\$1,469	36"	90#
LDB-42*	\$1,571	42"	100#



LDA-18D



LDB-18S

### 29" DEEP LIQUOR DISPLAYS

(Aligns with 19" deep underbar that has a double speed rail)

MODEL	LIST	LENGTH	WEIGHT
LDA-12D	\$1,191	12"	55#
LDA-18D	\$1,308	18"	65#
LDA-24D	\$1,425	24"	75#
LDA-30D*	\$1,549	30"	85#
LDA-36D*	\$1,666	36"	95#
LDA-42D*	\$1,785	42"	105#

### 29" DEEP LIQUOR DISPLAYS

(Aligns with 24" deep underbar that has a single speed rail)

MODEL	LIST	LENGTH	WEIGHT
LDB-12S	\$1,191	12"	55#
LDB-18S	\$1,308	18"	65#
LDB-24S	\$1,425	24"	75#
LDB-30S*	\$1,549	30"	85#
LDB-36S*	\$1,666	36"	95#
LDB-42S*	\$1,785	42"	105#

\*NOTE: These liquor displays are manufactured to order and are not returnable



SLD-24

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- One-piece seamless top, front rail and backsplash
- Radius work surface corners for easy cleaning
- For use with 20" by 20" racks for easy removal and storage of liquor bottles

### EXTRA CABINET MODEL FEATURES

- Includes locking cabinet base for storing liquor when not in use
- Includes four 2" casters
- Removable floor with radius corners for easy cleaning
- Cabinet features dual-wall construction for a smooth interior
- Integral door handle and door lock standard



SLDC-24


## SLANTED LIQUOR DISPLAYS

MODEL	LIST	LENGTH	WEIGHT
SLD-24	\$802	24"	55#
SLDC-24	\$1,644	24"	85#

\*NOTE: Slanted Liquor Displays are manufactured to order and are not returnable

## Island Oasis® Stand

The Glastender Island Oasis® Stand is designed for use with the model number SB-3X Island Oasis® machine. The 18" wide by 29" deep stand has a lowered draining work surface and extended front to allow the machine to be stored at a convenient and usable height. In most bar applications, the clear plastic ice container will be visible above the bar top.



Installation Side Elevation



IOS-18

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- Adjustable stainless steel bullet feet
- Radius work surface corners for easy cleaning
- One-piece seamless top and backsplash
- 1" deep drain pan work surface to capture excess moisture
- Chamfered front to eliminate "knee knockers"

## ISLAND OASIS® STAND

MODEL	LIST	LENGTH	WEIGHT
IOS-18	\$958	18"	50#

# Dry Waste Chutes



DWB-12 shown in an installation setting with optional trash receptacle



DWB-15L shown in an installation setting with optional trash receptacle



DWB-18 with optional trash receptacle

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

There are four different Dry Waste Chute models to meet various installation requirements • For all four models, the top lifts up for emptying the trash receptacle • The top also lifts off completely for more thorough cleaning • The DWB-12 is designed for mounting between two adjacent pieces of Glastender underbar • The DWB-15L and DWB-15R include a left or right side and leg set, respectively, for mounting to just one piece of Glastender underbar • The DWB-18 is free standing • All models are designed to house a Rubbermaid® Slim Jim™ trash receptacle and are available from Glastender

## 24" DEEP DRY WASTE CHUTES

MODEL	LIST	LEG POSITION	LENGTH	WEIGHT
DWB-12	\$554	N/A	12"	30#
DWB-15L	\$875	Left	15"	45#
DWB-15R	\$875	Right	15"	45#
DWB-18*	\$1,245	Left & Right	18"	60#

## ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
03000497	Slim Jim trash receptacle	\$168	10#

\*NOTE: DWB-18 Dry Waste Chutes are manufactured to order and are not returnable

# Dry Waste Rail



DWR-12

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

- A Dry Waste Rail is 12" wide, 5" deep, and looks like a speed rail, but it is actually a removable stainless steel chute
- A 16" high or shorter trash receptacle is placed under the dry waste rail and the chute directs the refuse into the receptacle
- Dry waste rails cannot be used on Cabinets, Glassracks, or Ice Cream Freezers

## DRY WASTE RAIL

MODEL	LIST	LENGTH	WEIGHT
DWR-12	\$150	12"	6#

## ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
DWC	Trash receptacle, stainless steel	\$337	5#
03005491	Trash receptacle, 28½ qt, gray plastic	\$53	5#





FRA-24

### ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
SSR-24	24" single speed rail	\$173	7#
SSR-36	36" single speed rail	\$202	12#
DSR-24	24" double speed rail	\$338	14#
DSR-36	36" double speed rail	\$394	24#
CE-220/50S	Convert self-contained unit to 220V/50Hz electrical	\$168	N/A

### 19" DEEP ICE CREAM FREEZERS

MODEL	LIST	LENGTH	WEIGHT
FRA-24	\$3,588	24"	140#
FRA-36	\$4,108	36"	175#

### 24" DEEP ICE CREAM FREEZERS

MODEL	LIST	LENGTH	WEIGHT
FRB-24	\$3,698	24"	150#
FRB-36	\$4,218	36"	185#

### PRODUCT INFORMATION

(see Spec Sheets for complete details)

**STANDARD FEATURES:** All stainless steel construction • Foamed-in-place insulation • 6" diameter seamless welded draining dipper well and faucet • Six-foot grounded cord and plug provided • 24" wide models hold one 3-gallon container • 36" wide models hold two 3-gallon containers • One-piece seamless top and backsplash

**ELECTRICAL:** 120V, 1 phase, 60 Hz, 4.75 full load amps • Dedicated 15 amp circuit is recommended • Includes 6-foot grounded cord and plug

**REFRIGERATION:** Operating range -5°F to 10°F • 1/4 HP, R404a refrigerant

**CAPACITY:** FRA-24 and FRB-24 models hold one 3-gallon container • FRA-36 and FRB-36 models hold two 3-gallon containers

## Wait Stations\*

### PRODUCT INFORMATION

(see Spec Sheets for complete details)

**STANDARD FEATURES:** All stainless steel construction • Integrated back and side splashes • Radius work surface corners for easy cleaning • Work surface features front marine edge • Cabinet includes intermediate shelf and special compartment for vertical tray storage • Vertical tray storage compartment specifically designed to hold 14" or 16" round server trays • Recessed hole in tray storage compartment floor prevents round trays from rolling out • Includes left-side-mounted menu holder • Includes wall-mounting bracket • WS36-S model includes welded bowl with removable plastic washrag basin • Optional wall-mount pan holder (WPH) with 6" deep stainless steel one-fourth pan also available, for use as an ashtray dump or washrag basin (clear plastic one-fourth pan also available)



WS24

Wait Stations mount to the server side of the bar die for convenient storage of common server items. No plumbing required. Includes wall-mounting bracket.

\*NOTE: Wait stations are manufactured to order and are not returnable



WS36-S

(shown with optional WPH)

### 24" AND 36" WAIT STATIONS


MODEL	LIST	LENGTH	DEPTH	WEIGHT
WS24	\$1,334	24"	15"	70#
WS36	\$1,478	36"	15"	90#
WS36-S†	\$1,820	36"	15"	95#

† WS36-S includes stainless steel bowl and removable plastic washrag basin.

### WAIT STATION ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
WPH	Wall-mount pan holder	\$229	12#
WPH-LP	Wall-mount pan holder, less pan	\$174	10#
MH-L	Menu holder, mounts left	\$148	10#
MH-R	Menu holder, mounts right	\$148	10#
03003317	1/4th pan, stainless steel, 6" deep	\$55	4#
03003318	1/4th pan, clear plastic, 6" deep	\$23	2#
03003294	Plastic washrag basin	\$39	3#

**⚠ WARNING:** The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). **Warning applies to State of California only.** Part #03000483



All-In-One Stations combine different underbar components into one pre-assembled unit (also available with 10-circuit cold plate for soda systems). The ALL-72 pictured below illustrates the various components. Read the descriptions below each model for a complete list of standard components. (see Spec Sheets for complete details)

**ALL-72-CP10**




**WARNING:** The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). **Warning applies to State of California only.** Part #03000483

## ALL-IN-ONE STATION ACCESSORY

MODEL	DESCRIPTION	LIST	WEIGHT
TC-BS	Tubing chase centered in backsplash of ice bin	\$44	N/A



TC-BS



### ALL-60A

MODEL	LIST	WT	COLD PLATE
ALL-60A	\$5,306	200#	No
ALL-60A-CP10	\$6,546	270#	Yes

### 60" ALL-IN-ONE STATION

- 36" Combo Ice Bin
- 12" Single Wet Waste Sink w/Left Splash
- 12" Blender Shelf with Towel Ring
- 12" Liquor Display
- 36" Double Speed Rail
- 12" Dry Waste Rail
- Condiment Dispenser

### ALL-60B

MODEL	LIST	WT	COLD PLATE
ALL-60B	\$4,985	200#	No
ALL-60B-CP10	\$6,225	270#	Yes

### 60" ALL-IN-ONE STATION

- 12" Recessed Drainboard
- 36" Combo Ice Bin
- 12" Single Wet Waste Sink w/Left Splash
- 12" Blender Shelf with Towel Ring
- 12" Double Speed Rail
- 36" Double Speed Rail
- 12" Dry Waste Rail
- Condiment Dispenser


### ALL-66A

MODEL	LIST	WT	COLD PLATE
ALL-66A	\$5,484	215#	No
ALL-66A-CP10	\$6,770	285#	Yes

### 66" ALL-IN-ONE STATION

- 42" Combo Ice Bin
- 12" Single Wet Waste Sink w/Left Splash
- 12" Blender Shelf with Towel Ring
- 12" Liquor Display
- 42" Double Speed Rail
- 12" Dry Waste Rail
- Condiment Dispenser

\*NOTE: All-In-One Stations are manufactured to order and are not returnable




## ALL-66B

MODEL	LIST	WT	COLD PLATE
ALL-66B	\$5,164	215#	No
ALL-66B-CP10	\$6,450	285#	YES

### 66" ALL-IN-ONE STATION

- 12" Recessed Drainboard
- 42" Combo Ice Bin
- 12" Single Wet Waste Sink w/Left Splash
- 12" Blender Shelf with Towel Ring
- 42" Double Speed Rail
- 12" Dry Waste Rail
- Condiment Dispenser




## ALL-66C

MODEL	LIST	WT	COLD PLATE
ALL-66C	\$5,099	215#	No
ALL-66C-CP10	\$6,564	285#	YES

### 66" ALL-IN-ONE STATION

- 18" Recessed Drainboard
- 36" Combo Ice Bin
- 12" Single Wet Waste Sink w/Left Splash
- 12" Blender Shelf with Towel Ring
- 36" Double Speed Rail
- 12" Dry Waste Rail
- Condiment Dispenser




## ALL-66D

MODEL	LIST	WT	COLD PLATE
ALL-66D	\$5,423	215#	No
ALL-66D-CP10	\$6,663	285#	YES

### 66" ALL-IN-ONE STATION

- 36" Combo Ice Bin
- 12" Single Wet Waste Sink w/Left Splash
- 18" Liquor Display
- 36" Double Speed Rail
- 12" Dry Waste Rail
- Condiment Dispenser




## ALL-72

MODEL	LIST	WT	COLD PLATE
ALL-72	\$6,176	240#	No
ALL-72-CP10	\$7,416	310#	YES

### 72" ALL-IN-ONE STATION

- 12" Recessed Drainboard
- 36" Combo Ice Bin
- 12" Single Wet Waste Sink w/Left Splash
- 12" Blender Shelf with Towel Ring
- 12" Liquor Display
- 36" Double Speed Rail
- 12" Dry Waste Rail
- Condiment Dispenser




## ALL-72A

MODEL	LIST	WT	COLD PLATE
ALL-72A	\$5,602	240#	No
ALL-72A-CP10	\$6,888	310#	YES

### 72" ALL-IN-ONE STATION

- 42" Combo Ice Bin
- 12" Single Wet Waste Sink w/Left Splash
- 12" Blender Shelf with Towel Ring
- 18" Liquor Display
- 42" Double Speed Rail
- 12" Dry Waste Rail
- Condiment Dispenser



## ALL-72B

MODEL	LIST	WT	COLD PLATE
ALL-72B	\$5,277	240#	No
ALL-72B-CP10	\$6,564	310#	YES

### 72" ALL-IN-ONE STATION

- 18" Recessed Drainboard
- 42" Combo Ice Bin
- 12" Single Wet Waste Sink w/Left Splash
- 12" Blender Shelf with Towel Ring
- 42" Double Speed Rail
- 12" Dry Waste Rail
- Condiment Dispenser

\*NOTE: All-In-One Stations are manufactured to order and are not returnable

**WARNING:** The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). **Warning applies to State of California only.** Part #03000483



## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- Tubing chase is 6" by 6" by 4" high
- Stainless steel drain pan work surface and perforated insert
- Mounts between adjacent underbar equipment (there is no provision for leg mounting)
- Includes front rail and front skirt to match adjacent equipment
- Can be set in place after beverage lines are installed

### TUBING CHASES

MODEL	LIST	LENGTH	DEPTH	WEIGHT
TCA	\$422	6"	19"	17#
TCB	\$481	6"	24"	19#

TCA shown in an installation setting

## Beer Drainers\*

Beer Drainers have a 26" high lowered work surface and are designed specifically for use with undercounter-mounting beverage dispensers. The work surface includes a drain pan with perforated insert to serve as the drip pan for the dispenser and a special notched rear deck for beverage line access. Since the rear work surface is notched, the beverage lines can be installed prior to the beer drainer.



BDB-18 shown in an installation setting with undercounter-mounting beer tower above

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- Designed with lowered work surface to work in conjunction with undercounter-mounting beverage dispensers
- Adjustable stainless steel bullet feet
- Rear deck with tubing chase notch allows beer lines to be installed prior to beer drainer
- Front drain pan with lift-out stainless steel perforated insert

### 19" DEEP BEER DRAINERS

MODEL	LIST	LENGTH	WEIGHT
BDA-18	\$750	18"	45#
BDA-24	\$822	24"	50#
BDA-30	\$893	30"	55#
BDA-36	\$963	36"	60#

### 24" DEEP BEER DRAINERS



MODEL	LIST	LENGTH	WEIGHT
BDB-18	\$821	18"	55#
BDB-24	\$906	24"	60#
BDB-30	\$988	30"	65#
BDB-36	\$1,070	36"	70#

\*NOTE: Beer Drainers are manufactured to order and are not returnable



With the Glastender Modular Bar Die, underbar equipment is mounted to and supported on the bar die. All the underbar equipment is pre-assembled and mounted to the bar die at the factory, then broken down into shippable sections. Installation of the bar die is very simple - easier than a conventional style underbar with a millwork bar die. The result is a beautiful, innovative underbar line up that is sealed to the floor, stainless from floor to bar top, eliminates all underbar leg sets, and hides the soda, beer, electrical, and plumbing lines.

Modular Bar Die shown with underbar line-up. Millwork bar top and front panels are not included.



Typical Side Elevation View

The total Number of feet required is calculated by determining the overall outside dimension of the bar die wall. Please round up to the nearest whole foot.

## MODULAR BAR DIE

MODEL	DESCRIPTION	LIST	WGT
MD	Price per foot	\$278	15#

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### FEATURES:

- 16 gauge galvanized steel structure with stainless steel bartender side finishing
- GFI outlets built in to bar die wall based on customer preference (wiring not provided)
- LED lights built in to bar die wall above underbar equipment (wiring not provided)
- Built in chaseways for beer, soda, plumbing, and electrical lines.

### BENEFITS:

- Stainless steel from floor to bar top on bartender side
- Floor can be sealed to the bar die to prevent moisture from seeping from the bartender side to the customer side of the bar
- Galvanized steel structure will not rot
- Built in chaseways hide beer, soda, plumbing, and electrical lines for a cleaner, more attractive bar
- Arrives pre-assembled from factory in sections up to 10 feet long for easy installation - lowers installation costs. Just bolt the sections together, level, and attach the floor.
- Pre-engineered to exact dimensions to ensure a precise fit
- Can be used in conjunction with removable front millwork finishing panels to provide easy access to soda, beer, plumbing, and electrical lines for future modification, maintenance, or repair
- Millwork bar top and front panels can be pre-fabricated and easily attached
- Eliminates all underbar legs for easy cleaning.

# Choice Ice Bins

## 19" DEEP ICE BINS\*

MODEL	LIST	LTH	WGT	ICE CAPACITY
C-IBA-6†	\$741	6"	40#	17#
C-IBA-12	\$1,000	12"	50#	33#
C-IBA-18	\$1,105	18"	60#	50#
C-IBA-24	\$1,205	24"	70#	67#
C-IBA-30	\$1,313	30"	80#	84#
C-IBA-36	\$1,416	36"	90#	100#
C-IBA-42	\$1,521	42"	100#	117#
C-IBA-48	\$1,626	48"	110#	134#

## WITH 10-CIRCUIT COLD PLATE

C-IBA-24-CP10	\$2,265	24"	130#	67#
C-IBA-30-CP10	\$2,408	30"	145#	84#
C-IBA-36-CP10	\$2,590	36"	160#	100#
C-IBA-42-CP10	\$2,914	42"	170#	117#
C-IBA-48-CP10	\$3,025	48"	180#	134#

† Note: 6" unit cannot be free standing

## 24" DEEP ICE BINS\*

MODEL	LIST	LTH	WGT	ICE CAPACITY
C-IBB-6†	\$791	6"	45#	21#
C-IBB-12	\$1,073	12"	55#	42#
C-IBB-18	\$1,187	18"	70#	64#
C-IBB-24	\$1,296	24"	80#	85#
C-IBB-30	\$1,415	30"	95#	106#
C-IBB-36	\$1,524	36"	110#	127#
C-IBB-42	\$1,637	42"	120#	149#
C-IBB-48	\$1,748	48"	130#	170#

## WITH 10-CIRCUIT COLD PLATE\*

C-IBB-24-CP10	\$2,340	24"	145#	85#
C-IBB-30-CP10	\$2,779	30"	160#	106#
C-IBB-36-CP10	\$2,901	36"	170#	127#
C-IBB-42-CP10	\$3,024	42"	185#	149#
C-IBB-48-CP10	\$3,115	48"	195#	170#


† Note: 6" unit cannot be free standing

### What is a cold plate?

Choice ice bins 24" wide and larger are available with a 10-circuit cold plate built into the bottom liner. A cold plate is an aluminum block with ten stainless steel lines or circuits molded within. Soda lines are attached by the soda vendor to the input and output lines of the cold plate and the soda water and syrup are chilled as they pass through the lines. A cold plate is recommended for ice bins used to make cocktails.



C-IBA-36-CP10



C-IBA

SIDE ELEVATIONS

C-IBB

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- PVC plastic breaker strip around ice bin liner acts as a thermal barrier to prevent heat transfer
- 24" deep version provides larger ice bin not just a deck extension on the back of the 19" deep model
- Extra deep ice bins have 14-1/2" deep liner for extra ice capacity
- Adjustable thermoplastic bullet feet
- Backsplash is an open channel to provide access for beverage lines

NOTE: Ice bins intended to store potable ice must be ordered with an ice bin cover to maintain the sanitation listing

\*NOTE: These ice bin models are manufactured to order and are not returnable



Bottle rack accessory  
(one BR4 and one BR3 shown)


Bottle well accessory  
(two BW3 shown)

## 19" EXTRA DEEP ICE BINS\*

MODEL	LIST	LTH	WGT	ICE CAPACITY
C-IBA-18-ED	\$1,232	18"	75#	69#
C-IBA-24-ED	\$1,353	24"	80#	92#
C-IBA-30-ED	\$1,475	30"	90#	116#
C-IBA-36-ED	\$1,597	36"	100#	139#
C-IBA-42-ED	\$1,718	42"	110#	162#
C-IBA-48-ED	\$1,843	48"	125#	185#

## EXTRA DEEP WITH 10-CIRCUIT COLD PLATE\*

C-IBA-24-CP10-ED	\$2,510	24"	140#	92#
C-IBA-30-CP10-ED	\$2,676	30"	155#	116#
C-IBA-36-CP10-ED	\$2,918	36"	170#	139#
C-IBA-42-CP10-ED	\$3,242	42"	180#	162#
C-IBA-48-CP10-ED	\$3,378	48"	190#	185#



NOTE: Ice bins intended to store potable ice must be ordered with an ice bin cover to maintain the sanitation listing

\*NOTE: These ice bin models are manufactured to order and are not returnable

## ICE BIN ACCESSORIES

### SINGLE SPEED RAILS

MODEL	DESCRIPTION	LIST	WGT
C-SR-12	12" single speed rail	\$109	5#
C-SR-18	18" single speed rail	\$122	6#
C-SR-24	24" single speed rail	\$135	7#
C-SR-30	30" single speed rail	\$148	9#
C-SR-36	36" single speed rail	\$161	10#
C-SR-42	42" single speed rail	\$174	12#
C-SR-48	48" single speed rail	\$187	13#

### DOUBLE SPEED RAILS

MODEL	DESCRIPTION	LIST	WGT
C-DR-12	12" double speed rail	\$215	9#
C-DR-18	18" double speed rail	\$242	11#
C-DR-24	24" double speed rail	\$268	14#
C-DR-30	30" double speed rail	\$295	16#
C-DR-36	36" double speed rail	\$321	18#
C-DR-42	42" double speed rail	\$349	21#
C-DR-48	48" double speed rail	\$375	24#

**CONDIMENT DISPENSER** Stainless steel condiment dispenser with hinged plexi-glass lid and six 16 oz. plastic cups.

CCD	Condiment dispenser	\$132	5#
-----	---------------------	-------	----

### ACCESSORIES FOR 19" DEEP (A) ICE BINS

**ICE BIN COVERS** Two-piece sliding stainless steel. Ice bins intended to store potable ice must be ordered with an ice bin cover to maintain the sanitation listing. If bottle wells are ordered, deduct 6" from cover length for one bottle well and 12" for two bottle wells.

MODEL	DESCRIPTION	LIST	WGT	MODEL	DESCRIPTION	LIST	WGT
IBCA-12	12"w ice bin cover - 19"d (A) ice bin	\$48	4#	IBCB-12	12"w ice bin cover - 24"d (B) ice bin	\$60	5#
IBCA-18	18"w ice bin cover - 19"d (A) ice bin	\$69	5#	IBCB-18	18"w ice bin cover - 24"d (B) ice bin	\$86	6#
IBCA-24	24"w ice bin cover - 19"d (A) ice bin	\$90	7#	IBCB-24	24"w ice bin cover - 24"d (B) ice bin	\$112	8#
IBCA-30	30"w ice bin cover - 19"d (A) ice bin	\$112	8#	IBCB-30	30"w ice bin cover - 24"d (B) ice bin	\$140	10#
IBCA-36	36"w ice bin cover - 19"d (A) ice bin	\$151	9#	IBCB-36	36"w ice bin cover - 24"d (B) ice bin	\$188	11#
IBCA-42	42"w ice bin cover - 19"d (A) ice bin	\$181	10#	IBCB-42	42"w ice bin cover - 24"d (B) ice bin	\$225	13#
IBCA-48	48"w ice bin cover - 19"d (A) ice bin	\$200	12#	IBCB-48	48"w ice bin cover - 24"d (B) ice bin	\$255	15#

**BOTTLE WELLS** For use with potable ice. May be positioned left or right inside cocktail ice bin. If two are ordered, they are positioned one at each side

BW3	3 bottle well for 19"d (A) ice bin	\$44	4#	BW4	4 bottle rack for 24"d (B) ice bin	\$97	5#
-----	------------------------------------	------	----	-----	------------------------------------	------	----

**BOTTLE RACKS** For use with non-potable ice in bottle storage ice bin. Only fit in 12" long and larger ice bins. One rack may be ordered for each 6" of ice bin length. Not for use with sliding cover.

BR3	Bottle rack for 19"d (A) ice bin	\$47	3#	BR4	4 bottle rack for 24"d (B) ice bin	\$57	4#
-----	----------------------------------	------	----	-----	------------------------------------	------	----

**ICE BIN DIVIDERS** Stainless steel panel placed inside the ice bin front-to-back to separate different types of ice.


IBD-H-A	Ice bin divider for 19"d (A) ice bin	\$67	4#	IBD-H-B	Ice bin divider for 24"d (B) ice bin	\$85	4#
IBD-H-A-ED	Ice Bin divider for 19"d (A) extra deep ice bin	\$79	4#				

# Choice Combo Ice Bins & Extra Deep Combo Ice Bins



C-CBA-36L

NOTE: Ice bins intended to store potable ice must be ordered with an ice bin cover to maintain the sanitation listing



## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- PVC plastic breaker strip around ice bin liner acts as a thermal barrier to prevent heat transfer
- Extra deep ice bins have 14-1/2" deep liner for extra ice capacity
- Adjustable thermoplastic bullet feet
- Backsplash is an open channel to provide access for beverage lines

### What is a cold plate?

Choice ice bins 24" wide and larger are available with a 10-circuit cold plate built into the bottom liner. A cold plate is an aluminum block with ten stainless steel lines or circuits molded within. Soda lines are attached by the soda vendor to the input and output lines of the cold plate and the soda water and syrup are chilled as they pass through the lines. A cold plate is recommended for ice bins used to make cocktails.

## 19" DEEP COMBO ICE BINS\*

MODEL	LIST	LTH	WGT	ICE CAPACITY	BOTTLES STORED
C-CBA-36L or R	\$1,812	36"	100#	67#	6
C-CBA-42L or R	\$1,923	42"	110#	84#	6
C-CBA-48L or R	\$2,034	48"	120#	100#	6
C-CBA-48	\$2,324	48"	120#	67#	12

## WITH 10-CIRCUIT COLD PLATE

C-CBA-36L or R-CP10	\$3,017	36"	170#	67#	6
C-CBA-42L or R-CP10	\$3,170	42"	180#	84#	6
C-CBA-48L or R-CP10	\$3,367	48"	200#	100#	6
C-CBA-48-CP10	\$3,579	48"	200#	67#	12

## EXTRA DEEP COMBO ICE BINS WITH 10-CIRCUIT COLD PLATE\*

C-CBA-36L or R-CP10-ED	\$3,220	36"	180#	92#	6
C-CBA-42L or R-CP10-ED	\$3,394	42"	190#	116#	6
C-CBA-48L or R-CP10-ED	\$3,612	48"	210#	139#	6
C-CBA-48-CP10-ED	\$3,833	48"	210#	92#	12

\*NOTE: These ice bin models are manufactured to order and are not returnable

## COMBO ICE BIN ACCESSORIES

### SINGLE SPEED RAILS

MODEL	DESCRIPTION	LIST	WGT
C-SR-36	36" single speed rail	\$161	10#
C-SR-42	42" single speed rail	\$174	12#
C-SR-48	48" single speed rail	\$187	13#

### DOUBLE SPEED RAILS

C-DR-36	36" double speed rail	\$321	18#
C-DR-42	42" double speed rail	\$349	21#
C-DR-48	48" double speed rail	\$375	24#

**CONDIMENT DISPENSER** Stainless steel condiment dispenser with hinged plexi-glass lid and six 16 oz. plastic cups.

CCD	Condiment dispenser	\$132	5#
-----	---------------------	-------	----

**ICE BIN COVERS** Two-piece sliding stainless steel. Ice bins intended to store potable ice must be ordered with an ice bin cover to maintain the sanitation listing.

IBCA-24	24"w ice bin cover for C-CBA-36 or C-CBA-48	\$90	7#
IBCA-30	30"w ice bin cover for C-CBA-42	\$112	8#
IBCA-36	36"w ice bin cover for C-CBA-48L or R	\$151	9#

**BOTTLE RACK** Vinyl-coated wire racks placed inside the bottle well to assist with holding pour and store bottles. Each combo ice bin bottle well may hold two BR3 bottle racks.

BR3	Bottle rack for 19"d (A) ice bin	\$47	3#
-----	----------------------------------	------	----

**ICE BIN DIVIDERS** Stainless steel panel placed inside the ice bin front-to-back to separate different types of ice.

IBD-H-A	Ice bin divider for 19"d (A) ice bin	\$67	4#
IBD-H-A-ED	Ice bin divider for 19"d (A) extra deep ice bin	\$79	4#





C-IB-38X24

A 24" wide by 38" deep pass-thru ice bin is used to provide the cocktail servers with access to the ice. Pass-thru ice bins have the same features as standard ice bins, except there is no backsplash and the optional sliding cover is double sided. The bartender side of the ice bin lines up with the underbar equipment the same as a standard ice bin. The 38" deep dimension also allows a pass-thru ice bin to line up with back-to-back mounted underbar equipment (see sample drawings).

## PASS THRU ICE BIN

MODEL	LIST	WGT	ICE CAPACITY
C-IB-38X24*	\$2,048	100#	175#
WITH 10-CIRCUIT COLD PLATE			
C-IB-38X24-CP10	\$3,114	190#	175#

\*NOTE: This model is manufactured to order and is not returnable

NOTE: Ice bins intended to store potable ice must be ordered with an ice bin cover to maintain the sanitation listing

## PRODUCT INFORMATION


(see Spec Sheets for complete details)

### STANDARD FEATURES

- For pass thru design applications allowing both bartender and cocktail server access
- All stainless steel construction
- PVC plastic breaker strip around ice bin liner acts as a thermal barrier to prevent heat transfer
- Adjustable thermoplastic bullet feet


## PASS THRU ICE BIN ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
C-SR-24	24" single speed rail	\$135	7#
C-DR-24	24" double speed rail	\$268	14#
C-IBC-38X24	Three-piece sliding stainless steel cover	\$258	14#
C-BW6-38X24	Set of two BW3 bottle wells with four-piece stainless steel sliding cover for C-IB-38X24	\$311	20#
CCD	Condiment dispenser, stainless steel with hinged plexi-glass lid and six 16 oz. cups	\$132	5#
IBD-H-P	Ice bin divider for C-IB-38X24	\$113	4#
IBD-H-P-CP	Ice bin divider for C-IB-38X24-CP10	\$120	4#
IBD-H-P-LR	Ice bin divider, left to right, for C-IB-38X24	\$85	4#



BARTENDER SIDE

Underbar Plan View with Pass-Thru Ice Bin and Back-to-Back Mounted Underbar



BARTENDER SIDE

Underbar Plan View with Pass-Thru Ice Bin

Protected by one or more patents. For more information visit:  
<https://www.glastender.com/patent.html>



C-SHA-6

## 19" DEEP SODA GUN HOLDERS

MODEL	LIST	LENGTH	WEIGHT
C-SHA-4	\$499	4"	22#
C-SHA-4-ED	\$530	4"	24#
C-SHA-6	\$522	6"	25#
C-SHA-6-ED	\$558	6"	27#

## 24" DEEP SODA GUN HOLDERS

C-SHB-4	\$529	4"	22#
C-SHB-4-ED	\$566	4"	24#
C-SHB-6	\$553	6"	25#
C-SHB-6-ED	\$594	6"	27#

## 38" DEEP PASS THRU SODA GUN HOLDERS

C-SHP-4	\$798	4"	32#
C-SHP-4-ED	\$851	4"	34#
C-SHP-6	\$845	6"	35#
C-SHP-6-ED	\$903	6"	37#

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- Designed to house the manifold of Wunder-Bar® or Schroeder America™ 8 to 14 button soda guns
- Includes integral drip pan with radius corners for easy cleaning
- Built-in holder for soda gun
- Top cover is removable for access to the soda manifold
- Allows you to dictate the soda gun location
- Eliminates the need for tubing bundles above the work surface
- Designed to mount to at least one other piece of underbar equipment (there is no provision for leg mounting)
- Pre-aligned mounting holes and bolts ensure a secure and exact fit when mounting adjoining units
- Extra deep "-ED" models available to align with extra-deep style ice bins



C-SMHA-6



C-SMHA-6 with top cover removed and soda manifold installed

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- Designed to house the manifold of Wunder-Bar® or Schroeder America™ 8 to 14 button soda guns
- Once installed, the top of the housing is 34" high
- Top cover is removable for access to the soda manifold
- Eliminates the need for tubing bundles above the work surface
- Mounts to an adjacent piece of Choice underbar (there is no provision for leg mounting)
- The soda gun drip cup supplied by the soda gun manufacturer mounts to the underside of your bar top
- Extra deep "ED" models available to align with extra-deep style ice bins

### 19" DEEP SODA MANIFOLD HOUSINGS

MODEL	LIST	LENGTH	WEIGHT
C-SMHA-4	\$333	4"	20#
C-SMHA-4-ED	\$358	4"	22#
C-SMHA-6	\$357	6"	23#
C-SMHA-6-ED	\$384	6"	25#

### 24" DEEP SODA MANIFOLD HOUSINGS

C-SMHB-4	\$353	4"	24#
C-SMHB-4-ED	\$396	4"	26#
C-SMHB-6	\$379	6"	28#
C-SMHB-6-ED	\$425	6"	30#

### 38" DEEP PASS THRU MANIFOLD HOUSING

C-SMHP-4	\$560	4"	35#
C-SMHP-4-ED	\$607	4"	37#
C-SMHP-6	\$602	6"	38#
C-SMHP-6-ED	\$653	6"	40#



UMGH



### UNDERCOUNTER MOUNT GUN HOLDER

MODEL	LIST	WGT
UMGH	\$103	3#

14 gauge stainless steel with rubber grommet and plastic drip pan. Grommet is specially sized to properly hold both Wunder-Bar® and Schroeder America™ style soda guns. Includes 10' of drain line tube.

## Choice Tubing Chases



C-TCA

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- Tubing chase is 5-1/2" x 6" x 4" high
- Mounts between adjacent underbar equipment (there is no provision for leg mounting)
- Can be set in place after beverage lines are installed

### TUBING CHASES

MODEL	LIST	LENGTH	DEPTH	WEIGHT
C-TCA	\$344	6"	19"	20#
C-TCB	\$390	6"	24"	24#

# Choice Blender Stations

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- One-piece seamless top and backsplash
- Adjustable thermoplastic bullet feet
- Sink models have 9-1/4" by 11-1/2" by 6" deep sink bowl with hot and cold water faucet. A perforated plastic sink strainer is available as an accessory.
- Blender shelf features radius interior corners for easy cleaning
- Power cord access hole with grommet located on front skirt, behind the blender
- 24" deep models have a 9" deep shelf
- 29" deep models have a 10" deep shelf
- Junction box for duplex GFI outlet mounted underneath blender shelf (outlet not included)



C-BSA-12



C-FBSA-12

### 24" DEEP BLENDER STATIONS

MODEL	LIST	LENGTH	WEIGHT
C-BSA-12	\$1,183	12"	48#
C-BSA-14	\$1,171	14"	50#
C-BSA-18L†	\$1,220	18"	55#
C-BSA-18R†	\$1,220	18"	55#

### 29" DEEP BLENDER STATIONS

C-BSB-12	\$1,250	12"	53#
C-BSB-14	\$1,276	14"	55#
C-BSB-18	\$1,334	18"	60#

† Denotes faucet location as left or right

### 24" DEEP FILLER BOARD BLENDER STATIONS\*

MODEL	LIST	LENGTH	WEIGHT
C-FBSA-12	\$646	12"	40#
C-FBSA-14	\$669	14"	42#
C-FBSA-18	\$715	18"	45#

### 29" DEEP FILLER BOARD BLENDER STATIONS\*

C-FBSB-12	\$688	12"	45#
C-FBSB-14	\$713	14"	47#
C-FBSB-18	\$763	18"	50#

\*NOTE: These blender stations are manufactured to order and are not returnable



C-BBS-12

Additional blender shelf space can be added to standard underbar units by specifying a Choice Bolt-on Blender Shelf. Choice Bolt-on Blender Shelves are 10" deep and include a junction box for duplex outlet (outlet not included) mounted below the shelf.

### BLENDER STATIONS ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
03000483	Wet waste sink strainer	\$42	1#
C-LS15-F	Left side splash for 24"d blender station	\$102	4#
C-RS15-F	Right side splash for 24"d blender station	\$102	4#
C-LSA-F	Left side splash for 29"d blender station	\$102	4#
C-RSA-F	Right side splash for 29"d blender station	\$102	4#
TR	Towel ring	\$13	1#

**WARNING:** The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). **Warning applies to State of California only.** Part #03000483

### CHOICE BOLT-ON BLENDER SHELVES

MODEL	DESCRIPTION	LIST	WGT
C-BBS-12	12" bolt-on blender shelf	\$206	12#
C-BBS-18	18" bolt-on blender shelf	\$224	18#





C-FBB-24

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- Adjustable thermoplastic bullet feet
- One-piece seamless top and backsplash

Choice Filler Boards are constructed of all stainless steel and include a flat work surface for situations where a draining work surface is not desired. Filler boards are not typically used for glass storage, but are more commonly used as a place to set a printer, POS system, or cash drawer.

### 19" DEEP FILLER BOARDS

MODEL	LIST	LENGTH	WEIGHT
C-FBA-18	\$622	18"	40#
C-FBA-24	\$678	24"	45#

### 24" DEEP FILLER BOARDS

C-FBB-18	\$696	18"	45#
C-FBB-24	\$768	24"	50#

\*NOTE: Filler boards are manufactured to order and are not returnable

### FILLER BOARD ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
C-SR-18	18" single speed rail	\$122	6#
C-SR-24	24" single speed rail	\$135	7#
C-DR-18	18" double speed rail	\$242	11#
C-DR-24	24" double speed rail	\$268	14#
C-LSA-F	Left side splash for C-FBA models	\$102	4#
C-RSA-F	Right side splash for C-FBA models	\$102	4#
C-LSB-F	Left side splash for C-FBB models	\$119	5#
C-RSB-F	Right side splash for C-FBB models	\$119	5#

# Choice Recessed Drainboards\*



C-RBD-18


## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- Adjustable thermoplastic bullet feet
- One-piece seamless top and backsplash featuring 1/4" radius corners for easy cleaning
- Corrugated work surface
- Lift-out stainless steel perforated shelf for stacking glassware

\*NOTE: Recessed drainboards are manufactured to order and are not returnable



SIDE ELEVATION

Recessed drainboards have the same corrugated work surface as normal drainboards except the work surface has been lowered to allow stacking of glassware. A perforated shelf is placed on top of the first level of glassware and a second layer of glassware is stacked on top of it. Recessed drainboards work best when only one style of glassware is being stored.

### RECESSED DRAINBOARDS

MODEL	LIST	LENGTH	WEIGHT
C-RDB-12	\$728	12"	50#
C-RDB-18	\$802	18"	55#
C-RDB-24	\$878	24"	60#



C-DBB-12

## 19" DRAINBOARDS

MODEL	LIST	LENGTH	WEIGHT
C-DBA-12	\$578	12"	45#
C-DBA-18	\$623	18"	50#
C-DBA-24	\$668	24"	55#
C-DBA-30	\$713	30"	60#
C-DBA-36	\$759	36"	65#
C-DBA-42	\$804	42"	70#
C-DBA-48	\$849	48"	75#

## 24" DRAINBOARDS

C-DBB-12	\$621	12"	50#
C-DBB-18	\$672	18"	55#
C-DBB-24	\$722	24"	60#
C-DBB-30	\$774	30"	65#
C-DBB-36	\$825	36"	70#
C-DBB-42	\$877	42"	75#
C-DBB-48	\$928	48"	80#

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- Adjustable thermoplastic bullet feet
- Corrugated work surface
- One-piece seamless top and backsplash featuring 1/4" radius corners for easy cleaning
- Standard models available in 6" incremental lengths from 12" to 48"
- 24" deep models provide a larger drainboard storage area not just a deck extension on the back of the 19" deep model

### DRAINBOARD ACCESSORIES


MODEL	DESCRIPTION	LIST	WEIGHT
C-SR-12	12" single speed rail	\$109	5#
C-SR-18	18" single speed rail	\$122	6#
C-SR-24	24" single speed rail	\$135	7#
C-SR-30	30" single speed rail	\$148	9#
C-SR-36	36" single speed rail	\$161	10#
C-SR-42	42" single speed rail	\$174	12#
C-SR-48	48" single speed rail	\$187	13#
C-DR-12	12" double speed rail	\$215	9#
C-DR-18	18" double speed rail	\$242	11#
C-DR-24	24" double speed rail	\$268	14#
C-DR-30	30" double speed rail	\$295	16#
C-DR-36	36" double speed rail	\$321	18#
C-DR-42	42" double speed rail	\$349	21#
C-DR-48	48" double speed rail	\$375	24#
C-LSA-D	Left side splash for C-DBA models	\$102	4#
C-RSA-D	Right side splash for C-DBA models	\$102	4#
C-LSB-D	Left side splash for C-DBB models	\$119	5#
C-RSB-D	Right side splash for C-DBB models	\$119	5#

# Choice Dimensional Corner Drainboards

Dimensional Full Corner Drainboards are for 90° inside turns only. The dimensions of the corner are specified in the model number. If the dimensions of each side are not the same, the longest dimension is specified second along with its location.

Corner drainboards are designed to mount between two pieces of Choice underbar. However, corner drainboards can be used to mount between any two stable vertical surfaces. Corners should not be mounted to objects that are mobile or on casters.


Because they are intended to mount between two vertical surfaces, corner drainboards do not come with legs. If one side of the corner does not have a vertical surface on which to mount, then a leg set must be ordered as an accessory.



## DIMENSIONAL CORNER DRAINBOARDS

MODEL	LIST	LEFT	RIGHT	WEIGHT
C-IFC-19/19	\$573	19"	19"	40#
C-IFC-19/24L	\$618	24"	19"	45#
C-IFC-19/24R	\$618	19"	24"	45#
C-IFC-19/30L	\$672	30"	19"	50#
C-IFC-19/30R	\$672	19"	30"	50#
C-IFC-24/24	\$665	24"	24"	50#
C-IFC-24/30L	\$725	30"	24"	55#
C-IFC-24/30R	\$725	24"	30"	55#

## DIMENSIONAL CORNER DRAINBOARDS WITH CHAMFERED BACK CORNER



## DIMENSIONAL CORNER DRAINBOARDS WITH CHAMFERED BACK CORNER

C-IFC-19/19-N	\$573	19"	19"	40#
C-IFC-24/24-N	\$665	24"	24"	50#

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- Designed to mount between two adjacent pieces of Choice underbar equipment
- Corrugated work surface features 1/4" radius corners for easy cleaning

## DIMENSIONAL CORNER DRAINBOARD ACCESSORY

MODEL	DESCRIPTION	LIST	WEIGHT
C-ULEG-2	Set of two legs for Choice underbar	\$88	6#

## Choice Degree Corner Drainboards



Degree corner drainboards are all 24" deep and designed to mount between two pieces of Choice underbar. However, corner drainboards can be used to mount between any two stable vertical surfaces. Corners should not be mounted to objects that are mobile or on casters.

Because they are intended to mount between two vertical surfaces, corner drainboards do not come with legs. If one side of the corner does not have a vertical surface on which to mount, then a leg set must be ordered as an accessory.

### PRODUCT INFORMATION

(see Spec Sheets for complete details)

#### STANDARD FEATURES

- All stainless steel construction
- Designed to mount between two adjacent pieces of Choice underbar equipment
- Corrugated work surface features 1/4" radius corners for easy cleaning

#### 24" DEEP DEGREE CORNER DRAINBOARDS

MODEL	LIST	DEGREE	TURN	WEIGHT
C-ICC-45	\$608	45°	Inside	38#
C-ICC-90	\$654	90°	Inside	45#
C-OCC-45	\$665	45°	Outside	40#

#### DEGREE CORNER DRAINBOARD ACCESSORY

MODEL	DESCRIPTION	LIST	WEIGHT
C-ULEG-2	Set of two legs for Choice underbar	\$88	6#

## Choice Corner Filler Boards



Corner filler boards are all 24" deep and available for small degree inside turns. Corner filler boards are designed to mount between two pieces of Choice underbar. However, corner filler boards can be used to mount between any two stable vertical surfaces. Corners should not be mounted to objects that are mobile or on casters.

Because they are small and intended to mount between two vertical surfaces, corner filler boards do not come with legs or have optional legs available. If one side of the flat top corner filler does not have a vertical surface on which to mount, the end user must ensure the one adjoining surface is secure and stable.

#### 24" DEEP CORNER FILLER BOARDS

MODEL	LIST	DEGREE	WEIGHT
C-FIB-5	\$299	5°	25#
C-FIB-10	\$307	10°	27#
C-FIB-15	\$337	15°	29#
C-FIB-20	\$350	20°	31#
C-FIB-25	\$362	25°	33#
C-FIB-30	\$376	30°	35#

### PRODUCT INFORMATION

(see Spec Sheets for complete details)

#### STANDARD FEATURES

- All stainless steel construction
- Designed to mount between two adjacent pieces of Choice underbar equipment



Glassracks are designed to hold racks of glassware stacked on top of each other. The 24" wide model holds 20" by 20" racks and the 18" wide models hold the 16" round racks used with the Glastender GT-18 glasswashers. Optional shelves are available as an accessory.

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- Adjustable thermoplastic bullet feet
- Full bottom shelf includes drain

#### 19" DEEP OPEN GLASSRACKS\*

MODEL	LIST	LENGTH	WEIGHT
C-GRA-18	\$873	18"	55#
C-GRA-24	\$931	24"	65#

#### 24" DEEP OPEN GLASSRACKS

C-GRB-18	\$999	18"	65#
C-GRB-24	\$1,064	24"	75#

\*NOTE: 19" deep open glassracks are manufactured to order and are not returnable

#### OPEN GLASSRACK ACCESSORY

MODEL	DESCRIPTION	LIST	WEIGHT
03013601	Shelf kit for 18" wide model, includes two shelves and eight clips	\$214	7#
03013602	Shelf kit for 24" wide model, includes two shelves and eight clips	\$231	8#



## Choice Drainboard Glassracks



Drainboard Glassracks are designed to hold racks for glassware. All models are 24" deep. The 24" wide model holds 20" by 20" racks and the 18" wide model holds the 16" round racks used with Glastender GT-18 glasswashers.

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- Adjustable thermoplastic bullet feet
- One-piece seamless top and backsplash featuring 1/4" radius corners for easy cleaning
- Corrugated work surface
- Includes bottom floor and two sets of rack slides for storing up to three glass racks below the work surface

NOTE: Three racks up to 7" high or two racks up to 10-1/2" high.

#### 24" DEEP DRAINBOARD GLASSRACKS

MODEL	LIST	LENGTH	WEIGHT
C-DBG3-18	\$940	18"	70#
C-DBG3-24	\$1,040	24"	80#

#### DRAINBOARD GLASSRACK ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
C-LSB-D	Left side splash for 24"d (B) models	\$119	5#
C-RSB-D	Right side splash for 24"d (B) models	\$119	5#

# Choice Drainboard Cabinets

Drainboard Cabinets have a bottom shelf and drainboard work surface. An adjustable intermediate shelf is available as an accessory. They are available with or without doors. The models with doors come with a lock standard. The 12", 18", and 24" wide models only have one door and all other models have two doors.

## 19" DRAINBOARD CABINETS\*

MODEL	LIST	LENGTH	WEIGHT
C-DBCA-12	\$1,016	12"	65#
C-DBCA-18	\$1,137	18"	75#
C-DBCA-24	\$1,259	24"	85#
C-DBCA-30	\$1,461	30"	95#
C-DBCA-36	\$1,581	36"	105#
C-DBCA-42	\$1,703	42"	115#
C-DBCA-48	\$1,824	48"	125#

## 19" DRAINBOARD CABINETS LESS DOORS\*

C-DBCA-12-LD	\$734	12"	59#
C-DBCA-18-LD	\$812	18"	66#
C-DBCA-24-LD	\$890	24"	73#
C-DBCA-30-LD	\$968	30"	80#
C-DBCA-36-LD	\$1,047	36"	87#
C-DBCA-42-LD	\$1,125	42"	94#
C-DBCA-48-LD	\$1,203	48"	101#

## 24" DRAINBOARD CABINETS

C-DBCB-12	\$1,012	12"	75#
C-DBCB-18	\$1,135	18"	85#
C-DBCB-24	\$1,258	24"	95#
C-DBCB-30	\$1,456	30"	105#
C-DBCB-36	\$1,579	36"	115#
C-DBCB-42	\$1,702	42"	125#
C-DBCB-48	\$1,825	48"	135#

## 24" DRAINBOARD CABINETS LESS DOORS

C-DBCB-12-LD	\$748	12"	69#
C-DBCB-18-LD	\$831	18"	76#
C-DBCB-24-LD	\$914	24"	83#
C-DBCB-30-LD	\$996	30"	90#
C-DBCB-36-LD	\$1,079	36"	97#
C-DBCB-42-LD	\$1,161	42"	104#
C-DBCB-48-LD	\$1,244	48"	111#

\*NOTE: 19" drainboard cabinets are manufactured to order and are not returnable



C-DBCB-24

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

## STANDARD FEATURES

- All stainless steel construction
- Adjustable thermoplastic bullet feet
- One-piece seamless top and backsplash featuring 1/4" radius corners for easy cleaning
- Corrugated work surface
- Lock(s) standard on models with a door(s)
- Units with a single door come hinged left, but the door is field reversible
- Plumbing connection is made underneath the unit and does not interfere with shelf or floor

## DRAINBOARD CABINET ACCESSORIES

MODEL	DESCRIPTION	LIST	WEIGHT
03013585	Shelf kit for C-DBCA-12	\$74	5#
03013586	Shelf kit for C-DBCA-18	\$89	6#
03013587	Shelf kit for C-DBCA-24	\$105	7#
03013588	Shelf kit for C-DBCA-30	\$121	8#
03013589	Shelf kit for C-DBCA-36	\$135	10#
03013590	Shelf kit for C-DBCA-42	\$151	11#
03013591	Shelf kit for C-DBCA-48	\$167	12#
03013592	Shelf kit for C-DBCB-12	\$84	5#
03013593	Shelf kit for C-DBCB-18	\$104	7#
03013594	Shelf kit for C-DBCB-24	\$125	8#
03013595	Shelf kit for C-DBCB-30	\$145	10#
03013596	Shelf kit for C-DBCB-36	\$165	12#
03013597	Shelf kit for C-DBCB-42	\$185	13#
03013598	Shelf kit for C-DBCB-48	\$205	15#
C-LSA-D	Left side splash for 19"d (A) models	\$102	4#
C-RSA-D	Right side splash for 19"d (A) models	\$102	4#
C-LSB-D	Left side splash for 24"d (B) models	\$119	5#
C-RSB-D	Right side splash for 24"d (B) models	\$119	5#



C-HSA-12-D

## 19" DEEP HAND SINKS

MODEL	LIST	LENGTH	WEIGHT
C-HSA-12	\$1,046	12"	45#
C-HSA-12-D	\$1,245	12"	50#

## 19" DEEP WET WASTE SINK

C-SWA-12	\$1,088	12"	47#
----------	---------	-----	-----

## 24" DEEP HAND SINKS

C-HSB-12	\$1,104	12"	50#
C-HSB-12-D	\$1,306	12"	55#

## 24" DEEP WET WASTE SINK

C-SWB-12	\$1,146	12"	52#
----------	---------	-----	-----

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- Manufactured with total welded construction to meet NSF® standards
- All stainless steel construction
- One-piece seamless top and backsplash featuring 1/4" radius corners for easy cleaning
- Adjustable thermoplastic feet
- 9-1/4" by 11-1/2" by 6" deep sink bowl with hot and cold water gooseneck faucet with 2.0 GPM aerator
- Models C-HSA-12-D and C-HSB-12-D feature a soap dispenser and front skirt mounted C-fold paper towel dispenser
- Wet waste sink models C-SWA-12 and C-SWB-12 include a lift-out perforated plastic wet waste strainer

### SINGLE BOWL SINK ACCESSORIES

MODEL	DESCRIPTION	LIST	WEIGHT
C-SR-12	12" single speed rail, cannot mount to "-D" models	\$109	5#
C-DR-12	12" double speed rail, cannot mount to "-D" models	\$215	9#
C-DWR-S	Dry waste rail, aligns with single speed rail, cannot mount to "-D" models	\$129	5#
C-DWR-D	Dry waste rail, aligns with double speed rail, cannot mount to "-D" models	\$263	9#
C-LSA-D	Left side splash for 19"deep (A) models	\$102	4#
C-RSA-D	Right side splash for 19"deep (A) models	\$102	4#
C-LSB-D	Left side splash for 24"deep (B) models	\$119	5#
C-RSB-D	Right side splash for 24"deep (B) models	\$119	5#
03000483	Wet waste sink strainer (standard on "SW" models)	\$42	2#
03000511	Wrist handles, set of two	\$35	2#
TR	Towel ring	\$13	1#
DWC	Trash receptacle, stainless steel	\$337	10#
03005491	Trash receptacle, 28½ qt., gray plastic	\$53	5#
TD-C	Paper towel dispenser, C-fold	\$184	5#
03001873	Liquid soap dispenser, hand-pump	\$55	1#
03014739	Aerator, faucet, 1.5 GPM	\$10	1#
03014738	Aerator, faucet, 0.5 GPM	\$10	1#
03014737	Aerator, faucet, 0.2 GPM	\$10	1#



03000483



TR

**WARNING:** The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). **Warning applies to State of California only.** Part #03000483

# Choice Sink Cabinets

All Sink Cabinets are 24" deep and available with or without a locking door. The 12" wide chemical storage cabinet holds three 1-gallon chemical containers. The 18" wide dry waste cabinet holds a trash receptacle and has a 6" round trash chute in the work surface. The trash receptacle is not included.

The two 24" wide models include a 12" drainboard section with corrugated work surface. A vertical center divider allows three 1-gallon chemical containers to be stored below the sink with the other side of the cabinet available for additional storage. An intermediate shelf for the cabinet storage below the drainboard is available as an accessory. The sink may be located to the left or right, which is signified by the L or R in the model number.



C-SC-12



C-SC-18



C-SC-24R

## 12" WIDE X 24" DEEP SINK CABINETS

MODEL	LIST	LTH	WGT
C-SC-12	\$1,580	12"	70#
C-SC-12-LD	\$1,307	12"	64#

## 18" WIDE X 24" DEEP SINK CABINETS

MODEL	LIST	LTH	WGT
C-SC-18	\$1,678	18"	80#
C-SC-18-LD	\$1,349	18"	71#

## 24" WIDE X 24" DEEP SINK CABINETS

MODEL	LIST	LTH	WGT
C-SC-24L*	\$2,021	24"	95#
C-SC-24R*	\$2,021	24"	95#
C-SC-24L-LD*	\$1,612	24"	83#
C-SC-24R-LD*	\$1,612	24"	83#

\*L = Sink Left, R = Sink Right

**WARNING:** The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). **Warning applies to State of California only.** Part #03000483

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- Manufactured with total welded construction to meet NSF® standards
- All stainless steel construction
- One-piece seamless top and backsplash featuring 1/4" radius corners for easy cleaning
- Adjustable thermoplastic feet
- 9-1/4" by 11-1/2" by 6" deep sink bowl with hot and cold water gooseneck faucet
- Cabinet base with front hinged access door (available less door - specify "-LD" suffix in model number)

## SINK CABINET ACCESSORIES

MODEL	DESCRIPTION	LIST	WEIGHT
03000483	Wet waste strainer	\$42	2#
C-LSB-D	Left side splash	\$119	5#
C-RSB-D	Right side splash	\$119	5#
DWC	Trash receptacle, stainless steel, for C-SC-18 models	\$337	10#
03005491	Trash receptacle, 28-1/2 qt, plastic, for C-SC-18 models	\$53	5#
TR	Towel ring	\$13	1#
03013600	Shelf kit for storage area below drainboard on C-SC-24 models	\$107	5#
03000511	Wrist handles (set of two)	\$35	2#



**PRODUCT INFORMATION**

(see Spec Sheets for complete details)

**STANDARD FEATURES**

- Manufactured with total welded construction to meet NSF® standards
- All stainless steel construction
- One-piece seamless top and backsplash featuring 1/4" radius corners for easy cleaning
- Adjustable thermoplastic bullet feet (does not include C-MFT-8)

**C-MRS-12 MIXOLOGY UNIT**

Includes backsplash faucet, push-down rinsing faucet to rinse shaker cans, and a lift-out perforated plastic sink strainer

MODEL	LIST	LTH	WGT
C-MRS-12	\$1,524	12"	55#



C-MRS-12

**C-MFT-20 MIXOLOGY UNIT**

Includes backsplash faucet, push-down rinsing faucet to rinse shaker cans, a lift-out perforated plastic sink strainer, a 6" diameter seamless welded draining dipper well and faucet for mixology tools, a 8" x 11" cutting board that is securely mounted but easily removable for cleaning, and an ice scoop well

MODEL	LIST	LTH	WGT
C-MFT-20	\$2,495	20"	65#

**C-MFT-8 MIXOLOGY UNIT**

Includes push-down rinsing faucet to rinse shaker cans, a 6" diameter seamless welded draining dipper well and faucet for mixology tools, and a 7-1/2" x 7-1/2" cutting board that is securely mounted but easily removable for cleaning. NOTE: No legs. Must mount to adjacent under-bar.

MODEL	LIST	LTH	WGT
C-MFT-8	\$1,532	8"	40#



C-MFT-8

**C-MTS-14 MIXOLOGY UNIT**

Includes backsplash faucet, push-down rinsing faucet to rinse shaker cans, a lift-out perforated plastic sink strainer, a 6" diameter seamless welded draining dipper well and faucet for mixology tools

MODEL	LIST	LTH	WGT
C-MTS-14	\$2,269	14"	55#



C-MTS-14



C-MFS-12

**C-MFS-12 MIXOLOGY UNIT**

Includes backsplash faucet, a lift-out perforated plastic sink strainer, and a 8" x 11" cutting board that is securely mounted but easily removable for cleaning

MODEL	LIST	LTH	WGT
C-MFS-12	\$1,434	12"	55#



C-MFT-20

**MIXOLOGY SINK ACCESSORIES**

MODEL	DESCRIPTION	LIST	WGT
C-LSM	Left side splash, C-MFS-12, C-MFT-8, C-MFT-20	\$102	4#
C-RSM	Right side splash, C-MFS-12, C-MFT-8, C-MFT-20	\$102	4#
C-LSB-D	Left side splash for 24"d models	\$119	5#
C-RSB-D	Right side splash for 24"d models	\$119	5#

**Rinsing faucet installation notes:**

- Important: Unit must be installed in conformance with applicable federal, state, and local plumbing codes, including adequate backflow when required.
- Install in-line water regulator (included).
- A separate shut-off valve is recommended (not included).

**WARNING:** The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). **Warning applies to State of California only.** Part #03000483

# Choice Multiple Sinks

## TWO COMPARTMENT SINKS

19" DEEP		24" DEEP		OVERALL	SINK	DRAINBOARD	WEIGHT
MODEL	LIST	MODEL	LIST	LENGTH	LOCATION	LENGTH	
C-DSA-24*	\$1,682	C-DSB-24*	\$1,694	24"	Center	N/A	90#
C-DSA-36L*	\$1,776	C-DSB-36L*	\$1,798	36"	Left	12"	100#
C-DSA-36R*	\$1,776	C-DSB-36R*	\$1,798	36"	Right	12"	100#
C-DSA-48*	\$1,868	C-DSB-48*	\$1,903	48"	Center	2 @ 12"	110#

## THREE COMPARTMENT SINKS

C-TSA-36	\$1,905	C-TSB-36	\$1,926	36"	Center	N/A	110#
C-TSA-48L*	\$1,993	C-TSB-48L*	\$2,025	48"	Left	12"	120#
C-TSA-48R*	\$1,993	C-TSB-48R*	\$2,025	48"	Right	12"	120#
C-TSA-60	\$2,100	C-TSB-60	\$2,146	60"	Center	2 @ 12"	130#
C-TSA-72	\$2,185	C-TSB-72	\$2,240	72"	Center	2 @ 18"	145#
C-TSA-84*	\$2,282	C-TSB-84*	\$2,352	84"	Center	2 @ 24"	160#
C-TSA-96*	\$2,367	C-TSB-96*	\$2,449	96"	Center	2 @ 30"	175#

## FOUR COMPARTMENT SINKS

C-FSA-48	\$2,313	C-FSB-48	\$2,437	48"	Center	N/A	125#
C-FSA-72	\$2,508	C-FSB-72	\$2,561	72"	Center	2 @ 12"	155#
C-FSA-84*	\$2,606	C-FSB-84*	\$2,673	84"	Center	2 @ 18"	170#
C-FSA-96*	\$2,690	C-FSB-96*	\$2,769	96"	Center	2 @ 24"	185#

## MULTIPLE SINK ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
C-SR-24	24" single speed rail	\$135	7#
C-SR-36	36" single speed rail	\$161	10#
C-SR-42	42" single speed rail	\$174	12#
C-SR-48	48" single speed rail	\$187	13#
C-SR-60	60" single speed rail	\$259	18#
C-SR-72	72" single speed rail	\$285	23#
C-DR-24	24" double speed rail	\$268	14#
C-DR-36	36" double speed rail	\$321	18#
C-DR-42	42" double speed rail	\$349	21#
C-DR-48	48" double speed rail	\$375	24#
C-DR-60	60" double speed rail	\$489	32#
C-DR-72	72" double speed rail	\$543	40#

NOTE: For 84" sink order two 42" speed rails or for 96" sink order two 48" speed rails.

C-LSA-D	Left side splash for 19"d (A) models	\$102	4#
C-RSA-D	Right side splash for 19"d (A) models	\$102	4#
C-LSB-D	Left side splash for 24"d (B) models	\$119	5#
C-RSB-D	Right side splash for 24"d (B) models	\$119	5#
TR	Towel ring	\$13	1#
LWS	Large wet waste strainer, plastic	\$99	2#
03002552	Sink cover, perforated, for C-DS models	\$99	5#
03002553	Sink cover, perforated, for C-TS models	\$148	8#
03002554	Sink cover, perforated, for C-FS models	\$198	12#

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

## STANDARD FEATURES

- All stainless steel construction and adjustable thermoplastic bullet feet
- One-piece seamless top and backsplash featuring 1/4" radius corners for easy cleaning
- 20 gauge stainless steel fabricated sink bowls are 70% thicker than the competition's 20 gauge drawn bowls
- 11" by 14" by 10-1/4" deep sink bowl with hot and cold water faucet
- Extra wide sink bowl easily accommodates brush washer
- Perforated stainless steel inserts are available to cover sinks when not in use
- One over-flow tube per sink bowl included



C-TSA-60

Multiple Sinks come in three different varieties: two, three, and four compartment. They feature a one-piece stainless steel top that is seamless all the way through the backsplash. Each variety is offered with or without built-in drainboards on one or both sides of the sink compartment. The corrugated drainboards, where included, are a seamless and integral part of the work surface. The seamless welded bowls are 20 gauge fabricated stainless steel. An 'L' or 'R' suffix in the model number designates the location of the sink compartment as left or right when there is only one drainboard.

\*NOTE: These multiple sinks are manufactured to order and are not returnable

## PRODUCT INFORMATION


(see Spec Sheets for complete details)

### STANDARD FEATURES

- Easily usable height for storage
- All stainless steel construction and thermoplastic bullet feet
- Five (5) levels of liquor bottle storage
- Integrated bottle retaining rails
- Front rail matches speed rail appearance for design continuity
- Rear step on each model is extra wide (4-3/4") for specialty liquor bottles



C-LD-18




### 24" DEEP LIQUOR DISPLAYS

MODEL	LIST	LENGTH	WEIGHT
C-LD-12	\$813	12"	50#
C-LD-18	\$883	18"	55#
C-LD-24	\$953	24"	60#

# Choice POS Cabinets



C-PCB-24



**PRODUCT INFORMATION**  
(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction with adjustable thermoplastic bullet feet
- One-piece seamless top and back splash
- Louvered door for air flow on models with a door
- Lock standard on models with a door
- Special 26" high work surface height to accommodate cash drawer and POS monitor
- Grommited cord access hole in work surface
- Large access hole in back wall of unit
- Includes left and right side splashes

### 24" DEEP POS CABINETS

MODEL	LIST	LENGTH	WEIGHT
C-PCB-18	\$1,584	18"	75#
C-PCB-24	\$1,736	24"	85#

### 24" DEEP POS CABINETS LESS DOORS

MODEL	LIST	LENGTH	WEIGHT
C-PCB-18-LD	\$1,280	18"	66#
C-PCB-24-LD	\$1,391	24"	73#

# Choice Island Oasis® Stand


The Choice Island Oasis® Stand is designed for use with the model number SB-3X Island Oasis® machine. The 18" wide by 29" deep stand has a lowered draining work surface and extended front to allow the machine to be stored at a convenient and usable height. In most bar applications, the clear plastic ice container will be visible above the bar top.

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- Adjustable thermoplastic bullet feet
- 1" deep drain pan work surface to capture excess moisture
- One-piece seamless top and backsplash featuring 1/4" radius corners for easy cleaning
- Lowered work surface with extended front
- Designed to keep the majority of the Island Oasis® (model #SB-3X) below the bar top with only the clear plastic ice tub visible above the bar top
- Chamfered front to eliminate "knee knockers"



ISLAND OASIS® STAND			
MODEL	LIST	LENGTH	WEIGHT
C-IOS-18	\$867	18"	50#

# Choice Beer Drainers\*

Beer Drainers have a 26" high, lowered work surface and are designed specifically for use with undercounter mounting beverage dispensers. The work surface includes a drain pan with perforated insert to serve as the drip pan for the dispenser and the backsplash is pulled forward 5" to provide access for beverage lines.

### 24" DEEP BEER DRAINERS


MODEL	LIST	LENGTH	WEIGHT
C-BD-18	\$678	18"	55#
C-BD-24	\$756	24"	60#
C-BD-30	\$833	30"	65#
C-BD-36	\$910	36"	70#

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- Designed with lowered work surface to work in conjunction with undercounter mounting beverage dispensers
- Adjustable thermoplastic bullet feet
- Backsplash pulled forward 5" to create large chaseway for beverage line access
- Front drain pan with lift-out stainless steel perforated insert



\*NOTE: Beer drainers are manufactured to order and are not returnable





C-DW-15L

There are three different Dry Waste Chute models to meet various installation requirements. For all three models, the top lifts up for emptying the trash receptacle. The top also lifts off completely for more thorough cleaning. The C-DW-12 is designed for mounting between two adjacent pieces of Choice underbar. The C-DW-15L and C-DW-15R include a left or right side and leg set, respectively, for mounting to just one piece of Choice underbar. The C-DW-18 is free standing. All models are designed to house a Rubbermaid® Slim Jim™ trash receptacle, which is available from Glastender under part number 03000497.

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- Top lifts off completely for thorough cleaning
- Matches 30" high work surface profile of adjacent equipment
- Designed to house the Rubbermaid® Slim Jim™ trash receptacle

### 24" DEEP DRY WASTE CHUTES

MODEL	LIST	LEG POSITION	LENGTH	WEIGHT
C-DW-12	\$379	N/A	12"	30#
C-DW-15L	\$666	Left	15"	45#
C-DW-15R	\$666	Right	15"	45#
C-DW-18*	\$1,000	Left & Right	18"	60#

### DRY WASTE CHUTE ACCESSORY

MODEL	DESCRIPTION	LIST	WEIGHT
03000497	Slim Jim trash receptacle	\$168	10#

\*NOTE: C-DW-18 dry waste chutes are manufactured to order and are not returnable

## Choice Clip-On Dry Waste Rails

### PRODUCT INFORMATION

(see Spec Sheets for complete details)

There are three different Clip-On Dry Waste Rail models to meet various installation requirements. For all three versions, the dry waste chute portion easily lifts off for thorough cleaning.




C-DWR-S

The C-DWR-S is 5" deep front-to-back and designed to align with adjacent equipment that has a single speed rail.



C-DWR-D

The C-DWR-D model is 10" deep front-to-back and designed to align with adjacent equipment that has a double speed rail. The C-DWR-D has a speed rail step in the back with the dry waste chute at the front.



C-DWR-C

The C-DWR-C model is designed to clip to another speed rail and adds 5" to the front-to-back depth.

### STANDARD FEATURES

- All stainless steel construction
- Matches speed rail profile for continuity of design
- Bolts to the front skirt of non-cabinet base underbar equipment or clips to the rail of an underbar speed rails
- Stainless steel chute is removable for cleaning

### CLIP-ON DRY WASTE RAILS

MODEL	LIST	LENGTH	DEPTH	WEIGHT
C-DWR-S	\$129	12"	5"	5#
C-DWR-D	\$263	12"	10"	9#
C-DWR-C	\$133	12"	5"	5#

# Choice Speed Rails & Locking Covers

## SINGLE SPEED RAILS

MODEL	LIST	LENGTH	WEIGHT
C-SR-12	\$109	12"	5#
C-SR-13 to 18	\$122	13" to 18"	6#
C-SR-19 to 24	\$135	19" to 24"	7#
C-SR-25 to 30	\$148	25" to 30"	9#
C-SR-31 to 36	\$161	31" to 36"	10#
C-SR-37 to 42	\$174	37" to 42"	12#
C-SR-43 to 48	\$187	43" to 48"	13#
C-SR-49 to 54	\$246	49" to 54"	16#
C-SR-55 to 60	\$259	55" to 60"	18#
C-SR-61 to 66	\$272	61" to 66"	21#
C-SR-67 to 72	\$285	67" to 72"	23#

## DOUBLE SPEED RAILS

MODEL	LIST	LENGTH	WEIGHT
C-DR-12	\$215	12"	9#
C-DR-13 to 18	\$242	13" to 18"	11#
C-DR-19 to 24	\$268	19" to 24"	14#
C-DR-25 to 30	\$295	25" to 30"	16#
C-DR-31 to 36	\$321	31" to 36"	18#
C-DR-37 to 42	\$349	37" to 42"	21#
C-DR-43 to 48	\$375	43" to 48"	24#
C-DR-49 to 54	\$462	49" to 54"	28#
C-DR-55 to 60	\$489	55" to 60"	32#
C-DR-61 to 66	\$516	61" to 66"	36#
C-DR-67 to 72	\$543	67" to 72"	40#



C-SR-18



C-DR-24

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction
- Available in single and double step models
- Available in custom lengths up to 72".  
NOTE: Custom lengths are manufactured to order and are not returnable.
- Locking covers are available in custom lengths up to 48". For longer speed rails order two covers at half the length. For double speed rails order two times the number of covers.



C-SRC-18



C-SRC-18  
Shown installed  
on speed rail

## LOCKING SPEED RAIL COVERS

MODEL	LIST	LENGTH	WEIGHT
C-SRC-12	\$205	12"	7#
C-SRC-13 to 18	\$222	13" to 18"	9#
C-SRC-19 to 24	\$238	19" to 24"	11#
C-SRC-25 to 30	\$255	25" to 30"	13#
C-SRC-31 to 36	\$273	31" to 36"	16#
C-SRC-37 to 42	\$290	37" to 42"	18#
C-SRC-43 to 48	\$307	43" to 48"	21#

Model number C-MD-41 Choice modular bar die has an overall height of 41", which provides the appropriate overall height for most bar applications. However, some interior designs require an extra thick bar top, so Choice modular bar die is also available with an overall height of 38". See model C-MD-38.

With the Choice Modular Bar Die, underbar equipment is mounted to and supported on the bar die. All the underbar equipment is pre-assembled and mounted to the bar die at the factory, then broken down into shippable sections. Installation of the bar die is very simple - easier than a conventional style underbar with a millwork bar die. The result is a beautiful, innovative underbar line up that is sealed to the floor, stainless from floor to bar top, eliminates all underbar leg sets, and hides the soda, beer, electrical, and plumbing lines.

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### FEATURES

- 16 gauge galvanized steel structure with stainless steel bartender side finishing
- GFI outlets built into bar die wall based on customer preference (wiring not provided)
- LED lights built into bar die wall above underbar equipment (wiring not provided)
- Built in chaseways for beer, soda, plumbing, and electrical lines



The total Number of feet required is calculated by determining the overall outside dimension of the bar die wall. Please round up to the nearest whole foot.

### BENEFITS

- Stainless steel from floor to bar top on bartender side
- Floor can be sealed to the bar die to prevent moisture from seeping from the bartender side to the customer side of the bar
- Galvanized steel structure will not rot
- Built-in chaseways hide beer, soda, plumbing, and electrical lines for a cleaner, more attractive bar
- Arrives pre-assembled from factory in sections up to 10 feet for easy installation - lowers installation costs. Just bolt the sections together, level, and attach the floor.
- Pre-engineered to exact dimensions to ensure a precise fit
- Can be used in conjunction with removable front millwork finishing panels to provide easy access to soda, beer, plumbing, and electrical lines for future modification, maintenance, or repair
- Millwork bar top and front panels can be pre-fabricated and easily attached
- Eliminates all underbar legs for easy cleaning



### SIDE ELEVATIONS



#### 41" HIGH MODULAR BAR DIE

MODEL	DESCRIPTION	LIST	WEIGHT
C-MD-41	Price per foot	\$278	15#


#### 38" HIGH MODULAR BAR DIE

MODEL	DESCRIPTION	LIST	WEIGHT
C-MD-38	Price per foot	\$278	15#

# Coolers - One Zone, Front Serviced, Bar Profile



C1FB60 with compressor right, stainless doors/drawers, and stainless top



## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES:

- Self-contained
- All stainless steel interior construction
- Draft beverage compatible - see page 87
- Listed to NSF Standard 7 for open food storage

## COOLERS - ONE ZONE, FRONT SERVICED, BAR PROFILE

MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	AMPS	HP	LONG NECK CASES	750ML WINE BOTTLES**	1/2 BARREL KEGS	1/6 BARREL KEGS
C1FB32	\$3,866	32"	1	16" W	245#	3.0	1/8	5.8	57	N/A	2 †
C1FB36	\$3,903	36"	1	20" W	255#	3.0	1/8	7.8	70	1	4
C1FB52	\$5,111	52"	2	16" W	350#	7.0	1/4	13.3	116	N/A	7
C1FB60	\$5,247	60"	2	20" W	360#	7.0	1/4	17.3	164	2	8
C1FB72	\$6,072	72"	3	16" W	460#	7.0	1/4	21.1	188	N/A	11
C1FB84	\$6,316	84"	3	20" W	475#	7.0	1/4	27.1	248	4	14 †
C1FB92	\$7,316	92"	4	16" W	570#	7.0	1/4	28.8	260	N/A	15
C1FB108	\$7,548	108"	4	20" W	590#	7.0	1/4	36.8	332	5	18

Base price only. See next page for configurable options.


\*\*Wine bottle capacity is based on shelves. Drawers will hold less. NOTE: Coolers with drawers are not returnable.

† If CO<sub>2</sub> tank is stored internally, reduce capacity by one keg

The CO-RR shelf retention rail should be used on all shelves adjacent to drawers and/or kegs. (CO-RR shown installed on shelf)



CWS-20  
Wine rack shelf for  
20" door opening



06010158  
Clip-on shelf divider  
for middle and top shelf



06009785

In a typical cooler, only the front row of bottles is easy to access. Glastender's rotary wine shelf increases access by 270% (16 vs. 6 bottles).

The rotary wine shelf is for use with C1FB36, C1FB60, C1FB84, and C1FB108 model coolers. Two rotary shelves can be used behind each 20" cooler door opening, where they sit on two standard cooler shelves. Each rotary shelf holds up to 29 wine bottles (750ml).



DICF-20B

Front covers removed for illustrative purposes



DICP-20B

## ACCESSORIES

MODEL	DESCRIPTION	LIST
06009785	Rotary wine shelf (20" door opening ONLY)	\$145
CO-RR	Shelf retention rail	\$42
CWS-16	Wine rack shelf for 16" door opening, 5 bottle	\$108
CWS-20	Wine rack shelf for 20" door opening, 7 bottle	\$122
DICF-16B	Drawer insert, condiments, full, 16" door opening, bar-profile cooler, 12 cups	\$370
DICP-16B	Drawer insert, condiments, partial, 16" door opening, bar-profile cooler, 8 cups	\$278
DICF-20B	Drawer insert, condiments, full, 20" door opening, bar-profile cooler 15 cups	\$435
DICP-20B	Drawer insert, condiments, partial, 20" door opening, bar-profile cooler, 10 cups	\$323
06010158	Clip-on shelf divider for middle and top shelf	\$25
06006013	Clip-on shelf divider for bottom shelf only	\$25





## Select Configurable Options:

### VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$168

### TEMPERATURE

Beer / Food, 34° to 40°, standard	No charge
White wine, 50° to 55°	No charge
Red wine, 60° to 65°	No charge

### REFRIGERATION COMPARTMENT LOCATION

Left	No charge
Right	No charge

### REFRIGERATION COMPARTMENT COVER FINISH

Black vinyl-clad	No charge
Unlaminated	No charge
Stainless steel	\$25
Jeweled stainless steel	\$127
Laminated	\$147

### DOOR/DRAWER OPTIONS

NOTE: Select options for EACH Door/Drawer Section

#### STYLE AND FINISH - SPECIFY & ADD FOR EACH SECTION

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$30
Door - Jeweled stainless	\$138
Door - Laminated	\$158
Door - Glass, black vinyl-clad	\$305
Door - Glass, stainless steel	\$335
Door - Glass, jeweled stainless	\$443
Door - Glass, laminated	\$463
Drawers* - Black vinyl-clad	\$1,260
Drawers* - Stainless steel	\$1,290
Drawers* - Jeweled stainless	\$1,398
Drawers* - Laminated	\$1,418

\*NOTE: Units with drawers are manufactured to order and are not returnable.

#### DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

#### SHELVING - SPECIFY & ADD FOR EACH DOOR

Three adjustable shelves	No charge
Keg rack (deduct shelves)	(\$69)

#### DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

NOTE: Drawers come with a stainless pull tab handle and no lock.

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$150

### TOP STYLE

	32"	36"	52"	60"	72"	84"	92"	108"
No finished top	No charge							
Stainless top	\$292	\$308	\$373	\$405	\$454	\$502	\$534	\$599
Laminated top	\$578	\$590	\$639	\$664	\$701	\$738	\$763	\$812

### LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

### RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

### BACK FINISH

	32"	36"	52"	60"	72"	84"	92"	108"
Galvanized steel	No charge							
Stainless steel*	\$232	\$240	\$273	\$289	\$313	\$337	\$354	\$386

\*NOTE: Stainless steel back option also includes stainless steel sides.

### LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

### LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	32"	36"	52"	60"	72"	84"	92"	108"
6" legs	\$160	\$160	\$128	\$128	\$192	\$192	\$192	\$192
Front kick rail	\$81	\$84	\$96	\$103	\$112	\$121	\$127	\$139
Left side kick rail	\$75	\$75	\$75	\$75	\$75	\$75	\$75	\$75
Right side kick rail	\$75	\$75	\$75	\$75	\$75	\$75	\$75	\$75

### CASTERS

	32"	36"	52"	60"	72"	84"	92"	108"
4" casters	\$138	\$138	\$114	\$114	\$171	\$171	\$171	\$171
2-1/2" casters	\$78	\$78	\$96	\$96	\$128	\$128	\$160	\$160



Stainless pull  
tab handle



Polished  
stainless  
handle



\*NOTE: All coolers with drawers are manufactured to order and are not returnable.

#### Optional Drawers\*

Glastender's refrigerated drawers include adjustable divider walls.


Drawers are not available with locks.

20" wide drawer opening shown

# Coolers - Two Zone, Front Serviced, Bar Profile\*



C2FB60 with compressor right, stainless doors/drawers, and stainless top



## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES:

- Self-contained
- Available in three different configurations: beer/white wine, beer/red wine, or white/red wine
- The warmer compartment is always a single door located opposite the compressor end
- All stainless steel interior construction
- Draft beverage compatible - see page 87
- Listed to NSF Standard 7 for closed container products

\*NOTE: C2FB coolers are manufactured to order and are not returnable.

## COOLERS - TWO ZONE, FRONT SERVICED, BAR PROFILE

MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	AMPS	HP	LONG NECK CASES	750ML WINE BOTTLES**	1/2 BARREL KEGS	1/6 BARREL KEGS
C2FB52*	\$5,978	52"	2	16" W	365#	7.0	1/4	11.8	117	N/A	4
C2FB60*	\$6,113	60"	2	20" W	375#	7.0	1/4	15.8	141	2	8 †
C2FB72*	\$6,941	72"	3	16" W	475#	7.0	1/4	19.3	176	N/A	9
C2FB84*	\$7,124	84"	3	20" W	490#	7.0	1/4	25.3	234	3	12
C2FB92*	\$8,183	92"	4	16" W	585#	7.0	1/4	27.1	246	N/A	13
C2FB108*	\$8,416	108"	4	20" W	605#	7.0	1/4	35.1	318	5	18 †


Base price only. See next page for configurable options.

\*\*Wine bottle capacity is based on shelves. Drawers will hold fewer.

† If CO<sub>2</sub> tank is stored internally, reduce capacity by one keg



CWS-20  
Wine rack shelf for  
20" door opening



06010158  
Clip-on shelf divider  
for middle and top shelf



06009785

In a typical cooler, only the front row of bottles is easy to access. Glastender's rotary wine shelf increases access by 270% (16 vs. 6 bottles).

The rotary wine shelf is for use with C1FB36, C1FB60, C1FB84, and C1FB108 model coolers. Two rotary shelves can be used behind each 20" cooler door opening, where they sit on two standard cooler shelves. Each rotary shelf holds up to 29 wine bottles (750ml).



The CO-RR shelf retention rail should be used on all shelves adjacent to drawers and/or kegs. (CO-RR shown installed on shelf)

## ACCESSORIES

MODEL	DESCRIPTION	LIST
06009785	Rotary wine shelf (20" door opening ONLY)	\$145
CO-RR	Shelf retention rail	\$42
CWS-16	Wine rack shelf for 16" door opening, 5 bottle	\$108
CWS-20	Wine rack shelf for 20" door opening, 7 bottle	\$122
06010158	Clip-on shelf divider for middle and top shelf	\$25
06006013	Clip-on shelf divider for bottom shelf only	\$25



# Coolers - Two Zone, Front Serviced, Bar Profile\*

\*NOTE: C2FB coolers are manufactured to order and are not returnable.

## Select Configurable Options:

### VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$168

### TEMPERATURE

Beer/White wine - 34° to 40°/ 50° to 55°	No charge
Beer/Red wine - 34° to 40°/ 60° to 65°	No charge
White/Red wine - 50° to 55°/ 60° to 65°	No charge

### REFRIGERATION COMPARTMENT LOCATION

Left	No charge
Right	No charge

### REFRIGERATION COMPARTMENT COVER FINISH

Black vinyl-clad	No charge
Unlaminated	No charge
Stainless steel	\$25
Jeweled stainless steel	\$127
Laminated	\$147

### DOOR/DRAWER OPTIONS

NOTE: Select options for EACH Door/Drawer Section

#### STYLE AND FINISH - SPECIFY & ADD FOR EACH SECTION

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$30
Door - Jeweled stainless	\$138
Door - Laminated	\$158
Door - Glass, black vinyl-clad	\$305
Door - Glass, stainless steel	\$335
Door - Glass, jeweled stainless	\$443
Door - Glass, laminated	\$463
Drawers - Black vinyl-clad	\$1,260
Drawers - Stainless steel	\$1,290
Drawers - Jeweled stainless	\$1,398
Drawers - Laminated	\$1,418

#### DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

#### SHELVING - SPECIFY & ADD FOR EACH DOOR

Three adjustable shelves	No charge
Keg rack (deduct shelves)	(\$69)

#### DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

NOTE: Drawers come with a stainless pull tab handle and no lock.

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$150

Stainless pull  
tab handle



### TOP STYLE

	52"	60"	72"	84"	92"	108"
No finished top	No charge					
Stainless top	\$373	\$405	\$454	\$502	\$534	\$599
Laminated top	\$639	\$664	\$701	\$738	\$763	\$812

### LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

### RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

### BACK FINISH

	52"	60"	72"	84"	92"	108"
Galvanized steel	No charge					
Stainless steel*	\$273	\$289	\$313	\$337	\$354	\$386

\*NOTE: Stainless steel back option also includes stainless steel sides.

### LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

### LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	52"	60"	72"	84"	92"	108"
6" legs	\$128	\$128	\$192	\$192	\$192	\$192
Front kick rail	\$96	\$103	\$112	\$121	\$127	\$139
Left side kick rail	\$75	\$75	\$75	\$75	\$75	\$75
Right side kick rail	\$75	\$75	\$75	\$75	\$75	\$75

### CASTERS

	52"	60"	72"	84"	92"	108"
4" casters	\$114	\$114	\$171	\$171	\$171	\$171
2-1/2" casters	\$96	\$96	\$128	\$128	\$160	\$160

Polished stainless handle



20" wide drawer  
opening shown



### Optional Drawers

Glastender's refrigerated drawers include adjustable divider walls.


Drawers are not available with locks.

# Coolers - One Zone, Remote, Bar Profile



C1RB60 with refrigeration hook up right, black vinyl-clad glass doors, and stainless top

Side Elevation



## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES:

- Remote unit
- All stainless steel interior construction
- Draft beverage compatible - see page 87
- Listed to NSF Standard 7 for open food storage


## COOLERS - ONE ZONE, REMOTE, BAR PROFILE

MODEL	LIST	LENGTH	DOORS	DOOR		WEIGHT	BTU /Hr	LONG NECK	750ML WINE	1/2 BARREL	1/6 BARREL
				OPENING				CASES	BOTTLES	KEGS	KEGS
C1RB24	\$2,741	24" W	1	20"		175#	800	7.0	60	1	2
C1RB40*	\$3,636	40" W	2	16"		275#	1,000	12.3	116	N/A	6
C1RB48	\$3,809	48" W	2	20"		285#	1,200	16.2	148	2	7
C1RB60*	\$4,827	60" W	3	16"		390#	1,300	19.9	188	N/A	10
C1RB72	\$5,011	72" W	3	20"		405#	1,500	25.9	234	4	11
C1RB80*	\$6,137	80" W	4	16"		500#	1,600	27.7	260	N/A	14
C1RB96	\$6,332	96" W	4	20"		520#	1,900	35.7	318	5	17

Base price only. See next page for configurable options.

\*C1RB40, C1RB60, AND C1RB80 are manufactured to order and are not returnable.

## Bar Refrigeration



CO-RR

The CO-RR shelf retention rail should be used on all shelves adjacent to kegs. (CO-RR shown installed on shelf)



CWS-20 Wine rack shelf for 20" door opening



CWS-16 Wine rack shelf for 16" door opening



06010158 Clip-on shelf divider for middle and top shelf

## ACCESSORIES

MODEL	DESCRIPTION	LIST
CO-RR	Shelf retention rail	\$42
CWS-16	Wine rack shelf for 16" door opening, 5 bottle	\$108
CWS-20	Wine rack shelf for 20" door opening, 7 bottle	\$122
06010158	Clip-on shelf divider for middle and top shelf	\$25
06006013	Clip-on shelf divider for bottom shelf only	\$25

## CONDENSING UNITS AND INSTALLATION KITS\*\*

MODEL	DESCRIPTION	LIST	WT
06006621**	1/3 HP R134a condensing unit kit, includes filter dryer, sight glass, and defrost timer. 2800 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 17"D x 9"H)	\$1,138	60#
06006622**	1/2 HP R134a condensing unit kit, includes filter dryer, sight glass, and defrost timer. 4100 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 18-1/4"D x 9-1/2"H)	\$1,689	60#
06009006**	1/3 HP R404A condensing unit kit, includes filter dryer, sight glass, and defrost timer. 2750 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 17"D x 9"H)	\$1,808	60#
06009007**	1/2 HP R404A condensing unit kit, includes filter dryer, sight glass, and defrost timer. 4500 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 18-1/4"D x 9-1/2"H)	\$2,130	60#

**\*\*NOTE: Consult the applicable remote refrigerator specification sheet and your refrigeration installer to select the correct condensing unit for your installation. Standard piping practices and local codes should be employed to size and install refrigerant gas and liquid lines.**

### ACCESSORY FOR CONDENSING UNIT

06001413	Switch, low pressure control, for remote condensing unit	\$336	3#
----------	--	-------	----

### ACCESSORY FOR REMOTE COOLER CABINET

SVC	Solenoid valve and coil kit, for remote unit	\$188	6#
SVC-L	Solenoid valve and coil kit with factory installation, for remote unit	\$530	6#



Draft Beverage  
Compatible

\*NOTE: C1RB40, C1RB60, and C1RB80 coolers are manufactured to order and are not returnable.

## Select Configurable Options:

**VOLTAGE**

120V/60HZ	No charge
220V/50HZ (export voltage)	\$84

**TEMPERATURE**

Beer / Food, 34° to 40°, standard	No charge
White wine, 50° to 55°	No charge
Red wine, 60° to 65°	No charge

**EXPANSION VALVE TYPE**

R134a	No charge
R404a	No charge
R407a/R422D	No charge
R448a	No charge

**REFRIGERATION HOOK-UP LOCATION**

Left	No charge
Right	No charge

**DOOR OPTIONS**

NOTE: Select options for EACH Door Section

**STYLE AND FINISH - SPECIFY & ADD FOR EACH DOOR**

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$30
Door - Jeweled stainless	\$138
Door - Laminated	\$158
Door - Glass, black vinyl-clad	\$305
Door - Glass, stainless steel	\$335
Door - Glass, jeweled stainless	\$443
Door - Glass, laminated	\$463

**DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR**

Left	No charge
Right	No charge

**SHELVING - SPECIFY & ADD FOR EACH DOOR**

Three adjustable shelves	No charge
Keg rack (deduct shelving)	(\$69)

**DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR**

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$150

**TOP STYLE**

	24"	40"	48"	60"	72"	80"	96"
No finished top	No charge						
Stainless top	\$260	\$324	\$357	\$405	\$454	\$486	\$551
Laminated top	\$553	\$602	\$627	\$664	\$701	\$726	\$775

**LEFT SIDE FINISH**

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

**RIGHT SIDE FINISH**

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

**BACK FINISH**

	24"	40"	48"	60"	72"	80"	96"
Galvanized steel	No charge						
Stainless steel*	\$216	\$248	\$265	\$289	\$313	\$329	\$362

\*NOTE: Stainless steel back option also includes stainless steel sides.

**LED LIGHTING STYLE**

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

**LEG AND STAINLESS STEEL KICK RAILS**

NOTE: Legs are required if kick rails are ordered.

	24"	40"	48"	60"	72"	80"	96"
6" legs	\$128	\$128	\$128	\$192	\$192	\$192	\$192
Front kick rail	\$75	\$87	\$93	\$103	\$112	\$118	\$130
Left side kick rail	\$75	\$75	\$75	\$75	\$75	\$75	\$75
Right side kick rail	\$75	\$75	\$75	\$75	\$75	\$75	\$75




Stainless pull tab handle

Polished stainless handle

# Coolers - One Zone, Side Serviced, Bar Profile



C1SB24 with compressor left, stainless drawers, and stainless top



## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES:

- Self-contained
- All stainless steel interior construction
- Draft beverage compatible - see page 87
- Listed to NSF Standard 7 for open food storage

## COOLERS - ONE ZONE, SIDE SERVICED, BAR PROFILE

MODEL	LIST	LENGTH	DOOR		WEIGHT	AMPS	HP	LONG NECK				1/2 BARREL		1/6 BARREL	
			DOORS	OPENING				CASES	BOTTLES**	KEGS	KEGS	KEGS	KEGS	KEGS	KEGS
C1SB24	\$3,461	24"	1	17.5" W	213#	2.75	1/8	5.8	60	1	3	1	1	1	1
C1SB28*	\$3,634	28"	1	20" W	236#	2.75	1/8	6.6	72	1	4	1	1	1	1
C1SB36*	\$4,836	36"	2	12" W	302#	2.75	1/8	8.9	106	N/A	5	N/A	N/A	N/A	N/A
C1SB44*	\$5,046	44"	2	16" W	332#	2.75	1/8	12.0	132	N/A	7	N/A	N/A	N/A	N/A
C1SB48	\$5,152	48"	2	18" W	345#	2.75	1/8	13.2	154	2	8	2	2	2	2

Base price only. See next page for configurable options.


\*NOTE: C1SB28, C1SB36, and C1SB44 coolers are manufactured to order and are not returnable.

\*\* Wine bottle capacity is based on shelves. Drawers will hold fewer. NOTE: Coolers with drawers are not returnable.

† If CO<sub>2</sub> tank is stored internally, reduce capacity by one keg

⌘ Requires one 05001026 low profile Sanke keg tap - see page 87

▲ Requires two 05001026 low profile Sanke keg taps - see page 87



CO-RR

The CO-RR shelf retention rail should be used on all shelves adjacent to kegs. (CO-RR shown installed on shelf)



CWS-20 Wine rack shelf for 20" door opening



CWS-16 Wine rack shelf for 16" door opening



06010158  
Clip-on shelf divider for middle and top shelf



DICF-17B



DICP-17B

Front covers removed for illustrative purposes

## ACCESSORIES

MODEL	DESCRIPTION	LIST
CO-RR	Shelf retention rail	\$42
CWS-12	Wine rack shelf for 12" door opening, 3 bottle	\$92
CWS-16	Wine rack shelf for 16" door opening, 5 bottle	\$108
CWS-17	Wine rack shelf for 17.5" door opening, 5 bottle	\$115
CWS-18	Wine rack shelf for 18" door opening, 5 bottle	\$117
CWS-20	Wine rack shelf for 20" door opening, 7 bottle	\$122
DICF-12B	Drawer insert, condiments, full, 12" door opening, bar-profile cooler, 8 cups	\$288
DICP-12B	Drawer insert, condiments, partial, 12" door opening, bar-profile cooler, 6 cups	\$231
DICF-16B	Drawer insert, condiments, full, 16" door opening, bar-profile cooler, 12 cups	\$370
DICP-16B	Drawer insert, condiments, partial, 16" door opening, bar-profile cooler, 8 cups	\$278
DICF-17B	Drawer insert, condiments, full, 17.5" door opening, bar-profile cooler, 12 cups	\$372
DICP-17B	Drawer insert, condiments, partial, 17.5" door opening, bar-profile cooler, 8 cups	\$280
DICF-18B	Drawer insert, condiments, full, 18" door opening, bar-profile cooler, 12 cups	\$374
DICP-18B	Drawer insert, condiments, partial, 18" door opening, bar-profile cooler, 8 cups	\$282
DICF-20B	Drawer insert, condiments, full, 20" door opening, bar-profile cooler, 15 cups	\$435
DICP-20B	Drawer insert, condiments, partial, 20" door opening, bar-profile cooler, 10 cups	\$323
06010158	Clip-on shelf divider for middle and top shelf	\$25
06006013	Clip-on shelf divider for bottom shelf only	\$25

**Draft Beverage  
Compatible**



## Coolers - One Zone, Side Serviced, Bar Profile

### Select Configurable Options:

#### VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$168

#### TEMPERATURE

Beer / Food, 34° to 40°, standard	No charge
White wine, 50° to 55°	No charge
Red wine, 60° to 65°	No charge

#### REFRIGERATION COMPARTMENT LOCATION

Left	No charge
Right	No charge

#### REFRIGERATION COMPARTMENT COVER FINISH

Black vinyl-clad	No charge
Stainless steel	\$25
Jeweled stainless steel	\$127

#### DOOR/DRAWER OPTIONS

NOTE: Select options for EACH Door/Drawer Section

#### STYLE AND FINISH - SPECIFY & ADD FOR EACH SECTION

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$30
Door - Jeweled stainless	\$138
Door - Laminated	\$158
Door - Glass, black vinyl-clad	\$305
Door - Glass, stainless steel	\$335
Door - Glass, jeweled stainless	\$443
Door - Glass, laminated	\$463
Drawers* - Black vinyl-clad	\$1,260
Drawers* - Stainless steel	\$1,290
Drawers* - Jeweled stainless	\$1,398
Drawers* - Laminated	\$1,418

\*NOTE: Units with drawers are manufactured to order and are not returnable.

#### DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

#### SHELVING - SPECIFY & ADD FOR EACH DOOR

Three adjustable shelves	No charge
Keg rack (deduct shelves)	(\$69)

#### DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

NOTE: Drawers come with a stainless pull tab handle and no lock.

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$150

\*NOTE: C1SB28, C1SB36, and C1SB44 coolers are manufactured to order and are not returnable.

#### TOP STYLE

	24"	28"	36"	44"	48"
No finished top	No charge				
Stainless top	\$260	\$276	\$308	\$341	\$357
Laminated top	\$553	\$565	\$590	\$615	\$627

#### LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

#### RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

#### BACK FINISH

	24"	28"	36"	44"	48"
Galvanized steel	No charge				
Stainless steel*	\$216	\$224	\$240	\$256	\$265

\*NOTE: Stainless steel back option also includes stainless steel sides.

#### LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

#### LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	24"	28"	36"	44"	48"
6" legs	\$128	\$128	\$128	\$128	\$128
Front kick rail	\$75	\$78	\$84	\$90	\$93
Left side kick rail	\$75	\$75	\$75	\$75	\$75
Right side kick rail	\$75	\$75	\$75	\$75	\$75

#### CASTERS

	24"	28"	36"	44"	48"
4" casters	\$114	\$114	\$114	\$114	\$114
2-1/2" casters	\$64	\$64	\$64	\$64	\$64



Stainless pull  
tab handle



Polished  
stainless  
handle



\*NOTE: All coolers with drawers are manufactured to order and are not returnable.

#### Optional Drawers\*

Glastender's refrigerated drawers include adjustable divider walls.

Drawers are not available with locks.

20" wide drawer opening shown

Bar Refrigeration

# Coolers - Two Zone, Side Serviced, Bar Profile\*



C2SB48 with compressor left, stainless drawers, and stainless top

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES:

- Self-contained
- All stainless steel interior construction
- Available in three different configurations: beer/white wine, beer/red wine, or white/red wine
- The warmer compartment is always a single door located opposite the compressor end
- Draft beverage compatible - see page 87
- Listed to NSF Standard 7 for closed container products

\*NOTE: C2SB coolers are manufactured to order and are not returnable.

## COOLERS - TWO ZONE, SIDE SERVICED, BAR PROFILE

MODEL	LIST	LENGTH	DOORS	DOOR		AMPS	HP	LONG NECK CASES	750ML WINE BOTTLES**	1/2 BARREL KEGS	1/6 BARREL KEGS
				OPENING	WEIGHT						
C2SB36	\$5,609	36"	2	12" W	317#	2.75	1/8	6.5	72	N/A	4† ♠
C2SB44	\$5,827	44"	2	16" W	347#	2.75	1/8	9.7	120	N/A	4 ♠
C2SB48	\$5,936	48"	2	18" W	360#	2.75	1/8	12.5	120	2	6 ♠

Base price only. See next page for configurable options.

\*\*Wine bottle capacity is based on shelves. Drawers will hold fewer.

† If CO<sub>2</sub> tank is stored internally, reduce capacity by one keg

♠ Requires one 05001026 low profile Sanke keg tap - see page 87

Bar Refrigeration



06010158  
Clip-on shelf divider  
for middle and top shelf



### Optional Drawers


Glastender's refrigerated drawers include adjustable divider walls.

Drawers are not available with locks.

20" wide drawer opening shown



CWS-16  
Wine rack shelf for  
16" door opening



Side Elevation

## ACCESSORIES

MODEL	DESCRIPTION	LIST
CWS-12	Wine rack shelf for 12" door opening, 3 bottle	\$92
CWS-16	Wine rack shelf for 16" door opening, 5 bottle	\$108
CWS-18	Wine rack shelf for 18" door opening, 5 bottle	\$117
06010158	Clip-on shelf divider for middle and top shelf	\$25
06006013	Clip-on shelf divider for bottom shelf only	\$25





# Coolers - Two Zone, Side Serviced, Bar Profile\*

\*NOTE: C2SB coolers are manufactured to order and are not returnable.

## Select Configurable Options:

### VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$168

### TEMPERATURE

Beer/White wine - 34° to 40°/ 50° to 55°	No charge
Beer/Red wine - 34° to 40°/ 60° to 65°	No charge
White/Red wine - 50° to 55°/ 60° to 65°	No charge

### REFRIGERATION COMPARTMENT LOCATION

Left	No charge
Right	No charge

### REFRIGERATION COMPARTMENT COVER FINISH

Black vinyl-clad	No charge
Stainless steel	\$25
Jeweled stainless steel	\$127

### DOOR/DRAWER OPTIONS

NOTE: Select options for EACH Door/Drawer Section

#### STYLE AND FINISH - SPECIFY & ADD FOR EACH SECTION

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$30
Door - Jeweled stainless	\$138
Door - Laminated	\$158
Door - Glass, black vinyl-clad	\$305
Door - Glass, stainless steel	\$335
Door - Glass, jeweled stainless	\$443
Door - Glass, laminated	\$463
Drawers - Black vinyl-clad	\$1,260
Drawers - Stainless steel	\$1,290
Drawers - Jeweled stainless	\$1,398
Drawers - Laminated	\$1,418

#### DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

#### SHELVING - SPECIFY & ADD FOR EACH DOOR

Three adjustable shelves	No charge
Keg rack (deduct shelves)	(\$69)

#### DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

NOTE: Drawers come with a stainless pull tab handle and no lock.

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$150

Stainless pull  
tab handle



### TOP STYLE

	36"	44"	48"
No finished top	No charge		
Stainless top	\$308	\$341	\$357
Laminated top	\$590	\$615	\$627

### LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

### RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

### BACK FINISH

	36"	44"	48"
Galvanized steel	No charge		
Stainless steel*	\$240	\$256	\$265

\*NOTE: Stainless steel back option also includes stainless steel sides.

### LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

### LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	36"	44"	48"
6" legs	\$128	\$128	\$128
Front kick rail	\$84	\$90	\$93
Left side kick rail	\$75	\$75	\$75
Right side kick rail	\$75	\$75	\$75

### CASTERS

	36"	44"	48"
4" casters	\$114	\$114	\$114
2-1/2" casters	\$64	\$64	\$64



Polished stainless handle


# Direct Draw Draft Beverage Towers and Accessories

## Configuring Bar Profile Coolers for Draft Beverage Dispensing

All Glastender bar profile coolers can be configured for draft beverage dispensing. Please note that a minimum 17" wide door opening is required for full size (i.e., 16" diameter) 1/2 barrel kegs. Refer to the capacity statements in the Product Directory or Specification Sheet for the sizes and quantities of kegs each unit will hold. Please also note that the ceiling hung evaporators in remote style coolers may prevent the mounting of beverage towers or at least limit where they can be located.

## Direct Draw Draft Beverage Towers

Glastender Column and Tee Towers come standard with the stainless steel faucets and shanks necessary to dispense keg beer, wine, soda, coffee, or cocktails. Each tower includes a drain pan and each faucet includes 72" of 3/16" ID restriction line with a nut, stem, and washer. Mounting holes will be pre-drilled at the factory if the host cooler is ordered with a finished top and the tower location is specified.



Look for the Draft Beer Compatible logo



## DIRECT DRAW DRAFT BEVERAGE TOWERS

STAINLESS STEEL		MIRROR FINISH		POLISHED BRASS		FAUCETS	WGT
MODEL	LIST	MODEL	LIST	MODEL	LIST		
CT-1-SS	\$626	CT-1-MF	\$752	CT-1-PB	\$1,166	1	13#
CT-2-SS	\$840	CT-2-MF	\$966	CT-2-PB	\$1,390	2	15#
CT-3-SS	\$1,054	CT-3-MF	\$1,180	CT-3-PB	\$1,615	3	18#
BT-4-SS	\$1,285	BT-4-MF	\$1,407	BT-4-PB	\$1,895	4	23#
BT-5-SS	\$1,529	BT-5-MF	\$1,675	BT-5-PB	\$2,196	5	27#
BT-6-SS	\$1,773	BT-6-MF	\$1,943	BT-6-PB	\$2,496	6	31#
BT-8-SS	\$2,359	BT-8-MF	\$2,576	BT-8-PB	\$3,299	8	39#
BT-10-SS	\$2,847	BT-10-MF	\$3,112	BT-10-PB	\$3,900	10	57#
BT-12-SS	\$3,335	BT-12-MF	\$3,648	BT-12-PB	\$4,500	12	65#

## Tower Cooler Kit

Direct draw beverage towers are chilled by air from inside the host cooler. This is especially important for draft beer, as warm faucets cause the beer to foam. A tower cooling kit consisting of a blower motor and hose to direct cold air into the tower is highly recommended. One tower cooling kit is required for each tower and up to two kits can be ordered with each host cooler.

## TOWER COOLING KIT

MODEL	DESCRIPTION	LIST	WGT
06007067	Tower cooling kit with 12V DC blower motor	\$219	3#

## PRIMARY REGULATOR KITS

Primary regulators are used to step down the CO<sub>2</sub> or nitrogen pressure from the main source. A tank mount CO<sub>2</sub> primary regulator attaches directly to the CO<sub>2</sub> tank. A bulk or in-line CO<sub>2</sub> primary regulator is used to splice into a CO<sub>2</sub> line when the CO<sub>2</sub> tank is shared by more than one system. A tank mount nitrogen primary regulator is used with pre-blended nitrogen and CO<sub>2</sub> or pure nitrogen gas. Each primary regulator kit includes 50 feet of nylon braided hose.

MODEL	DESCRIPTION	LIST	WGT
PRK-TC	Tank mount CO <sub>2</sub> primary regulator kit	\$189	15#
PRK-BC	Bulk CO <sub>2</sub> primary regulator kit	\$221	15#
PRK-TN	Tank mount nitrogen primary regulator kit	\$255	15#

## SECONDARY REGULATOR KITS

The REG-CO2-LP1 secondary regulator kit is normally mounted inside the direct draw cooler and connects to the gas line coming from the externally mounted primary regulator. For installations with more than one keg on tap, also order the appropriate manifold kit(s). When no external source of CO<sub>2</sub> is available, a 5 pound CO<sub>2</sub> cylinder may be stored inside the cooler, which will require the REG-CO2-HP regulator. A manifold kit will also be required if there is more than one keg on tap.

MODEL	DESCRIPTION	LIST	WGT
REG-CO2-LP1	Secondary regulator kit	\$200	7#
REG-CO2-HP	Primary regulator kit for use with 5# CO <sub>2</sub> tank	\$168	7#
MAN2	Two product manifold kit	\$147	2#
MAN3	Three product manifold kit	\$182	3#
MAN4	Four product manifold kit	\$223	4#
MAN5	Five product manifold kit	\$272	5#
MAN6	Six product manifold kit	\$322	6#

## ADDITIONAL ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
06001345	1/2" ID clear vinyl drain line, per foot	\$1.45	N/A
05000400	5/16" ID red vinyl air line, per foot	\$1.50	N/A
05000386	1/4" ID nylon braided air line, per foot	\$0.60	N/A
05001066	Sanke keg tap, stainless steel probe	\$73.00	2#
05001026	Sanke keg tap, low profile	\$274.00	2#
05000368	Lock for beer faucet	\$85.00	2#
05000636	5# CO <sub>2</sub> tank (unfilled)	\$243	15#
LCK	Line cleaning kit	\$165	
06007084	Drain bottle	\$34	



We design, manufacture, and install complete Remote Draft Beer Dispensing systems



Glastender remote draft beer systems are an excellent way to enhance the profitability of your bar. Each Glastender remote draft beer system is individually engineered at our factory and our experienced Glastender authorized installers ensure your system performs properly. Let Glastender turn your beer system vision into reality.

For pricing information on complete remote draft beer systems, please contact the factory sales department at 800.748.0423



Bar Refrigeration

## Decorative Draft Beverage Towers



Lions Gate Tower



Braumeister Ellipse Tower



Cobra Tower

Glastender has expanded its line of beer towers to include several new decorative options which are available in Chrome or Brass finishes, as well as 9 different color options for the Braumeister, Black Forrest, Vienna, and Rembrandt lines. The Cobra line is also available as ice forming. Contact Glastender for additional information including price and availability.

# Coolers - Shallow Depth, One Zone, Remote, Bar Profile\*



CS1RB40 with refrigeration hook up left, vinyl-clad doors, and stainless steel top

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES:


- DOE 2017 compliant
- Remote unit
- All stainless steel interior construction
- Two stainless steel adjustable shelves per door included
- Listed to NSF Standard 7 for open food storage

## COOLERS - SHALLOW DEPTH, ONE ZONE, REMOTE, BAR PROFILE\*

MODEL	LIST	LENGTH	DOORS	WEIGHT	BTU /HR	LONG NECK	750ML WINE
						CASES	BOTTLES
CS1RB40*	\$3,463	40"	2	260#	975	7.1	66
CS1RB60*	\$4,598	60"	3	370#	1,250	11.8	110
CS1RB80*	\$5,845	80"	4	475#	1,550	16.4	152

Base price only. See next page for configurable options.

\*NOTE: CS1RB units are manufactured to order and are not returnable.



Side Elevation

## CONDENSING UNITS AND INSTALLATION KITS\*\*

MODEL	DESCRIPTION	LIST	WT
06006621**	1/3 HP R134a condensing unit kit, includes filter dryer, sight glass, and defrost timer. 2800 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 17"D x 9"H)	\$1,138	60#
06006622**	1/2 HP R134a condensing unit kit, includes filter dryer, sight glass, and defrost timer. 4100 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 18-1/4"D x 9-1/2"H)	\$1,689	60#
06009006**	1/3 HP R404A condensing unit kit, includes filter dryer, sight glass, and defrost timer. 2750 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 17"D x 9"H)	\$1,808	60#
06009007**	1/2 HP R404A condensing unit kit, includes filter dryer, sight glass, and defrost timer. 4500 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 18-1/4"D x 9-1/2"H)	\$2,130	60#

**\*\*NOTE: Consult the applicable remote refrigerator specification sheet and your refrigeration installer to select the correct condensing unit for your installation. Standard piping practices and local codes should be employed to size and install refrigerant gas and liquid lines.**

ACCESSORY FOR CONDENSING UNIT			
06001413	Switch, low pressure control, for remote condensing unit	\$336	3#
ACCESSORY FOR REMOTE COOLER CABINET			
SVC	Solenoid valve and coil kit, for remote unit	\$188	6#
SVC-L	Solenoid valve and coil kit with factory installation, for remote unit	\$530	6#



# Coolers - Shallow Depth, One Zone, Remote, Bar Profile\*

\*NOTE: CS1RB units are manufactured to order and are not returnable.

## Select Configurable Options:

### VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$84

### TEMPERATURE

Beer / Food, 34° to 40°, standard	No charge
White wine, 50° to 55°	No charge
Red wine, 60° to 65°	No charge

### EXPANSION VALVE TYPE

R134a	No charge
R404a	No charge
R407a/R422D	No charge
R448a	No charge

### REFRIGERATION HOOK-UP LOCATION

Left	No charge
Right	No charge

### DOOR OPTIONS

NOTE: Select options for EACH Door Section

#### STYLE AND FINISH - SPECIFY & ADD FOR EACH DOOR

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$30
Door - Jeweled stainless	\$138
Door - Laminated	\$158
Door - Glass, black vinyl-clad	\$305
Door - Glass, stainless steel	\$335
Door - Glass, jeweled stainless	\$443
Door - Glass, laminated	\$463

#### DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

#### DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$150

Stainless pull  
tab handle



### TOP STYLE

	40"	60"	80"
No finished top	No charge		
Stainless top	\$324	\$405	\$486
Laminated top	\$602	\$664	\$726

### LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

### RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

### BACK FINISH

	40"	60"	80"
Galvanized steel	No charge		
Stainless steel*	\$248	\$289	\$329

\*NOTE: Stainless steel back option also includes stainless steel sides.

### LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

### LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	40"	60"	80"
6" legs	\$128	\$192	\$192
Front kick rail	\$87	\$103	\$118
Left side kick rail	\$75	\$75	\$75
Right side kick rail	\$75	\$75	\$75



Polished stainless handle

# Coolers - One Zone, Front Serviced, Low Profile\*



C1FL60 with compressor left, stainless doors and top, and stainless pull tab handle

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES:

- Self-contained
- All stainless steel interior construction
- Two adjustable shelves per door
- Listed to NSF Standard 7 for open food storage

\*NOTE: C1FL units are manufactured to order and are not returnable.

## COOLERS - ONE ZONE, FRONT SERVICED, LOW PROFILE\*

MODEL	LIST	LENGTH	DOORS	DOOR		WEIGHT	AMPS	HP	LONG NECK	750ML WINE
				OPENING					CASES	BOTTLES
C1FL32*	\$3,723	32"	1	16" W		240#	3.0	1/8	3.8	30
C1FL36*	\$3,760	36"	1	20" W		250#	3.0	1/8	5.2	36
C1FL52*	\$4,883	52"	2	16" W		340#	7.0	1/4	8.8	60
C1FL60*	\$4,982	60"	2	20" W		350#	7.0	1/4	11.5	84
C1FL72*	\$5,871	72"	3	16" W		445#	7.0	1/4	14.0	96
C1FL84*	\$5,991	84"	3	20" W		460#	7.0	1/4	18.0	126
C1FL92*	\$7,049	92"	4	16" W		550#	7.0	1/4	19.2	132
C1FL108*	\$7,193	108"	4	20" W		570#	7.0	1/4	24.5	168


Base price only. See next page for configurable options.




CWS-20  
Wine rack shelf for  
20" door opening



CWS-16  
Wine rack shelf for  
16" door opening



06010158  
Clip-on shelf  
divider



Side Elevation

## ACCESSORIES

MODEL	DESCRIPTION	LIST
CWS-16	Wine rack shelf for 16" door opening, 5 bottle	\$108
CWS-20	Wine rack shelf for 20" door opening, 7 bottle	\$122
06010158	Clip-on shelf divider	\$25

# Coolers - One Zone, Front Serviced, Low Profile\*

\*NOTE: C1FL units are manufactured to order and are not returnable.

## Select Configurable Options:

### VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$168

### TEMPERATURE

Beer / Food, 34° to 40°, standard	No charge
White wine, 50° to 55°	No charge
Red wine, 60° to 65°	No charge

### REFRIGERATION COMPARTMENT LOCATION

Left	No charge
Right	No charge

### REFRIGERATION COMPARTMENT COVER FINISH

Black vinyl-clad	No charge
Unlaminated	No charge
Stainless steel	\$25
Jeweled stainless steel	\$127
Laminated	\$147

### DOOR OPTIONS

NOTE: Select options for EACH Door Section

#### STYLE AND FINISH - SPECIFY & ADD FOR EACH SECTION

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$30
Door - Jeweled stainless	\$138
Door - Laminated	\$158
Door - Glass, black vinyl-clad	\$305
Door - Glass, stainless steel	\$335
Door - Glass, jeweled stainless	\$443
Door - Glass, laminated	\$463

#### DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

#### DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$150



Polished stainless handle

### TOP STYLE

	32"	36"	52"	60"	72"	84"	92"	108"
No finished top	No charge							
Stainless top	\$292	\$308	\$373	\$405	\$454	\$502	\$534	\$599
Laminated top	\$578	\$590	\$639	\$664	\$701	\$738	\$763	\$812
Drainboard top	\$486	\$515	\$627	\$684	\$768	\$853	\$909	\$1022

### 4" HIGH STAINLESS SPLASHES

	32"	36"	52"	60"	72"	84"	92"	108"
NOTE: Can only be ordered with stainless steel top								
Backsplash	\$104	\$109	\$128	\$137	\$152	\$166	\$175	\$194
Left side splash	\$95	\$95	\$95	\$95	\$95	\$95	\$95	\$95
Right side splash	\$95	\$95	\$95	\$95	\$95	\$95	\$95	\$95

### LEFT SIDE FINISH

Black vinyl-clad	No charge							
Stainless Steel	\$30							
Laminated	\$158							

### RIGHT SIDE FINISH

Black vinyl-clad	No charge							
Stainless Steel	\$30							
Laminated	\$158							

### BACK FINISH

	32"	36"	52"	60"	72"	84"	92"	108"
Galvanized steel	No charge							
Stainless steel*	\$232	\$240	\$273	\$289	\$313	\$337	\$354	\$386

\*NOTE: Stainless steel back option also includes stainless steel sides.

### LED LIGHTING STYLE

Bright white (7,000k), standard	No charge							
Warm white (3,500k)	No charge							
Amber (2,700k)	No charge							
Blue	No charge							

### LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	32"	36"	52"	60"	72"	84"	92"	108"
6" legs	\$160	\$160	\$128	\$128	\$192	\$192	\$192	\$192
Front kick rail	\$81	\$84	\$96	\$103	\$112	\$121	\$127	\$139
Left side kick rail	\$75	\$75	\$75	\$75	\$75	\$75	\$75	\$75
Right side kick rail	\$75	\$75	\$75	\$75	\$75	\$75	\$75	\$75

### CASTERS

	32"	36"	52"	60"	72"	84"	92"	108"
4" casters	\$138	\$138	\$114	\$114	\$171	\$171	\$171	\$171
2-1/2" casters	\$78	\$78	\$96	\$96	\$128	\$128	\$160	\$160



Stainless pull tab handle

# Coolers - One Zone, Remote, Low Profile\*



C1RL40 with refrigeration hook up left, black vinyl-clad doors, and laminated top



C1RL48 with refrigeration hook up left, black vinyl-clad doors, and laminated top

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES:


- Remote unit
- All stainless steel interior construction
- Two adjustable shelves per door
- Listed to NSF Standard 7 for open food storage

## COOLERS - ONE ZONE, REMOTE, LOW PROFILE\*

MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	BTU /HR	LONG NECK CASES	750ML WINE BOTTLES
C1RL24*	\$2,820	24" W	1	20"	170#	800	4.3	36
C1RL40*	\$3,493	40" W	2	16"	270#	1,000	8.2	60
C1RL48*	\$3,564	48" W	2	20"	275#	1,000	10.3	84
C1RL60*	\$4,668	60" W	3	16"	380#	1,300	12.8	96
C1RL72*	\$4,763	72" W	3	20"	390#	1,300	16.8	126
C1RL80*	\$5,791	80" W	4	16"	485#	1,600	18.0	132
C1RL96*	\$5,909	96" W	4	20"	500#	1,600	23.3	168

Base price only. See next page for configurable options.

\*C1RL coolers are manufactured to order and are not returnable.



Side Elevation

## Bar Refrigeration



### ACCESSORIES

MODEL	DESCRIPTION	LIST
CWS-16	Wine rack shelf for 16" door opening, 5 bottle	\$108
CWS-20	Wine rack shelf for 20" door opening, 7 bottle	\$122
06010158	Clip-on shelf divider	\$25

### CONDENSING UNITS AND INSTALLATION KITS\*\*

MODEL	DESCRIPTION	LIST	Wt
06006621**	1/3 HP R134a condensing unit kit, includes filter dryer, sight glass, and defrost timer. 2800 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 17"D x 9"H)	\$1,138	60#
06006622**	1/2 HP R134a condensing unit kit, includes filter dryer, sight glass, and defrost timer. 4100 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 18-1/4"D x 9-1/2"H)	\$1,689	60#
06009006**	1/3 HP R404A condensing unit kit, includes filter dryer, sight glass, and defrost timer. 2750 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 17"D x 9"H)	\$1,808	60#
06009007**	1/2 HP R404A condensing unit kit, includes filter dryer, sight glass, and defrost timer. 4500 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 18-1/4"D x 9-1/2"H)	\$2,130	60#

**\*\*NOTE: Consult the applicable remote refrigerator specification sheet and your refrigeration installer to select the correct condensing unit for your installation. Standard piping practices and local codes should be employed to size and install refrigerant gas and liquid lines.**

#### ACCESSORY FOR CONDENSING UNIT

06001413	Switch, low pressure control, for remote condensing unit	\$336	3#
----------	--	-------	----

#### ACCESSORY FOR REMOTE COOLER CABINET

SVC	Solenoid valve and coil kit, for remote unit	\$188	6#
SVC-L	Solenoid valve and coil kit with factory installation, for remote unit	\$530	6#



# Coolers - One Zone, Remote, Low Profile\*

\*NOTE: C1RL coolers are manufactured to order and are not returnable.

## Select Configurable Options:

### VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$84

### TEMPERATURE

Beer / Food, 34° to 40°, standard	No charge
White wine, 50° to 55°	No charge
Red wine, 60° to 65°	No charge

### EXPANSION VALVE TYPE

R134a	No charge
R404a	No charge
R407a/R422D	No charge
R448a	No charge

### REFRIGERATION HOOK-UP LOCATION

Left	No charge
Right	No charge

### DOOR OPTIONS

NOTE: Select options for EACH Door Section

### STYLE AND FINISH - SPECIFY & ADD FOR EACH DOOR

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$30
Door - Jeweled stainless	\$138
Door - Laminated	\$158
Door - Glass, black vinyl-clad	\$305
Door - Glass, stainless steel	\$335
Door - Glass, jeweled stainless	\$443
Door - Glass, laminated	\$463

### DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

### DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$150



Polished stainless handle

Stainless pull tab handle



### TOP STYLE

	24"	40"	48"	60"	72"	80"	96"
No finished top	No charge						
Stainless top	\$260	\$324	\$357	\$405	\$454	\$486	\$551
Laminated top	\$553	\$602	\$627	\$664	\$701	\$726	\$775

### 4" HIGH STAINLESS SPLASHES

	24"	40"	48"	60"	72"	80"	96"
NOTE: Can only be ordered with stainless steel top							
Backsplash	\$95	\$114	\$123	\$137	\$152	\$161	\$180
Left side splash	\$95	\$95	\$95	\$95	\$95	\$95	\$95
Right side splash	\$95	\$95	\$95	\$95	\$95	\$95	\$95

### LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

### RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

### BACK FINISH

	24"	40"	48"	60"	72"	80"	96"
Galvanized steel	No charge						
Stainless steel*	\$216	\$248	\$265	\$289	\$313	\$329	\$362

\*NOTE: Stainless steel back option also includes stainless steel sides.

### LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

### LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	24"	40"	48"	60"	72"	80"	96"
6" legs	\$128	\$128	\$128	\$192	\$192	\$192	\$192
Front kick rail	\$75	\$87	\$93	\$103	\$112	\$118	\$130
Left side kick rail	\$75	\$75	\$75	\$75	\$75	\$75	\$75
Right side kick rail	\$75	\$75	\$75	\$75	\$75	\$75	\$75

# Coolers - One Zone, Side Serviced, Low Profile\*



C1SL48  
with compressor right, black  
vinyl-clad doors, and stainless top

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES:

- Self-contained
- All stainless steel interior construction
- Two adjustable shelves per door
- Listed to NSF Standard 7 for open food storage


\*NOTE: C1SL units are manufactured to order and are not returnable.

## COOLERS - ONE ZONE, SIDE SERVICED, LOW PROFILE


MODEL	LIST	LENGTH	DOOR		WEIGHT	AMPS	HP	LONG NECK CASES	750ML WINE BOTTLES**
			DOORS	OPENING					
C1SL24	\$3,364	24"	1	17.5" W	208#	2.75	1/8	4.5	48
C1SL28	\$3,492	28"	1	20" W	231#	2.75	1/8	5.1	53
C1SL36	\$4,553	36"	2	12" W	292#	2.75	1/8	6.9	85
C1SL44	\$4,735	44"	2	16" W	322#	2.75	1/8	8.9	93
C1SL48	\$4,827	48"	2	18" W	335#	2.75	1/8	10.3	134

Base price only. See next page for configurable options.

\*\*Wine bottle capacity is based on shelves. Drawers are not intended for upright storage of wine bottles.



CO-RR



The CO-RR shelf retention rail should be used on all shelves adjacent to kegs. (CO-RR shown installed on shelf)

CWS-20 Wine rack shelf  
for 20" door opening



06010158  
Clip-on shelf  
divider for middle  
and top shelf

CWS-16 Wine rack shelf  
for 16" door opening



DICP-17L

DICF-17L

Front covers removed for  
illustrative purposes



## ACCESSORIES

MODEL	DESCRIPTION	LIST
CO-RR	Shelf retention rail	\$42
CWS-12	Wine rack shelf for 12" door opening, 3 bottle	\$92
CWS-16	Wine rack shelf for 16" door opening, 5 bottle	\$108
CWS-17	Wine rack shelf for 17.5" door opening, 5 bottle	\$115
CWS-18	Wine rack shelf for 18" door opening, 5 bottle	\$117
CWS-20	Wine rack shelf for 20" door opening, 7 bottle	\$122
DICF-12L	Drawer insert, condiments, full, 12" door opening, low-profile cooler, 6 cups	\$229
DICP-12L	Drawer insert, condiments, partial, 12" door opening, low-profile cooler, 4 cups	\$173
DICF-16L	Drawer insert, condiments, full, 16" door opening, low-profile cooler, 12 cups	\$337
DICP-16L	Drawer insert, condiments, partial, 16" door opening, low-profile cooler, 8 cups	\$244
DICF-17L	Drawer insert, condiments, full, 17.5" door opening, low-profile cooler, 12 cups	\$340
DICP-17L	Drawer insert, condiments, partial, 17.5" door opening, low-profile cooler, 8 cups	\$246
DICF-18L	Drawer insert, condiments, full, 18" door opening, low-profile cooler, 12 cups	\$343
DICP-18L	Drawer insert, condiments, partial, 18" door opening, low-profile cooler, 8 cups	\$248
DICF-20L	Drawer insert, condiments, full, 20" door opening, low-profile cooler, 15 cups	\$397
DICP-20L	Drawer insert, condiments, partial, 20" door opening, low-profile cooler, 10 cups	\$283
06010158	Clip-on shelf divider	\$25

**Select Configurable Options:****VOLTAGE**

120V/60HZ	No charge
220V/50HZ (export voltage)	\$168

**TEMPERATURE**

Beer / Food, 34° to 40°, standard	No charge
White wine, 50° to 55°	No charge
Red wine, 60° to 65°	No charge

**REFRIGERATION COMPARTMENT LOCATION**

Left	No charge
Right	No charge

**REFRIGERATION COMPARTMENT COVER FINISH**

Black vinyl-clad	No charge
Stainless steel	\$25
Jeweled stainless steel	\$127

**DOOR/DRAWER OPTIONS**

NOTE: Select options for EACH Door/Drawer Section

**STYLE AND FINISH - SPECIFY & ADD FOR EACH SECTION**

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$30
Door - Jeweled stainless	\$138
Door - Laminated	\$158
Door - Glass, black vinyl-clad	\$305
Door - Glass, stainless steel	\$335
Door - Glass, jeweled stainless	\$443
Door - Glass, laminated	\$463
Drawers - Black vinyl-clad	\$1,260
Drawers - Stainless steel	\$1,290
Drawers - Jeweled stainless	\$1,398
Drawers - Laminated	\$1,418

**DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR**

Left	No charge
Right	No charge

**DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR**

NOTE: Drawers come with a stainless pull tab handle and no lock.

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$150



\*NOTE: C1SL units are manufactured to order and are not returnable.

**Optional Drawers**

Glastender's refrigerated drawers include adjustable divider walls.

Drawers are not available with locks.

20" wide drawer opening shown

**TOP STYLE**

	24"	28"	36"	44"	48"
No finished top	No charge				
Stainless top	\$260	\$276	\$308	\$341	\$357
Laminated top	\$553	\$565	\$590	\$615	\$627
Drainboard top	\$430	\$458	\$515	\$571	\$599

**4" HIGH STAINLESS SPLASHES**

	24"	28"	36"	44"	48"
NOTE: Can only be ordered with stainless steel top					
Backsplash	\$95	\$100	\$109	\$119	\$123
Left side splash	\$95	\$95	\$95	\$95	\$95
Right side splash	\$95	\$95	\$95	\$95	\$95

**LEFT SIDE FINISH**

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

**RIGHT SIDE FINISH**

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

**BACK FINISH**

	24"	28"	36"	44"	48"
Galvanized steel	No charge				
Stainless steel*	\$216	\$224	\$240	\$256	\$265

\*NOTE: Stainless steel back option also includes stainless steel sides.

**LED LIGHTING STYLE**

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

**LEG AND STAINLESS STEEL KICK RAILS**

NOTE: Legs are required if kick rails are ordered.

	24"	28"	36"	44"	48"
6" legs	\$128	\$128	\$128	\$128	\$128
Front kick rail	\$75	\$78	\$84	\$90	\$93
Left side kick rail	\$75	\$75	\$75	\$75	\$75
Right side kick rail	\$75	\$75	\$75	\$75	\$75

**CASTERS**

	24"	28"	36"	44"	48"
4" casters	\$114	\$114	\$114	\$114	\$114
2-1/2" casters	\$64	\$64	\$64	\$64	\$64



Stainless pull tab handle

Polished stainless handle

# Coolers - Pass-Thru, One Zone, Front Serviced, Bar Profile\*



CP1FB60 with compressor left, laminated and glass doors, and stainless top




CP1FB52 with compressor left, black vinyl-clad doors, and stainless top


## COOLERS - PASS-THRU, ONE ZONE, FRONT SERVICED, BAR PROFILE\*

MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	AMPS	HP	LONG NECK CASES	750ML WINE BOTTLES
CP1FB32*	\$5,109	32"	2	16" w	320#	3.0	1/8	6.6	67
CP1FB36*	\$5,161	36"	2	20" w	325#	3.0	1/8	8.8	79
CP1FB52*	\$6,769	52"	4	16" w	435#	7.0	1/4	14.6	129
CP1FB60*	\$6,978	60"	4	20" w	445#	7.0	1/4	19.1	177
CP1FB72*	\$8,836	72"	6	16" w	580#	7.0	1/4	23.1	209
CP1FB84*	\$9,109	84"	6	20" w	595#	7.0	1/4	29.9	271


Base price only. See next page for configurable options.



\*NOTE: CP1FB coolers are manufactured to order and are not returnable.



06010159  
Clip-on shelf divider,  
pass thru cooler, for  
middle and top shelf



06009785

In a typical cooler, only the front row of bottles is easy to access. Glastender's rotary wine shelf increases access by 270% (16 vs. 6 bottles).

The rotary wine shelf is for use with CP1FB36, CP1FB60, and CP1FB84 model coolers. Two rotary shelves can be used behind each 20" door opening, where they sit on two standard cooler shelves. Each rotary shelf holds up to 29 wine bottles (750ml).

### PRODUCT INFORMATION

(see Spec Sheets for complete details)

#### STANDARD FEATURES:

- Self-contained
- All stainless steel interior construction
- Three adjustable shelves per section
- Listed to NSF Standard 7 for open food storage

### ACCESSORIES

MODEL	DESCRIPTION	LIST
06009785	Rotary wine shelf (20" door opening ONLY)	\$145
CWS-16P	Wine rack shelf for 16" door opening, 5 bottle	\$117
CWS-20P	Wine rack shelf for 20" door opening, 7 bottle	\$132
06010159	Clip-on shelf divider for middle and top shelf	\$25
06006013	Clip-on shelf divider for bottom shelf only	\$25



**Select Configurable Options:**

\*NOTE: CP1FB coolers are manufactured to order and are not returnable.

**VOLTAGE**

120V/60HZ	No charge
220V/50HZ (export voltage)	\$168

**TEMPERATURE**

Beer / Food, 34° to 40°, standard	No charge
White wine, 50° to 55°	No charge
Red wine, 60° to 65°	No charge

**REFRIGERATION COMPARTMENT LOCATION**

Left	No charge
Right	No charge

**REFRIGERATION COMPARTMENT COVER FINISH**

NOTE: Specify and add for both the front and the back

Black vinyl-clad	No charge
Unlaminated	No charge
Stainless steel	\$25
Jeweled stainless steel	\$127
Laminated	\$147

**DOOR OPTIONS**

NOTE: Select options for EACH Door

**STYLE AND FINISH - SPECIFY & ADD FOR EACH DOOR**

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$30
Door - Jeweled stainless	\$138
Door - Laminated	\$158
Door - Glass, black vinyl-clad	\$305
Door - Glass, stainless steel	\$335
Door - Glass, jeweled stainless	\$443
Door - Glass, laminated	\$463

**DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR**

Left	No charge
Right	No charge

**DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR**

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$150

**TOP STYLE**

	32"	36"	52"	60"	72"	84"
No finished top	No charge					
Stainless top	\$334	\$353	\$432	\$471	\$530	\$589
Laminated top	\$578	\$590	\$639	\$664	\$701	\$738

**LEFT SIDE FINISH**

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

**RIGHT SIDE FINISH**

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

**LED LIGHTING STYLE**

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

**LEG AND STAINLESS STEEL KICK RAILS**

NOTE: Legs are required if kick rails are ordered.

	32"	36"	52"	60"	72"	84"
6" legs	\$160	\$160	\$128	\$128	\$192	\$192
Front kick rail	\$81	\$84	\$96	\$103	\$112	\$121
Back kick rail	\$81	\$84	\$96	\$103	\$112	\$121
Left side kick rail	\$75	\$75	\$75	\$75	\$75	\$75
Right side kick rail	\$75	\$75	\$75	\$75	\$75	\$75

**CASTERS**

	32"	36"	52"	60"	72"	84"
4" casters	\$138	\$138	\$114	\$114	\$171	\$171
2-1/2" casters	\$78	\$78	\$96	\$96	\$128	\$128



Stainless pull tab handle

Polished stainless handle

# Coolers - Pass-Thru, One Zone, Remote, Bar Profile\*



CP1RB40 with refrigeration hook up left, black vinyl-clad doors, and laminated top



CP1RB48 with refrigeration hook up left, stainless doors, and no finished top

## COOLERS - PASS-THRU, ONE ZONE, REMOTE, BAR PROFILE\*

MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	BTU /HR	LONG NECK CASES	750ML WINE BOTTLES**
CP1RB24*	\$3,667	24"	2	20"	225#	950	7.7	72
CP1RB40*	\$4,638	40"	4	16"	355#	1,600	13.1	114
CP1RB48*	\$4,782	48"	4	20"	365#	1,600	17.6	156
CP1RB60*	\$6,618	60"	6	16"	495#	2,000	21.6	194
CP1RB72*	\$6,823	72"	6	20"	510#	2,000	28.3	253

Base price only. See next page for configurable options.


\*NOTE:  
CP1RB coolers are manufactured to order and are not returnable.

### PRODUCT INFORMATION

(see Spec Sheets for complete details)

#### STANDARD FEATURES:

- Remote unit
- All stainless steel interior construction
- Three adjustable shelves per section
- Listed to NSF Standard 7 for open food storage



### ACCESSORIES

MODEL	DESCRIPTION	LIST
CWS-16P	Wine rack shelf for 16" door opening, 5 bottles	\$117
CWS-20P	Wine rack shelf for 20" door opening, 7 bottles	\$132
06010159	Clip-on shelf divider for middle and top shelf	\$25
06006013	Clip-on shelf divider for bottom shelf only	\$25

### CONDENSING UNITS AND INSTALLATION KITS\*\*

MODEL	DESCRIPTION	LIST	WT
06006621**	1/3 HP R134a condensing unit kit, includes filter dryer, sight glass, and defrost timer. 2800 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 17"D x 9"H)	\$1,138	60#
06006622**	1/2 HP R134a condensing unit kit, includes filter dryer, sight glass, and defrost timer. 4100 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 18-1/4"D x 9-1/2"H)	\$1,689	60#
06009006**	1/3 HP R404A condensing unit kit, includes filter dryer, sight glass, and defrost timer. 2750 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 17"D x 9"H)	\$1,808	60#
06009007**	1/2 HP R404A condensing unit kit, includes filter dryer, sight glass, and defrost timer. 4500 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 18-1/4"D x 9-1/2"H)	\$2,130	60#

**\*\*NOTE:** Consult the applicable remote refrigerator specification sheet and your refrigeration installer to select the correct condensing unit for your installation. Standard piping practices and local codes should be employed to size and install refrigerant gas and liquid lines.

ACCESSORY FOR CONDENSING UNIT			
06001413	Switch, low pressure control, for remote condensing unit	\$336	3#
ACCESSORY FOR REMOTE COOLER CABINET			
SVC	Solenoid valve and coil kit, for remote unit	\$188	6#
SVC-L	Solenoid valve and coil kit with factory installation, for remote unit	\$530	6#

# Coolers - Pass-Thru, One Zone, Remote, Bar Profile\*

\*NOTE: CP1RB coolers are manufactured to order and are not returnable.

## Select Configurable Options:

### VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$84

### TEMPERATURE

Beer / Food, 34° to 40°, standard	No charge
White wine, 50° to 55°	No charge
Red wine, 60° to 65°	No charge

### EXPANSION VALVE TYPE

R134a	No charge
R404a	No charge
R407a/R422D	No charge
R448a	No charge

### REFRIGERATION HOOK-UP LOCATION

Left	No charge
Right	No charge

### DOOR OPTIONS

NOTE: Select options for EACH Door Section

#### STYLE AND FINISH - SPECIFY & ADD FOR EACH DOOR

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$30
Door - Jeweled stainless	\$138
Door - Laminated	\$158
Door - Glass, black vinyl-clad	\$305
Door - Glass, stainless steel	\$335
Door - Glass, jeweled stainless	\$443
Door - Glass, laminated	\$463

#### DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

#### DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$150

### TOP STYLE

	24"	40"	48"	60"	72"
No finished top	No charge				
Stainless top	\$294	\$373	\$412	\$471	\$530
Laminated top	\$553	\$602	\$627	\$664	\$701

### LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

### RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

### LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

### LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	24"	40"	48"	60"	72"
6" legs	\$128	\$128	\$128	\$192	\$192
Front kick rail	\$75	\$87	\$93	\$103	\$112
Back kick rail	\$75	\$87	\$93	\$103	\$112
Left side kick rail	\$75	\$75	\$75	\$75	\$75
Right side kick rail	\$75	\$75	\$75	\$75	\$75



Polished stainless handle



Stainless pull tab handle

# Coolers - Pass-Thru, One Zone, Front Serviced, Low Profile\*



CP1FL52 with compressor left, black vinyl-clad doors, and laminated top



CP1FL60 with compressor left, black vinyl-clad doors, and laminated top


## COOLERS - PASS-THRU, ONE ZONE, FRONT SERVICED, LOW PROFILE\*

MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	AMPS	HP	LONG NECK CASES	750ML WINE BOTTLES
CP1FL32*	\$4,954	32"	2	16" W	315#	3.0	1/8	4.4	35
CP1FL36*	\$5,006	36"	2	20" W	320#	3.0	1/8	5.8	42
CP1FL52*	\$6,490	52"	4	16" W	425#	7.0	1/4	9.7	66
CP1FL60*	\$6,629	60"	4	20" W	435#	7.0	1/4	12.7	90
CP1FL72*	\$8,471	72"	6	16" W	565#	7.0	1/4	15.4	106
CP1FL84*	\$8,654	84"	6	20" W	580#	7.0	1/4	19.9	137


Base price only. See next page for configurable options.

\*NOTE: CP1FL units are manufactured to order and are not returnable.

Bar Refrigeration



Side Elevation



06010159  
Clip-on shelf divider



### PRODUCT INFORMATION

(see Spec Sheets for complete details)

#### STANDARD FEATURES:

- Self-contained
- All stainless steel interior construction
- Two adjustable shelves per section
- Listed to NSF Standard 7 for open food storage

### ACCESSORIES

MODEL	DESCRIPTION	LIST
CWS-16P	Wine rack shelf for 16" door opening, 5 bottle	\$117
CWS-20P	Wine rack shelf for 20" door opening, 7 bottle	\$132
06010159	Clip-on shelf divider	\$25



# Coolers - Pass-Thru, One Zone, Front Serviced, Low Profile\*

\*NOTE: CP1FL units are manufactured to order and are not returnable.

## Select Configurable Options:

### VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$168

### TEMPERATURE

Beer / Food, 34° to 40°, standard	No charge
White wine, 50° to 55°	No charge
Red wine, 60° to 65°	No charge

### REFRIGERATION COMPARTMENT LOCATION

Left	No charge
Right	No charge

### REFRIGERATION COMPARTMENT COVER FINISH

NOTE: Specify and add for both the front and the back

Black vinyl-clad	No charge
Unlaminated	No charge
Stainless steel	\$25
Jeweled stainless steel	\$127
Laminated	\$147

### DOOR OPTIONS

NOTE: Select options for EACH Door Section

#### STYLE AND FINISH - SPECIFY & ADD FOR EACH SECTION

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$30
Door - Jeweled stainless	\$138
Door - Laminated	\$158
Door - Glass, black vinyl-clad	\$305
Door - Glass, stainless steel	\$335
Door - Glass, jeweled stainless	\$443
Door - Glass, laminated	\$463

#### DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

#### DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$150

### TOP STYLE

	32"	36"	52"	60"	72"	84"
No finished top	No charge					
Stainless top	\$334	\$353	\$432	\$471	\$530	\$589
Laminated top	\$578	\$590	\$639	\$664	\$701	\$738

### LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

### RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

### LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

### LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	32"	36"	52"	60"	72"	84"
6" legs	\$160	\$160	\$128	\$128	\$192	\$192
Front kick rail	\$81	\$84	\$96	\$103	\$112	\$121
Back kick rail	\$81	\$84	\$96	\$103	\$112	\$121
Left side kick rail	\$75	\$75	\$75	\$75	\$75	\$75
Right side kick rail	\$75	\$75	\$75	\$75	\$75	\$75

### CASTERS

	32"	36"	52"	60"	72"	84"
4" casters	\$138	\$138	\$114	\$114	\$171	\$171
2-1/2" casters	\$78	\$78	\$96	\$96	\$128	\$128

## Bar Refrigeration



Polished stainless handle



Stainless pull tab handle

# Coolers - Pass-Thru, One Zone, Remote, Low Profile\*



CP1RL40 with refrigeration hook up left, black vinyl-clad doors, and laminated top



CP1RL48 with refrigeration hook up left, black vinyl-clad doors, and laminated top

## COOLERS - PASS-THRU, ONE ZONE, REMOTE, LOW PROFILE\*

MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	BTU /Hr	LONG NECK CASES	750ML WINE BOTTLES**
CP1RL24*	\$3,557	24"	2	20"	220#	850	4.7	42
CP1RL40*	\$4,447	40"	4	16"	350#	1,600	8.2	66
CP1RL48*	\$4,543	48"	4	20"	355#	1,600	11.8	90
CP1RL60*	\$6,345	60"	6	16"	485#	2,000	13.8	106
CP1RL72*	\$6,482	72"	6	20"	495#	2,000	18.3	137

Base price only. See next page for configurable options.

\*NOTE:


CP1RL coolers are manufactured to order and are not returnable.

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES:

- Remote unit
- All stainless steel interior construction
- Two adjustable shelves per section
- Listed to NSF Standard 7 for open food storage



## ACCESSORIES

MODEL	DESCRIPTION	LIST
CWS-16P	Wine rack shelf for 16" door opening, 5 bottle	\$117
CWS-20P	Wine rack shelf for 20" door opening, 7 bottle	\$132
06010159	Clip-on shelf divider	\$25

## CONDENSING UNITS AND INSTALLATION KITS\*\*

MODEL	DESCRIPTION	LIST	WT
06006621**	1/3 HP R134a condensing unit kit, includes filter dryer, sight glass, and defrost timer. 2800 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 17"D x 9"H)	\$1,138	60#
06006622**	1/2 HP R134a condensing unit kit, includes filter dryer, sight glass, and defrost timer. 4100 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 18-1/4"D x 9-1/2"H)	\$1,689	60#
06009006**	1/3 HP R404A condensing unit kit, includes filter dryer, sight glass, and defrost timer. 2750 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 17"D x 9"H)	\$1,808	60#
06009007**	1/2 HP R404A condensing unit kit, includes filter dryer, sight glass, and defrost timer. 4500 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 18-1/4"D x 9-1/2"H)	\$2,130	60#

**\*\*NOTE:** Consult the applicable remote refrigerator specification sheet and your refrigeration installer to select the correct condensing unit for your installation. Standard piping practices and local codes should be employed to size and install refrigerant gas and liquid lines.

### ACCESSORY FOR CONDENSING UNIT

06001413	Switch, low pressure control, for remote condensing unit	\$336	3#
----------	--	-------	----

### ACCESSORY FOR REMOTE COOLER CABINET

SVC	Solenoid valve and coil kit, for remote unit	\$188	6#
SVC-L	Solenoid valve and coil kit with factory installation, for remote unit	\$530	6#

# Coolers - Pass-Thru, One Zone, Remote, Low Profile\*

\*NOTE: CP1RL coolers are manufactured to order and are not returnable.

## Select Configurable Options:

### VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$84

### TEMPERATURE

Beer / Food, 34° to 40°, standard	No charge
White wine, 50° to 55°	No charge
Red wine, 60° to 65°	No charge

### EXPANSION VALVE TYPE

R134a	No charge
R404a	No charge
R407a/R422D	No charge
R448a	No charge

### REFRIGERATION HOOK-UP LOCATION

Left	No charge
Right	No charge

### DOOR OPTIONS

NOTE: Select options for EACH Door Section

### STYLE AND FINISH - SPECIFY & ADD FOR EACH DOOR

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$30
Door - Jeweled stainless	\$138
Door - Laminated	\$158
Door - Glass, black vinyl-clad	\$305
Door - Glass, stainless steel	\$335
Door - Glass, jeweled stainless	\$443
Door - Glass, laminated	\$463

### DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

### DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$150

### TOP STYLE

	24"	40"	48"	60"	72"
No finished top	No charge				
Stainless top	\$294	\$373	\$412	\$471	\$530
Laminated top	\$553	\$602	\$627	\$664	\$701

### LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

### RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

### LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

### LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	24"	40"	48"	60"	72"
6" legs	\$128	\$128	\$128	\$192	\$192
Front kick rail	\$75	\$87	\$93	\$103	\$112
Back kick rail	\$75	\$87	\$93	\$103	\$112
Left side kick rail	\$75	\$75	\$75	\$75	\$75
Right side kick rail	\$75	\$75	\$75	\$75	\$75



Polished stainless handle



Stainless pull tab handle

Bar Refrigeration

# Frosters - One Zone, Side Serviced, Bar Profile




F1SB48 with compressor left, black vinyl-clad glass doors, and stainless steel top

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES:

- Self-contained
- All stainless steel interior construction
- Three adjustable shelves per door
- Listed to NSF Standard 7 for closed container products



## FROSTERS - ONE ZONE, SIDE SERVICED, BAR PROFILE

MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	AMPS	HP	10 Oz. MUGS	6" High PINT GLASSES
F1SB24	\$3,889	24"	1	17.5" W	213#	5.0	1/3	132	97
F1SB28*	\$4,072	28"	1	20" W	236#	5.0	1/3	160	100
F1SB36*	\$5,325	36"	2	12" W	302#	5.0	1/3	223	155
F1SB44*	\$5,599	44"	2	16" W	332#	5.0	1/3	299	200
F1SB48	\$5,740	48"	2	25" W	345#	5.0	1/3	339	214

Base price only. See below for configurable options.

\*NOTE: F1SB28, F1SB36, and F1SB44 frosters are manufactured to order and are not returnable.

## Select Configurable Options:

### VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$168

### REFRIGERATION COMPARTMENT LOCATION

Left	No charge
Right	No charge

### REFRIGERATION COMPARTMENT COVER FINISH

Black vinyl-clad	No charge
Stainless steel	\$25
Jeweled stainless steel	\$127

### DOOR OPTIONS

NOTE: Select options for EACH Door Section

### STYLE AND FINISH - SPECIFY & ADD FOR

#### EACH SECTION

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$30
Door - Jeweled stainless	\$138
Door - Laminated	\$158
Door - Glass, black vinyl-clad	\$399
Door - Glass, stainless steel	\$429
Door - Glass, jeweled stainless	\$537
Door - Glass, laminated	\$557

### DOOR HINGE LOCATION - SPECIFY & ADD FOR

#### EACH DOOR

Left	No charge
Right	No charge

### DOOR HANDLE - SPECIFY & ADD FOR EACH

#### DOOR

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$150

### TOP STYLE

	24"	28"	36"	44"	48"
No finished top			No charge		
Stainless top	\$260	\$276	\$308	\$341	\$357
Laminated top	\$553	\$565	\$590	\$615	\$627

### LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

### RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

### BACK FINISH

	24"	28"	36"	44"	48"
Galvanized steel			No charge		
Stainless steel*	\$216	\$224	\$240	\$256	\$265

\*NOTE: Stainless steel back option also includes stainless steel sides.

### LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

### LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	24"	28"	36"	44"	48"
6" legs	\$128	\$128	\$128	\$128	\$128
Front kick rail	\$75	\$78	\$84	\$90	\$93
Left side kick rail	\$75	\$75	\$75	\$75	\$75
Right side kick rail	\$75	\$75	\$75	\$75	\$75

### CASTERS

	24"	28"	36"	44"	48"
4" casters	\$114	\$114	\$114	\$114	\$114
2-1/2" casters	\$64	\$64	\$64	\$64	\$64



# Frosters - One Zone, Side Serviced, Low Profile\*




F1SL24 with compressor right, black vinyl-clad glass door, and stainless steel top

## PRODUCT INFORMATION (see Spec Sheets for complete details)

### STANDARD FEATURES:

- Self-contained
- All stainless steel interior construction
- Three adjustable shelves per door
- Listed to NSF Standard 7 for closed container storage

\*NOTE: F1SL units are manufactured to order and are not returnable.



## FROSTERS - ONE ZONE, SIDE SERVICED, LOW PROFILE\*

MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	AMPS	HP	10 Oz. MUGS	6" High PINT GLASSES
F1SL24	\$3,860	24"	1	17.5" W	208#	5.0	1/3	101	72
F1SL28	\$3,983	28"	1	20" W	231#	5.0	1/3	123	75
F1SL36	\$5,123	36"	2	12" W	292#	5.0	1/3	171	115
F1SL44	\$5,368	44"	2	16" W	322#	5.0	1/3	231	151
F1SL48	\$5,495	48"	2	18" W	335#	5.0	1/3	261	169

Base price only. See below for configurable options.

## Select Configurable Options:

### VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$168

### REFRIGERATION COMPARTMENT LOCATION

Left	No charge
Right	No charge

### REFRIGERATION COMPARTMENT COVER FINISH

Black vinyl-clad	No charge
Stainless steel	\$25
Jeweled stainless steel	\$127

### DOOR OPTIONS

NOTE: Select options for EACH Door Section

#### STYLE AND FINISH - SPECIFY & ADD FOR

##### EACH SECTION

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$30
Door - Jeweled stainless	\$138
Door - Laminated	\$158
Door - Glass, black vinyl-clad	\$399
Door - Glass, stainless steel	\$429
Door - Glass, jeweled stainless	\$537
Door - Glass, laminated	\$557

#### DOOR HINGE LOCATION - SPECIFY & ADD FOR

##### EACH DOOR

Left	No charge
Right	No charge

#### DOOR HANDLE - SPECIFY & ADD FOR EACH

##### DOOR

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$150

### TOP STYLE

	24"	28"	36"	44"	48"
No finished top					
Stainless top	\$260	\$276	\$308	\$341	\$357
Laminated top	\$553	\$565	\$590	\$615	\$627

### 4" HIGH STAINLESS SPLASHES

	24"	28"	36"	44"	48"
NOTE: Can only be ordered with stainless steel top					
Backsplash	\$95	\$100	\$109	\$119	\$123
Left side splash	\$95	\$95	\$95	\$95	\$95
Right side splash	\$95	\$95	\$95	\$95	\$95

### LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

### RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

### BACK FINISH

	24"	28"	36"	44"	48"
Galvanized steel					
Stainless steel*	\$216	\$224	\$240	\$256	\$265

\*NOTE: Stainless steel back option also includes stainless steel sides.

### LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

### LEG AND STAINLESS STEEL KICK RAILS


NOTE: Legs are required if kick rails are ordered.

	24"	28"	36"	44"	48"
6" legs	\$128	\$128	\$128	\$128	\$128
Front kick rail	\$75	\$78	\$84	\$90	\$93
Left side kick rail	\$75	\$75	\$75	\$75	\$75
Right side kick rail	\$75	\$75	\$75	\$75	\$75

### CASTERS

	24"	28"	36"	44"	48"
4" casters	\$114	\$114	\$114	\$114	\$114
2-1/2" casters	\$64	\$64	\$64	\$64	\$64


# Slide Top Coolers



ST24  
Side Elevation



ST48-S



ST36, ST48, ST60, ST72, ST96  
Side Elevation

## SLIDE TOP COOLERS

BLACK VINYL-CLAD EXTERIOR		STAINLESS STEEL EXTERIOR		LENGTH	DIVIDER RACKS	CASE CAP. BOTTLES	WGT
MODEL	LIST	MODEL	LIST				
ST24-B	\$3,035	ST24-S	\$3,185	24"	1	6.0	180#
ST36-B	\$3,505	ST36-S	\$3,665	36"	2	9.4	230#
ST48-B	\$4,469	ST48-S	\$4,639	48"	3	13.8	270#
ST60-B	\$5,085	ST60-S	\$5,266	60"	3	19.9	320#
ST72-B	\$5,749	ST72-S	\$5,940	72"	4	25.4	350#
ST96-B*	\$6,921	ST96-S*	\$7,133	96"	5	34.4	450#

\*NOTE: These model Slide Top Coolers are manufactured to order and are not returnable

### PRODUCT INFORMATION

(see Spec Sheets for complete details)

#### STANDARD FEATURES:

- Self-contained refrigeration
- All stainless steel interior with radius corners is easy to keep clean
- Easy to plan exterior dimensions: 24" front to back and 24", 36", 48", 60", 72", or 96" left to right
- Foamed-in-place insulation
- Six-foot grounded cord and plug provided (exits at rear)
- Automatic defrost timer
- Door lock(s)

#### ELECTRICAL:

- Dedicated 15 amp circuit is required
- 120V, 1 phase, 60 Hz, 4.5 full load amps
- Includes 9-foot grounded cord

#### REFRIGERATION:

- 1/6 HP, R290 refrigerant

#### PLUMBING:

Automatic condensate evaporator. No drain connection required.


## ACCESSORIES

MODEL	DESCRIPTION	LIST	WT	MODEL	DESCRIPTION	LIST	WT
C-4X4	4"H caster, set of four (ST24, ST36, ST48, ST60)	\$114	4#	STKR-60	60" kick rail	\$103	5#
C-6X4	4"H caster, set of six (ST72, ST96)	\$171	6#	STKR-72	72" kick rail	\$112	6#
C-4X2	2-1/2"H caster, set of four (ST24, ST36)	\$64	4#	STKR-96	96" kick rail	\$130	9#
C-6X2	2-1/2"H caster, set of six (ST48, ST60)	\$96	6#	STBS-24	24" slide top backsplash	\$95	4#
C-8X2	2-1/2"H caster, set of eight (ST72)	\$128	8#	STBS-36	36" slide top backsplash	\$109	6#
C-10X2	2-1/2"H caster, set of ten (ST96)	\$160	10#	STBS-48	48" slide top backsplash	\$123	8#
STLS-4	Legs (set of 4), 6" (ST24, 36, 48, 60)	\$128	12#	STBS-60	60" slide top backsplash	\$137	10#
STLS-6	Legs (set of 6), 6" (ST72, 96)	\$192	18#	STBS-72	72" slide top backsplash	\$152	12#
BO/CC	Bottle opener/cap catcher	\$60	5#	STBS-96	96" slide top backsplash	\$180	16#
STKR-24	24" kick rail	\$75	2#	08000512	Chrome divider rack (extra) for ST36, 48, 60, 72, and 96	\$58	4#
STKR-36	36" kick rail	\$84	3#	08000519	Stainless steel divider wall (extra) for ST24	\$63	5#
STKR-48	48" kick rail	\$93	4#	CE-220/50S	Convert self-contained unit to 220V/50Hz electrical	\$168	N/A



MF48-S2

NOTE: Units come standard with bottom rack, which is recommended for chilling stacked plates. Two additional layers of shelves are optional, which is recommended for chilling glassware.



MF24  
Side Elevation

## 24" MODELS


BLACK VINYL-CLAD EXTERIOR		STAINLESS STEEL EXTERIOR		NUMBER OF SHELVES	WGT
MODEL	LIST	MODEL	LIST		
MF24-B	\$3,583	MF24-S	\$3,732	0	195#
MF24-B2	\$3,685	MF24-S2	\$3,834	2	205#

## 36" MODELS

BLACK VINYL-CLAD EXTERIOR		STAINLESS STEEL EXTERIOR		NUMBER OF SHELVES	WGT
MODEL	LIST	MODEL	LIST		
MF36-B	\$4,022	MF36-S	\$4,182	0	235#
MF36-B2	\$4,181	MF36-S2	\$4,340	2	255#

## 48" MODELS

BLACK VINYL-CLAD EXTERIOR		STAINLESS STEEL EXTERIOR		NUMBER OF SHELVES	WGT
MODEL	LIST	MODEL	LIST		
MF48-B	\$4,538	MF48-S	\$4,708	0	280#
MF48-B2	\$4,755	MF48-S2	\$4,925	2	300#



MF36, MF48  
Side Elevation

## ACCESSORIES

MODEL	DESCRIPTION	LIST	WT
C-4X4	4"H caster, set of four	\$114	4#
C-4X2	2-1/2"H caster, set of four	\$64	4#
MFLS	Legs (set of 4), 6"	\$128	12#
MFKR-24	24" kick rail	\$75	2#
MFKR-36	36" kick rail	\$84	3#
MFKR-48	48" kick rail	\$93	4#
SSR-24	24" single speed rail	\$173	7#
SSR-36	36" single speed rail	\$202	12#
SSR-48	48" single speed rail	\$231	22#
MFBS-24	24" backsplash	\$95	4#
MFBS-36	36" backsplash	\$109	6#
MFBS-48	48" backsplash	\$123	8#
CE-220/50S	Convert self-contained unit to 220V/50Hz electrical	\$168	N/A

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

**STANDARD FEATURES:** All stainless steel interior construction

- Units come standard with bottom rack, which is recommended for chilling stacked plates. Two additional layers of shelves are optional, which is recommended for chilling glassware.
- Two Defrost Cycles: *Automatic* - occurs every eight hours without affecting normal operation, *Manual* - user initiated button for complete six-hour defrost with automatic restart

**ELECTRICAL:** 120V, 1 phase, 60 Hz, 6.0 full load amps.  
Includes 9-foot grounded cord.

**REFRIGERATION:** 1/3 HP, R290 refrigerant, operating range: 12°F to 35°F

**PLUMBING:** No drain connection required

**CAPACITY:** Pint glasses - 24" Model = 55♦, 36" Model = 87♦, 48" Model = 147♦

♦ Based on models with two additional layers of shelves and filled with 3-1/2" diameter by 5-7/8" high pint glasses

# Glass Ice Display Units\*

## 12" DEEP GLASS ICE DISPLAY UNITS

MODEL	LIST	WEIGHT	LENGTH
GDU-12x24	\$1,297	60#	24"
GDU-12x30	\$1,357	65#	30"
GDU-12x36	\$1,416	70#	36"
GDU-12x42	\$1,476	75#	42"
GDU-12x48	\$1,536	80#	48"
GDU-12x54	\$1,596	85#	54"
GDU-12x60	\$2,188	90#	60"
GDU-12x66	\$2,270	95#	66"
GDU-12x72	\$2,352	100#	72"
GDU-12x78	\$2,434	105#	78"
GDU-12x84	\$2,516	110#	84"
GDU-12x90	\$2,598	115#	90"
GDU-12x96	\$2,680	120#	96"
GDU-12x102	\$2,762	125#	102"
GDU-12x108	\$2,843	130#	108"

## 16" DEEP GLASS ICE DISPLAY UNITS

16" Deep Glass Display Units factory installed on cooler tops are perfect for use with Glasterder Lighted Liquor Displays.

MODEL	LIST	WEIGHT	LENGTH
GDU-16x24	\$1,436	70#	24"
GDU-16x30	\$1,496	75#	30"
GDU-16x36	\$1,556	80#	36"
GDU-16x42	\$1,616	85#	42"
GDU-16x48	\$1,676	90#	48"
GDU-16x54	\$1,736	95#	54"
GDU-16x60	\$2,328	100#	60"
GDU-16x66	\$2,410	105#	66"
GDU-16x72	\$2,492	110#	72"
GDU-16x78	\$2,574	115#	78"
GDU-16x84	\$2,655	120#	84"
GDU-16x90	\$2,737	125#	90"
GDU-16x96	\$2,819	130#	96"
GDU-16x102	\$2,901	135#	102"
GDU-16x108	\$2,983	140#	108"

## 18" DEEP GLASS ICE DISPLAY UNITS

MODEL	LIST	WEIGHT	LENGTH
GDU-18x24	\$1,436	70#	24"
GDU-18x30	\$1,496	75#	30"
GDU-18x36	\$1,556	80#	36"
GDU-18x42	\$1,616	85#	42"
GDU-18x48	\$1,676	90#	48"
GDU-18x54	\$1,736	95#	54"
GDU-18x60	\$2,328	100#	60"
GDU-18x66	\$2,410	105#	66"
GDU-18x72	\$2,492	110#	72"
GDU-18x78	\$2,574	115#	78"
GDU-18x84	\$2,655	120#	84"
GDU-18x90	\$2,737	125#	90"
GDU-18x96	\$2,819	130#	96"
GDU-18x102	\$2,901	135#	102"
GDU-18x108	\$2,983	140#	108"

\*NOTE: Glass Ice Display Units are manufactured to order and are not returnable



NOTE: Cooler top is 1-1/2" high NOT the standard 1"

GDU-16x48  
Factory mounted on cooler cabinet



GDU-18x42  
For field installation

See page 112 for LLD model Lighted Liquor Displays that are specifically designed for use with Glasterder Glass Ice Display Units.

## 24" DEEP GLASS ICE DISPLAY UNITS

MODEL	LIST	WEIGHT	LENGTH
GDU-24x24	\$1,576	75#	24"
GDU-24x30	\$1,636	80#	30"
GDU-24x36	\$1,696	85#	36"
GDU-24x42	\$1,756	90#	42"
GDU-24x48	\$1,815	95#	48"
GDU-24x54	\$1,875	100#	54"
GDU-24x60	\$2,464	110#	60"
GDU-24x66	\$2,546	115#	66"
GDU-24x72	\$2,628	120#	72"
GDU-24x78	\$2,710	125#	78"
GDU-24x84	\$2,792	130#	84"
GDU-24x90	\$2,874	135#	90"
GDU-24x96	\$2,956	140#	96"
GDU-24x102	\$3,038	145#	102"
GDU-24x108	\$3,120	150#	108"

### PRODUCT INFORMATION


(see Spec Sheets for complete details)

### STANDARD FEATURES

- Stainless steel foamed-in-place insulated end panels (units larger than 54" include center partition)
- Field installed units include a stainless steel insulated drain pan to mount to existing counter top
- Factory installed units include a special stainless steel insulated cooler top with built-in drain pan
- Double pane glass front and back panels with stainless steel trim
- Stainless steel perforated bottom inserts (1/2" tall)

**NOTE:** Glass ice display units merchandise bottled beverages and may be factory mounted to the top of most Glasterder coolers. Glass Ice Display Units ordered for field installation include a special insulated stainless drain pan that mounts to a countertop.





IDU-24x48  
For field installation

#### STANDARD FEATURES

- All stainless steel construction
- PVC “Breaker Strip” around ice bins acts as thermal barrier to prevent heat transfer
- Foamed-in-place insulation
- Stainless steel front, back, and sides are standard; black vinyl-clad is optional
- 1/2” tall perforated stainless steel bottom inserts
- Available as factory installed on top of a cooler cabinet or as field installed on a countertop
- 7” high with 6” deep liner

#### PRODUCT INFORMATION

(see Spec Sheets for complete details)

Ice display units merchandise bottled beverages and may be factory mounted to the top of most Glastender coolers.

Ice display unit may also be field installed to an existing countertop. A \$400 list deduct applies to field installed units.

#### 12” DEEP ICE DISPLAY UNITS

MODEL	LIST	WEIGHT	LENGTH
IDU-12x24	\$1,164	35#	24”
IDU-12x30	\$1,246	40#	30”
IDU-12x36	\$1,328	45#	36”
IDU-12x42	\$1,410	50#	42”
IDU-12x48	\$1,492	55#	48”
IDU-12x54	\$1,574	60#	54”
IDU-12x60	\$1,760	65#	60”
IDU-12x66	\$1,842	70#	66”
IDU-12x72	\$1,924	80#	72”
IDU-12x78	\$2,006	85#	78”
IDU-12x84	\$2,087	90#	84”
IDU-12x90	\$2,169	95#	90”
IDU-12x96	\$2,251	100#	96”
IDU-12x102	\$2,333	105#	102”
IDU-12x108	\$2,415	110#	108”

#### 18” DEEP ICE DISPLAY UNITS

MODEL	LIST	WEIGHT	LENGTH
IDU-18x24	\$1,315	45#	24”
IDU-18x30	\$1,430	50#	30”
IDU-18x36	\$1,546	58#	36”
IDU-18x42	\$1,661	66#	42”
IDU-18x48	\$1,777	74#	48”
IDU-18x54	\$1,892	82#	54”
IDU-18x60	\$2,108	90#	60”
IDU-18x66	\$2,224	98#	66”
IDU-18x72	\$2,339	106#	72”
IDU-18x78	\$2,455	114#	78”
IDU-18x84	\$2,570	122#	84”
IDU-18x90	\$2,686	130#	90”
IDU-18x96	\$2,801	138#	96”
IDU-18x102	\$2,917	146#	102”
IDU-18x108	\$3,032	154#	108”

#### 24” DEEP ICE DISPLAY UNITS


MODEL	LIST	WEIGHT	LENGTH
IDU-24x24	\$1,453	55#	24”
IDU-24x30	\$1,605	65#	30”
IDU-24x36	\$1,758	75#	36”
IDU-24x42	\$1,910	85#	42”
IDU-24x48	\$2,062	95#	48”
IDU-24x54	\$2,214	105#	54”
IDU-24x60	\$2,502	115#	60”
IDU-24x66	\$2,653	125#	66”
IDU-24x72	\$2,806	135#	72”
IDU-24x78	\$2,958	145#	78”
IDU-24x84	\$3,110	155#	84”
IDU-24x90	\$3,262	165#	90”
IDU-24x96	\$3,415	175#	96”
IDU-24x102	\$3,567	185#	102”
IDU-24x108	\$3,719	195#	108”

\*NOTE: Ice Display Units are manufactured to order and are not returnable


# Lighted Liquor Displays\*



LLDS-30R



SIDE VIEW - LLDS  
(if power cord right)



SIDE VIEW - LLD3  
(if power cord right)

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

**STANDARD FEATURES:** Provides illuminated, stepped liquor bottle storage and display • Black vinyl-clad exterior construction • On/off switch and 6-foot grounded cord and plug • Includes fluorescent light bulbs • Removable top for access to light bulbs • Clear acrylic step cover

**ELECTRICAL:** 120V, 1 phase, 60Hz, less than 5 full load amps • Includes on/off switch and 6-foot grounded cord and plug

## TWO TIER LIGHTED LIQUOR DISPLAYS

MODEL	POWER CORD	MODEL	POWER CORD	LIST	LENGTH	WGT
LLDS-24L	Left	LLDS-24R	Right	\$590	24"	25#
LLDS-30L	Left	LLDS-30R	Right	\$631	30"	29#
LLDS-36L	Left	LLDS-36R	Right	\$672	36"	33#
LLDS-42L	Left	LLDS-42R	Right	\$713	42"	37#
LLDS-48L	Left	LLDS-48R	Right	\$754	48"	41#
LLDS-54L	Left	LLDS-54R	Right	\$795	54"	45#
LLDS-60L	Left	LLDS-60R	Right	\$1,213	60"	58#
LLDS-66L	Left	LLDS-66R	Right	\$1,254	66"	62#
LLDS-72L	Left	LLDS-72R	Right	\$1,295	72"	66#
LLDS-78L	Left	LLDS-78R	Right	\$1,336	78"	70#
LLDS-84L	Left	LLDS-84R	Right	\$1,377	84"	74#
LLDS-90L	Left	LLDS-90R	Right	\$1,418	90"	78#
LLDS-96L	Left	LLDS-96R	Right	\$1,458	96"	82#
LLDS-102L	Left	LLDS-102R	Right	\$1,499	102"	86#
LLDS-108L	Left	LLDS-108R	Right	\$1,540	108"	90#

## THREE TIER LIGHTED LIQUOR DISPLAYS

MODEL	POWER CORD	MODEL	POWER CORD	LIST	LENGTH	WGT
LLD3-24L	Left	LLD3-24R	Right	\$761	24"	30#
LLD3-30L	Left	LLD3-30R	Right	\$814	30"	35#
LLD3-36L	Left	LLD3-36R	Right	\$866	36"	40#
LLD3-42L	Left	LLD3-42R	Right	\$919	42"	44#
LLD3-48L	Left	LLD3-48R	Right	\$971	48"	49#
LLD3-54L	Left	LLD3-54R	Right	\$1,024	54"	54#
LLD3-60L	Left	LLD3-60R	Right	\$1,562	60"	70#
LLD3-66L	Left	LLD3-66R	Right	\$1,615	66"	74#
LLD3-72L	Left	LLD3-72R	Right	\$1,667	72"	79#
LLD3-78L	Left	LLD3-78R	Right	\$1,720	78"	84#
LLD3-84L	Left	LLD3-84R	Right	\$1,772	84"	89#
LLD3-90L	Left	LLD3-90R	Right	\$1,825	90"	94#
LLD3-96L	Left	LLD3-96R	Right	\$1,877	96"	98#
LLD3-102L	Left	LLD3-102R	Right	\$1,930	102"	103#
LLD3-108L	Left	LLD3-108R	Right	\$1,982	108"	108#



LLD3-30R


\*NOTE: Lighted Liquor Displays are manufactured to order and are not returnable

# Glass Ice Display Unit Lighted Liquor Displays\*




LLD-48L shown installed with a GDU-16x48  
factory mounted on cooler cabinet

LLD model Lighted Liquor Displays are specifically designed for use with Glastender Glass Ice Display Units (see page 109). When mounted on a cooler at the factory, the 16" deep GDU models have an 8-1/4" rear deck space designed to fit the 8" deep LLD. The 9-1/4" high first step of the LLD raises the bottles above the back of the GDU. Also, the LLD has a front light channel to help illuminate the GDU. (See the side view detail.)



SIDE VIEW OF LLD  
(with factory installed 16"  
deep glass ice display unit)



Bar Refrigeration

## GLASS DISPLAY UNIT LIGHTED LIQUOR DISPLAYS

MODEL	POWER CORD	MODEL	POWER CORD	LIST	LENGTH	WGT
LLD-24L	Left	LLD-24R	Right	\$613	24"	25#
LLD-30L	Left	LLD-30R	Right	\$657	30"	29#
LLD-36L	Left	LLD-36R	Right	\$701	36"	33#
LLD-42L	Left	LLD-42R	Right	\$746	42"	37#
LLD-48L	Left	LLD-48R	Right	\$790	48"	41#
LLD-54L	Left	LLD-54R	Right	\$834	54"	45#
LLD-60L	Left	LLD-60R	Right	\$1,260	60"	58#
LLD-66L	Left	LLD-66R	Right	\$1,304	66"	62#
LLD-72L	Left	LLD-72R	Right	\$1,348	72"	66#
LLD-78L	Left	LLD-78R	Right	\$1,392	78"	70#
LLD-84L	Left	LLD-84R	Right	\$1,436	84"	74#
LLD-90L	Left	LLD-90R	Right	\$1,481	90"	78#
LLD-96L	Left	LLD-96R	Right	\$1,525	96"	82#
LLD-102L	Left	LLD-102R	Right	\$1,569	102"	86#
LLD-108L	Left	LLD-108R	Right	\$1,613	108"	90#



LLD-30R

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

**STANDARD FEATURES:** Provides illuminated, stepped liquor bottle storage and display • Black vinyl-clad exterior construction • On/off switch and 6-foot grounded cord and plug • Includes fluorescent light bulbs • Removable top for access to light bulbs • Clear acrylic step cover • 9-1/4" high first step and a front light channel for use in conjunction with Glastender Glass Ice Display Units


**ELECTRICAL:** 120V, 1 phase, 60Hz, less than 5 full load amps • Includes on/off switch and 6-foot grounded cord and plug

\*NOTE: Glass Ice Display Units are manufactured to order and are not returnable

# Margarita Machine Stand\*



MS20-SS(L)  
Shown with CLS-4  
leg set accessory



Side Elevation

\*NOTE: Margarita Machine Stands are manufactured to order and are not returnable.

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

**STANDARD FEATURES:** Galvanized steel interior construction

- Foamed-in-place insulation for extra sturdiness • Black vinyl-clad steel exterior front and sides • Stainless steel pull tab handle • Leg sockets recessed into base • 180° swinging door(s)
- Stainless steel top with 1" high back and side splashes

### ONE DOOR MARGARITA MACHINE STAND

MODEL	LENGTH	DOOR FINISH	LIST	WEIGHT
MS20-BS(L)† or (R)†	20"	Black	\$1,294	110#
MS20-SS(L)† or (R)†	20"	Stainless	\$1,346	110#
MS24-BS(L)† or (R)†	24"	Black	\$1,341	115#
MS24-SS(L)† or (R)†	24"	Stainless	\$1,393	115#

†Indicate (L) Left or (R) Right door hinge.

### TWO DOOR MARGARITA MACHINE STAND

MODEL	LENGTH	DOOR FINISH	LIST	WEIGHT
MS44-BS(LR)	44"	Black	\$2,370	200#
MS44-SS(LR)	44"	Stainless	\$2,475	200#
MS48-BS(LR)	48"	Black	\$2,417	210#
MS48-SS(LR)	48"	Stainless	\$2,522	210#


### SET OF FOUR 6" LEGS

MODEL	LIST	WEIGHT
CLS-4	\$128	12#

## Low Profile Dry Storage Cabinets\*



LPDS24-1LL(R)



Side Elevation

### ACCESSORIES

MODEL	DESCRIPTION	LIST
DH-PBU	Upgrade to brass handle	\$150
THK	Stainless pull tab w/lock - No charge	
CLS-4	6" leg, set of four	\$128
CKR-24	24" kick rail	\$75
CKR-L	Left side kick rail	\$75
CKR-R	Right side kick rail	\$75
SL/LP-L	Left side lamination	\$158
SL/LP-R	Right side lamination	\$158
SS/LP-L	Left side stainless steel	\$30
SS/LP-R	Right side stainless steel	\$30
C-4X4	Casters (set of 4), 3-3/4"	\$114

\*NOTE: Low Profile Dry Storage Cabinets are manufactured to order and are not returnable.

### ONE DOOR LOW PROFILE DRY STORAGE CABINET

Standard List = \$1,197

Weight without top - 120# / with top = 135#

LPDS24- ( )

**Door Style:**  
B = Black vinyl clad  
U = Unlaminated  
L = Laminated - Add \$158  
S = Stainless - Add \$30

**Door Hinge Location:**  
(from left to right)  
L = Left or R = Right

**Top Style:**  
N = No finished top  
L = Laminated - Add \$553  
S = Stainless - Add \$297

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

**STANDARD FEATURES:** Galvanized steel interior construction • Foamed-in-place insulation for extra sturdiness • Black vinyl-clad steel exterior front and sides • Stainless steel die cast handle with lock • Leg sockets recessed into base • 180° swinging door





DS24-LL(R)


## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES:

- Galvanized steel interior construction
- Galvanized steel back

\*NOTE: DS48 and DS72 model dry storage cabinets are manufactured to order and are not returnable



## DRY STORAGE CABINETS

MODEL	LIST	LENGTH	DOORS	WEIGHT
DS24	\$1,315	24"	1	140#
DS48*	\$2,510	48"	2	265#
DS72*	\$3,396	72"	3	380#

Base price only. See below for configurable options.

## Select Configurable Options:

### DOOR OPTIONS

NOTE: Select options for EACH Door Section

#### STYLE AND FINISH - SPECIFY & ADD FOR EACH DOOR

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$30
Door - Jeweled stainless	\$138
Door - Laminated	\$158

#### DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

#### SHELVING

Two adjustable shelves per door included	No charge
--	-----------

#### DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$150



Polished stainless handle



Stainless pull tab handle

### TOP STYLE

	24"	48"	72"
No finished top	No charge		
Stainless top	\$297	\$357	\$454
Laminated top	\$553	\$627	\$701

### LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

### RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$30
Laminated	\$158

### LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	24"	48"	72"
6" legs	\$128	\$128	\$192
Front kick rail	\$75	\$93	\$112
Left side kick rail	\$75	\$75	\$75
Right side kick rail	\$75	\$75	\$75

### CASTERS

	24"	48"	72"
4" casters	\$114	\$114	\$171
2-1/2" casters	\$64	\$96	\$128

# Back Bar Storage Units\*

\*NOTE: These items are manufactured to order and are not returnable

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

**STANDARD FEATURES:** Specially designed for the back bar • Stainless steel interior with black-vinyl clad exterior sides • For stainless steel exterior sides add '-S' suffix to model number • Available with stainless steel or laminated finished top • BLD features a built-in light for illuminating bottles • BLD has radius step edges for easy cleaning • BLD features PVC step covers to reduce bottle noise • BGS has radius shelf corners for easy cleaning • BGS has four shelves for maximum storage capacity



BGS-24  
shown with TOP-24-S

### 24" DEEP BACK BAR GLASS STORAGE UNITS

BLACK	LIST	STAINLESS	LIST	LENGTH	WGT
BGS-18	\$1,528	BGS-18-S	\$1,591	18"	110#
BGS-24	\$1,762	BGS-24-S	\$1,825	24"	135#
BGS-30	\$1,995	BGS-30-S	\$2,058	30"	160#

### 24" DEEP BACK BAR LIQUOR DISPLAYS

BLACK	LIST	STAINLESS	LIST	LENGTH	WGT
BLD-18	\$1,432	BLD-18-S	\$1,495	18"	95#
BLD-24	\$1,578	BLD-24-S	\$1,641	24"	105#
BLD-30	\$1,724	BLD-30-S	\$1,787	30"	120#
BLD-36	\$1,870	BLD-36-S	\$1,933	36"	130#
BLD-42	\$2,016	BLD-42-S	\$2,079	42"	145#
BLD-48	\$2,162	BLD-48-S	\$2,225	48"	155#



BLD-24  
shown with TOP-24-S

### FINISHED TOPS

STAINLESS	LIST	LAMINATED	LIST	LENGTH	WGT
TOP-18-S	\$264	TOP-18-L	\$547	18"	15#
TOP-24-S	\$297	TOP-24-L	\$553	24"	18#
TOP-30-S	\$331	TOP-30-L	\$571	30"	21#
TOP-36-S	\$364	TOP-36-L	\$590	36"	24#
TOP-42-S	\$397	TOP-42-L	\$608	42"	27#
TOP-48-S	\$430	TOP-48-L	\$627	48"	30#

### STAINLESS KICK RAILS

MODEL	LIST	LENGTH	WGT
CKR-18	\$71	18"	2#
CKR-24	\$75	24"	4#
CKR-30	\$79	30"	6#
CKR-36	\$84	36"	8#
CKR-42	\$88	42"	10#
CKR-48	\$93	48"	12#

### LOCKING COVERS FOR BACK BAR LIQUOR DISPLAYS

STAINLESS	LIST	BLACK	LIST	LENGTH	WGT
BLC-18-S	\$244	BLC-18	\$196	18"	18#
BLC-24-S	\$274	BLC-24	\$214	24"	20#
BLC-30-S	\$305	BLC-30	\$233	30"	25#
BLC-36-S	\$335	BLC-36	\$250	36"	30#
BLC-42-S	\$365	BLC-42	\$269	42"	35#
BLC-48-S	\$397	BLC-48	\$288	48"	40#

### SET OF FOUR 6" LEGS

MODEL	LIST	WEIGHT
CLS-4	\$128	12#

**18" CONDENSING UNIT STORAGE CABINET**

Standard List = \$1016

Weight without top = 85# / with top = 105#

**CS18-N - N****Base Height:**

1 = 1"

6 = 6" Legs - Add \$128

**Front Finish:**

B = Black vinyl clad

S = Stainless - Add \$30

**Top Style:**

N = No finished top

L = Laminated - Add \$547

S = Stainless - Add \$264

**FORCED AIR CROSSOVER & SHAFT ASSEMBLIES**

<u>MODEL</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>WT</u>
CROSS-RR	30" crossover tube assembly w/100 CFM blower motor from a refrigerator to another	\$777	15#
CROSS-WR	30" crossover tube assembly w/100 CFM blower motor from a walk-in cooler to a refrigerator	\$784	20#
CROSS-WT	30" crossover tube assembly w/100 CFM blower motor from a walk-in cooler to a wall mount tower	\$792	20#
SHAFT-RT	72" air shaft assembly with 100 CFM blower motor from a refrigerator to a beer tower	\$799	25#
SHAFT-WT	72" air shaft assembly with 100 CFM blower motor from a walk-in cooler to a beer tower	\$819	28#

**2" CASTER SETS**

<u>MODEL</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>WT</u>
C-4X2	2-1/2"H caster, set of four for 24" front-serviced cooler	\$64	4#
C-4X2-S	2-1/2"H caster, set of four for side-serviced coolers and frosters	\$64	4#
C-5X2	2-1/2"H caster, set of five for 32" and 36" front-serviced coolers	\$78	5#
C-6X2	2-1/2"H caster, set of six for 2-door coolers	\$96	6#
C-8X2	2-1/2"H caster, set of eight for 3-door coolers	\$128	8#
C-10X2	2-1/2"H caster, set of ten for 4-door coolers	\$160	10#

**4" CASTER SETS**

<u>MODEL</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>WT</u>
C-4X4	4"H caster, set of four, for 2-door front-serviced coolers	\$114	4#
C-4X4-S	4"H caster, set of four, for side-serviced coolers and frosters	\$114	4#
C-5X4	4"H caster, set of five, for 32" and 36" front-serviced coolers	\$138	5#
C-6X4	4"H caster, set of six, for coolers with 3 or 4 doors	\$171	6#

**6" LEG SETS**

<u>MODEL</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>WT</u>
CLS-4	Set of four legs, for front-serviced and remote coolers up to 2 doors - does not include 32" and 36" front-serviced coolers (see CLS-5)	\$128	4#
CLS-4-S	Set of four legs, for side-serviced coolers and frosters	\$128	4#
CLS-5	Set of five legs, for 32" and 36" front-serviced coolers	\$160	5#
CLS-6	Set of six legs, for coolers with 3 or 4 doors	\$192	6#



CS18-N1-SNN

Bar Refrigeration

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES:

- Glycol connections with flared fittings for easy service access
- Durable black vinyl-clad exterior with 16 gauge galvanized steel base
- Stainless steel, foamed-in-place insulated glycol bath
- High efficiency heat exchanger minimizes glycol bath size to one gallon
- CFC-free R134a refrigerant
- Front located glycol filling port

### ADDITIONAL FEATURES ON REMOTE INSTALLABLE CONTROL PANEL MODELS:

- Digital temperature control with LCD display
- Over-sized condenser coil for maximum efficiency
- Clear glycol bath cover for easy visual inspection
- Available with two recirculating pumps

Protected by one or more patents. For more information visit:  
<https://www.glastender.com/patent.html>

### ELECTRICAL:

**BLC-1/3-E:** 120V, 1 phase, 60 Hz, 12.5 full load amps, dedicated 20 amp circuit req'd

**BLC-1/3:** 120V, 1 phase, 60 Hz, 12.5 full load amps, dedicated 20 amp circuit req'd

**BLC-1/3-2:** 120V, 1 phase, 60 Hz, 18.6 full load amps, dedicated 30 amp circuit req'd

**BLC-1/2:** 120V, 1 phase, 60 Hz, 13.5 full load amps, dedicated 20 amp circuit req'd

**BLC-1/2-2:** 120V, 1 phase, 60 Hz, 19.5 full load amps, dedicated 30 amp circuit req'd

**BLC-3/4:** 230V, 1 phase, 60 Hz, 10.1 full load amps, dedicated 20 amp circuit req'd

**BLC-3/4-2:** 230V, 1 phase, 60 Hz, 12.9 full load amps, dedicated 20 amp circuit req'd

**NOTE:** Available with 220V, 1 phase, 50Hz electrical. See Electrical Accessories.

### REFRIGERATION:

**BLC-1/3-E, BLC-1/3 and BLC-1/3-2:** 1/3 HP, R134a refrigerant

**BLC-1/2 and BLC-1/2-2:** 1/2 HP, R134a refrigerant

**BLC-3/4 and BLC-3/4-2:** 3/4 HP, R134a refrigerant

## What is a remote installable control panel?

The Glastender patented beverage line chiller design houses the heat exchanger inside the condensing unit compartment. This unique feature allows the control panel with glycol bath and recirculating pump(s) to be easily installed separately from the condensing unit in a more conveniently accessible location. Simply remove the control panel from the condensing unit cabinet and mount it in the desired location. Only glycol and electrical lines need to be run between the control panel and the condensing unit cabinet.

Electrical connection between condensing unit and control panel by local electrician

Glycol line from heat exchanger to bath

Digital temperature control with LCD display

Power cord for unit

Condensing unit and heat exchanger cabinet

Glycol return from beverage tower to heat exchanger


Glycol line from pump to beverage tower

Glycol line from bath to pump

Recirculating pump

One gallon glycol bath

Photo shows BLC-1/3 in an installation setting with the control panel installed remotely from the condensing unit cabinet.





**Which line chiller size should you choose?** Remote beverage line chillers are sized to handle different length runs. If two separate conduits are involved, then the lengths of the two runs must be added together to determine the total run requirement. The run length is calculated as the distance between the line chiller and the beverage tower in a single pass glycol conduit, including any rise or fall.

## 1/3 HP BEVERAGE LINE CHILLER

MODEL	DESCRIPTION	LIST	WT	MAX RUN
BLC-1/3-E	1/3 HP beverage line chiller, one pump	\$3,142	128#	125'

## BEVERAGE LINE CHILLERS WITH REMOTE INSTALLABLE CONTROL PANEL

MODEL	DESCRIPTION	LIST	WT	MAX RUN
BLC-1/3	1/3 HP beverage line chiller, one pump	\$3,637	150#	125'
BLC-1/3-2	1/3 HP beverage line chiller, two pumps	\$4,488	163#	125'
BLC-1/2	1/2 HP beverage line chiller, one pump	\$3,996	153#	250'
BLC-1/2-2	1/2 HP beverage line chiller, two pumps	\$4,847	166#	250'
BLC-3/4	3/4 HP beverage line chiller, one pump	\$4,889	175#	400'
BLC-3/4-2	3/4 HP beverage line chiller, two pumps	\$5,740	193#	400'



BLC-1/3-E



BLC-1/3-2



BLC-3/4-2

## Remote Beverage Line Chiller Accessories

(see Spec Sheets for complete details)



LCS-G

A line chiller stand is 26-1/2" wide by 39" high by 24" deep and comes with adjustable feet for leveling. The bottom shelf is at the 8" high level. The top shelf has holes that correspond to the line chiller leg set mounting holes, so the line chiller can be bolted to the shelf. One size stand is used for all line chiller models.

### LINE CHILLER STANDS

MODEL	DESCRIPTION	LIST	WT
LCS-S	Line chiller stand, 16 ga. stainless steel	\$801	70#
LCS-G	Line chiller stand, 16 ga. galvanized steel	\$467	70#

### ELECTRICAL ACCESSORIES

MODEL	DESCRIPTION	LIST
CE-220/50S	220V, 1Phase, 50 Hz electrical	\$168



LCR-G

A line chiller wall rack is a shelf that is mounted to a structural wall. The shelf has holes that correspond to the line chiller leg set mounting holes, so the line chiller can be bolted to the shelf.


### LINE CHILLER WALL RACKS

MODEL	DESCRIPTION	LIST	WT
LCR-SE	Wall rack, stainless steel (BLC-1/3-E)	\$446	33#
LCR-GE	Wall rack, galvanized (BLC-1/3-E)	\$259	33#
LCR-S	Wall rack, stainless steel (BLC-1/3, BLC-1/3-2, BLC-1/2, BLC-1/2-2, BLC-3/4, BLC-3/4-2)	\$503	38#
LCR-G	Wall rack, galvanized (BLC-1/3, BLC-1/3-2, BLC-1/2, BLC-1/2-2, BLC-3/4, BLC-3/4-2)	\$284	38#

# Column Towers



CT-3-SS  
(handles not included)



Side Elevation

\*NOTE: These Column Towers are manufactured to order and are not returnable

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- All stainless steel construction (brass is optional)
- Integrated surface mount drain pan with lift-out perforated inserts
- 1/4" shanks with 3/16" restriction lines
- Available in grainline stainless, mirror finish stainless, or polished brass
- Available with cold plate assembly and insulated restriction lines for glycol recirculating system (specify suffix 'R' in the model number)
- Available without drain pan (specify suffix '-LD' on the model number)
- Available in 1, 2, and 3 faucet sizes
- All models include all stainless steel faucets and shanks to resist corrosion and prevent metallic leaching, making them ideal for both draft beer and wine applications
- Unique internal support system for solid mounting
- Base plate serves as template for hole cutting

### COLUMN TOWERS WITH DRAIN PAN AND 72" RESTRICTION LINES

STAINLESS STEEL		MIRROR FINISH		POLISHED BRASS		FAUCETS	WGT	WIDTH	SYSTEM TYPE
MODEL	LIST	MODEL	LIST	MODEL	LIST				
CT-1-SS	\$626	CT-1-MF	\$752	CT-1-PB*	\$1,166	1	13#	14"	Air Cooled
CT-1-SSR*	\$1,158	CT-1-MFR*	\$1,313	CT-1-PBR*	\$1,560	1	21#	14"	Glycol
CT-2-SS	\$840	CT-2-MF	\$966	CT-2-PB*	\$1,390	2	15#	14"	Air Cooled
CT-2-SSR*	\$1,372	CT-2-MFR*	\$1,527	CT-2-PBR*	\$1,786	2	23#	14"	Glycol
CT-3-SS	\$1,054	CT-3-MF	\$1,180	CT-3-PB*	\$1,615	3	18#	14"	Air Cooled
CT-3-SSR*	\$1,586	CT-3-MFR*	\$1,742	CT-3-PBR*	\$2,011	3	26#	14"	Glycol

### COLUMN TOWERS WITH 72" RESTRICTION LINES LESS DRAIN PAN

STAINLESS STEEL		MIRROR FINISH		POLISHED BRASS		FAUCETS	WGT	WIDTH	SYSTEM TYPE
MODEL	LIST	MODEL	LIST	MODEL	LIST				
CT-1-SS-LD	\$524	CT-1-MF-LD	\$525	CT-1-PB-LD*	\$673	1	10#	5"	Air Cooled
CT-1-SSR-LD*	\$1,060	CT-1-MFR-LD*	\$1,087	CT-1-PBR-LD*	\$1,262	1	18#	5"	Glycol
CT-2-SS-LD	\$738	CT-2-MF-LD	\$740	CT-2-PB-LD*	\$898	2	12#	5"	Air Cooled
CT-2-SSR-LD*	\$1,274	CT-2-MFR-LD*	\$1,301	CT-2-PBR-LD*	\$1,487	2	20#	5"	Glycol
CT-3-SS-LD	\$952	CT-3-MF-LD	\$954	CT-3-PB-LD*	\$1,122	3	15#	5"	Air Cooled
CT-3-SSR-LD*	\$1,488	CT-3-MFR-LD*	\$1,515	CT-3-PBR-LD*	\$1,712	3	23#	5"	Glycol

## Rinser Faucet Extension



Column tower and tee tower drain pans can be manufactured with rinser faucet extensions to the left of the drain pan. A rinser faucet extension will add 5" to the overall length of the drain pan. Add the appropriate upcharge below when placing your order.

NOTE: Rinser faucets not intended for use with towers mounted to a refrigerator due to risk of water line freeze up.


MODEL	DESCRIPTION	LIST
RFSS	Rinser faucet, stainless steel	\$374
RFMF	Rinser faucet, mirror finish	\$415
RFPB	Rinser faucet, polished brass	\$432



BT-4-SS  
(handles not included)



BT-10-MF  
(handles not included)



## TEE TOWERS WITH DRAIN PAN 72" RESTRICTION LINES

STAINLESS STEEL		MIRROR FINISH		POLISHED BRASS		COLUMNS	FAUCETS	WGT	WIDTH	SYSTEM TYPE
MODEL	LIST	MODEL	LIST	MODEL	LIST					
BT-4-SS	\$1,285	BT-4-MF	\$1,407	BT-4-PB*	\$1,895	1	4	23#	14"	Air Cooled
BT-4-SSR	\$1,729	BT-4-MFR	\$1,836	BT-4-PBR*	\$2,313	1	4	31#	14"	Glycol
BT-5-SS	\$1,529	BT-5-MF	\$1,675	BT-5-PB*	\$2,196	1	5	27#	17"	Air Cooled
BT-5-SSR	\$2,051	BT-5-MFR	\$2,182	BT-5-PBR*	\$2,696	1	5	36#	17"	Glycol
BT-6-SS	\$1,773	BT-6-MF	\$1,943	BT-6-PB*	\$2,496	1	6	31#	20"	Air Cooled
BT-6-SSR	\$2,372	BT-6-MFR	\$2,527	BT-6-PBR*	\$3,078	1	6	41#	20"	Glycol
BT-8-SS*	\$2,359	BT-8-MF*	\$2,576	BT-8-PB*	\$3,299	2	8	39#	26"	Air Cooled
BT-8-SSR*	\$3,113	BT-8-MFR*	\$3,315	BT-8-PBR*	\$4,107	2	8	51#	26"	Glycol
BT-10-SS*	\$2,847	BT-10-MF*	\$3,112	BT-10-PB*	\$3,900	2	10	57#	32"	Air Cooled
BT-10-SSR*	\$3,755	BT-10-MFR*	\$4,005	BT-10-PBR*	\$4,707	2	10	71#	32"	Glycol
BT-12-SS*	\$3,335	BT-12-MF*	\$3,648	BT-12-PB*	\$4,500	2	12	65#	38"	Air Cooled
BT-12-SSR*	\$4,398	BT-12-MFR*	\$4,695	BT-12-PBR*	\$5,308	2	12	81#	38"	Glycol

## TEE TOWERS WITH 72" RESTRICTION LINES LESS DRAIN PAN

STAINLESS STEEL		MIRROR FINISH		POLISHED BRASS		COLUMNS	FAUCETS	WGT	WIDTH	SYSTEM TYPE
MODEL	LIST	MODEL	LIST	MODEL	LIST					
BT-4-SS-LD	\$1,209	BT-4-MF-LD	\$1,245	BT-4-PB-LD*	\$1,451	1	4	19#	14"	Air Cooled
BT-4-SSR-LD	\$1,660	BT-4-MFR-LD	\$1,673	BT-4-PBR-LD*	\$1,883	1	4	27#	14"	Glycol
BT-5-SS-LD	\$1,439	BT-5-MF-LD	\$1,474	BT-5-PB-LD*	\$1,706	1	5	22#	17"	Air Cooled
BT-5-SSR-LD	\$1,966	BT-5-MFR-LD	\$1,979	BT-5-PBR-LD*	\$2,220	1	5	31#	17"	Glycol
BT-6-SS-LD	\$1,669	BT-6-MF-LD	\$1,703	BT-6-PB-LD*	\$1,961	1	6	25#	20"	Air Cooled
BT-6-SSR-LD	\$2,274	BT-6-MFR-LD	\$2,285	BT-6-PBR-LD*	\$2,557	1	6	35#	20"	Glycol
BT-8-SS-LD*	\$2,227	BT-8-MF-LD*	\$2,258	BT-8-PB-LD*	\$2,633	2	8	31#	26"	Air Cooled
BT-8-SSR-LD*	\$2,986	BT-8-MFR-LD*	\$2,994	BT-8-PBR-LD*	\$3,393	2	8	43#	26"	Glycol
BT-10-SS-LD*	\$2,687	BT-10-MF-LD*	\$2,716	BT-10-PB-LD*	\$3,144	2	10	47#	32"	Air Cooled
BT-10-SSR-LD*	\$3,600	BT-10-MFR-LD*	\$3,604	BT-10-PBR-LD*	\$4,066	2	10	61#	32"	Glycol
BT-12-SS-LD*	\$3,147	BT-12-MF-LD*	\$3,174	BT-12-PB-LD*	\$3,654	2	12	53#	38"	Air Cooled
BT-12-SSR-LD*	\$4,214	BT-12-MFR-LD*	\$4,217	BT-12-PBR-LD*	\$4,740	2	12	69#	38"	Glycol

\*NOTE: These Tee Towers are manufactured to order and are not returnable

### PRODUCT INFORMATION

(see Spec Sheets for complete details)

#### STANDARD FEATURES

- All stainless steel construction (brass is optional)
- Integrated surface mount drain pan with lift-out perforated inserts
- 1/4" shanks with 3/16" restriction lines
- Available in grainline stainless, mirror finish stainless, or polished brass
- Available with cold plate assembly and insulated restriction lines for glycol recirculating system (specify suffix 'R' in the model number)
- Available without drain pan (specify suffix '-LD' on the model number)
- Available in 4, 5, 6, 8, 10, and 12 faucet sizes
- All models include all stainless steel faucets and shanks to resist corrosion and prevent metallic leaching, making them ideal for both draft beer and wine applications
- Unique internal support system for solid mounting
- Base plate serves as template for hole cutting

# Undercounter and Wall Mount Towers\*

## PRODUCT INFORMATION

(see Spec Sheets for complete details)



UC-4-SSR  
Shown attached to bar  
(Handles not included)



UC-5-SSR  
Shown installed under bar top  
with BDB-18 beer drainer



WT-6-SS  
(handles not included)

**STANDARD FEATURES:** All stainless steel construction • 1/4" shanks with 3/16" restriction lines • Includes cold plate assembly and insulated restriction lines for glycol recirculating system • Includes all stainless steel faucets and shanks to resist corrosion and prevent metallic leaching, making them ideal for both draft beer and wine applications

### NOTES:

1. Undercounter towers do not include a drain pan. Glastender offers a free-standing underbar Beer Drainer, see the underbar section, page 53.
2. Beer and glycol lines can be located to exit the back or bottom of the tower - please specify exit location when ordering.

## STAINLESS STEEL UNDERCOUNTER TOWERS

MODEL	LIST	# OF FAUCETS	WT	WIDTH
UC-4-SSR	\$1,685	4	28#	14"
UC-5-SSR	\$1,996	5	30#	17"
UC-6-SSR	\$2,308	6	35#	20"
UC-8-SSR	\$3,024	8	50#	26"
UC-10-SSR	\$3,647	10	65#	32"
UC-12-SSR	\$4,267	12	80#	38"

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

**STANDARD FEATURES:** All stainless steel construction • Integrated drain pan with lift-out perforated inserts • 1/4" shanks with 3/16" restriction lines • Available with cold plate assembly and insulated restriction lines for glycol recirculating system (specify suffix 'R' in the model number) • Built-in wall mounting bracket • Removable front cover for access to shanks • Includes all stainless steel faucets and shanks to resist corrosion and prevent metallic leaching, making them ideal for both draft beer and wine applications

## STAINLESS STEEL WALL MOUNT TOWERS


MODEL	LIST	# OF FAUCETS	WT	WIDTH
WT-4-SS	\$1,417	4	23#	14"
WT-4-SSR	\$1,877	4	31#	14"
WT-5-SS	\$1,686	5	27#	17"
WT-5-SSR	\$2,227	5	36#	17"
WT-6-SS	\$1,955	6	31#	20"
WT-6-SSR	\$2,580	6	41#	20"
WT-8-SS	\$2,493	8	39#	26"
WT-8-SSR	\$3,385	8	51#	26"
WT-10-SS	\$3,032	10	57#	32"
WT-10-SSR	\$4,087	10	71#	32"
WT-12-SS	\$3,571	12	65#	38"
WT-12-SSR	\$4,789	12	81#	38"

\*NOTE: Undercounter and Wall Mount Towers are manufactured to order and are not returnable






WB-6-B  
(handles not included)



Mounting Details

## WOOD BARREL TOWERS WITH DRAIN PAN AND 72" RESTRICTION LINES


FLAT BLACK	LIST	NATURAL WOOD	LIST	# OF FAUCETS	WGT
WB-3-B	\$2,354	WB-3-N	\$2,354	3	85#
WB-3-BR	\$2,943	WB-3-NR	\$2,943	3	85#
WB-4-B	\$2,579	WB-4-N	\$2,579	4	90#
WB-4-BR	\$3,169	WB-4-NR	\$3,169	4	90#
WB-5-B	\$2,805	WB-5-N	\$2,805	5	95#
WB-5-BR	\$3,476	WB-5-NR	\$3,476	5	95#
WB-6-B	\$3,029	WB-6-N	\$3,029	6	100#
WB-6-BR	\$3,783	WB-6-NR	\$3,783	6	100#



Plan View

## WOOD BARREL TOWERS WITH 72" RESTRICTION LINES LESS DRAIN PAN

FLAT BLACK	LIST	NATURAL WOOD	LIST	# OF FAUCETS	WGT
WB-3-B-LD	\$2,166	WB-3-N-LD	\$2,166	3	75#
WB-3-BR-LD	\$2,755	WB-3-NR-LD	\$2,755	3	75#
WB-4-B-LD	\$2,391	WB-4-N-LD	\$2,391	4	80#
WB-4-BR-LD	\$2,981	WB-4-NR-LD	\$2,981	4	80#
WB-5-B-LD	\$2,617	WB-5-N-LD	\$2,617	5	85#
WB-5-BR-LD	\$3,288	WB-5-NR-LD	\$3,288	5	85#
WB-6-B-LD	\$2,841	WB-6-N-LD	\$2,841	6	90#
WB-6-BR-LD	\$3,595	WB-6-NR-LD	\$3,595	6	90#



Side Elevation

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

- Oak wood barrel construction
- Includes separate 300 series stainless steel surface mount drain pan with lift-out perforated inserts
- 1/4" shanks with 3/16" restriction lines
- Available in flat black or natural unfinished
- Available with cold plate assembly and insulated restriction lines for glycol recirculating system (specify suffix 'R' in the model number)

- Available in three through six faucet models
- Includes wall mounting brackets
- All stainless steel faucets and shanks to resist corrosion and prevent metallic leaching, making them ideal for both draft beer and wine applications

\*NOTE: Wood Barrel Towers are manufactured to order and are not returnable

**Glastender manufactures and diverse line of highly configurable kitchen fabrication products providing you with tailor-made solutions.**



CAB-D  
18" D by 66" L Dish Cabinet with  
1" overhang and rounded nosing profile

## DISH CABINETS

### PRODUCT INFORMATION

(see Spec Sheets for complete details)

All stainless steel construction including fixed mid-shelf and reinforcement channels. Available in lengths from 36" to 108" in one-half inch increments. Models 72" and longer have a center mullion.

**Top options include:** Depth - 15", or 18" • Front overhang - 1/4", 1", or 2" • Nosing profile - flat, or rounded

**Base options include:** Feet - bullet or flanged

## MODULAR BEVERAGE STATIONS

### PRODUCT INFORMATION

(see Spec Sheets for complete details)

Modular beverage stations are configured and manufactured to your specific requirements. A complete lineup is designed by selecting from the top options and then specifying the module types and sizes to mount below the top. Stations ship complete in lengths up to 144".

**Top options include:** Depth - 24", 30", or 36" • Front overhang - 1/4", 1", or 2" • Nosing profile - flat, marine, or rounded • Backsplash - none, 5", or 10" • Endsplash - none, left, right, or both • Integrally welded drip trough • Electrical outlets in the backsplash

**Module options include:** Adjustable shelf • Drawer • Drop-in • Empty space • End wall • Fixed shelf • Glass rack • Open storage • Roll-out shelf • Sink • Urn stand



108" L by 30" D CAB-MBS  
Modules left to right: drop-in with solid  
apron, roll-out shelf, urn stand, and  
adjustable shelf with solid door



CAB-WT  
30" D by 54" L Work Table Cabinet with  
1/4" overhang, flat nosing profile and  
hinged doors

## WORK TABLE CABINETS

### PRODUCT INFORMATION

(see Spec Sheets for complete details)

All stainless steel construction including reinforcement channels. Available in lengths from 18" to 108". Models 63" and longer have a center wall.

**Top options include:** Depth - 24", 30", or 36" • Front overhang - 1/4", 1", or 2" • Nosing profile - flat, or rounded • Backsplash - none, upturn, 1" deep, or 2-1/4" deep

**Base options include:** Mid-shelf - none, fixed, or adjustable (models less than 63" long) • Doors - none or hinged • Feet - bullet or flanged



RCK-WS  
42" L Wall-Mount  
Sorting Rack

### WALL-MOUNT SORTING RACKS

#### PRODUCT INFORMATION

(see Spec Sheets for complete details)

Configurable Wall-Mount Sorting Racks deliver tailor-made solutions. All stainless steel construction.

**Options include:** Shelf length - 21", 42", 63", or 84"



SHF-PT  
24" D by 48" L Pass-  
Thru Shelf with rounded  
nosing (gusset bracket  
not shown)

### PASS-THRU SHELVES

#### PRODUCT INFORMATION

(see Spec Sheets for complete details)

Brackets are field mounted and allow for variations in wall thickness. Available in 18" or 24" depths and lengths from 36" to 144" in one-half inch increments. 18" deep units ship with "L" brackets, 24" units ship with gusset brackets.

**Top options include:** Nosing - flat or rounded • Overshelf - with or without • Overshelf structure - standard or heater mountable • Overshelf height - from 12" to 18"



SHF-W  
12" D by 24" L Wall-  
Mount Shelf with round-  
ed nosing profile

### WALL-MOUNT SHELVES

#### PRODUCT INFORMATION

(see Spec Sheets for complete details)

All stainless steel construction. Units available in lengths from 24" to 144" in one-half inch increments. Units 72" and longer have (3) support brackets.

**Top options include:** Nosing - flat or rounded  
• Top depth - from 10", 12", 15" or 18"



SHF-WM  
18" D by 24" L Wall-Mount  
Microwave Shelf

### WALL-MOUNT MICROWAVE SHELVES

#### PRODUCT INFORMATION

(see Spec Sheets for complete details)

All stainless steel construction. Available in depths from 18" to 24" and lengths from 24" to 36".



SHF-WP  
12" D by 36" L Wall-Mount Shelf with Pot  
Rack and flat nosing profile

### WALL-MOUNT SHELVES W/POT RACK

#### PRODUCT INFORMATION

(see Spec Sheets for complete details)

All stainless steel construction. Units available in lengths from 24" to 144" in one-half inch increments. Units 72" and longer have (3) support brackets. Each shelf includes (1) double pot hook per foot.

**Top options include:** Nosing - flat or rounded • Top depth - 10", 12", 15" or 18"



**SNK-C**  
30" D by 102" L  
Compartment Sink with  
three 18" by 24" by 14"  
deep sink bowls and right  
and left drainboards.  
Faucet not provided.

## COMPARTMENT SINKS

One, two, three and four compartment models are available with or without drainboards. All stainless steel, TIG welded construction. Available in depths from 24" to 36" and lengths from 24" to 144" in one-half inch increments.

**Top options include:** Number of sink bowls - 1, 2, 3, or 4  
• Backsplash height - 7" to 13" • Drainboard - none, left, right, or both • Endsplash - none, left, right, or both • Sink bowl depth - 6" to 14"

**Base options include:** Legs - welded or knock down • Feet - bullet or flanged • Undershelf - welded, adjustable, or removable



**SNK-M**  
24" D by 24" L by 14" H Mop Sink  
with 20" by 20" by 10" deep sink bowl

## MOP SINKS

All stainless steel, TIG welded construction. Sink bowl depths available from 6" to 14" in one inch increments.

# Kitchen Stands

*Call for Pricing*



**STA-E**  
30" D by 37" L by 24" H  
Equipment Stand with  
adjustable undershelf

## EQUIPMENT STANDS

All stainless steel construction including reinforcement channels. Available in depths from 18" to 36" and lengths from 18" to 96" in one-half inch increments.

**Top standards:** Flat nosing and 1-1/2" upturn edge on three sides

**Base Options include:** Undershelf - none, welded, or adjustable • Legs - welded or knock down • Feet - bullet, flanged, or casters • Height - 20" - 30"



**STA-M**  
30" D by 30" L by 24" H  
Mixer Stand with welded  
undershelf

## MIXER STANDS

All stainless steel construction including reinforcement channels. Available in depths from 18" to 36" and lengths from 18" to 36" in one-half inch increments.

**Top options include:** Nosing profile - marine or inverted V

**Base options options include:** Undershelf - none, welded, or adjustable • Legs - welded or knock down • Feet - bullet, flanged, or casters • Height - 20" - 30"





TAB-CD  
30" D by 48" L straight,  
right, Clean Dish Table

### CLEAN DISH TABLES

All stainless steel, TIG welded construction.

**Top options include:** Side - left or right • Style - straight, island, or corner • Endsplash - none, left, or right • Tubular overshelves • Custom notching to match dishwasher model

**Base options include:** Undersshelf - none, welded, or adjustable • Legs - welded or knock down • Feet - bullet or flanged

### SOILED DISH TABLES

All stainless steel, TIG welded construction.

**Top options include:** Side - left or right • Style - straight, island, corner, landing, or U-landing • Endsplash - none, left, or right • Tubular overshelves • Disposer cutouts • Scrap basket • Scrap block • Notching to fit dishwasher models

**Base options include:** Undersshelf - none, welded, or adjustable • Legs - welded or knock down • Feet - bullet or flanged



TAB-SD  
30" D by 66" L straight, soiled, left dish table  
with 20" by 20" by 6" deep pre-rinse sink with  
removable scrap basket

### WORK TABLES

All stainless steel construction including reinforcement channels. Available in depths from 18" to 36" and lengths from 18" to 144" in one-half inch increments.

**Top options include:** Nosing profile - flat, marine, or rounded • Backsplash - none, upturn, 1" deep, or 2-1/4" deep • Endsplash - none, left, right, or both • Overshelf - none, single, or tiered • Integrally-welded, fabricated sinks • Drop-in cutouts

**Base options include:** Undersshelf - none, welded, or adjustable • Legs - welded or knock down • Feet - bullet, flanged, or casters • Drawers - none, single, or tiered



TAB-W  
30" D by 72" L Work Table with  
welded undersshelf, 15" by 20" drawer  
and 15" deep tiered overshelves



WH-12



WHS-12



WH-14 with  
optional wrist handles



WHS-14

## 12" WIDE

MODEL	LIST	WGT
WH-12	\$659	22#
WH-12-LF (less faucet)	\$422	20#

## 12" WIDE WITH SKIRT

MODEL	LIST	WGT
WHS-12	\$816	27#
WHS-12-LF (less faucet)	\$579	25#

## 14" WIDE

MODEL	LIST	WGT
WH-14	\$631	22#
WH-14-LF (less faucet)	\$420	20#

## 14" WIDE WITH SKIRT

MODEL	LIST	WGT
WHS-14	\$782	27#
WHS-14-LF (less faucet)	\$571	25#



WH-14-S



WHS-14-S



WDH-14



WH-14-ESD

## 14" WITH INTEGRATED SIDE SPLASHES

MODEL	LIST	WGT
WH-14-S	\$914	27#
WH-14-S-LF (less faucet)	\$702	25#

## 14" WITH INTEGRATED SIDE SPLASHES & SKIRT

MODEL	LIST	WGT
WHS-14-S	\$1,074	33#
WHS-14-S-LF (less faucet)	\$863	31#

## 14" WIDE WITH SOAP & PAPER TOWEL DISPENSERS

MODEL	LIST	WGT
WDH-14	\$1,118	37#
WDH-14-LF (less faucet)	\$907	35#

## 14" EXTENDED SPLASH W/ SOAP & TOWEL DISPENSER

MODEL	LIST	WGT
WH-14-ESD	\$1,004	37#
WH-14-ESD-LF (less faucet)	\$793	35#

### PRODUCT INFORMATION

(see Spec Sheets for complete details)

**STANDARD FEATURES:** Manufactured with total welded construction to meet all NSF® standards • All stainless steel construction • 9-1/4" by 11-1/2" by 6" deep sink bowl • Includes wall-mounting bracket • Includes 1-1/2" IPS drain fitting • Heavy-duty faucet is standard (available less faucet by adding the suffix '-LF' to the model number) • Left and right side splashes available as an accessory • Models WH-12 and WHS-12 include a special backsplash faucet-mounting bracket for easy removal and inspection of faucet after installation • Models WH-14-S and WHS-14-S include integral left and right side splashes, featuring radius work surface corners for easy cleaning and a front lip to contain splashes • Model WDH-14 includes built-in soap and C-fold paper towel dispensers • Model WH-14-ESD includes a 1" deep recessed work surface with extra tall backsplash to contain splashes, and soap and paper towel dispenser

### ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
LS15	15" deep left end splash	\$102	1#
RS15	15" deep right end splash	\$102	1#
03000512	P-trap, 17 ga. chrome plated steel	\$63	2#
03000511	Wrist handles (set of two)	\$35	2#
03000483	Wet waste sink strainer	\$42	1#
TD-C	Paper towel dispenser, C-fold	\$184	5#

**WARNING:** The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).  
**Warning applies to State of California only.** Part #03000483



DI-HS12



DI-HS14

### DROP-IN HAND SINKS

MODEL	LIST	LENGTH	DEPTH	WGT	FAUCET
DI-HS12	\$523	12"	17"	18#	Yes
DI-HS12-LF	\$312	12"	17"	15#	No
DI-HS14	\$523	14"	15"	18#	Yes
DI-HS14-LF	\$312	14"	15"	15#	No



DI-IS24



DI-IW24



DI-IB24-CP10



DI-IB18

### DROP-IN ICE BINS

MODEL	LIST	LENGTH	DEPTH	COLD PLATE	WGT	ICE CAPACITY
DI-IB12	\$1,028	14"	19"	No	50#	33#
DI-IB18	\$1,150	20"	19"	No	60#	50#
DI-IB24	\$1,324	26"	19"	No	70#	71#
DI-IB30	\$1,463	32"	19"	No	80#	89#
DI-IB24-CP10	\$2,495	26"	19"	Yes	140#	71#
DI-IB30-CP10	\$2,640	32"	19"	Yes	150#	89#

### PRODUCT INFORMATION

(see Spec Sheets for complete details)

**STANDARD FEATURES:** All stainless steel construction • Includes four 1/4-20 x 1-1/2" studs for mounting to countertop • DI-IB24 and DI-IB30 feature special angle brackets, U-channels, and mounting bolts for easy installation)

**SINK FEATURES:** 9-1/4" by 11-1/2" by 6" deep sink bowl • Includes 1-1/2" IPS drain fitting

**ICE BIN FEATURES:** PVC plastic breaker strip around ice bin liner: creates 5/16" raised edge around liner (NSF® requirement is 3/16"), acts as thermal barrier to prevent heat transfer, and makes the cover slide easier • Sliding stainless steel cover • Foamed-in-place insulation • Galvanized steel exterior wrap • 24" and 30" models available with 10 circuit cold plate • Models without cold plates have a 1-1/2" welded tailpiece - no drain fitting to break or come loose • 10-1/2" deep liner • Manufactured with total welded construction to meet all NSF® standards

**⚠ WARNING:** The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). **Warning applies to State of California only.** Part #03000483

### DROP-IN ICE AND SINK UNITS

MODEL	LIST	L	D	WGT	FAUCET
DI-IS24	\$1,441	24"	19"	55#	Yes
DI-IS24-LF	\$1,230	24"	19"	52#	No

### DROP-IN ICE AND WATER STATION UNITS

MODEL	LIST	L	D	WGT	FAUCET
DI-IW24	\$1,578	24"	19"	55#	Yes
DI-IW24-LF	\$1,299	24"	19"	52#	No

### ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
03000512	P-trap, 17 ga. chrome plated steel	\$63	2#
03000511	Wrist handles (set of two)	\$35	2#
03000483	Wet waste sink strainer	\$42	1#

### Counter Cut-Out Dimensions

DI-IB12 = 17-1/2" by 12-1/2"

DI-IB18 = 17-1/2" by 18-1/2"

DI-IB24 = 17-1/2" by 24-1/2"

DI-IB30 = 17-1/2" by 30-1/2"

All other models, reference spec sheet

# Coolers - One Zone, Front Serviced, Undercounter\*



C1FU60 with compressor left,  
4" casters, stainless doors and top

## COOLERS - ONE ZONE, FRONT SERVICED, UNDERCOUNTER\*

\*NOTE: C1FU coolers are manufactured to order and are not returnable.

MODEL	LIST	LENGTH	DOORS	DOOR		WEIGHT	AMPS	HP	CUBIC FEET
				OPENING					CAPACITY
C1FU32*	\$4,105	32"	1	16" W		240#	3.0	1/8	4.61
C1FU36*	\$4,158	36"	1	20" W		250#	3.0	1/8	5.76
C1FU52*	\$5,331	52"	2	16" W		340#	7.0	1/4	10.25
C1FU60*	\$5,463	60"	2	20" W		350#	7.0	1/4	12.55
C1FU72*	\$6,437	72"	3	16" W		445#	7.0	1/4	15.89
C1FU84*	\$6,605	84"	3	20" W		460#	7.0	1/4	19.34
C1FU92*	\$7,695	92"	4	16" W		550#	7.0	1/4	21.53
C1FU108*	\$7,904	108"	4	20" W		570#	7.0	1/4	26.13


Base price only. See next page for configurable options.

### PRODUCT INFORMATION


(see Spec Sheets for complete details)

#### STANDARD FEATURES:

- Self-contained
- All stainless steel interior construction
- Stainless steel finished top
- Two adjustable shelves per door
- Door(s) include stainless steel pull tab handle with lock
- Operating range 34°F (1°C) to 40°F (4°C)
- Listed to NSF Standard 7 for open food storage



06010158  
Clip-on shelf divider



NOTE: 4" casters shown. Also available with 2-1/2" casters or 6" legs.

### ACCESSORIES

MODEL	DESCRIPTION	LIST
06010158	Clip-on shelf divider	\$25



# Coolers - One Zone, Front Serviced, Undercounter\*

\*NOTE: C1FU coolers are manufactured to order and are not returnable.

## Select Configurable Options:

### VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$168

### REFRIGERATION COMPARTMENT LOCATION

Left	No charge
Right	No charge

### REFRIGERATION COMPARTMENT COVER FINISH

Black vinyl-clad	No charge
Unlaminated	No charge
Stainless steel	No charge
Jeweled stainless steel	\$127
Laminated	\$147

### DOOR OPTIONS

NOTE: Select options for EACH Door

#### STYLE AND FINISH - SPECIFY & ADD FOR EACH SECTION

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	No charge
Door - Jeweled stainless	\$138
Door - Laminated	\$158
Door - Glass, black vinyl-clad	\$305
Door - Glass, stainless steel	\$305
Door - Glass, jeweled stainless	\$443
Door - Glass, laminated	\$463

#### DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

### LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	No charge
Laminated	\$158

### RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	No charge
Laminated	\$158

### BACK FINISH

	32"	36"	52"	60"	72"	84"	92"	108"
Galvanized steel	No charge							
Stainless steel*	\$232	\$240	\$273	\$289	\$313	\$337	\$354	\$386

\*NOTE: Stainless steel back option also includes stainless steel sides.

### LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

### LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	32"	36"	52"	60"	72"	84"	92"	108"
6" legs	No charge							
Front kick rail	\$81	\$84	\$96	\$103	\$112	\$121	\$127	\$139
Left side kick rail	\$75	\$75	\$75	\$75	\$75	\$75	\$75	\$75
Right side kick rail	\$75	\$75	\$75	\$75	\$75	\$75	\$75	\$75

### CASTERS

	32"	36"	52"	60"	72"	84"	92"	108"
4" casters	No charge							
2-1/2" casters	No charge							



Stainless pull tab handle

# Coolers - One Zone, Side Serviced, Undercounter



C1SU24 with compressor right, 4" casters, stainless door and top

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES:


- Self-contained
- All stainless steel interior construction
- Stainless steel finished top
- Two adjustable shelves per door
- Door(s) include stainless steel pull tab handle with lock  
(Note: drawers are not available with locks)
- Operating range 34°F (1°C) to 40°F (4°C)
- Listed to NSF Standard 7 for open food storage

\*NOTE: C1SU28, C1SU36, C1SU44, C1SU48, and all coolers with drawers are manufactured to order and are not returnable.


## COOLERS - ONE ZONE, SIDE SERVICED, UNDERBAR

MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	AMPS	HP	CUBIC FEET CAPACITY
C1SU24	\$3,700	24"	1	17.5" W	208#	2.75	1/8	4.76
C1SU28*	\$3,844	28"	1	20" W	231#	2.75	1/8	5.32
C1SU36*	\$4,937	36"	2	12" W	292#	2.75	1/8	7.44
C1SU44*	\$5,152	44"	2	16" W	322#	2.75	1/8	9.77
C1SU48*	\$5,260	48"	2	18" W	335#	2.75	1/8	10.94


Base price only. See next page for configurable options.



The CO-RR shelf retention rail should be used on all shelves adjacent to drawers. (CO-RR shown installed on shelf)



Front covers removed for illustrative purposes



Side Elevation

NOTE: 4" casters shown. Also available with 2-1/2" casters or 6" legs.

## ACCESSORIES

MODEL	DESCRIPTION	LIST
CO-RR	Shelf retention rail	\$42
DICF-12L	Drawer insert, condiments, full, 12" door opening, low-profile cooler, 6 cups	\$229
DICP-12L	Drawer insert, condiments, partial, 12" door opening, low-profile cooler, 4 cups	\$173
DICF-16L	Drawer insert, condiments, full, 16" door opening, low-profile cooler, 12 cups	\$337
DICP-16L	Drawer insert, condiments, partial, 16" door opening, low-profile cooler, 8 cups	\$244
DICF-17L	Drawer insert, condiments, full, 17.5" door opening, low-profile cooler, 12 cups	\$340
DICP-17L	Drawer insert, condiments, partial, 17.5" door opening, low-profile cooler, 8 cups	\$246
DICF-18L	Drawer insert, condiments, full, 18" door opening, low-profile cooler, 12 cups	\$343
DICP-18L	Drawer insert, condiments, partial, 18" door opening, low-profile cooler, 8 cups	\$248
DICF-20L	Drawer insert, condiments, full, 20" door opening, low-profile cooler, 15 cups	\$397
DICP-20L	Drawer insert, condiments, partial, 20" door opening, low-profile cooler, 10 cups	\$283
06010158	Clip-on shelf divider	\$25

**Select Configurable Options:****VOLTAGE**

120V/60HZ	No charge
220V/50HZ (export voltage)	\$168

**REFRIGERATION COMPARTMENT LOCATION**

Left	No charge
Right	No charge

**REFRIGERATION COMPARTMENT COVER FINISH**

Black vinyl-clad	No charge
Stainless steel	No charge
Jeweled stainless steel	\$127

**DOOR/DRAWER OPTIONS**

NOTE: Select options for EACH Door/Drawer Section

**STYLE AND FINISH - SPECIFY & ADD FOR EACH SECTION**

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	No charge
Door - Jeweled stainless	\$138
Door - Laminated	\$158
Door - Glass, black vinyl-clad	\$305
Door - Glass, stainless steel	\$305
Door - Glass, jeweled stainless	\$443
Door - Glass, laminated	\$463
Drawers* - Black vinyl-clad	\$1,260
Drawers* - Stainless steel	\$1,260
Drawers* - Jeweled stainless	\$1,398
Drawers* - Laminated	\$1,418

\*NOTE: Units with drawers are manufactured to order and are not returnable.

**DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR**

Left	No charge
Right	No charge

**LEFT SIDE FINISH**

Black vinyl-clad	No charge
Stainless Steel	No charge
Laminated	\$158

**RIGHT SIDE FINISH**

Black vinyl-clad	No charge
Stainless Steel	No charge
Laminated	\$158

**BACK FINISH**

	24"	28"	36"	44"	48"
Galvanized steel	No charge				
Stainless steel*	\$216	\$224	\$240	\$256	\$265

\*NOTE: Stainless steel back option also includes stainless steel sides.

**LED LIGHTING STYLE**

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

**LEG AND STAINLESS STEEL KICK RAILS**

NOTE: Legs are required if kick rails are ordered.

	24"	28"	36"	44"	48"
6" legs	No charge				
Front kick rail	\$75	\$78	\$84	\$90	\$93
Left side kick rail	\$75	\$75	\$75	\$75	\$75
Right side kick rail	\$75	\$75	\$75	\$75	\$75

**CASTERS**

	24"	28"	36"	44"	48"
4" casters	No charge				
2-1/2" casters	No charge				



Stainless pull  
tab handle

\*NOTE: All coolers with drawers are manufactured to order and are not returnable.

**Optional Drawers\***

Glastender's refrigerated drawers include adjustable divider walls.

Drawers are not available with locks.

20" wide drawer opening shown

# Lettuce Crisper



## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES:

- Self-contained forced air refrigeration system for uniform cooling of product
- Automatic condensate evaporator
- Digital thermostat with automatic defrost
- All stainless steel interior construction
- Stainless steel foamed-in-place insulated door and lettuce chute
- Stainless exterior construction with galvanized back and bottom
- Removable plastic lettuce bin and divider included
- Removable condenser air inlet filter for easy cleaning
- Bracket for wall mounting
- 4" adjustable legs available
- Nine-foot grounded cord & plug provided

**CAPACITY:** Approx. 50 heads of lettuce (shredded)

**ELECTRICAL:** 120V, 1 phase, 60Hz, 2.5 full load amps. Dedicated 15 amp circuit is required.

**REFRIGERATION:** 1/8 HP, R290 refrigerant, 1,023 BTU/hr heat rejection

**PLUMBING:** Automatic condensate evaporator. No drain connection required.



LC-BIN lettuce bin with  
LC-BDIV bin divider

## LETTUCE CRISPER

MODEL	DESCRIPTION	LIST	WGT
LC	24" Lettuce Crisper with plastic bin, stainless bin divider, & wall-mounting bracket	\$3,822	170#

## ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
LC-BIN	Plastic lettuce bin (additional)	\$217	15#
LC-BDIV	Lettuce bin divider, stainless steel (additional)	\$78	5#
LCLS	4" legs with adjustable flanged feet	\$175	5#
CE-220/50S	Convert self-contained unit to 220V/50Hz electrical	\$168	N/A





CM24XS-RR

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

**STANDARD FEATURES:** Self-contained forced air refrigeration system for uniform cooling of product • Automatic condensate evaporator • Digital thermostat with automatic defrost • All stainless steel interior construction • Stainless steel exterior construction with galvanized steel bottom • Removable condenser air inlet filter for easy cleaning • Nine-foot grounded cord & plug provided • Available with stainless steel door or glass door with stainless steel frame • Interior LED light included • Listed to NSF standard 7 for open food storage

**CAPACITY:** 4.7 cu. ft.

**ELECTRICAL:** 120V, 1 phase, 60Hz, 2.5 full load amps. Dedicated 15 amp circuit is required

**REFRIGERATION:** 1/8 HP, R290 refrigerant

**PLUMBING:** Automatic condensate evaporator. No drain connection required.

## COUNTERTOP MERCHANDISER

Standard List = \$4,102

Weight = 190#

CM24 -

### Door Style:

SS = Stainless Front and Back Door

SX = Stainless Front and Glass Back Door - Add \$305

XS = Glass Front and Stainless Back Door - Add \$305

XX = Glass Front and Glass Back Door - Add \$610

### Rear Door Hinge Location:

L = Left or  
R = Right

### Front Door Hinge Location:

L = Left or R = Right

## ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
LCLS	4" legs with adjustable flanged feet	\$175	5#
CE-220/50S	Convert self-contained unit to 220V/50Hz electrical	\$168	N/A

# Wall-Mount Refrigerators



WMR24S-R

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

**STANDARD FEATURES:** Self-contained forced air refrigeration system for uniform cooling of product • Automatic condensate evaporator • Digital thermostat with automatic defrost • All stainless steel interior construction • Stainless exterior construction with galvanized back and bottom • Available with stainless steel door or glass door with stainless steel frame • Two adjustable shelves • Removable condenser air inlet filter for easy cleaning • Bracket for wall mounting • Nine-foot grounded cord & plug provided • Interior LED light included • Listed to NSF standard 7 for open food storage

**CAPACITY:** 3.9 cu. ft.

**ELECTRICAL:** 120V, 1 phase, 60Hz, 2.5 full load amps. Dedicated 15 amp circuit is required.

**REFRIGERATION:** 1/8 HP, R290 refrigerant

**PLUMBING:** Automatic condensate evaporator. No drain connection required.

## WALL-MOUNT REFRIGERATORS

MODEL	LIST	DOOR STYLES	HINGE	WGT
WMR24S-L	\$3,559	Stainless	Left	165#
WMR24S-R	\$3,559	Stainless	Right	165#
WMR24X-L	\$3,864	Glass	Left	165#
WMR24X-R	\$3,864	Glass	Right	165#

## ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
LCLS	4" legs with adjustable flanged feet	\$175	5#
CE-220/50S	Convert self-contained unit to 220V/50Hz electrical	\$168	N/A



DI-FR-DW



DI-FR36



DI-FR36-FL

## DROP-IN ICE CREAM FREEZERS

MODEL	LIST	DIPPER WELL	WGT
DI-FR	\$2,429	No	115#
DI-FR-DW	\$2,949	Yes	120#
DI-FR36	\$2,950	No	135#
DI-FR36-DW	\$3,470	Yes	150#

## DROP-IN ICE CREAM FREEZERS WITH FLIP LID

MODEL	LIST	DIPPER WELL	WGT
DI-FR36-FL	\$3,021	No	135#
DI-FR36-DW-FL	\$3,541	Yes	150#

## ACCESSORIES

MODEL	DESCRIPTION	LIST
CE-220/50S	Convert self-contained unit to 220V/50Hz electrical	\$168

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

**STANDARD FEATURES:** Stainless steel work surface, interior liner, and lid with galvanized steel exterior wrap • Foamed-in-place insulation • Available with built-in seamless welded 6" diameter draining dipper well and faucet • Six-foot grounded cord and plug provided • Available sizes for one or two 3-gallon container capacity • Includes special angle brackets, U-channels, and mounting bolts for easy installation

**ELECTRICAL:** 120V, 1 phase, 60 Hz, 4.75 full load amps • Dedicated 15 amp circuit is recommended • Includes 6-foot grounded cord and plug

**REFRIGERATION:** Operating range -5°F to 10°F • 1/4 HP, R404a refrigerant

**CAPACITY:** DI-FR models hold one 3-gallon container • DI-FR36 models hold two 3-gallon containers

# Mobile Ice Cream Freezer\*

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

**STANDARD FEATURES:** All stainless steel exterior with 16 gauge galvanized exterior bottom • Completely integrated design - not just a cabinet with separate drop-in module • All stainless steel interior liner with radius corners for easy cleaning • One-piece, seamless top • 36" high work surface • Includes four 3" casters, with two locking casters • Six-foot grounded cord and plug provided, exits at rear • Designed to accommodate outlet behind unit and still sit flush against the wall • Holds two 3-gallon containers

**CAPACITY:** Two 3-gallon tubs

**ELECTRICAL:** 120V, 1 phase, 60Hz, 4.75 full load amps. Dedicated 15 amp circuit is required.

**REFRIGERATION:** 1/4 HP, R404a refrigerant



FRM-2

## MOBILE ICE CREAM FREEZER

MODEL	CAPACITY	LIST	LENGTH	DEPTH	WEIGHT
FRM-2	Two 3-gallon tubs	\$3,923	24"	18"	150#

## ACCESSORIES

MODEL	DESCRIPTION	LIST
CE-220/50S	Convert self-contained unit to 220V/50Hz electrical	\$168

\*NOTE: Mobile Ice Cream Freezers are manufactured to order and are not returnable



MIB-36



MIB-36-H



MIB-36-ED

## 30" HIGH MOBILE ICE BATHS

MODEL	LENGTH	LIST	WGT
MIB-36	36"	\$2,812	170#
MIB-48	48"	\$3,134	205#

## 36" HIGH MOBILE ICE BATHS

MODEL	LENGTH	LIST	WGT
MIB-36-H	36"	\$2,872	180#
MIB-48-H	48"	\$3,277	215#

## 36" HIGH EXTRA DEEP MOBILE ICE BATHS

MODEL	LENGTH	LIST	WGT
MIB-36-ED	36"	\$3,057	200#
MIB-48-ED	48"	\$3,414	235#

## MOBILE ICE BIN ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
TR	Towel Ring	\$13	1#
BO/CC-M	Bottle opener and cap catcher	\$63	3#



TR

Standard mounting for towel rings is server side left. Standard mounting for bottle opener/cap catcher is server side right. Please specify when ordering if you would like these items mounted in a different location.


## PRODUCT INFORMATION

(see Spec Sheets for complete details)


### STANDARD FEATURES

- Designed for iced product storage and merchandising, especially long neck bottled beer
- Foamed-in-place insulated cabinet and PVC breaker strip around liner prevents exterior condensation
- Heavy duty construction with attractive black vinyl-clad exterior that resists scratching
- Stainless steel top, liner, and perforated drain pan inserts with 1/4" radius interior corners for easy cleaning
- Built-in storage area below ice bin. Stainless steel floor has 1/4" radius corners for easy cleaning.
- No plumbing required. Includes a flexible drain line with on/off valve for draining when most convenient.
- The standard models have a 30" work height
- The '-H' models feature a taller cabinet base and a 36" work height
- The '-ED' models feature an extra deep bath and a 36" work height
- Standard and -H models liner depth 10-1/2"
- -ED model liner depth 16-1/2"
- All models available in lengths of 36" or 48"
- Optional towel ring and bottle opener/cap catcher available
- Flexible drain line with on/off valve
- 3" rubberized casters, with two locking casters on server side


\*NOTE: Mobile Ice Baths are manufactured to order and are not returnable



MIB-†



MIB-†-H



MIB-†-ED

† 36 = 36", 48 = 48"

# Specialty Ice Bins



The IB-14x22 as an ice pan holder (pan not included)



The IB-14x22 as a portable ice display unit

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

The IB-14X22 is an all stainless steel, foam-in-place insulated, portable ice bin that sits on a countertop • The exterior dimensions are 14" by 22" by 10" high and the interior liner opening is just large enough to hold one steam pan • The IB-14X22 also works well as a countertop ice display unit and does not need to be used with a steam table pan • Since the IB-14X22 is portable, it does not have a drain

### ICE PAN HOLDER\*

MODEL	LIST	WEIGHT
IB-14x22	\$1,170	35#

\*NOTE: The IB-14X22 is manufactured to order and is not returnable



IBM-18x30

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

### STANDARD FEATURES

The IBM-18X30 is an all stainless steel, foam-in-place insulated, mobile ice bin that is 18" by 30" by 30" high • The interior liner is 10-1/2" deep • A drain valve is provided for draining melted ice water • The IBM-18X30 works well as an ice bath for bottled beer or wine

### MOBILE ICE BIN

MODEL	LIST	WEIGHT
IBM-18x30	\$2,044	100#

# Wall Cabinets



WCH48



WCH36

## WALL CABINETS

OPEN FRONT	LIST	HINGED DOORS	LIST	LENGTH	WGT
WCO24	\$1,044	WCH24	\$1,686	24"	100#
WCO30	\$1,173	WCH30	\$2,105	30"	120#
WCO36	\$1,292	WCH36	\$2,321	36"	140#
WCO42	\$1,410	WCH42	\$2,525	42"	160#
WCO48	\$1,528	WCH48	\$2,728	48"	180#
WCO60	\$2,344	WCH60	\$4,211	60"	220#
WCO72	\$2,583	WCH72	\$4,643	72"	250#
WCO96	\$3,059	WCH96	\$5,454	96"	310#

## PRODUCT INFORMATION

(see Spec Sheets for complete details)

**STANDARD FEATURES:** Includes intermediate shelf • Includes wall-mounting bracket • Available with open front or with hinged doors • Door models include door locks and positive latch catch • Door models 24" - 48" have 2 doors, 60" - 96" have 4 doors • Sloping top creates sanitary surface • Four door models ship as two units and include hardware for field assembly



# Index

## A

- Add-on cabinet bases .....38
- All-in-one stations..... 51-52

## B

- Back bar
  - Coolers\* .....77-86, 89-108, 129-132
  - \*See Coolers for complete cooler listings
  - Dry storage .....113-114
  - Glass storage .....115
  - Liquor display.....115
- Backsplash, glasswasher .....6
- Bar die, modular.....54, 76
- Bar, Portable..... 19-20
- Bar Profile Coolers ..... (see Coolers)
- Beer
  - Accessories for cooler .....87
  - Cooler ..... (see Coolers)
  - Drainer, underbar.....53, 73
  - Line chiller .....117-118
  - Towers .....119-122
  - Towers, decorative.....88
- Beverage Stations, Modular .....123
- Blender stations
  - Bolt-on blender shelves .....16, 30, 61
  - Drainboard .....29
  - Filler board .....61
  - In-counter .....30
  - Island Oasis® stand .....48, 73
  - Rinser faucet .....29
  - Sink .....29, 61
  - Sink and rinsing faucet .....29
- Bolt-on blender shelves.....16, 30, 61
- Bottle
  - Coolers..... (see Coolers)
  - Opener and Cap Catcher.....107, 136
  - Racks .....27, 56
  - Wells .....27
- Bottle Disintegration System .....3-4

## C

- Cabinets
  - Add-on base.....38
  - Back bar, dry storage .....113-114
  - Dish .....123
  - Drainboard .....36-37, 67
  - POS.....38, 72
  - Underbar .....36-38, 67, 69
  - Wall.....137
  - Work Table .....123
- Cap Catcher and Bottle Opener .....107, 136
- Casino Style Combo Ice Bin.....24
- CHOICE by Glastender Underbar .....55-76
- Clean Dish Tables .....126
- Clip-on
  - Chemical rail (glasswasher) .....8
  - Condiment dispenser .....14, 18
  - Dry waste (cocktail station).....14, 16, 18
  - Dry waste rail .....49, 74
  - Shelf divider ..77, 79, 81, 83, 85, 91, 93, .....95, 97, 99, 101, 103, 129, 131
  - Speed rails .....16, 18, 28
  - Wet waste (glasswasher).....6, 10
- Cocktail stations
  - Pass-thru .....11-18
  - Underbar .....51-52
- Combo Ice Bins.....23, 57
- Compartment Sinks - kitchen.....125
- Condensing units and installation kits
  - Remote units.....81, 89, 93, 99, 103, 116
- Condensing unit storage cabinet .....116

- Condiment dispenser
  - Pass-thru station .....14, 18, 22
  - Underbar .....23, 24, 56, 57, 58
- Condiment drawer insert.....77, 83, 95, 131
- Cooler miscellaneous .....116
- Coolers .....77-86, 89-108, 129-132
  - Bar profile.. 77-78, 79-80, 81-82, 83-84, .....85-86, 89-90, 97-98, 99-100, 105
  - Countertop merchandiser .....134
  - Draft beverage compatible .....77-78, .....79-80, 81-82, 83-84, 85-86
  - Drawers .....77-78, 79-80, 83-84, 85-86, .....95-96, 131-132
  - Front serviced .....77-78, 79-80, 91-92, .....97-98, 101-102, 129-130
  - Keg .... (see Draft beverage compatible)
  - Lettuce crisper .....133
  - Low profile.....91-92, 93-94, 95-96, .....101-102, 103-104, 106
  - Mug froster, reach-in .....105, 106
  - Mug froster, slide top .....108
  - One zone.....77-78, 81-82, 83-84, .....89-90, 91-92, 93-94, 95-96, 97-98, .....99-100, 101-102, 103-104, 105, 106, .....129-130, 131-132
  - Pass-thru 97-98, 99-100, 101-102, 103-104
  - Remote.....81-82, 89-90, 93-94, .....99-100, 103-104
  - Shallow depth.....89-90
  - Side serviced.....83-84, 85-86, 95-96, .....105, 106, 131-132
  - Slide top.....107
  - Two zone .....79-80, 85-86
  - Undercounter .....129-130, 131-132
  - Wall mount refrigerator .....134
- Corner drainboards .....33-34, 64-65
- Countertop Merchandiser.....134
- Covers
  - Back bar liquor display, locking.....115
  - Speed rails, locking .....28, 75

## D

- Decorative beer towers .....88
- Direct draw beverage towers and acc .....87
- Dish Cabinet.....123
- Dish Tables
  - Clean.....126
  - Soiled.....126
- Dish rack .....8
- Double speed rails.....28, 75
- Drain pans, drop-in .....46
- Draft beverage compatible coolers ..... (see Coolers)
- Drainboards
  - Blender stations .....29
  - Cabinets .....36-37, 67
  - Corners .....33-34, 64-65
  - Drawer units .....37
  - Filler boards .....31, 36-37
  - Glassracks .....6, 35, 66
  - Half cabinets.....37
  - Recessed .....32, 62
  - Underbar .....31, 63
- Drainers, beer .....53, 73
- Drawer units, drainboard .....37
- Drawers, cooler ..... (see Coolers)
- Drink Rails .....46
  - Drop-in .....45
  - Mixology, drop-in.....44

## Drop-in

- Drain pans.....46
- Drink rails .....45
- Hand sinks .....128
- Ice and sink units .....128
- Ice and water stations .....128
- Ice bins .....128
- Ice cream freezers.....135
- Mixology drink rails.....44
- Mixology wells .....44
- Rinser faucets .....45
- Dry storage cabinets.....113-114
- Dry waste
  - Chutes.....49, 74
  - Clip-on, receptacle for pass-thru .....14, 16, 18
  - Rail .....39, 41, 49, 74
  - Receptacle .....6, 49, 69, 74

## E

- Equipment Stands
  - Blender stations .....29-30, 61
  - Island Oasis .....48, 73
  - Margarita Machine .....113
  - POS cabinet .....38, 72
  - Stands - Kitchen .....125
- End splash .....30, 39, 42, 127

## F

- Filler boards (see also Drainboards)
  - Blender station.....61
  - Corner .....65
  - Drainboard cabinets.....36-37 (see note)
  - Drainboard drawer units....37 (see note)
  - Underbar .....31 (see note), 62
- Four compartment sinks.....41, 71
- Freezer, ice cream .....50
  - Drop-in, ice cream .....135
  - Mobile, ice cream .....135
- Front serviced coolers ..... (see Coolers)
- Frosters (chillers)
  - Reach-in.....105, 106
  - Slide top.....108

## G

- Glass ice display units.....109
- Glass storage, back bar .....115
- Glass washing station.....6
- Glassracks
  - Drainboard.....6, 35, 66
  - Holders (glasswasher) .....8
  - Racks .....8
  - Underbar, open .....35, 66
- Glasswashers
  - Rotary .....5-8
  - Rotary rack .....9-10
- Graphic wraps, portable bar .....20

## H

- Half cabinets, drainboard .....37
- Hand sinks
  - Drop-in .....128
  - Underbar .....39-40
  - Wall-hung .....127

# Index

- I**
- Ice and sink units, drop-in.....128
  - Ice and water stations, drop-in.....128
  - Ice baths, mobile.....136
  - Ice bins
    - Casino Style Combo.....24
    - Combo.....23, 57
    - Dividers.....14, 18, 22, 23, 56, 57, 58
    - Drop-in.....128
    - Extra deep.....21, 23, 56, 57
    - Ice and sink units.....128
    - Ice and water stations.....128
    - Mobile.....137
    - Pass thru.....22, 58
    - Specialty.....137
    - Tubing chase.....22, 23, 51
    - Underbar.....21, 23, 24, 55, 56, 57
  - Ice cream freezer
    - Drop-in.....135
    - Mobile.....135
    - Underbar.....50
  - Ice display units.....110
  - Ice pan holder.....137
  - In-counter blender stations.....30
  - Island Oasis® stand.....48, 73
- J**
- Jockey box.....(see Ice bins)
- K**
- Keg coolers.....(see Coolers - Draft beverage compatible)
- L**
- Large wet waste strainer.....41, 71
  - Lettuce crisper.....133
  - Lighted liquor displays.....111-112
  - Line chiller
    - Beer.....117-118
    - Stands.....118
    - Wall racks.....118
  - Liquor displays
    - Back bar.....115
    - Lighted.....111-112
    - Underbar.....47, 72
    - Slanted.....48
  - Locking covers
    - Back bar liquor display.....115
    - Speed rail.....28, 75
  - Low profile coolers.....(see Coolers)
  - Low profile dry storage cabinets.....113
- M**
- Margarita Machine Stand.....113
  - Microwave Shelves, Wall-Mount.....124
  - Mixer Stands.....125
  - Mixology
    - Bottle rack.....27
    - Drink rails, drop-in.....44
    - Stations.....43
    - Units.....42, 70
    - Wells, drop-in.....44
  - Mobile ice bath.....136
  - Mobile ice bin.....137
  - Mobile ice cream freezer.....135
  - Modular bar die.....54, 76
  - Modular Beverage Stations.....123
  - Mop Sinks.....125
  - Mug frosters (chillers)
    - Reach-in.....105, 106
    - Slide top.....108
  - Multiple bowl sinks.....41, 71
- O**
- One zone coolers.....(see Coolers)
  - Overshelves, cocktail stations.....14, 16, 18
- P**
- POS cabinet stand.....38, 72
  - Paper towel dispenser, sink.....39, 40, 68, 127
  - Pass-thru cocktail stations.....11-18
  - Pass-thru coolers.....(see Coolers)
  - Pass-thru ice bins.....22, 58
  - Pass-thru shelves.....124
  - Portable bars.....19-20
  - Portable bars graphic wraps.....20
  - Pot Rack - Wall-Mount Shelves.....124
  - Power pack, beer.....117-118
- R**
- Rack divider, glasswasher.....6
  - Rack, pot.....124
  - Rack, sorting.....124
  - Reach-in mug froster.....108
  - Recessed drainboards.....32, 62
  - Refrigerated Wine Drawers.....(see Coolers)
  - Register stand, underbar, POS.....38, 72
  - Regulators.....87
  - Remote coolers.....(see Coolers)
  - Rinse faucet extension (beer tower).....119
  - Rinser faucet
    - Blender station.....29
    - Drop-in.....45
    - Mixology stations.....43
    - Mixology units.....42, 70
    - Undercounter mount.....45
  - Rotary Wine Shelf.....77, 79, 97
- S**
- Shallow depth coolers.....(see Coolers)
  - Shelf divider, clip-on.....77, 79, 81, 83, 85, 91, 93, 95, 97, 99, 101, 103, 129, 131
  - Shelf retention rail.....77, 79, 81, 83, 95, 131
  - Shelves
    - Pass-Thru.....124
    - Wall-Mount.....124
    - Wall-Mount Microwave.....124
    - Wall-Mount with Pot Rack.....124
  - Side splash.....30, 61, 62, 63, 66, 67, 68, 69, 70, 71
  - Single speed rails.....28, 75
  - Sinks
    - Blender station.....29, 61
    - Covers.....41, 71
    - Cabinets.....6, 40, 69
    - Compartment (kitchen).....125
    - Drop-in.....128
    - Hand.....39-40, 68
    - Mop.....125
    - Multiple.....41, 71
    - Single bowl.....39-40, 68
    - Towel ring.....39, 41, 61, 68, 69, 71
    - Wall-hung.....127
    - Wet waste.....6, 39, 40, 68
    - Wet waste strainer.....39, 61, 68, 69, 127, 128
  - Slanted liquor display.....48
  - Slide top coolers.....107
  - Slide top mug frosters.....108
  - Slim Jim trash receptacle.....49, 79
  - Sneeze guard.....14, 18
  - Soap dispenser, liquid.....39, 68
  - Soda gun holders.....25, 59
  - Soda gun holder, undercounter mount.....26, 60
  - Soda manifold housings.....26, 60
  - Soiled Dish Tables.....126
  - Sorting Rack, Wall-Mount.....124
- T**
- Spec sheets.....specs.glastender.com
  - Specialty ice bins.....137
  - Speed rails
    - Clip-on.....16, 18, 28
    - Double.....28, 75
    - Locking covers.....28, 75
    - Single.....28, 75
  - Stemware
    - Insert.....8
    - Rack.....10
  - Three compartment sinks.....41, 71
  - Towel ring.....30, 39, 41, 61, 68, 69, 71
  - Towers, beer
    - Column.....119
    - Decorative.....88
    - Rinse faucet extension.....119
    - Tee.....120
    - Undercounter.....121
    - Wall mount.....121
    - Wood barrel.....122
  - Trash receptacle
    - Gray plastic.....6, 39, 49, 68, 69
    - Slim Jim.....49, 74
    - Stainless steel.....39, 49, 68, 69
  - Tubing chase
    - Accessory, drainboard.....31
    - All-in-one.....51
    - Ice bin.....22, 23
    - Underbar.....53, 60
  - Two compartment sinks.....41, 71
  - Two zone cooler.....(see Coolers)
- U**
- Under cabinet (Add-on cabinet base).....38
  - Underbar - Choice by Glastender.....55-76
  - Underbar ice cream freezer.....50
  - Undercounter mount soda gun holder.....26, 60
  - Undercounter mount rinser faucet.....45
  - Undercounter Refrigerator.....129-130, 131-132
- V**
- Vinfinity.....1-2
- W**
- Wait Stations.....50
  - Wall Cabinet.....137
  - Wall-Hung Hand Sinks.....127
  - Wall-Mount Microwave Shelves.....124
  - Wall-Mount Refrigerators.....134
  - Wall-Mount Shelves.....124
  - Wall-Mount Shelves with Pot Rack.....124
  - Wall-Mount Sorting Rack.....124
  - Wet waste
    - Clip-on for glasswasher.....6, 10
    - Sinks.....6, 39, 40, 68
    - Strainer.....39, 61, 68, 69, 127, 128
  - Wine accessories for cooler.....87
  - Wine Preservation System.....1-2
  - Wine rack shelves.....77, 79, 81, 83, 85, 91, 93, 95, 97, 99, 101, 103
  - Wine storage
    - Refrigerated drawers.....(see Coolers)
    - Rotary shelf.....77, 79, 97
  - Work Table Cabinets.....123
  - Work Tables.....126
  - Wrist Handles.....39, 68, 69, 127, 128

# Warranty

## **APPLICABLE TO ALL PRODUCTS SOLD WITHIN THE UNITED STATES AND CANADA**

Glastender, Inc. warrants all products to be free of defects in material and workmanship. One-year labor and parts warranty applies to all glasswashers, self-contained refrigeration models, and BDS model bottle disintegration units. In established areas, a start up is included with GT-24 and GT-30 model glasswashers. Warranty is effective for one year from the date of installation or up to 18 months from date of factory shipment, whichever occurs sooner. Glastender, Inc. will replace any part or assembly found defective under normal use and service.

For warranty labor claims beyond 15 months from the date of factory shipment, proof of date of installation or occupancy must be provided. Authorization for labor must be obtained from Glastender within the warranty period and prior to the service being performed.

Labor warranty applies to the United States and Canada only.

Remote refrigeration models and beer line chillers include a one-year parts warranty only. There is no labor warranty on these products.

Field replacement parts not covered under the original warranty include a 90-day part warranty from the date of installation.

**FOUR YEAR ADDITIONAL COMPRESSOR WARRANTY:** Glastender will warrant to the original user the compressor for all self-contained refrigeration models for an additional four years following the regular one-year warranty period. This plan applies to the compressor only.

A completed warranty claim form **MUST** accompany all returned defective parts or assemblies. Upon request, a defective part or assembly must be returned to Glastender, Inc., Saginaw, Michigan, with all transportation and delivery charges prepaid. Warranty repairs or replacements will be shipped FOB factory in Saginaw, Michigan. Reimbursement for applicable freight charges covers ground service only.

Glastender provides in-warranty repairs during a service company's regular working days and hours. There is no provision for payment of a premium rate during "overtime" hours. When warranty service is requested during other than normal working hours, the end user will be charged the premium portion of the overtime rate.

The warranty covers substantiated travel expenses for up to 2 hours / 100 miles round trip up to a maximum of \$150. Any additional costs due to installations that require extra work, time, or travel to gain access for service are the sole responsibility of the equipment purchaser. Any exceptions to these travel and access limitations must be pre-approved by a factory representative.

The warranty does not cover door gaskets, chemical tubing, pump squeeze tubing, and/or any equipment subjected to accidents, freight damage, alterations from the original design, improper power and/or plumbing hookups, improper chemical use, general misuse, or lack of routine required maintenance as determined by Glastender, Inc. Installation, normal control adjustments, general maintenance, correcting an installation error, or service calls that reveal the unit is functioning normally will not be reimbursed under warranty.

Condenser coils on self-contained refrigeration products must be cleaned regularly. Failure to provide adequate air flow to a refrigeration unit will void the warranty.

Glastender shall not be liable for loss of use, revenue, or profit, or for any other indirect, incidental, special, or consequential damage including, but not limited to, product spoilage or loss.

This warranty is conditioned upon Glastender receiving notice of any defect subject to this warranty within sixty (60) days of its discovery by the end user or dealer. All products are warranted only for the initial place of installation. Removal of a product automatically terminates this warranty.

### **SECOND YEAR EXTENDED PARTS & LABOR WARRANTY:**

Glastender's one-year parts and labor warranty on self-contained refrigeration units, excluding beer line chillers, can be extended to two years with the purchase of a two year parts and labor warranty. Specify part number EWR2 (\$150 net price) when ordering.

**EXPORT WARRANTY** - One year parts only.

### **EXCLUSION OF WARRANTIES**

**EXCEPT AS PROVIDED ABOVE, GLASTENDER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT.**

**LIMITATION OF REMEDIES AND DAMAGES**  
If Buyer makes a valid and timely claim as outlined above, Glastender's liability and Buyer's remedies under this agreement will be limited solely to labor charges authorized and/or replacement or credit, at Glastender's option, with respect to Products returned at Buyer's expense within thirty (30) days after warranty repair. **GLASTENDER'S LIABILITY WILL IN NO EVENT BE GREATER IN AMOUNT THAN THE PURCHASE PRICE OF THE RETURNED PRODUCTS. GLASTENDER WILL NOT BE LIABLE UNDER ANY CIRCUMSTANCE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, INCLUDING, BUT NOT LIMITED TO, LABOR COSTS EXCEPT AS COVERED UNDER OUR WARRANTY, LOST PROFITS OR THE LOSS OF PERISHABLE PRODUCTS RESULTING FROM THE USE OF OR INABILITY TO USE OUR PRODUCTS OR FROM OUR PRODUCTS' INCORPORATION INTO OR BECOMING A COMPONENT OF ANY OTHER PRODUCT. NEITHER PARTY WILL HAVE ANY NEGLIGENCE OR OTHER TORT LIABILITY TO THE OTHER, OR TO ANY THIRD PARTY, ARISING FROM ANY BREACH OF THIS AGREEMENT.**

### **GOVERNING LAW - JURISDICTION**

The terms and conditions of an order are to be governed and construed according to the laws of the State of Michigan, without regard to conflict of laws principles. Buyer hereby consents to the jurisdiction and venue of the courts located in Saginaw County, Michigan.

No representative, distributor, dealer, or any other person is authorized to modify this warranty. This warranty replaces all other written or verbal warranties.

**NOTE:** Glastender, Inc.'s policy of constant quality improvement means that prices, specifications, and policies are subject to change without notice. Questions regarding this warranty should be directed to Glastender's Warranty Administrator.

04-19-17

## **IMPORTANT!!**

### **Attention Service Companies**

Please review the important warranty information on this page. If you believe a service call should be covered by the factory, please call the factory for authorization between 8AM and 5PM EST, Monday through Friday.





## Better or best. It's your choice.

Glastender's main underbar line is the industry's best, but it is nice to have options. We also have a second line of underbar called Choice by Glastender™. The Choice line emphasizes price, yet maintains the following superior features:

- All stainless steel fabrication
- One-piece seamless top and backsplash\*
- Generous 14" underbar skirt
- Welded construction with bolt-on legs
- Integral, welded backsplash stiffeners

\*NOTE: Excludes ice bins and corners.



 **CHOICE**®  
BY GLASTENDER

800.748.0423 • [www.glastender.com](http://www.glastender.com)

© 2016 Glastender, Inc. All right reserved. No part of this document may be duplicated without permission. Printed in the USA.