



# Suggested List Price Standard Equipment and Accessories

**Effective: March 1, 2019**



## 1 THE INDUSTRY'S SIMPLEST INSTALLATION

Polar-Pak can easily be installed in practically no time at all without the services of a refrigeration technician or plumber.

Corners, wall panels, and doors are quickly assembled on the unit's leveled floor (or screeds), and the ceiling panels lifted into place. Then the self-contained wall-mount refrigeration unit, equipped with leveling glides for leveling, is simply inserted into wall panel opening and securely bolted into place. The top mount system is shipped ready to fit into the appropriate ceiling panel. It simply lifts into position utilizing factory installed lifting brackets, drops into ceiling panel opening, leveled, and then securely bolted into place. Wiring the refrigeration system can be as simple as attaching a pigtail and plugging the unit into the wall. No drain line is required on indoor installations - making Polar-Pak ideal for basements and upper-floor applications. Wiring the walk-in door is a simple single point connection in the light base.

Note: Outdoor Polar-Pak require drain lines (field supplied and installed).

## 2 UNSURPASSED QUALITY

Polar-Pak coolers and freezers are made with the same rugged, high performance construction that has made Kolpak the leader in walk-in refrigeration.

The Polar-Pak modular panels of 4" 100% foamed in place non-CFC urethane foam offer superior insulating capabilities. The exterior and interior of top-quality galvalume metal offer an attractive and rugged finish.

Polar-Pak also offers superior air circulation around the coils making it both economical and efficient to run.

Newly designed, patented Era bracket floor for foot traffic and rolling carts, approved for up to 1,000 lbs. per sq. ft. uniform load

## 3 HOST OF INNOVATIVE STANDARD FEATURES

- Top-mount refrigeration is flush to the interior.
- Hot gas condensate evaporator.
- Superior door construction to seal in cold, prevent condensation.
- Posi-Loc panel fasteners for a perfect airtight fit.
- Adjustable spring loaded hinges.
- Interior safety release to prevent accidental entrapment.
- Coved corners on floor panels for easier cleaning, greater sanitation.
- Heated air-vents on freezers to eliminate vacuum and pressure build-up.
- LED interior light with convenient switch.


## 4 NO OTHER MANUFACTURER OFFERS YOU GREATER FLEXIBILITY

Polar-Pak is flexible enough to be used in virtually any configuration. There's no need for numbered panels.

## 5 QUICK SHIP

Some standard 7'6" high units are part of our Polar-Pak Quick Ship program, and will ship within 48 hours after your order has been received.

Orders specifying options will require standard lead times for shipping.



**The Polar-Pak System is the answer for your indoor AND outdoor applications.**



**Available in both top-mount and side-mount models.**



**Top-mount refrigeration is flush to the interior.**

# Polar-Pak® System

by Kolpak

## Quick-Ship Program Units

The following Polar-Pak units are available under the "Quick-Ship" program.  
 QS Models Ship in 48-Hours.

### Quick-Ship Coolers and Freezers with Refrigeration Systems


#### Coolers with Floor: 38°F - 6' 6-1/4" High

	Top Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	Electrical	Ship Weight	List Price
<b>5x4x6</b>	QS6-0504-CT	4'10-1/2"x 3'11"	26" x 66"	80 cu. Ft.	1	1/3 hp	8.4	115/60/1	742	\$10,382
<b>6x4x6</b>	QS6-0604-CT	5'10"x 3'11"	26" x 66"	98 cu. Ft.	1	1/3 hp	8.4	115/60/1	879	\$11,271
<b>6x6x6</b>	QS6-0606-CT	5'10"x 5'10"	26" x 66"	156 cu. Ft.	1	1/2 hp	9.9	115/60/1	1065	\$11,050
<b>6x8x6</b>	QS6-0608-CT	5'10"x 7'9"	26" x 66"	213 cu. Ft.	1	1/2 hp	9.9	115/60/1	1113	\$13,651
<b>6x10x6</b>	QS6-0610-CT	5'10"x 9'8"	26" x 66"	271 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1304	\$13,736
<b>6x12x6</b>	QS6-0612-CT	5'10"x 11'7"	26" x 66"	332 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1434	\$13,860
<b>8x6x6</b>	QS6-0806-CT	7'9" x 5'10"	26" x 66"	80 cu. Ft.	1	1/2 hp	9.9	115/60/1	1113	\$13,651
<b>8x8x6</b>	QS6-0808-CT	7'9" x 7'9"	26" x 66"	293 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1325	\$14,484
<b>8x10x6</b>	QS6-0810-CT	7'9" x 9'8"	26" x 66"	372 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1503	\$16,110
<b>8x12x6</b>	QS6-0812-CT	7'9" x 11'7"	26" x 66"	455 cu. Ft.	2	1 hp	16.8	**115/60/1	1662	\$16,910
<b>10x6x6</b>	QS6-1006-CT	9'8" x 5'10"	26" x 66"	271 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1304	\$13,736
<b>10x8x6</b>	QS6-1008-CT	9'8" x 7'9"	26" x 66"	372 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1503	\$16,697
<b>10x10x6</b>	QS6-1010-CT	9'8" x 9'8"	26" x 66"	477 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1690	\$16,961
<b>12x6x6</b>	QS6-1206-CT	11'7" x 5'10"	26" x 66"	332 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1434	\$13,860
<b>12x8x6</b>	QS6-1208-CT	11'7" x 7'9"	26" x 66"	455 cu. Ft.	2	1 hp	16.8	**115/60/1	1662	\$16,910

#### Freezers with Floor: -10°F - 6' 6 - 1/4" High

	Top Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	Electrical	Ship Weight	List Price
<b>5x4x6</b>	QS6-0504-FT	4'10-1/2"x 3'11"	26" x 66"	80 cu. Ft.	1	1 hp	10.6	208-230/60/1	879	\$11,470
<b>6x4x6</b>	QS6-0604-FT	5'10"x 3'11"	26" x 66"	98 cu. Ft.	1	1 hp	10.6	208-230/60/1	903	\$11,905
<b>6x6x6</b>	QS6-0606-FT	5'10"x 5'10"	26" x 66"	156 cu. Ft.	1	1 hp	10.6	208-230/60/1	1065	\$14,381
<b>6x8x6</b>	QS6-0608-FT	5'10"x 7'9"	26" x 66"	213 cu. Ft.	2	1 1/2 hp	13.5	208-230/60/1	1213	\$15,449
<b>6x10x6</b>	QS6-0610-FT	5'10"x 9'8"	26" x 66"	271 cu. Ft.	2	1 1/2 hp	13.5	208-230/60/1	1369	\$18,221
<b>6x12x6</b>	QS6-0612-FT	5'10"x 11'7"	26" x 66"	332 cu. Ft.	2	1 1/2 hp	13.5	208-230/60/1	1434	\$19,283
<b>8x6x6</b>	QS6-0806-FT	7'9" x 5'10"	26" x 66"	80 cu. Ft.	2	1 1/2 hp	13.5	208-230/60/1	1213	\$15,449
<b>8x8x6</b>	QS6-0808-FT	7'9" x 7'9"	26" x 66"	293 cu. Ft.	2	1 1/2 hp	13.5	208-230/60/1	1390	\$18,587
<b>8x10x6</b>	QS6-0810-FT	7'9" x 9'8"	26" x 66"	372 cu. Ft.	2	2 hp	18.8	208-230/60/1	1568	\$19,679
<b>8x12x6</b>	QS6-0812-FT	7'9" x 11'7"	26" x 66"	455 cu. Ft.	2	2 hp	18.8	208-230/60/1	1662	\$20,773
<b>10x6x6</b>	QS6-1006-FT	9'8" x 5'10"	26" x 66"	271 cu. Ft.	2	1 1/2 hp	13.5	208-230/60/1	1369	\$18,221
<b>10x8x6</b>	QS6-1008-FT	9'8" x 7'9"	26" x 66"	372 cu. Ft.	2	2 hp	18.8	208-230/60/1	1568	\$19,496
<b>10x10x6</b>	QS6-1010-FT	9'8" x 9'8"	26" x 66"	477 cu. Ft.	2	2 hp	18.8	208-230/60/1	1690	\$20,488
<b>12x6x6</b>	QS6-1206-FT	11'7" x 5'10"	26" x 66"	332 cu. Ft.	2	1 1/2 hp	13.5	208-230/60/1	1434	\$19,283
<b>12x8x6</b>	QS6-1208-FT	11'7" x 7'9"	26" x 66"	455 cu. Ft.	2	2 hp	18.8	208-230/60/1	1662	\$20,773

\*See page 5 for accessories.



# Quick-Ship Program Units

The following Polar-Pak units are available under the "Quick-Ship" program.  
 QS Models Ship in 48-Hours.

## Quick-Ship Coolers and Freezers with Refrigeration Systems

### Floorless Coolers: 38°F - 6' 3-3/4" High

	Top Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	Electrical	Ship Weight	List Price
<b>5x4x6</b>	QSX6-0504-CT	4'10-1/2"x 3'11"	26" x 66"	80 cu. Ft.	1	1/3 hp	8.4	115/60/1	662	\$9,499
<b>6x4x6</b>	QSX6-0604-CT	5'10"x 3'11"	26" x 66"	98 cu. Ft.	1	1/3 hp	8.4	115/60/1	707	\$9,876
<b>6x6x6</b>	QSX6-0606-CT	5'10"x 5'10"	26" x 66"	156 cu. Ft.	1	1/2 hp	9.9	115/60/1	821	\$11,017
<b>6x8x6</b>	QSX6-0608-CT	5'10"x 7'9"	26" x 66"	213 cu. Ft.	1	1/2 hp	9.9	115/60/1	921	\$11,804
<b>6x10x6</b>	QSX6-0610-CT	5'10"x 9'8"	26" x 66"	271 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1064	\$12,733
<b>6x12x6</b>	QSX6-0612-CT	5'10"x 11'7"	26" x 66"	332 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1146	\$13,122
<b>8x6x6</b>	QSX6-0806-CT	7'9" x 5'10"	26" x 66"	80 cu. Ft.	1	1/2 hp	9.9	115/60/1	977	\$11,804
<b>8x8x6</b>	QSX6-0808-CT	7'9" x 7'9"	26" x 66"	293 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1069	\$12,887
<b>8x10x6</b>	QSX6-0810-CT	7'9" x 9'8"	26" x 66"	372 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1183	\$14,383
<b>8x12x6</b>	QSX6-0812-CT	7'9" x 11'7"	26" x 66"	455 cu. Ft.	2	1 hp	16.8	**115/60/1	1253	\$15,879
<b>10x6x6</b>	QSX6-1006-CT	9'8" x 5'10"	26" x 66"	271 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1064	\$12,765
<b>10x8x6</b>	QSX6-1008-CT	9'8" x 7'9"	26" x 66"	372 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1183	\$14,345
<b>10x10x6</b>	QSX6-1010-CT	9'8" x 9'8"	26" x 66"	477 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1442	\$16,501
<b>12x6x6</b>	QSX6-1206-CT	11'7" x 5'10"	26" x 66"	332 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1236	\$13,122
<b>12x8x6</b>	QSX6-1208-CT	11'7" x 7'9"	26" x 66"	455 cu. Ft.	2	1 hp	16.8	**115/60/1	1346	\$15,879

Note 1: Add "R" or "L" to end of Model Numbers above to designate Right or Left Door Hinge.

Note 2: "+" Refrigeration must be on 5 ft. wall

\* Top Mount refrigeration only for quick ship program. Actual height for units without floors is 6' 3 3/4". Actual height for units with floors is 6' 6 1/4". Outdoor units not available as Quick Ship.

### Coolers with Floor: 38°F - 7' 6-1/4" High

	Top Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	Electrical	Ship Weight	List Price
<b>5x4x7</b>	Q57-0504-CT	4'10-1/2"x 3'11"	26" x 78"	84 cu. ft.	1	1/3 hp	8.4	115/60/1	1013	\$10,175
<b>6x4x7</b>	Q57-0604-CT	5'10"x 3'11"	26" x 78"	116 cu. ft.	1	1/3 hp	8.4	115/60/1	1013	\$10,542
<b>6x6x7</b>	Q57-0606-CT	5'10"x 5'10"	26" x 78"	184 cu. ft.	1	1/2 hp	9.9	115/60/1	1013	\$11,726
<b>6x8x7</b>	Q57-0608-CT	5'10"x 7'9"	26" x 78"	252 cu. ft.	1	1/2 hp	9.9	115/60/1	1169	\$12,810
<b>6x10x7</b>	Q57-0610-CT	5'10"x 9'8"	26" x 78"	320 cu. ft.	2	3/4 hp	16.3	*115/60/1	1368	\$14,226
<b>6x12x7</b>	Q57-0612-CT	5'10"x 11'7"	26" x 78"	388 cu. ft.	2	3/4 hp	16.3	*115/60/1	1524	\$14,622
<b>8x6x7</b>	Q57-0806-CT	7'9" x 5'10"	26" x 78"	252 cu. ft.	1	1/2 hp	9.9	115/60/1	1169	\$12,810
<b>8x8x7</b>	Q57-0808-CT	7'9" x 7'9"	26" x 78"	345 cu. ft.	2	3/4 hp	16.3	*115/60/1	1391	\$14,622
<b>8x10x7</b>	Q57-0810-CT	7'9" x 9'8"	26" x 78"	439 cu. ft.	2	3/4 hp	16.3	*115/60/1	1573	\$15,135
<b>8x12x7</b>	Q57-0812-CT	7'9" x 11'7"	26" x 78"	532 cu. ft.	2	1 hp	16.8	**115/60/1	1762	\$16,508
<b>10x6x7</b>	Q57-1006-CT	9'8" x 5'10"	26" x 78"	320 cu. ft.	2	3/4 hp	16.3	*115/60/1	1368	\$14,226
<b>10x8x7</b>	Q57-1008-CT	9'8" x 7'9"	26" x 78"	439 cu. ft.	2	3/4 hp	16.3	*115/60/1	1573	\$15,513
<b>10x10x7</b>	Q57-1010-CT	9'8" x 9'8"	26" x 78"	558 cu.ft.	2	1 hp	16.8	**115/60/1	1790	\$17,313
<b>12x6x7</b>	Q57-1206-CT	11'7" x 5'10"	26" x 78"	388 cu. ft.	2	3/4 hp	16.3	*115/60/1	1524	\$14,622
<b>12x8x7</b>	Q57-1208-CT	11'7" x 7'9"	26" x 78"	532 cu. ft.	2	1 hp	16.8	**115/60/1	1762	\$16,508

\*See page 5 for accessories.

# Quick-Ship Coolers and Freezers with Refrigeration Systems

## Freezers with Floor: -10°F - 7' 6-1/4" High

	Top Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	Electrical	Ship Weight	List Price
<b>5x4x7</b>	QS7-0504-FT	4'10-1/2"x 3'11"	26" x 78"	84 cu. ft.	1	1 hp	10.6	208-230/60/1	1013	\$11,698
<b>6x4x7</b>	QS7-0604-FT	5'10"x 3'11"	26" x 78"	116 cu. ft.	1	1 hp	10.6	208-230/60/1	1013	\$11,906
<b>6x6x7</b>	QS7-0606-FT	5'10"x 5'10"	26" x 78"	184 cu. ft.	1	1 hp	10.6	208-230/60/1	1113	\$14,677
<b>6x8x7</b>	QS7-0608-FT	5'10"x 7'9"	26" x 78"	252 cu. ft.	2	1 1/2 hp	13.5	208-230/60/1	1269	\$15,818
<b>6x10x7</b>	QS7-0610-FT	5'10"x 9'8"	26" x 78"	320 cu. ft.	2	1 1/2 hp	13.5	208-230/60/1	1433	\$19,044
<b>6x12x7</b>	QS7-0612-FT	5'10"x 11'7"	26" x 78"	388 cu. ft.	2	1 1/2 hp	13.5	208-230/60/1	1524	\$20,184
<b>8x6x7</b>	QS7-0806-FT	7'9" x 5'10"	26" x 78"	252 cu. ft.	2	1 1/2 hp	13.5	208-230/60/1	1269	\$15,818
<b>8x8x7</b>	QS7-0808-FT	7'9" x 7'9"	26" x 78"	345 cu. ft.	2	1 1/2 hp	13.5	208-230/60/1	1456	\$19,235
<b>8x10x7</b>	QS7-0810-FT	7'9" x 9'8"	26" x 78"	439 cu. ft.	2	2 hp	18.8	208-230/60/1	1573	\$20,434
<b>8x12x7</b>	QS7-0812-FT	7'9" x 11'7"	26" x 78"	532 cu. ft.	2	2 hp	18.8	208-230/60/1	1762	\$21,942
<b>10x6x7</b>	QS7-1006-FT	9'8" x 5'10"	26" x 78"	320 cu. ft.	2	1 1/2 hp	13.5	208-230/60/1	1433	\$19,044
<b>10x8x7</b>	QS7-1008-FT	9'8" x 7'9"	26" x 78"	439 cu. ft.	2	2 hp	18.8	208-230/60/1	1638	\$20,564
<b>10x10x7</b>	QS7-1010-FT	9'8" x 9'8"	26" x 78"	558 cu.ft.	2	2 hp	18.8	208-230/60/1	1790	\$21,290
<b>12x6x7</b>	QS7-1206-FT	11'7 x 5'10"	26" x 78"	388 cu. ft.	2	1 1/2 hp	13.5	208-230/60/1	1524	\$20,184
<b>12x8x7</b>	QS7-1208-FT	11'7" x 7'9"	26" x 78"	532 cu. ft.	2	2 hp	18.8	208-230/60/1	1762	\$21,942

## Floorless Coolers: 38°F - 7' 3-3/4" High

	Top Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	Electrical	Ship Weight	List Price
<b>5x4x7</b>	QSX7-0504-CT	4'10-1/2"x 3'11"	26" x 78"	84 cu. ft.	1	1/3 hp	8.4	115/60/1	869	\$9,860
<b>6x4x7</b>	QSX7-0604-CT	5'10"x 3'11"	26" x 78"	116 cu. ft.	1	1/2 hp	9.9	115/60/1	869	\$10,228
<b>6x6x7</b>	QSX7-0606-CT	5'10"x 5'10"	26" x 78"	184 cu. ft.	1	1/2 hp	9.9	115/60/1	869	\$11,610
<b>6x8x7</b>	QSX7-0608-CT	5'10"x 7'9"	26" x 78"	252 cu. ft.	2	3/4 hp	16.3	115/60/1	977	\$12,604
<b>6x10x7</b>	QSX7-0610-CT	5'10"x 9'8"	26" x 78"	320 cu. ft.	2	3/4 hp	16.3	*115/60/1	1128	\$13,292
<b>6x12x7</b>	QSX7-0612-CT	5'10"x 11'7"	26" x 78"	388 cu. ft.	2	3/4 hp	16.3	*115/60/1	1236	\$14,001
<b>8x6x7</b>	QSX7-0806-CT	7'9" x 5'10"	26" x 78"	252 cu. ft.	2	3/4 hp	16.3	115/60/1	977	\$12,604
<b>8x8x7</b>	QSX7-0808-CT	7'9" x 7'9"	26" x 78"	345 cu. ft.	2	3/4 hp	16.3	*115/60/1	1135	\$13,629
<b>8x10x7</b>	QSX7-0810-CT	7'9" x 9'8"	26" x 78"	439 cu. ft.	2	1 hp	16.8	**115/60/1	1253	\$15,159
<b>8x12x7</b>	QSX7-0812-CT	7'9" x 11'7"	26" x 78"	532 cu. ft.	2	1 hp	16.8	**115/60/1	1346	\$16,508
<b>10x6x7</b>	QSX7-1006-CT	9'8" x 5'10"	26" x 78"	320 cu. ft.	2	3/4 hp	16.3	*115/60/1	1128	\$13,292
<b>10x8x7</b>	QSX7-1008-CT	9'8" x 7'9"	26" x 78"	439 cu. ft.	2	1 hp	16.8	**115/60/1	1253	\$15,125
<b>10x10x7</b>	QSX7-1010-CT	9'8" x 9'8"	26" x 78"	558 cu.ft.	2	1hp	16.8	*115/60/1	1442	\$17,313
<b>12x6x7</b>	QSX7-1206-CT	11'7 x 5'10"	26" x 78"	388 cu. ft.	2	3/4 hp	16.3	*115/60/1	1236	\$14,001
<b>12x8x7</b>	QSX7-1208-CT	11'7" x 7'9"	26" x 78"	532 cu. ft.	2	1 hp	16.8	**115/60/1	1346	\$16,508

\* Top Mount refrigeration only for quick ship program. Actual height for units without floors is 7' 3 3/4". Actual height for units with floors is 7' 6 1/4". Outdoor units not available as Quick Ship

### Refrigeration Accessories

Optional 5 Year Compressor Warranty

H.P	Net
1/3	\$82
1/2	\$102
3/4	\$113
1	\$121
1-1/2	\$144
2	\$176

### Specifications:

Interior/Exterior Finish: 26 Ga Embossed Galvalume  
 Door: Standard hardware package with dial thermometer and switch  
 Floored Application: Era .100 Smooth Aluminum  
 Floorless Application: 1-1/2" Vinyl Screed  
 Refrigeration: Top Mount, drop-in refrigeration

### Accessories:

Seismic Kit  
*(available for floored applications only)* \$450 net  
 Oregon Seal \$50 net per door  
 Chicago Relief Valve \$30 net  
 Exterior Ramp \$320 net  
 Strip Curtain \$75 net  
 1809 Compartment light \$248 net  
 Trim 3x3x96L angle \$20 net each  
 Air Shield \$1593 net

# Polar-Pak® System

by Kolpak

## Freezers with Refrigeration Systems - Top Mount

### Coolers with Floor: 38°F - 6' 6-1/4" High

	Top Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	Electrical	Ship Weight	List Price
<b>5x4x6</b>	P6-0504-CT	4'10-1/2"x 3'11"	26" x 66"	80 cu. Ft.	1	1/3 hp	8.4	115/60/1	742	\$10,383
<b>6x4x6</b>	P6-0604-CT	5'10"x 3'11"	26" x 66"	98 cu. Ft.	1	1/3 hp	8.4	115/60/1	879	\$11,271
<b>6x6x6</b>	P6-0606-CT	5'10"x 5'10"	26" x 66"	156 cu. Ft.	1	1/2 hp	9.9	115/60/1	1065	\$11,050
<b>6x8x6</b>	P6-0608-CT	5'10"x 7'9"	26" x 66"	213 cu. Ft.	1	1/2 hp	9.9	115/60/1	1113	\$13,651
<b>6x10x6</b>	P6-0610-CT	5'10"x 9'8"	26" x 66"	271 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1304	\$13,736
<b>6x12x6</b>	P6-0612-CT	5'10"x 11'7"	26" x 66"	332 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1434	\$13,860
<b>8x6x6</b>	P6-0806-CT	7'9" x 5'10"	26" x 66"	80 cu. Ft.	1	1/2 hp	9.9	115/60/1	1113	\$13,651
<b>8x8x6</b>	P6-0808-CT	7'9" x 7'9"	26" x 66"	293 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1325	\$14,484
<b>8x10x6</b>	P6-0810-CT	7'9" x 9'8"	26" x 66"	372 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1503	\$16,110
<b>8x12x6</b>	P6-0812-CT	7'9" x 11'7"	26" x 66"	455 cu. Ft.	2	1 hp	16.8	**115/60/1	1662	\$16,910
<b>10x6x6</b>	P6-1006-CT	9'8" x 5'10"	26" x 66"	271 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1304	\$13,736
<b>10x8x6</b>	P6-1008-CT	9'8" x 7'9"	26" x 66"	372 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1503	\$16,697
<b>10x10x6</b>	P6-1010-CT	9'8" x 9'8"	26" x 66"	477 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1690	\$16,961
<b>12x6x6</b>	P6-1206-CT	11'7" x 5'10"	26" x 66"	332 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1434	\$13,860
<b>12x8x6</b>	P6-1208-CT	11'7" x 7'9"	26" x 66"	455 cu. Ft.	2	1 hp	16.8	**115/60/1	1662	\$16,910

### Freezers with Floors: -10°F - 6' 6-1/4" High

	Top Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	Electrical	Ship Weight	List Price
<b>5x4x6</b>	P6-0504-FT	4'10-1/2"x 3'11"	26" x 66"	80 cu. Ft.	1	1 hp	10.6	208-230/60/1	879	\$11,698
<b>6x4x6</b>	P6-0604-FT	5'10"x 3'11"	26" x 66"	98 cu. Ft.	1	1 hp	10.6	208-230/60/1	903	\$11,906
<b>6x6x6</b>	P6-0606-FT	5'10"x 5'10"	26" x 66"	156 cu. Ft.	1	1 hp	10.6	208-230/60/1	1065	\$14,381
<b>6x8x6</b>	P6-0608-FT	5'10"x 7'9"	26" x 66"	213 cu. Ft.	2	1 1/2 hp	13.5	208-230/60/1	1213	\$15,449
<b>6x10x6</b>	P6-0610-FT	5'10"x 9'8"	26" x 66"	271 cu. Ft.	2	1 1/2 hp	13.5	208-230/60/1	1369	\$18,222
<b>6x12x6</b>	P6-0612-FT	5'10"x 11'7"	26" x 66"	332 cu. Ft.	2	1 1/2 hp	13.5	208-230/60/1	1434	\$19,283
<b>8x6x6</b>	P6-0806-FT	7'9" x 5'10"	26" x 66"	80 cu. Ft.	2	1 1/2 hp	13.5	208-230/60/1	1213	\$15,449
<b>8x8x6</b>	P6-0808-FT	7'9" x 7'9"	26" x 66"	293 cu. Ft.	2	1 1/2 hp	13.5	208-230/60/1	1390	\$18,587
<b>8x10x6</b>	P6-0810-FT	7'9" x 9'8"	26" x 66"	372 cu. Ft.	2	2 hp	18.8	208-230/60/1	1568	\$19,679
<b>8x12x6</b>	P6-0812-FT	7'9" x 11'7"	26" x 66"	455 cu. Ft.	2	2 hp	18.8	208-230/60/1	1662	\$20,773
<b>10x6x6</b>	P6-1006-FT	9'8" x 5'10"	26" x 66"	271 cu. Ft.	2	1 1/2 hp	13.5	208-230/60/1	1369	\$18,222
<b>10x8x6</b>	P6-1008-FT	9'8" x 7'9"	26" x 66"	372 cu. Ft.	2	2 hp	18.8	208-230/60/1	1568	\$19,496
<b>10x10x6</b>	P6-1010-FT	9'8" x 9'8"	26" x 66"	477 cu. Ft.	2	2 hp	18.8	208-230/60/1	1690	\$20,488
<b>12x6x6</b>	P6-1206-FT	11'7" x 5'10"	26" x 66"	332 cu. Ft.	2	1 1/2 hp	13.5	208-230/60/1	1434	\$19,283
<b>12x8x6</b>	P6-1208-FT	11'7" x 7'9"	26" x 66"	455 cu. Ft.	2	2 hp	18.8	208-230/60/1	1662	\$20,773

# Polar-Pak® System

by Kolpak

## Freezers with Refrigeration Systems - Top Mount

### Floorless Coolers: 38°F - 6' 6-1/4" High

	Top Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	Electrical	Ship Weight	List Price
<b>5x4x6</b>	PX6-0504-CT	4'10-1/2"x 3'11"	26" x 66"	80 cu. Ft.	1	1/3 hp	8.4	115/60/1	662	\$9,499
<b>6x4x6</b>	PX6-0604-CT	5'10"x 3'11"	26" x 66"	98 cu. Ft.	1	1/3 hp	8.4	115/60/1	707	\$9,876
<b>6x6x6</b>	PX6-0606-CT	5'10"x 5'10"	26" x 66"	156 cu. Ft.	1	1/2 hp	9.9	115/60/1	821	\$11,017
<b>6x8x6</b>	PX6-0608-CT	5'10"x 7'9"	26" x 66"	213 cu. Ft.	1	1/2 hp	9.9	115/60/1	921	\$11,804
<b>6x10x6</b>	PX6-0610-CT	5'10"x 9'8"	26" x 66"	271 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1064	\$12,733
<b>6x12x6</b>	PX6-0612-CT	5'10"x 11'7"	26" x 66"	332 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1146	\$13,122
<b>8x6x6</b>	PX6-0806-CT	7'9" x 5'10"	26" x 66"	80 cu. Ft.	1	1/2 hp	9.9	115/60/1	977	\$11,804
<b>8x8x6</b>	PX6-0808-CT	7'9" x 7'9"	26" x 66"	293 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1069	\$12,887
<b>8x10x6</b>	PX6-0810-CT	7'9" x 9'8"	26" x 66"	372 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1183	\$14,383
<b>8x12x6</b>	PX6-0812-CT	7'9" x 11'7"	26" x 66"	455 cu. Ft.	2	1 hp	16.8	**115/60/1	1253	\$15,879
<b>10x6x6</b>	PX6-1006-CT	9'8" x 5'10"	26" x 66"	271 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1064	\$12,733
<b>10x8x6</b>	PX6-1008-CT	9'8" x 7'9"	26" x 66"	372 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1183	\$14,345
<b>10x10x6</b>	PX6-1010-CT	9'8" x 9'8"	26" x 66"	477 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1442	\$16,501
<b>12x6x6</b>	PX6-1206-CT	11'7 x 5'10"	26" x 66"	332 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1236	\$13,122
<b>12x8x6</b>	PX6-1208-CT	11'7" x 7'9"	26" x 66"	455 cu. Ft.	2	1 hp	16.8	**115/60/1	1346	\$15,879

Note 1: Add "R" or "L" to end of Model Numbers above to designate Right or Left Door Hinge.

Note 2: "+" Refrigeration must be on 5 ft. wall

### Coolers with Floor: 38°F - 7' 6-1/4" High

	Top Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	Electrical	Ship Weight	List Price
<b>5x4x7</b>	P7-0504-CT	4'10-1/2"x 3'11"	26" x 78"	84 cu. ft.	1	1/3 hp	8.4	115/60/1	1013	\$10,175
<b>6x4x7</b>	P7-0604-CT	5'10"x 3'11"	26" x 78"	116 cu. ft.	1	1/3 hp	8.4	115/60/1	1013	\$10,542
<b>6x6x7</b>	P7-0606-CT	5'10"x 5'10"	26" x 78"	184 cu. ft.	1	1/2 hp	9.9	115/60/1	1013	\$11,726
<b>6x8x7</b>	P7-0608-CT	5'10"x 7'9"	26" x 78"	252 cu. ft.	1	1/2 hp	9.9	115/60/1	1169	\$12,810
<b>6x10x7</b>	P7-0610-CT	5'10"x 9'8"	26" x 78"	320 cu. ft.	2	3/4 hp	16.3	*115/60/1	1368	\$14,226
<b>6x12x7</b>	P7-0612-CT	5'10"x 11'7"	26" x 78"	388 cu. ft.	2	3/4 hp	16.3	*115/60/1	1524	\$14,622
<b>8x6x7</b>	P7-0806-CT	7'9" x 5'10"	26" x 78"	252 cu. ft.	1	1/2 hp	9.9	115/60/1	1169	\$12,810
<b>8x8x7</b>	P7-0808-CT	7'9" x 7'9"	26" x 78"	345 cu. ft.	2	3/4 hp	16.3	*115/60/1	1391	\$14,622
<b>8x10x7</b>	P7-0810-CT	7'9" x 9'8"	26" x 78"	439 cu. ft.	2	3/4 hp	16.3	*115/60/1	1573	\$15,135
<b>8x12x7</b>	P7-0812-CT	7'9" x 11'7"	26" x 78"	532 cu. ft.	2	1 hp	16.8	**115/60/1	1762	\$16,508
<b>10x6x7</b>	P7-1006-CT	9'8" x 5'10"	26" x 78"	320 cu. ft.	2	3/4 hp	16.3	*115/60/1	1368	\$14,226
<b>10x8x7</b>	P7-1008-CT	9'8" x 7'9"	26" x 78"	439 cu. ft.	2	3/4 hp	16.3	*115/60/1	1573	\$15,513
<b>10x10x7</b>	P7-1010-CT	9'8" x 9'8"	26" x 78"	558 cu. ft.	2	1 hp	16.8	**115/60/1	1790	\$17,313
<b>12x6x7</b>	P7-1206-CT	11'7 x 5'10"	26" x 78"	388 cu. ft.	2	3/4 hp	16.3	*115/60/1	1524	\$14,622
<b>12x8x7</b>	P7-1208-CT	11'7" x 7'9"	26" x 78"	532 cu. ft.	2	1 hp	16.8	**115/60/1	1762	\$16,508

\*See page 8 for accessories.

# Polar-Pak® System

by Kolpak

## Freezers with Refrigeration Systems- Top Mount

### Freezers with Floor: -10°F - 7' 6-1/4" High

	Top Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	Electrical	Ship Weight	List Price
5x4x7	P7-0504-FT	4'10-1/2"x 3'11"	26" x 78"	84 cu. ft.	1	1 hp	10.6	208-230/60/1	1013	\$11,698
6x4x7	P7-0604-FT	5'10"x 3'11"	26" x 78"	116 cu. ft.	1	1 hp	10.6	208-230/60/1	1013	\$11,906
6x6x7	P7-0606-FT	5'10"x 5'10"	26" x 78"	184 cu. ft.	1	1 hp	10.6	208-230/60/1	1113	\$14,677
6x8x7	P7-0608-FT	5'10"x 7'9"	26" x 78"	252 cu. ft.	2	1 1/2 hp	13.5	208-230/60/1	1269	\$15,818
6x10x7	P7-0610-FT	5'10"x 9'8"	26" x 78"	320 cu. ft.	2	1 1/2 hp	13.5	208-230/60/1	1433	\$19,044
6x12x7	P7-0612-FT	5'10"x 11'7"	26" x 78"	388 cu. ft.	2	1 1/2 hp	13.5	208-230/60/1	1524	\$20,184
8x6x7	P7-0806-FT	7'9" x 5'10"	26" x 78"	252 cu. ft.	2	1 1/2 hp	13.5	208-230/60/1	1269	\$15,818
8x8x7	P7-0808-FT	7'9" x 7'9"	26" x 78"	345 cu. ft.	2	1 1/2 hp	13.5	208-230/60/1	1456	\$19,235
8x10x7	P7-0810-FT	7'9" x 9'8"	26" x 78"	439 cu. ft.	2	2 hp	18.8	208-230/60/1	1573	\$20,564
8x12x7	P7-0812-FT	7'9" x 11'7"	26" x 78"	532 cu. ft.	2	2 hp	18.8	208-230/60/1	1762	\$21,942
10x6x7	P7-1006-FT	9'8" x 5'10"	26" x 78"	320 cu. ft.	2	1 1/2 hp	13.5	208-230/60/1	1433	\$19,044
10x8x7	P7-1008-FT	9'8" x 7'9"	26" x 78"	439 cu. ft.	2	2 hp	18.8	208-230/60/1	1638	\$20,564
10x10x7	P7-1010-FT	9'8" x 9'8"	26" x 78"	558 cu. ft.	2	2 hp	18.8	208-230/60/1	1790	\$21,290
12x6x7	P7-1206-FT	11'7" x 5'10"	26" x 78"	388 cu. ft.	2	1 1/2 hp	13.5	208-230/60/1	1524	\$20,195
12x8x7	P7-1208-FT	11'7" x 7'9"	26" x 78"	532 cu. ft.	2	2 hp	18.8	208-230/60/1	1762	\$21,942

### Floorless Coolers: 38°F - 7' 6-1/4" High

	Top Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	Electrical	Ship Weight	List Price
5x4x7	PX7-0504-CT	4'10-1/2"x 3'11"	26" x 78"	84 cu. ft.	1	1/3 hp	8.4	115/60/1	869	\$9,860
6x4x7	PX7-0604-CT	5'10"x 3'11"	26" x 78"	116 cu. ft.	1	1/2 hp	9.9	115/60/1	869	\$10,228
6x6x7	PX7-0606-CT	5'10"x 5'10"	26" x 78"	184 cu. ft.	1	1/2 hp	9.9	115/60/1	869	\$11,610
6x8x7	PX7-0608-CT	5'10"x 7'9"	26" x 78"	252 cu. ft.	2	3/4 hp	16.3	115/60/1	977	\$12,604
6x10x7	PX7-0610-CT	5'10"x 9'8"	26" x 78"	320 cu. ft.	2	3/4 hp	16.3	*115/60/1	1128	\$13,292
6x12x7	PX7-0612-CT	5'10"x 11'7"	26" x 78"	388 cu. ft.	2	3/4 hp	16.3	*115/60/1	1236	\$14,001
8x6x7	PX7-0806-CT	7'9" x 5'10"	26" x 78"	252 cu. ft.	2	3/4 hp	16.3	115/60/1	977	\$12,604
8x8x7	PX7-0808-CT	7'9" x 7'9"	26" x 78"	345 cu. ft.	2	3/4 hp	16.3	*115/60/1	1135	\$13,629
8x10x7	PX7-0810-CT	7'9" x 9'8"	26" x 78"	439 cu. ft.	2	1 hp	16.8	**115/60/1	1253	\$15,159
8x12x7	PX7-0812-CT	7'9" x 11'7"	26" x 78"	532 cu. ft.	2	1 hp	16.8	**115/60/1	1346	\$16,508
10x6x7	PX7-1006-CT	9'8" x 5'10"	26" x 78"	320 cu. ft.	2	3/4 hp	16.3	*115/60/1	1128	\$13,292
10x8x7	PX7-1008-CT	9'8" x 7'9"	26" x 78"	439 cu. ft.	2	1 hp	16.8	**115/60/1	1253	\$15,125
10x10x7	PX7-1010-CT	9'8" x 9'8"	26" x 78"	558 cu. ft.	2	1hp	16.8	*115/60/1	1442	\$17,313
12x6x7	PX7-1206-CT	11'7" x 5'10"	26" x 78"	388 cu. ft.	2	3/4 hp	16.3	*115/60/1	1236	\$14,001
12x8x7	PX7-1208-CT	11'7" x 7'9"	26" x 78"	532 cu. ft.	2	1 hp	16.8	**115/60/1	1346	\$16,508

Note 1: Add "R" or "L" to end of Model Numbers above to designate Right or Left Door Hinge.

Note 2: "+" Refrigeration must be on 5 ft. wall

#### Refrigeration Accessories

Optional 5 Year  
Compressor Warranty

H.P	Net
1/3	\$82
1/2	\$102
3/4	\$113
1	\$121
1-1/2	\$144
2	\$176

#### Specifications:

Interior/Exterior Finish: 26 Ga Embossed Galvalume  
 Door: Standard hardware package with dial thermometer and switch  
 Floored Application: Era .100 Smooth Aluminum  
 Floorless Application: 4" Vinyl Scream  
 Refrigeration: Top Mount, drop-in refrigeration

#### Accessories:

34" door	\$200 net
Seismic Kit (available for floored applications only)	\$450 net
Oregon Seal	\$50 net per door
Chicago Relief Valve	\$30 net
Exterior Ramp	\$320 net
Strip Curtain	\$75 net
1809 Compartment light	\$248 net
Trim 3x3x96L angle	\$20 net each
Air Shield	\$1593 net



# Polar-Pak® System

by Kolpak

## Outdoor Polar-Pak - Sized at 105°F Ambient- Top Mount

### Coolers with Floor: 38°F - 6' 6-1/4" High

	Top Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	List Price
<b>5x4x6</b>	P6-0504-CT-OA	4'10-1/2"x 3'11"	26" x 66"	80 cu. Ft.	1	1/3 hp	8.4	\$11,006
<b>6x4x6</b>	P6-0604-CT-OA	5'10"x 3'11"	26" x 66"	98 cu. Ft.	1	1/2 hp	9.9	\$12,054
<b>6x6x6</b>	P6-0606-CT-OA	5'10"x 5'10"	26" x 66"	156 cu. Ft.	2	3/4 hp	16.3	\$12,625
<b>6x8x6</b>	P6-0608-CT-OA	5'10"x 7'9"	26" x 66"	213 cu. Ft.	2	3/4 hp	16.3	\$15,384
<b>6x10x6</b>	P6-0610-CT-OA	5'10"x 9'8"	26" x 66"	271 cu. Ft.	2	1 hp	16.8	\$14,638
<b>6x12x6</b>	P6-0612-CT-OA	5'10"x 11'7"	26" x 66"	332 cu. Ft.	2	1 hp	16.8	\$14,770
<b>8x6x6</b>	P6-0806-CT-OA	7'9" x 5'10"	26" x 66"	213 cu. Ft.	2	3/4 hp	16.3	\$15,384
<b>8x8x6</b>	P6-0808-CT-OA	7'9" x 7'9"	26" x 66"	293 cu. Ft.	2	3/4 hp	16.3	\$15,351
<b>8x10x6</b>	P6-0810-CT-OA	7'9" x 9'8"	26" x 66"	372 cu. Ft.	2	1 hp	16.8	\$17,155
<b>10x6x6</b>	P6-1006-CT-OA	9'8" x 5'10"	26" x 66"	271 cu. Ft.	2	1 hp	16.8	\$14,638
<b>10x8x6</b>	P6-1008-CT-OA	9'8" x 7'9"	26" x 66"	372 cu. Ft.	2	1 hp	16.8	\$17,777
<b>12x6x6</b>	P6-1206-CT-OA	11'7 x 5'10"	26" x 66"	332 cu. Ft.	2	1 hp	16.8	\$14,770

### Freezers with Floor: -10°F - 6' 6-1/4" High

	Top Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	List Price
<b>5x4x6</b>	P6-0504-FT-OA	4'10-1/2"x 3'11"	26" x 66"	80 cu. Ft.	1	1 hp	10.6	\$12,399
<b>6x4x6</b>	P6-0604-FT-OA	5'10"x 3'11"	26" x 66"	98 cu. Ft.	1	1 hp	10.6	\$12,620
<b>6x6x6</b>	P6-0606-FT-OA	5'10"x 5'10"	26" x 66"	156 cu. Ft.	1	1 hp	10.6	\$15,188
<b>6x8x6</b>	P6-0608-FT-OA	5'10"x 7'9"	26" x 66"	213 cu. Ft.	2	1 1/2 hp	13.5	\$16,375
<b>6x10x6</b>	P6-0610-FT-OA	5'10"x 9'8"	26" x 66"	271 cu. Ft.	2	2 hp	18.8	\$19,562
<b>6x12x6</b>	P6-0612-FT-OA	5'10"x 11'7"	26" x 66"	332 cu. Ft.	2	2 hp	18.8	\$20,687
<b>8x6x6</b>	P6-0806-FT-OA	7'9" x 5'10"	26" x 66"	213 cu. Ft.	2	1 1/2 hp	13.5	\$16,375
<b>8x8x6</b>	P6-0808-FT-OA	7'9" x 7'9"	26" x 66"	293 cu. Ft.	2	2 hp	18.8	\$19,949
<b>8x10x6</b>	P6-0810-FT-OA	7'9" x 9'8"	26" x 66"	372 cu. Ft.	2	2 hp	18.8	\$20,859
<b>10x6x6</b>	P6-1006-FT-OA	9'8" x 5'10"	26" x 66"	271 cu. Ft.	2	2 hp	18.8	\$19,562
<b>10x8x6</b>	P6-1008-FT-OA	9'8" x 7'9"	26" x 66"	372 cu. Ft.	2	2 hp	18.8	\$20,666
<b>12x6x6</b>	P6-1206-FT-OA	11'7 x 5'10"	26" x 66"	332 cu. Ft.	2	2 hp	18.8	\$20,687

### Floorless Coolers: 38°F - 6' 6-1/4" High

	Top Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	List Price
<b>5x4x6</b>	PX6-0504-CT-OA	4'10-1/2"x 3'11"	26" x 66"	80 cu. Ft.	1	1/2 hp	9.9	\$10,177
<b>6x4x6</b>	PX6-0604-CT-OA	5'10"x 3'11"	26" x 66"	98 cu. Ft.	2	3/4 hp	16.3	\$11,382
<b>6x6x6</b>	PX6-0606-CT-OA	5'10"x 5'10"	26" x 66"	156 cu. Ft.	2	3/4 hp	16.3	\$12,590
<b>6x8x6</b>	PX6-0608-CT-OA	5'10"x 7'9"	26" x 66"	213 cu. Ft.	2	3/4 hp	16.3	\$13,425
<b>6x10x6</b>	PX6-0610-CT-OA	5'10"x 9'8"	26" x 66"	271 cu. Ft.	2	1 hp	16.8	\$13,577
<b>6x12x6</b>	PX6-0612-CT-OA	5'10"x 11'7"	26" x 66"	332 cu. Ft.	2	1 hp	16.8	\$13,988
<b>8x6x6</b>	PX6-0806-CT-OA	7'9" x 5'10"	26" x 66"	213 cu. Ft.	2	3/4 hp	16.3	\$13,425
<b>8x8x6</b>	PX6-0808-CT-OA	7'9" x 7'9"	26" x 66"	293 cu. Ft.	2	1 hp	16.8	\$13,738
<b>10x6x6</b>	PX6-1006-CT-OA	9'8" x 5'10"	26" x 66"	271 cu. Ft.	2	1 hp	16.8	\$13,577
<b>12x6x6</b>	PX6-1206-CT-OA	11'7 x 5'10"	26" x 66"	332 cu. Ft.	2	1 hp	16.8	\$13,988

\*See page 10 for accessories.

# Polar-Pak<sup>®</sup> System

by Kolpak

## Outdoor Polar-Pak - Sized at 105°F Ambient- Top Mount

### Coolers with Floor: 38°F - 7' 6-1/4" High

	Top Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	List Price
5x4x7	P7-0504-CT-OA	4'10-1/2"x 3'11"	26" x 78"	84 cu. ft.	1	1/2 hp	9.9	\$10,893
6x4x7	P7-0604-CT-OA	5'10"x 3'11"	26" x 78"	116 cu. ft.	1	1/2 hp	9.9	\$11,281
6x6x7	P7-0606-CT-OA	5'10"x 5'10"	26" x 78"	184 cu. ft.	2	3/4 hp	16.3	\$13,342
6x8x7	P7-0608-CT-OA	5'10"x 7'9"	26" x 78"	252 cu. ft.	2	3/4 hp	16.3	\$14,490
6x10x7	P7-0610-CT-OA	5'10"x 9'8"	26" x 78"	320 cu. ft.	2	1 hp	16.8	\$15,158
6x12x7	P7-0612-CT-OA	5'10"x 11'7"	26" x 78"	388 cu. ft.	2	1 hp	16.8	\$15,578
8x6x7	P7-0806-CT-OA	7'9" x 5'10"	26" x 78"	252 cu. ft.	2	3/4 hp	16.3	\$14,490
8x8x7	P7-0808-CT-OA	7'9" x 7'9"	26" x 78"	345 cu. ft.	2	1 hp	16.8	\$15,578
10x6x7	P7-1006-CT-OA	9'8" x 5'10"	26" x 78"	320 cu. ft.	2	1 hp	16.8	\$15,158
12x6x7	P7-1206-CT-OA	11'7" x 5'10"	26" x 78"	388 cu. ft.	2	1 hp	16.8	\$15,578

### Freezers with Floor: -10°F - 7' 6-1/4" High

	Top Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	List Price
5x4x7	P7-0504-FT-OA	4'10-1/2"x 3'11"	26" x 78"	84 cu. ft.	1	1 hp	10.6	\$12,399
6x4x7	P7-0604-FT-OA	5'10"x 3'11"	26" x 78"	116 cu. ft.	1	1 hp	10.6	\$12,620
6x6x7	P7-0606-FT-OA	5'10"x 5'10"	26" x 78"	184 cu. ft.	2	1 1/2 hp	13.5	\$16,350
6x8x7	P7-0608-FT-OA	5'10"x 7'9"	26" x 78"	252 cu. ft.	2	2 hp	18.8	\$17,013
6x10x7	P7-0610-FT-OA	5'10"x 9'8"	26" x 78"	320 cu. ft.	2	2 hp	18.8	\$20,434
8x6x7	P7-0806-FT-OA	7'9" x 5'10"	26" x 78"	252 cu. ft.	2	2 hp	18.8	\$17,013
8x8x7	P7-0808-FT-OA	7'9" x 7'9"	26" x 78"	345 cu. ft.	2	2 hp	18.8	\$20,636
10x6x7	P7-1006-FT-OA	9'8" x 5'10"	26" x 78"	320 cu. ft.	2	2 hp	18.8	\$20,434

### Floorless Coolers: 38°F - 7' 6-1/4" High

	Top Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	List Price
5x4x7	PX7-0504-CT-OA	4'10-1/2"x 3'11"	26" x 78"	84 cu. ft.	1	1/2 hp	9.9	\$10,557
6x4x7	PX7-0604-CT-OA	5'10"x 3'11"	26" x 78"	116 cu. ft.	2	3/4 hp	16.3	\$11,726
6x6x7	PX7-0606-CT-OA	5'10"x 5'10"	26" x 78"	184 cu. ft.	2	3/4 hp	16.3	\$13,218
6x8x7	PX7-0608-CT-OA	5'10"x 7'9"	26" x 78"	252 cu. ft.	2	1 hp	16.8	\$13,439
6x10x7	PX7-0610-CT-OA	5'10"x 9'8"	26" x 78"	320 cu. ft.	2	1 hp	16.8	\$14,168
8x6x7	PX7-0806-CT-OA	7'9" x 5'10"	26" x 78"	252 cu. ft.	2	1 hp	16.8	\$13,439
8x8x7	PX7-0808-CT-OA	7'9" x 7'9"	26" x 78"	345 cu. ft.	2	1 hp	16.8	\$14,525
10x6x7	PX7-1006-CT-OA	9'8" x 5'10"	26" x 78"	320 cu. ft.	2	1 hp	16.8	\$14,168

#### Refrigeration Accessories

Optional 5 Year Compressor Warranty

H.P	Net
1/3	\$82
1/2	\$102
3/4	\$113
1	\$121
1-1/2	\$144
2	\$176

#### Outdoor Package Requirements

Outdoor applications are determined by the location and regulatory requirements for that area.

Consult factory before quoting. **Outdoor systems are not available in high wind zones, the State of Florida, or other Eastern Coastal regions. Outdoor systems may not be available for states that border Canada or in high elevations prone to heavy snow.**

**NOTE:** Outdoor units require a field supplied/installed condensate drain line (including heat tape on freezer drains).

#### Specifications:

Interior/Exterior Finish: 26 Ga Embossed Galvalume  
 Door: Standard hardware package with dial thermometer and switch  
 Floored Application: Era .100 Smooth Aluminum  
 Floorless Application: 4" Metal Screed  
 Refrigeration: Top Mount, drop-in refrigeration

#### Accessories:

34" door	\$200 net
Seismic Kit	
(available for floored applications only)	\$450 net
Oregon Seal	\$50 net per door
Chicago Relief Valve	\$30 net
Headmaster	\$55 net
Exterior Ramp	\$320 net
Strip Curtain	\$75 net
1809 Compartment light	\$248 net
Trim 3x3x96L angle	\$20 net each
Air Shield	\$1593 net

#### 15 business day lead time for Outdoor Models

In accordance with our policy of continuous product development and improvement, the information and prices listed are subject to change at any time without notice.

# Polar-Pak<sup>®</sup> System

by Kolpak

## Freezers with Refrigeration Systems - Side Mount

### Coolers with Floor: 38°F - 6' 6-1/4" High

	Side Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	Electrical	Ship Weight	List Price
<b>5x4x6</b>	+P6-0504-CS	4'10-1/2"x 3'11"	26" x 66"	80 cu. Ft.	1	1/3 hp	8.4	115/60/1	742	\$10,482
<b>6x4x6</b>	+P6-0604-CS	5'10"x 3'11"	26" x 66"	98 cu. Ft.	1	1/3 hp	8.4	115/60/1	879	\$11,271
<b>6x6x6</b>	P6-0606-CS	5'10"x 5'10"	26" x 66"	156 cu. Ft.	1	1/2 hp	9.9	115/60/1	1065	\$11,155
<b>6x8x6</b>	P6-0608-CS	5'10"x 7'9"	26" x 66"	213 cu. Ft.	1	1/2 hp	9.9	115/60/1	1113	\$13,781
<b>6x10x6</b>	P6-0610-CS	5'10"x 9'8"	26" x 66"	271 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1304	\$13,867
<b>6x12x6</b>	P6-0612-CS	5'10"x 11'7"	26" x 66"	332 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1434	\$13,992
<b>8x6x6</b>	P6-0806-CS	7'9" x 5'10"	26" x 66"	80 cu. Ft.	1	1/2 hp	9.9	115/60/1	1113	\$13,781
<b>8x8x6</b>	P6-0808-CS	7'9" x 7'9"	26" x 66"	293 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1325	\$14,622
<b>8x10x6</b>	P6-0810-CS	7'9" x 9'8"	26" x 66"	372 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1503	\$16,264
<b>8x12x6</b>	P6-0812-CS	7'9" x 11'7"	26" x 66"	455 cu. Ft.	2	1 hp	16.8	**115/60/1	1662	\$17,071
<b>10x6x6</b>	P6-1006-CS	9'8" x 5'10"	26" x 66"	271 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1304	\$13,867
<b>10x8x6</b>	P6-1008-CS	9'8" x 7'9"	26" x 66"	372 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1503	\$16,856
<b>10x10x6</b>	P6-1010-CS	9'8" x 9'8"	26" x 66"	477 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1690	\$17,122
<b>12x6x6</b>	P6-1206-CS	11'7 x 5'10"	26" x 66"	332 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1434	\$13,992
<b>12x8x6</b>	P6-1208-CS	11'7" x 7'9"	26" x 66"	455 cu. Ft.	2	1 hp	16.8	**115/60/1	1662	\$17,071

### Freezers with Floors: -10°F - 6' 6-1/4" High

	Side Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	Electrical	Ship Weight	List Price
<b>5x4x6</b>	+P6-0504-FS	4'10-1/2"x 3'11"	26" x 66"	80 cu. Ft.	1	1 hp	10.6	208-230/60/1	879	\$11,809
<b>6x4x6</b>	+P6-0604-FS	5'10"x 3'11"	26" x 66"	98 cu. Ft.	1	1 hp	10.6	208-230/60/1	903	\$12,019
<b>6x6x6</b>	P6-0606-FS	5'10"x 5'10"	26" x 66"	156 cu. Ft.	1	1 hp	10.6	208-230/60/1	1065	\$14,518
<b>6x8x6</b>	P6-0608-FS	5'10"x 7'9"	26" x 66"	213 cu. Ft.	2	1 1/2 hp	13.5	208-230/60/1	1213	\$15,596
<b>6x10x6</b>	P6-0610-FS	5'10"x 9'8"	26" x 66"	271 cu. Ft.	2	1 1/2 hp	13.5	208-230/60/1	1369	\$18,395
<b>6x12x6</b>	P6-0612-FS	5'10"x 11'7"	26" x 66"	332 cu. Ft.	2	1 1/2 hp	13.5	208-230/60/1	1434	\$19,467
<b>8x6x6</b>	P6-0806-FS	7'9" x 5'10"	26" x 66"	80 cu. Ft.	2	1 1/2 hp	13.5	208-230/60/1	1213	\$15,596
<b>8x8x6</b>	P6-0808-FS	7'9" x 7'9"	26" x 66"	293 cu. Ft.	2	1 1/2 hp	13.5	208-230/60/1	1390	\$18,764
<b>8x10x6</b>	P6-0810-FS	7'9" x 9'8"	26" x 66"	372 cu. Ft.	2	2 hp	18.8	208-230/60/1	1568	\$19,867
<b>8x12x6</b>	P6-0812-FS	7'9" x 11'7"	26" x 66"	455 cu. Ft.	2	2 hp	18.8	208-230/60/1	1662	\$20,971
<b>10x6x6</b>	P6-1006-FS	9'8" x 5'10"	26" x 66"	271 cu. Ft.	2	1 1/2 hp	13.5	208-230/60/1	1369	\$18,395
<b>10x8x6</b>	P6-1008-FS	9'8" x 7'9"	26" x 66"	372 cu. Ft.	2	2 hp	18.8	208-230/60/1	1568	\$19,682
<b>10x10x6</b>	P6-1010-FS	9'8" x 9'8"	26" x 66"	477 cu. Ft.	2	2 hp	18.8	208-230/60/1	1690	\$20,683
<b>12x6x6</b>	P6-1206-FS	11'7 x 5'10"	26" x 66"	332 cu. Ft.	2	1 1/2 hp	13.5	208-230/60/1	1434	\$19,467
<b>12x8x6</b>	P6-1208-FS	11'7" x 7'9"	26" x 66"	455 cu. Ft.	2	2 hp	18.8	208-230/60/1	1662	\$20,971

# Polar-Pak® System

by Kolpak

## Freezers with Refrigeration Systems - Side Mount

### Floorless Coolers: 38°F - 6' 6-1/4" High

	Side Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	Electrical	Ship Weight	List Price
<b>5x4x6</b>	+PX6-0504-CS	4'10-1/2" x 3'11"	26" x 66"	80 cu. Ft.	1	1/3 hp	8.4	115/60/1	662	\$9,590
<b>6x4x6</b>	+PX6-0604-CS	5'10" x 3'11"	26" x 66"	98 cu. Ft.	1	1/3 hp	8.4	115/60/1	707	\$9,970
<b>6x6x6</b>	PX6-0606-CS	5'10" x 5'10"	26" x 66"	156 cu. Ft.	1	1/2 hp	9.9	115/60/1	821	\$11,122
<b>6x8x6</b>	PX6-0608-CS	5'10" x 7'9"	26" x 66"	213 cu. Ft.	1	1/2 hp	9.9	115/60/1	921	\$11,917
<b>6x10x6</b>	PX6-0610-CS	5'10" x 9'8"	26" x 66"	271 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1064	\$12,855
<b>6x12x6</b>	PX6-0612-CS	5'10" x 11'7"	26" x 66"	332 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1146	\$13,247
<b>8x6x6</b>	PX6-0806-CS	7'9" x 5'10"	26" x 66"	80 cu. Ft.	1	1/2 hp	9.9	115/60/1	977	\$11,917
<b>8x8x6</b>	PX6-0808-CS	7'9" x 7'9"	26" x 66"	293 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1069	\$13,009
<b>8x10x6</b>	PX6-0810-CS	7'9" x 9'8"	26" x 66"	372 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1183	\$14,520
<b>8x12x6</b>	PX6-0812-CS	7'9" x 11'7"	26" x 66"	455 cu. Ft.	2	1 hp	16.8	**115/60/1	1253	\$16,030
<b>10x6x6</b>	PX6-1006-CS	9'8" x 5'10"	26" x 66"	271 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1064	\$12,855
<b>10x8x6</b>	PX6-1008-CS	9'8" x 7'9"	26" x 66"	372 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1183	\$14,482
<b>10x10x6</b>	PX6-1010-CS	9'8" x 9'8"	26" x 66"	477 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1442	\$16,658
<b>12x6x6</b>	PX6-1206-CS	11'7" x 5'10"	26" x 66"	332 cu. Ft.	2	3/4 hp	16.3	*115/60/1	1236	\$13,247
<b>12x8x6</b>	PX6-1208-CS	11'7" x 7'9"	26" x 66"	455 cu. Ft.	2	1 hp	16.8	**115/60/1	1346	\$16,030

Note 1: Add "R" or "L" to end of Model Numbers above to designate Right or Left Door Hinge.

Note 2: "+" Refrigeration must be on 5 ft. wall

### Coolers with Floor: 38°F - 7' 6-1/4" High

	Side Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	Electrical	Ship Weight	List Price
<b>5x4x7</b>	+P7-0504-CS	4'10-1/2" x 3'11"	26" x 78"	84 cu. ft.	1	1/3 hp	8.4	115/60/1	1013	\$10,271
<b>6x4x7</b>	+P7-0604-CS	5'10" x 3'11"	26" x 78"	116 cu. ft.	1	1/3 hp	8.4	115/60/1	1013	\$10,642
<b>6x6x7</b>	P7-0606-CS	5'10" x 5'10"	26" x 78"	184 cu. ft.	1	1/2 hp	9.9	115/60/1	1013	\$11,838
<b>6x8x7</b>	P7-0608-CS	5'10" x 7'9"	26" x 78"	252 cu. ft.	1	1/2 hp	9.9	115/60/1	1169	\$12,932
<b>6x10x7</b>	P7-0610-CS	5'10" x 9'8"	26" x 78"	320 cu. ft.	2	3/4 hp	16.3	*115/60/1	1368	\$14,362
<b>6x12x7</b>	P7-0612-CS	5'10" x 11'7"	26" x 78"	388 cu. ft.	2	3/4 hp	16.3	*115/60/1	1524	\$14,762
<b>8x6x7</b>	P7-0806-CS	7'9" x 5'10"	26" x 78"	252 cu. ft.	1	1/2 hp	9.9	115/60/1	1169	\$12,932
<b>8x8x7</b>	P7-0808-CS	7'9" x 7'9"	26" x 78"	345 cu. ft.	2	3/4 hp	16.3	*115/60/1	1391	\$14,762
<b>8x10x7</b>	P7-0810-CS	7'9" x 9'8"	26" x 78"	439 cu. ft.	2	3/4 hp	16.3	*115/60/1	1573	\$15,279
<b>8x12x7</b>	P7-0812-CS	7'9" x 11'7"	26" x 78"	532 cu. ft.	2	1 hp	16.8	**115/60/1	1762	\$16,665
<b>10x6x7</b>	P7-1006-CS	9'8" x 5'10"	26" x 78"	320 cu. ft.	2	3/4 hp	16.3	*115/60/1	1368	\$14,362
<b>10x8x7</b>	P7-1008-CS	9'8" x 7'9"	26" x 78"	439 cu. ft.	2	3/4 hp	16.3	*115/60/1	1573	\$15,660
<b>10x10x7</b>	P7-1010-CS	9'8" x 9'8"	26" x 78"	558 cu. ft.	2	1 hp	16.8	**115/60/1	1790	\$17,478
<b>12x6x7</b>	P7-1206-CS	11'7" x 5'10"	26" x 78"	388 cu. ft.	2	3/4 hp	16.3	*115/60/1	1524	\$14,762
<b>12x8x7</b>	P7-1208-CS	11'7" x 7'9"	26" x 78"	532 cu. ft.	2	1 hp	16.8	**115/60/1	1762	\$16,665

\*See page 8 for accessories.

# Polar-Pak® System

by Kolpak

## Freezers with Refrigeration Systems - Side Mount

### Freezers with Floor: -10°F - 7' 6-1/4" High

	Side Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	Electrical	Ship Weight	List Price
5x4x7	+P7-0504-FS	4'10-1/2"x 3'11"	26" x 78"	84 cu. ft.	1	1 hp	10.6	208-230/60/1	1013	\$11,809
6x4x7	+P7-0604-FS	5'10"x 3'11"	26" x 78"	116 cu. ft.	1	1 hp	10.6	208-230/60/1	1013	\$12,019
6x6x7	P7-0606-FS	5'10"x 5'10"	26" x 78"	184 cu. ft.	1	1 hp	10.6	208-230/60/1	1113	\$14,817
6x8x7	P7-0608-FS	5'10"x 7'9"	26" x 78"	252 cu. ft.	2	1 1/2 hp	13.5	208-230/60/1	1269	\$15,969
6x10x7	P7-0610-FS	5'10"x 9'8"	26" x 78"	320 cu. ft.	2	1 1/2 hp	13.5	208-230/60/1	1433	\$19,225
6x12x7	P7-0612-FS	5'10"x 11'7"	26" x 78"	388 cu. ft.	2	1 1/2 hp	13.5	208-230/60/1	1524	\$20,376
8x6x7	P7-0806-FS	7'9" x 5'10"	26" x 78"	252 cu. ft.	2	1 1/2 hp	13.5	208-230/60/1	1269	\$15,969
8x8x7	P7-0808-FS	7'9" x 7'9"	26" x 78"	345 cu. ft.	2	1 1/2 hp	13.5	208-230/60/1	1456	\$19,418
8x10x7	P7-0810-FS	7'9" x 9'8"	26" x 78"	439 cu. ft.	2	2 hp	18.8	208-230/60/1	1573	\$20,722
8x12x7	P7-0812-FS	7'9" x 11'7"	26" x 78"	532 cu. ft.	2	2 hp	18.8	208-230/60/1	1762	\$22,151
10x6x7	P7-1006-FS	9'8" x 5'10"	26" x 78"	320 cu. ft.	2	1 1/2 hp	13.5	208-230/60/1	1433	\$19,225
10x8x7	P7-1008-FS	9'8" x 7'9"	26" x 78"	439 cu. ft.	2	2 hp	18.8	208-230/60/1	1638	\$20,760
10x10x7	P7-1010-FS	9'8" x 9'8"	26" x 78"	558 cu.ft.	2	2 hp	18.8	208-230/60/1	1790	\$21,493
12x6x7	P7-1206-FS	11'7 x 5'10"	26" x 78"	388 cu. ft.	2	1 1/2 hp	13.5	208-230/60/1	1524	\$20,387
12x8x7	P7-1208-FS	11'7" x 7'9"	26" x 78"	532 cu. ft.	2	2 hp	18.8	208-230/60/1	1762	\$22,151

### Floorless Coolers: 38°F - 7' 6-1/4" High

	Side Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	Electrical	Ship Weight	List Price
5x4x7	+PX7-0504-CS	4'10-1/2"x 3'11"	26" x 78"	84 cu. ft.	1	1/3 hp	8.4	115/60/1	869	\$9,953
6x4x7	+PX7-0604-CS	5'10"x 3'11"	26" x 78"	116 cu. ft.	1	1/2 hp	9.9	115/60/1	869	\$10,325
6x6x7	PX7-0606-CS	5'10"x 5'10"	26" x 78"	184 cu. ft.	1	1/2 hp	9.9	115/60/1	869	\$11,720
6x8x7	PX7-0608-CS	5'10"x 7'9"	26" x 78"	252 cu. ft.	2	3/4 hp	16.3	115/60/1	977	\$12,724
6x10x7	PX7-0610-CS	5'10"x 9'8"	26" x 78"	320 cu. ft.	2	3/4 hp	16.3	*115/60/1	1128	\$13,419
6x12x7	PX7-0612-CS	5'10"x 11'7"	26" x 78"	388 cu. ft.	2	3/4 hp	16.3	*115/60/1	1236	\$14,134
8x6x7	PX7-0806-CS	7'9" x 5'10"	26" x 78"	252 cu. ft.	2	3/4 hp	16.3	115/60/1	977	\$12,724
8x8x7	PX7-0808-CS	7'9" x 7'9"	26" x 78"	345 cu. ft.	2	3/4 hp	16.3	*115/60/1	1135	\$13,759
8x10x7	PX7-0810-CS	7'9" x 9'8"	26" x 78"	439 cu. ft.	2	1 hp	16.8	**115/60/1	1253	\$15,303
8x12x7	PX7-0812-CS	7'9" x 11'7"	26" x 78"	532 cu. ft.	2	1 hp	16.8	**115/60/1	1346	\$16,665
10x6x7	PX7-1006-CS	9'8" x 5'10"	26" x 78"	320 cu. ft.	2	3/4 hp	16.3	*115/60/1	1128	\$13,419
10x8x7	PX7-1008-CS	9'8" x 7'9"	26" x 78"	439 cu. ft.	2	1 hp	16.8	**115/60/1	1253	\$15,269
10x10x7	PX7-1010-CS	9'8" x 9'8"	26" x 78"	558 cu.ft.	2	1hp	16.8	*115/60/1	1442	\$17,478
12x6x7	PX7-1206-CS	11'7 x 5'10"	26" x 78"	388 cu. ft.	2	3/4 hp	16.3	*115/60/1	1236	\$14,134
12x8x7	PX7-1208-CS	11'7" x 7'9"	26" x 78"	532 cu. ft.	2	1 hp	16.8	**115/60/1	1346	\$16,665

Note 1: Add "R" or "L" to end of Model Numbers above to designate Right or Left Door Hinge.

Note 2: "+" Refrigeration must be on 5 ft. wall

#### Refrigeration Accessories

Optional 5 Year Compressor Warranty

H.P	Net
1/3	\$82
1/2	\$102
3/4	\$113
1	\$121
1-1/2	\$144
13 2	\$176

#### Specifications:

Interior/Exterior Finish: 26 Ga Embossed Galvalume  
 Door: Standard hardware package with dial thermometer and switch  
 Floored Application: Era .100 Smooth Aluminum  
 Floorless Application: 4" Vinyl Screed  
 Refrigeration: Side Mount, drop-in refrigeration

#### Accessories:

34" door	\$200 net
Seismic Kit	\$450 net
Oregon Seal	\$50 net per door
Chicago Relief Valve	\$30 net
Exterior Ramp	\$320 net
Strip Curtain	\$75 net
1809 Compartment light	\$248 net
Trim 3x3x96L angle	\$20 net each
Air Shield	\$1593 net

# Polar-Pak® System

by Kolpak

## Outdoor Polar-Pak - Sized at 105°F Ambient - Side Mount

### Coolers with Floor: 38°F - 6' 6-1/4" High

	Side Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	List Price
<b>5x4x6</b>	+P6-0504-CS-OA	4'10-1/2"x 3'11"	26" x 66"	80 cu. Ft.	1	1/3 hp	8.4	\$11,111
<b>6x4x6</b>	+P6-0604-CS-OA	5'10"x 3'11"	26" x 66"	98 cu. Ft.	1	1/2 hp	9.9	\$12,169
<b>6x6x6</b>	P6-0606-CS-OA	5'10"x 5'10"	26" x 66"	156 cu. Ft.	2	3/4 hp	16.3	\$12,745
<b>6x8x6</b>	P6-0608-CS-OA	5'10"x 7'9"	26" x 66"	213 cu. Ft.	2	3/4 hp	16.3	\$15,530
<b>6x10x6</b>	P6-0610-CS-OA	5'10"x 9'8"	26" x 66"	271 cu. Ft.	2	1 hp	16.8	\$14,777
<b>6x12x6</b>	P6-0612-CS-OA	5'10"x 11'7"	26" x 66"	332 cu. Ft.	2	1 hp	16.8	\$14,911
<b>8x6x6</b>	P6-0806-CS-OA	7'9" x 5'10"	26" x 66"	213 cu. Ft.	2	3/4 hp	16.3	\$15,530
<b>8x8x6</b>	P6-0808-CS-OA	7'9" x 7'9"	26" x 66"	293 cu. Ft.	2	3/4 hp	16.3	\$15,497
<b>8x10x6</b>	P6-0810-CS-OA	7'9" x 9'8"	26" x 66"	372 cu. Ft.	2	1 hp	16.8	\$17,318
<b>10x6x6</b>	P6-1006-CS-OA	9'8" x 5'10"	26" x 66"	271 cu. Ft.	2	1 hp	16.8	\$14,777
<b>10x8x6</b>	P6-1008-CS-OA	9'8" x 7'9"	26" x 66"	372 cu. Ft.	2	1 hp	16.8	\$17,946
<b>12x6x6</b>	P6-1206-CS-OA	11'7 x 5'10"	26" x 66"	332 cu. Ft.	2	1 hp	16.8	\$14,911

### Freezers with Floor: -10°F - 6' 6-1/4" High

	Side Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	List Price
<b>5x4x6</b>	+P6-0504-FS-OA	4'10-1/2"x 3'11"	26" x 66"	80 cu. Ft.	1	1 hp	10.6	\$12,518
<b>6x4x6</b>	+P6-0604-FS-OA	5'10"x 3'11"	26" x 66"	98 cu. Ft.	1	1 hp	10.6	\$12,740
<b>6x6x6</b>	P6-0606-FS-OA	5'10"x 5'10"	26" x 66"	156 cu. Ft.	1	1 hp	10.6	\$15,333
<b>6x8x6</b>	P6-0608-FS-OA	5'10"x 7'9"	26" x 66"	213 cu. Ft.	2	1 1/2 hp	13.5	\$16,531
<b>6x10x6</b>	P6-0610-FS-OA	5'10"x 9'8"	26" x 66"	271 cu. Ft.	2	2 hp	18.8	\$19,748
<b>6x12x6</b>	P6-0612-FS-OA	5'10"x 11'7"	26" x 66"	332 cu. Ft.	2	2 hp	18.8	\$20,884
<b>8x6x6</b>	P6-0806-FS-OA	7'9" x 5'10"	26" x 66"	213 cu. Ft.	2	1 1/2 hp	13.5	\$16,531
<b>8x8x6</b>	P6-0808-FS-OA	7'9" x 7'9"	26" x 66"	293 cu. Ft.	2	2 hp	18.8	\$20,139
<b>8x10x6</b>	P6-0810-FS-OA	7'9" x 9'8"	26" x 66"	372 cu. Ft.	2	2 hp	18.8	\$21,058
<b>10x6x6</b>	P6-1006-FS-OA	9'8" x 5'10"	26" x 66"	271 cu. Ft.	2	2 hp	18.8	\$19,748
<b>10x8x6</b>	P6-1008-FS-OA	9'8" x 7'9"	26" x 66"	372 cu. Ft.	2	2 hp	18.8	\$20,863
<b>12x6x6</b>	P6-1206-FS-OA	11'7 x 5'10"	26" x 66"	332 cu. Ft.	2	2 hp	18.8	\$20,884

### Floorless Coolers: 38°F - 6' 6-1/4" High

	Side Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	List Price
<b>5x4x6</b>	+PX6-0504-CS-OA	4'10-1/2"x 3'11"	26" x 66"	80 cu. Ft.	1	1/2 hp	9.9	\$10,274
<b>6x4x6</b>	+PX6-0604-CS-OA	5'10"x 3'11"	26" x 66"	98 cu. Ft.	2	3/4 hp	16.3	\$11,490
<b>6x6x6</b>	PX6-0606-CS-OA	5'10"x 5'10"	26" x 66"	156 cu. Ft.	2	3/4 hp	16.3	\$12,709
<b>6x8x6</b>	PX6-0608-CS-OA	5'10"x 7'9"	26" x 66"	213 cu. Ft.	2	3/4 hp	16.3	\$13,553
<b>6x10x6</b>	PX6-0610-CS-OA	5'10"x 9'8"	26" x 66"	271 cu. Ft.	2	1 hp	16.8	\$13,706
<b>6x12x6</b>	PX6-0612-CS-OA	5'10"x 11'7"	26" x 66"	332 cu. Ft.	2	1 hp	16.8	\$14,121
<b>8x6x6</b>	PX6-0806-CS-OA	7'9" x 5'10"	26" x 66"	213 cu. Ft.	2	3/4 hp	16.3	\$13,553
<b>8x8x6</b>	PX6-0808-CS-OA	7'9" x 7'9"	26" x 66"	293 cu. Ft.	2	1 hp	16.8	\$13,869
<b>10x6x6</b>	PX6-1006-CS-OA	9'8" x 5'10"	26" x 66"	271 cu. Ft.	2	1 hp	16.8	\$13,706
<b>12x6x6</b>	PX6-1206-CS-OA	11'7 x 5'10"	26" x 66"	332 cu. Ft.	2	1 hp	16.8	\$14,121

\*See page 10 for accessories.

# Polar-Pak® System

by Kolpak

## Outdoor Polar-Pak - Sized at 105°F Ambient - Side Mount

### Coolers with Floor: 38°F - 7' 6-1/4" High

	Side Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	List Price
5x4x7	+P7-0504-CS-OA	4'10-1/2"x 3'11"	26" x 78"	84 cu. ft.	1	1/2 hp	9.9	\$10,996
6x4x7	+P7-0604-CS-OA	5'10"x 3'11"	26" x 78"	116 cu. ft.	1	1/2 hp	9.9	\$11,389
6x6x7	P7-0606-CS-OA	5'10"x 5'10"	26" x 78"	184 cu. ft.	2	3/4 hp	16.3	\$13,469
6x8x7	P7-0608-CS-OA	5'10"x 7'9"	26" x 78"	252 cu. ft.	2	3/4 hp	16.3	\$14,628
6x10x7	P7-0610-CS-OA	5'10"x 9'8"	26" x 78"	320 cu. ft.	2	1 hp	16.8	\$15,302
6x12x7	P7-0612-CS-OA	5'10"x 11'7"	26" x 78"	388 cu. ft.	2	1 hp	16.8	\$15,726
8x6x7	P7-0806-CS-OA	7'9" x 5'10"	26" x 78"	252 cu. ft.	2	3/4 hp	16.3	\$14,628
8x8x7	P7-0808-CS-OA	7'9" x 7'9"	26" x 78"	345 cu. ft.	2	1 hp	16.8	\$15,726
10x6x7	P7-1006-CS-OA	9'8" x 5'10"	26" x 78"	320 cu. ft.	2	1 hp	16.8	\$15,302
12x6x7	P7-1206-CS-OA	11'7" x 5'10"	26" x 78"	388 cu. ft.	2	1 hp	16.8	\$15,726

### Freezers with Floor: -10°F - 7' 6-1/4" High

	Side Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	List Price
5x4x7	+P7-0504-FS-OA	4'10-1/2"x 3'11"	26" x 78"	84 cu. ft.	1	1 hp	10.6	\$12,518
6x4x7	+P7-0604-FS-OA	5'10"x 3'11"	26" x 78"	116 cu. ft.	1	1 hp	10.6	\$12,740
6x6x7	P7-0606-FS-OA	5'10"x 5'10"	26" x 78"	184 cu. ft.	2	1 1/2 hp	13.5	\$16,505
6x8x7	P7-0608-FS-OA	5'10"x 7'9"	26" x 78"	252 cu. ft.	2	2 hp	18.8	\$17,175
6x10x7	P7-0610-FS-OA	5'10"x 9'8"	26" x 78"	320 cu. ft.	2	2 hp	18.8	\$20,629
8x6x7	P7-0806-FS-OA	7'9" x 5'10"	26" x 78"	252 cu. ft.	2	2 hp	18.8	\$17,175
8x8x7	P7-0808-FS-OA	7'9" x 7'9"	26" x 78"	345 cu. ft.	2	2 hp	18.8	\$20,832
10x6x7	P7-1006-FS-OA	9'8" x 5'10"	26" x 78"	320 cu. ft.	2	2 hp	18.8	\$20,629

### Floorless Coolers: 38°F - 7' 6-1/4" High

	Side Mount	Actual Size	Door Size	Capacity	Fans	Compressor	Amps	List Price
5x4x7	+PX7-0504-CS-OA	4'10-1/2"x 3'11"	26" x 78"	84 cu. ft.	1	1/2 hp	9.9	\$10,657
6x4x7	+PX7-0604-CS-OA	5'10"x 3'11"	26" x 78"	116 cu. ft.	2	3/4 hp	16.3	\$11,838
6x6x7	PX7-0606-CS-OA	5'10"x 5'10"	26" x 78"	184 cu. ft.	2	3/4 hp	16.3	\$13,344
6x8x7	PX7-0608-CS-OA	5'10"x 7'9"	26" x 78"	252 cu. ft.	2	1 hp	16.8	\$13,567
6x10x7	PX7-0610-CS-OA	5'10"x 9'8"	26" x 78"	320 cu. ft.	2	1 hp	16.8	\$14,303
8x6x7	PX7-0806-CS-OA	7'9" x 5'10"	26" x 78"	252 cu. ft.	2	1 hp	16.8	\$13,567
8x8x7	PX7-0808-CS-OA	7'9" x 7'9"	26" x 78"	345 cu. ft.	2	1 hp	16.8	\$14,663
10x6x7	PX7-1006-CS-OA	9'8" x 5'10"	26" x 78"	320 cu. ft.	2	1 hp	16.8	\$14,303

#### Refrigeration Accessories

Optional 5 Year Compressor Warranty

H.P	Net
1/3	\$82
1/2	\$102
3/4	\$113
1	\$121
1-1/2	\$144
2	\$176

#### Outdoor Package Requirements

Outdoor applications are determined by the location and regulatory requirements for that area. Consult factory before quoting. **Outdoor systems are not available in high wind zones, the State of Florida, or other Eastern Coastal regions. Outdoor systems may not be available for states that border Canada or in high elevations prone to heavy snow.** NOTE: Outdoor units require a field supplied/installed condensate drain line (including heat tape on freezer drains).

#### Specifications:

Interior/Exterior Finish: 26 Ga Embossed Galvalume  
 Door: Standard hardware package with dial thermometer and switch  
 Floored Application: Era .100 Smooth Aluminum  
 Floorless Application: 4" Metal Screed  
 Refrigeration: Side Mount, drop-in refrigeration

#### Accessories:

34" door	\$200 net
Seismic Kit	\$450 net
Oregon Seal	\$50 net per door
Chicago Relief Valve	\$30 net
Headmaster	\$55 net
Exterior Ramp	\$320 net
Strip Curtain	\$75 net
1809 Compartment light	\$248 net
Trim 3x3x96L angle	\$20 net each
Air Shield	\$1593 net

#### 15 business day lead time for Outdoor Models

In accordance with our policy of continuous product development and improvement, the information and prices listed are subject to change at any time without notice.

# Polar-Pak<sup>®</sup> System

by Kolpak

## Kolpak Parts and Labor Warranty

### Warranty

Kolpak\* ("Company") warrants to the original purchaser this refrigeration system to be free from defects in material and workmanship under normal use and service in accordance with the terms of this Warranty. This Warranty is issued to the original purchaser/user at the original installation location and is in lieu of all other warranties expressed or implied. Completion of the Welbilt Foodservice Walk-In & Refrigeration Claim Form is required for consideration of claims to be processed under parts and/or labor warranty. All warranty service shall be performed by an authorized service provider. The claim form must be received within (60) sixty days of the date of service. Reimbursement for local parts purchase must include a copy of the wholesale invoice. Company does not pay both travel time and mileage. Company reserves the right to pay no more than the average commercial hourly rates and part prices within the particular state or region of the country where the service is performed.

### Parts

Foamed in-place panels are warranted to the original purchaser to be free from defects in material and workmanship, under normal use and service, for a period of (10) ten years from the first to occur of the original start-up date by a factory authorized servicer, or six (6) months from factory ship date. Painted surfaces will be warranted for (1) one year from the original start-up date.

Component parts, doors, and assemblies (except bulbs) found to be defective in material or workmanship are warranted for a period of (1) one year from original start-up date by a factory authorized servicer. First year compressor failures shall be exchanged over the counter by the compressor manufacturer's wholesaler. If the optional four year compressor warranty is purchased and the original compressor fails after expiration of the one year parts warranty, Company will provide a direct replacement or authorize local purchase of a replacement compressor. If local purchase is authorized, the original wholesale invoice along with the serial tag from the original defective compressor shall be sent to Company for reimbursement. Labor, freight, travel, and additional parts/supplies are not covered under the extended compressor warranty.

Replacement parts purchased from Company will be warranted for a period of (90) ninety days from factory ship date.

### Labor

Panels, hardware, and electrical components (except bulbs) are covered by a (1) one year labor warranty for the replacement of component parts that are defective in material or workmanship. Rack Refrigeration systems that are not factory refrigerant charged (Multi-Circuit, Rack, Large Room systems, etc.) are covered by a (30) thirty day labor warranty for the replacement of component parts that are defective in material or workmanship. Individual Refrigeration systems (PR, PC, PCL, Polar Pak, etc.) are covered by a (1) one year labor warranty for the replacement of component parts that are defective in material or workmanship. The warranty period will begin at the first to occur of original start-up date, validated by a legal document (certificate of occupancy, bill of sale, etc.), or (180) one hundred eighty days from factory ship date.

### Exclusions from Warranty Coverage:

1. Normal maintenance, adjustments, and cleaning.
2. Repairs due to unauthorized modifications.
3. Damage from improper installation.
4. Damage or delays occurring in transit.
5. Damage from misuse, abuse, neglect, or accidents.
6. Damage or loss of product, property, income, or profit.
7. Legacy floor panels are not warranted under the following conditions:
  - a. Wet mopping or use of a water hose for cleaning.
  - b. Wheel traffic (carts, dollies, etc.) on foot traffic floors (substrate backed) floors.
  - c. Weight loads exceeding 700 psf on foot traffic floors.
  - d. Weight loads exceeding 1000 psf on rolling cart floors.
8. New Era floors (After October 1, 2017) are not warranted under the following conditions:
  - a. Wet mopping or use of a water hose for cleaning.
  - b. Weight loads exceeding 1000 psf on standard floors.
  - c. Weight loads exceeding 5000 psf on structural floors.

### Limitations of Liability

The preceding paragraphs set forth the exclusive remedy for all claims based on failure of, or defect in, Walk-in refrigeration systems sold hereunder, whether the failure or defect arises before or during the warranty period, and whether a claim, however instituted, is based on contract, indemnity, warranty, tort (including negligence), strict liability, implied by statute, common-law or otherwise, Company and agents shall not be liable for any claims for personal injuries or consequential damages or loss, howsoever caused, including but not limited to loss of profits, additional labor costs, loss of refrigerant or food products, or for any delay in the performance of this Warranty due to causes beyond its control. Upon the expiration of the warranty period, all such liability shall terminate. THE FOREGOING WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, WHETHER WRITTEN, ORAL, IMPLIED OR STATUTORY. NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE SHALL APPLY, AND COMPANY DOES NOT WARRANT ANY PRODUCTS OR SERVICES OF OTHERS.

### Remedies

The liability of Company for breach of any warranty obligation hereunder is limited to: (i) the repair or replacement of the Walk-in on which the liability is based, or with respect to services, re-performance of the services; or (ii) at Company's option, the refund of the amount paid for said equipment or services. Any breach by Company with respect to any item or unit of equipment or services shall be deemed a breach with respect to that item or unit or service only.

Kolpak  
2915 Tennessee Avenue North  
Parsons, TN 38363  
Phone: 800-225-9916




This page left blank

This page left blank

This page left blank

Scan the code below to locate a dealer, distributor or sales representative in your area.



Or go to  
[www.welbilt.us/Sales/Sales-Locators](http://www.welbilt.us/Sales/Sales-Locators)



*Bringing innovation to the table* | [welbilt.com](http://welbilt.com)

Welbilt provides the world's top chefs, and premier chain operators or growing independents with industry leading equipment and solutions. Our cutting-edge designs and lean manufacturing tactics are powered by deep knowledge, operator insights, and culinary expertise. All of our products are backed by KitchenCare® – our aftermarket, repair, and parts service.

- ▶ CLEVELAND
- ▶ DELFIELD®
- ▶ FRYMASTER®
- ▶ KOLPAK®
- ▶ MANITOWOC®
- ▶ MERRYCHEF®
- ▶ CONVOTHERM®
- ▶ FITKITCHEN<sup>SM</sup>
- ▶ GARLAND®
- ▶ LINCOLN
- ▶ MERCO®
- ▶ MULTIPLEX®