



Suggested List Price Standard Equipment and Accessories

Effective: March 1, 2019



At the touch of an **eikon**®

There are no limits with the new Merrychef **eikon**® series. From fresh, hot and delicious convenience foods, to high quality fine dining, you can cook practically anything fast and to perfection - all with the ease of a touch screen.

■ Easy to use

- Exclusive easyTOUCH icon-driven touchscreen cooks the same high quality result with every order.
- MenuConnect® software enables instant USB menu updates

■ Guaranteed perfect results every time

- Precise power levels to cook the most delicate products
- Programs downloaded across multiple outlets via USB memory stick

■ Reduced wait and service times

- Increase speed, service, quality and freshness
- Three heating technologies (convected heat, impingement air and microwave energy)
- Cooks up to twenty (20) times faster than traditional cooking methods

■ Improved safety


- The cool-to-touch oven exterior means food heats quickly while the outside stays cool
- Monitored air filter

■ Cost effective

- Cooking to order reduces waste
- Latest catalytic technology eliminates grease and reduces cook odors, avoiding the need for separate extraction and ventilation systems

■ Minimize lifetime operation costs

- Reduced training times
- Easy to use and clean
- Built-in diagnostics to avoid unnecessary service calls



BREAKFAST



SANDWICHES



DESSERTS



MEAT



FISH



POULTRY



VEGETABLES



BREADS/PASTRY

TABLE OF CONTENTS

At the touch of an eikon [®]	2
Accelerated Cook Ovens:	
eikon [®] Series e2s	4
eikon [®] Series e4 Oven	6
eikon [®] Series e4s Oven	8
Rapid Cook Ovens:	
eikon [®] Series e3 Oven	10
eikon [®] Series e5 Oven	12
Limited Warranty Information	14
Important Ordering Information	15

EIKON® SERIES | e2s OVEN

NEW!

STANDARD FEATURES

- Advanced Cooking Technology® combines three heat technologies - tuned impingement, microwave and convection
- “Ventless* Cooking” capabilities through built-in catalytic converter
- Rapid cooking up to 20 times faster than a conventional oven
- 12” cavity in a 14” width footprint
- Cool to touch exterior
- Very easy to clean seam welded cavity with large rounded corners
- Quiet operation
- easyTouch®, icon driven touchscreen controls
- Easy access front-mounted air filter
- USB memory stick data transfer of up to 1,024 cooking profiles
- In-built diagnostic testing
- Accessory storage on top of the oven
- Fits on a 23.6” (600 mm) worktop



*Local codes prevail. These are the “authority having jurisdiction” as stated by the National Fire Protection Association, Inc., in NFPA96-1994.

Merrychef eikon® Series | e2s Oven

Model	Height	Width	Depth (overall without handle)	Depth (door open 90 degrees)	Amps	Volts	Hz	Phase	Shipping Weight	Shipping Cubic Feet	Plug Type	Price & Availability
e2s Standard Classic	24” (610 mm)	14” (356 mm)	23.4” (594 mm)	35” (902mm)	20	208/240	60	1	137 lb (62 kg)	6 cu. ft. (0.16 cu. m)	NEMA 6-20P	\$12,950
e2s Standard Trend	25” (635 mm)	14” (356 mm)	23.4” (594 mm)	35” (902mm)	20	208/240	60	1	137 lb (62 kg)	6 cu. ft. (0.16 cu. m)	NEMA 6-20P	\$13,320
e2s High Classic	24” (610 mm)	14” (356 mm)	23.4” (594 mm)	35” (902mm)	30	208/240	60	1	157 lb (71 kg)	6 cu. ft. (0.16 cu. m)	NEMA 6-30P	\$15,160
e2s High Trend	25” (635 mm)	14” (356 mm)	23.4” (594 mm)	35” (902mm)	30	208/240	60	1	157 lb (71 kg)	6 cu. ft. (0.16 cu. m)	NEMA 6-30P	\$15,530
e2s Marine Standard Classic	24.4” (620mm)	14.0” (356mm)	24.8” (631mm)	35.5” (902mm)	15	208/240	60	1	137lb (62kg)	6 cu. ft. (0.16 cu. m)	NEMA L6-15P	\$17,770

e2s general market models come standard with these accessories listed below:

Qty	P/N	Description
1	PSB3108	Cook Plate (replaced DB0094)
1	SR318	Paddle
1	32Z4080	Solid Basket
2	32Z4088	Sheet pan liner
1	32Z4079	Cool Down Pan
1	USBKey	Menu Key
1	32Z4148	Cleaner Kit
1	32Z4081	Mesh Basket

e2s Marine models come standard with these accessories listed below:

Qty	P/N	Description
1	PSB3108	Cook Plate (replaced DB0094)
1	SR318	Paddle
1	32Z4080	Solid Basket
2	32Z4088	Sheet pan liner
1	32Z4079	Cool Down Pan

EIKON® SERIES - e2s OVEN | ACCESSORIES

Cat. No.	Description	Dimensions	List Price Each
32Z4088	"Non-stick cook plate liner (Natural) *Liners should be placed directly on the cookplate. Designed to increase the non-stick capability of the cook plates."	"285 mm x 285 mm (11.2" x 11.2")"	\$20
32Z4096	"Non-stick cook plate liner (Green) *Liners should be placed directly on the cookplate. Designed to increase the non-stick capability of the cook plates."	"285 mm x 285 mm (11.2" x 11.2")"	\$20
32Z4080	e2s Solid base basket (full size, Black)	"13 mm x 279 mm x 279 mm (0.5" x 11" x 11")"	\$140
32Z4100	e2s Solid base basket (full size, Red)	"13 mm x 279 mm x 279 mm (0.5" x 11" x 11")"	\$140
32Z4093	e2s Solid base basket (full size, Green)	"13 mm x 279 mm x 279 mm (0.5" x 11" x 11")"	\$140
32Z4101	e2s Solid base basket (full size, Blue)	"13 mm x 279 mm x 279 mm (0.5" x 11" x 11")"	\$170
32Z4090	e2s Solid base basket (half size, Black)	"13 mm x 279 mm x 140 mm (0.5" x 11" x 5.5")"	\$130
32Z4094	e2s Solid base basket (half size, Green)	"13 mm x 279 mm x 140 mm (0.5" x 11" x 5.5")"	\$130
32Z4089	e2s Solid base basket (quarter size, Black)	"13 mm x 140 mm x 140 mm (0.5" x 5.5" x 5.5")"	\$110
32Z4123	e2s Solid base basket (quarter size, Red)	"13 mm x 140 mm x 140 mm (0.5" x 5.5" x 5.5")"	\$140
32Z4095	e2s Solid base basket (quarter size, Green)	"13 mm x 140 mm x 140 mm (0.5" x 5.5" x 5.5")"	\$110
32Z4125	e2s Solid base basket (quarter size, Blue)	"13 mm x 140 mm x 140 mm (0.5" x 5.5" x 5.5")"	\$140
32Z4081	e2s Mesh base basket (full size, Black)	"13 mm x 279 mm x 279 mm (0.5" x 11" x 11")"	\$140
32Z4032	Air frying basket	50 mm x 280mm x 280mm (2" X 11" X 11")	\$110
PSB3108	e2s Solid cook plate (Replaces DB0094)	"308 mm x 306 mm (12.1" x 12.0")"	\$200
PSB3117	e2s Grill cook plate	"308 mm x 306 mm (12.1" x 12.0")"	\$240
PSB179	e2s Wire rack and jet plate	"38.6mm x 306 mm x 306.9 mm (1.5" x 12.0" x 12.1")"	\$400
SR318	e2s Paddle with hand guard and sides	"298 mm x 300 mm (11.7" x 11.8")"	\$110
DV0344	Tray handle for use with PSA1108 and PSB3117	"25 mm x 250 mm x 76 mm (1" x 9.8" x 3")"	\$70
32Z4034	Slotted turner	"100 mm x 79 mm x 300 mm (4" x 3" x 11.8")"	\$50
DV0390	Egg ring	"0 85 mm (3.3"") H: 19 mm (0.7")"	\$140
32Z4126	Non-stick mould 2x	"4 mm x 304 mm x 304 mm (1.3" x 9.25" x 4.6")"	\$200
32Z4113	Non-stick mould 4x	20.3 mm x 254 mm x 254 mm (0.8" x 10.0" x 10.0")	\$190
32Z4132	Non-stick mould 9x	20.3 mm x 279 mm x 279 mm (0.8" x 11.0" x 11.0")	\$400
32Z4115	Small Bowl	35.6 mm x 180 mm (1.4" x 7")	\$210
32Z4117	Gyoza tray 2x	31.7 mm x 119.4 mm x 111.7 mm (1.25" x 4.7" x 4.4")	\$200
32Z4116	Gyoza tray 12x	31.7 mm x 279 mm x 279 mm (1.25" x 11.0" x 11.0")	\$340
32Z4119	1/2L Container 1/6GN	63.5 mm x 172.7 mm x 175.3 mm (2.5" x 6.8" x 6.9")	\$360
32Z4133	Small lided solid basket	19.0 mm x 294.6 mm x 294.6 mm (0.75" x 11.6" x 11.6")	\$250
32Z4134	Large lided solid basket	"35 mm x 290 mm x 290 mm (1.4" x 11.4" x 11.4")"	\$260
32Z4079	e2s Cool down pan	1/4 size 65 mm (2.5") deep	\$80
SB248	e2s Merchandising panel (Black)	"50 mm x 591 mm x 355 mm (2" x 23.2" x 14")"	\$230
SB247	e2s Merchandising panel (Red)	"50 mm x 591 mm x 355 mm (2" x 23.2" x 14")"	\$230
SB272	e2s Merchandising panel (Stainless steel)	"50 mm x 591 mm x 355 mm (2" x 23.2" x 14")"	\$230
32Z4144	High speed oven cleaner spray	6 x 946 ml (1box)	\$110
32Z4145	High speed oven protector spray	6 x 946 ml (1box)	\$180
32Z4148	Merrychef Cleaner & Protector, (1) each		\$90
USBKEY	Blank Menu Key (USB)		\$40
SR3-25	Stacking Cart e2s		\$2,220
PSB267	e2s Dual Oven Sealer Kit		\$320

EIKON® SERIES | e4 OVEN



STANDARD FEATURES

- Advanced Cooking Technology® combines three heat technologies of convection, air impingement, and microwave for fast even heating of food product
- Up to fifteen (15) times faster than conventional cooking methods
- “Ventless” Cooking” capability through standard built-in catalytic converter
- Ability to use a standard, ¼ size metal baking pan while in convection mode
- Automatic voltage detection (U.S. only)
- Cool to touch door exterior
- 14.8” (375 mm) wide x 12.3” (312 mm) deep x 8.6” (218 mm) high cooking chamber

*Local codes prevail. These are the “authority having jurisdiction” as stated by the National Fire Protection Association, Inc., in NFPA96-1994.



Merrychef eikon® Series | e4 Oven

Model	Height	Width	Depth (overall without handle)	Depth (door open 90 degrees)	Amps	Volts	Hz	Phase	Shipping Weight	Shipping Cubic Feet	Plug Type	Price & Availability
e4	23.3” (591 mm)	23” (584 mm)	25.3” (643 mm)	39.3” (999 mm)	30	208/240	60	1	216 lb (98 kg)	29.5 cu. ft. (0.8 cu. m)	NEMA 6-30P	\$16,740

e4 general market models come standard with these accessories listed below:

Qty	P/N	Description
1	DV0907	Wire Rack
1	32Z4028	Cool Down Pan
1	USBKey	Menu Key
1	32Z4148	Cleaner Kit
1	PSR310	Oven Paddle
1	32Z4031	Teflon Basket, Large Mesh
1	32Z4070	Teflon Basket, Solid Bottom

EIKON® SERIES - e4 OVEN | ACCESSORIES

Cat. No.	Description	Dimensions	List Price Each
DX0254	"Non-stick tray liner *Liners should be placed directly on the cookplate. Designed to increase the non-stick capability of the cook plates."	"277 mm x 236 mm (10.9" x 9.3)"	\$10
32Z4070	e4 Solid base basket (full size, Black)	"25 mm x 356 mm x 305 mm (1" x 14.0" x 12.0)"	\$140
32Z4054	e4 Mesh base basket (full size, Black)	"25 mm x 343 mm x 292 mm (1" x 13.5" x 11.5)"	\$140
32Z4032	Air frying basket	50 mm x 280mm x 280mm (2" X 11" X 11")	\$110
PSA1248	e4 Solid cook plate	"26 mm x 369 mm x 305 mm (1" x 14.6" x 12")"	\$280
DV0860	e4s Grill cook plate	"26 mm x 369 mm x 305 mm (1" x 14.6" x 12")"	\$440
40H0230	"e3, e4 & e4s Non-stick baking/ roasting tray"	"15 mm x 300 mm x 271 mm (0.6" x 11.8" x 10.7)"	\$110
DX0117	e3, e4 & e4s Vitreous baking/ roasting tray	"25 mm x 321 mm x 297 mm (1" x 12.7" x 11")"	\$160
DV0907	e4 Wire rack	"32 mm x 362 mm x 290 mm (1.3" x 14.3" x 11.4)"	\$170
SA3-156	Panini Press, fully reversible top plate, aluminum grill plates, (1) cleaning squeezegee, stainless steel construction, for eikon® e4/e4s	"136 mm x 303 mm x 451 mm (5.4" x 14.3" x 17.8)"	\$2,140
PSR310	e4, e4s & e5 Paddle without sides (Replaces 400P)	"328 mm x 311 mm (13" x 12.3)"	\$140
SR320	e4, e4s & e5 Paddle with hand guard and sides	"328 mm x 311 mm (13" x 12.3)"	\$150
DV0342	Griddle cook plate	"25 mm x 346 mm x 279 mm (1" x 13.6" x 11")"	\$230
DV0343	Griddle frame	"30 mm x 340 mm x 296 mm (1.2" x 13.4" x 11.7)"	\$230
PSA1108	Griddle accessory pack (4 x Griddle plate, 4 x Handle, 2 x Griddle frame)		\$1,310
SR313	Tray handle for use with P40C1423, P40C1151, P40C1157, 40H0347, and DX0117	"25 mm x 264 mm x 91 mm (1" x 10.4" x 3.6)"	\$110
DV0344	Tray handle for use with PSA1108 and PSB3117	"25 mm x 250 mm x 76 mm (1" x 9.8" x 3")"	\$70
32Z4034	Slotted turner	"100 mm x 79 mm x 300 mm (4" x 3" x 11.8)"	\$50
DV0390	Egg ring	"0 85 mm (3.3") H: 19 mm (0.7)"	\$140
32Z4126	Non-stick mould 2x	"4 mm x 304 mm x 304 mm (1.3" x 9.25" x 4.6)"	\$200
32Z4113	Non-stick mould 4x	20.3 mm x 254 mm x 254 mm (0.8" x 10.0" x 10.0")	\$190
32Z4132	Non-stick mould 9x	20.3 mm x 279 mm x 279 mm (0.8" x 11.0" x 11.0")	\$400
32Z4131	Non-stick mould 12x	20.3 mm x 368 mm x 279 mm (0.8" x 14.5" x 11.0")	\$390
32Z4115	Small Bowl	35.6 mm x 180 mm (1.4" x 7")	\$210
32Z4117	Gyoza tray 2x	31.7 mm x 119.4 mm x 111.7 mm (1.25" x 4.7" x 4.4")	\$200
32Z4116	Gyoza tray 12x	31.7 mm x 279 mm x 279 mm (1.25" x 11.0" x 11.0")	\$340
32Z4118	1L Container 1/3GN	63.5 mm x 325.1 mm x 175.3 mm (2.5" x 12.8" x 6.9")	\$440
32Z4119	1/2L Container 1/6GN	63.5 mm x 172.7 mm x 175.3 mm (2.5" x 6.8" x 6.9")	\$360
32Z4128	Large cook tray	22.9 mm x 355.6 mm x 298.5 mm (0.9" x 14.0" x 11.75")	\$290
32Z4133	Small lided solid basket	19.0 mm x 294.6 mm x 294.6 mm (0.75" x 11.6" x 11.6")	\$250
32Z4134	Large lided solid basket	"35 mm x 290 mm x 290 mm (1.4" x 11.4" x 11.4)"	\$260
32Z4028	e4, e4s & e5 Cool down pan	1/2 size 100 mm (4") deep	\$110
40H0098	High speed oven stacking trolley	"1200 mm x 700 mm x 690 mm (47.2" x 27.5" x 24.8)"	\$3,680
PSA2208	e4/e4s Oven spacer kit	"51 mm x 520 mm x 588 mm (2" x 20.5" x 23.2)"	\$610
PSA2150	e4/e4s Paddle storage	"70 mm x 445 mm x 565 mm (2.75" x 17.5" x 22.25)"	\$790
32Z4144	High speed oven cleaner spray	6 x 946 ml (1box)	\$110
32Z4145	High speed oven protector spray	6 x 946 ml (1box)	\$180
32Z4148	Merrychef Cleaner & Protector, (1) each		\$90
USBKEY	Blank Menu Key (USB)		\$40
PSA2101	Upper Impingement Plate		\$500
PSA266	Lower Impingement Plate		\$500
4460	Griddle Plate	9" x 5.5"	\$140
SA3127	Air Filter Assembly		\$410
DV0752	Grease Filter Housing		\$250
SA3126	Grease Filter Cartridge		\$280
H5220	HardCoat Quarter-Size Sheet Pan	9.5" x 13" x 1"	\$110
32Z4031	"Teflon Basket, Large Mesh (Mfg Part Number P80022)"	28-48 Weave 25 mm x 343 mm x 292 mm (1" x 13.5" x 11.5")	\$110
P80011	Teflon Screen, large mesh	28-48 weave, 12" x 12"	\$100
STACK-19	"19-inch Stacking Cart - MUST Use with PSA2208"	480 mm x 702 mm x 760 mm (18.9" x 27.6" x 29.9")	\$1,400
STACK-36	36inch SINGLE Oven Cart	915 mm x 585 mm x 610mm (36" x 23.03" x 24.01")	\$2,470
STACK-48	48-inch Stacking Cart	Overall Dimension at Highest Setting: 1226 mm x 717 mm x 663 mm (48.3" x 28.2" x 26.1")	\$4,110
Start-Up Accessory Kit e4	Individual Units: H5220 Quarter Size Hardcoat Sheet Pan PSR310 Oven Paddle, Stainless Steel 32z4031 Teflon Basket, 28-48 Weave Mesh 32Z4028 Half-Size Hotel Pan, Stainless Steel 32z4070 Teflon Basket SOLid Bottom 11.5" x 13.5" x 1"		\$510

*Double stacking only with e4 or e4s and requires the PSA2208 Oven Spacer Kit.

EIKON® SERIES | e4s OVEN



STANDARD FEATURES

- Advanced Cooking Technology® combines three heat technologies of convection, air impingement, and microwave for fast even heating of food product
- Up to fifteen (15) times faster than conventional cooking methods
- “Ventless” Cooking” capability through standard built-in catalytic converter
- Ability to use a standard, ¼ size metal baking pan while in convection mode
- Automatic voltage detection (U.S. only)
- Cool to touch door exterior
- 14.8” (375 mm) wide x 14.6” (370mm) deep x 8.6” (218 mm) high cooking chamber

*Local codes prevail. These are the “authority having jurisdiction” as stated by the National Fire Protection Association, Inc., in NFPA96-1994.



Merrychef eikon® Series | e4s Oven

Model	Height	Width	Depth (overall without handle)	Depth (door open 90 degrees)	Amps	Volts	Hz	Phase	Shipping Weight	Shipping Cubic Feet	Plug Type	Price & Availability
e4s	23.3” (591 mm)	23” (584 mm)	25.3” (643 mm)	39.3” (999 mm)	30	208/240	60	1	214 lb (97 kg)	29.5 cu. ft. (0.8 cu. m)	NEMA 6-30P	\$18,300

e4s general market models come standard with these accessories listed below:

Qty	P/N	Description
1	DV0908	Wire Rack
1	PSR310	Paddle
2	32Z4031	Large Mesh Basket
1	32Z4028	Cool Down Pan
1	USBKey	Menu Key
1	32Z4148	Cleaner Kit

EIKON® SERIES - e4s OVEN | ACCESSORIES

Cat. No.	Description	Dimensions	List Price Each
DX0254	"Non-stick tray liner *Liners should be placed directly on the cookplate. Designed to increase the non-stick capability of the cook plates."	277 mm x 236 mm (10.9" x 9.3")	\$10
32Z4086	e4s Solid base basket (full size, Black)	25 mm x 343 mm x 343 mm (1" x 13.5" x 13.5")	\$140
32Z4032	Air frying basket	50 mm x 280mm x 280mm (2" X 11" X 11")	\$110
DV0870	e4s Solid cook plate	25 mm x 371 mm x 355 mm (2" x 14.6" x 14")	\$160
DV0860	e4s Grill cook plate	26 mm x 369 mm x 305 mm (1" x 14.6" x 12")	\$440
DV0880	e4s Pizza plate	16 mm x 371 mm x 355 mm (0.6" x 14.6" x 14")	\$160
40H0230	"e3, e4 & e4s Non-stick baking/ roasting tray"	15 mm x 300 mm x 271 mm (0.6" x 11.8" x 10.7")	\$110
DX0117	e3, e4 & e4s Vitreous baking/ roasting tray	25 mm x 321 mm x 297 mm (1" x 12.7" x 11")	\$160
DV0908	e4s Wire rack	36 mm x 366 mm x 344 mm (1.4" x 14.4" x 13.5")	\$160
SA3-156	Panini Press, fully reversible top plate, aluminum grill plates, (1) cleaning squeegee, stainless steel construction, for eikon® e4/e4s	136 mm x 303 mm x 451 mm (5.4" x 14.3"x 17.8")	\$2,140
PSR310	"e4, e4s & e5 Paddle without sides (Replaces 400P)"	328 mm x 311 mm (13" x 12.3")	\$140
SR320	e4, e4s & e5 Paddle with hand guard and sides	328 mm x 311 mm (13" x 12.3")	\$150
DV0342	Griddle cook plate	25 mm x 346 mm x 279 mm (1" x 13.6" x 11")	\$230
DV0343	Griddle frame	30 mm x 340 mm x 296 mm (1.2" x 13.4" x 11.7")	\$230
PSA1108	"Griddle accessory pack (4 x Griddle plate, 4 x Handle, 2 x Griddle frame)"		\$1,310
SR313	Tray handle for use with P40C1423, P40C1151, P40C1157, 40H0347, and DX0117	"25 mm x 264 mm x 91 mm (1" x 10.1" x 3.6")"	\$110
DV0344	Tray handle for use with PSA1108 and PSB3117	"25 mm x 250 mm x 76 mm (1" x 9.8" x 3")"	\$70
32Z4034	Slotted turner	"100 mm x 79 mm x 300 mm (4" x 3" x 11.8")"	\$50
DV0390	Egg ring	"0 85 mm (3.3") H: 19 mm (0.7")"	\$140
32Z4126	Non-stick mould 2x	"4 mm x 304 mm x 304 mm (1.3" x 9.25" x 4.6")"	\$200
32Z4113	Non-stick mould 4x	20.3 mm x 254 mm x 254 mm (0.8" x 10.0" x 10.0")	\$190
32Z4132	Non-stick mould 9x	20.3 mm x 279 mm x 279 mm (0.8" x 11.0" x 11.0")	\$400
32Z4131	Non-stick mould 12x	20.3 mm x 368 mm x 279 mm (0.8" x 14.5" x 11.0")	\$390
32Z4115	Small Bowl	35.6 mm x 180 mm (1.4" x 7")	\$210
32Z4117	Gyoza tray 2x	31.7 mm x 119.4 mm x 111.7 mm (1.25" x 4.7" x 4.4")	\$200
32Z4116	Gyoza tray 12x	31.7 mm x 279 mm x 279 mm (1.25" x 11.0" x 11.0")	\$340
32Z4118	1L Container 1/3GN	63.5 mm x 325.1 mm x 175.3 mm (2.5" x 12.8" x 6.9")	\$440
32Z4119	1/2L Container 1/6GN	63.5 mm x 172.7 mm x 175.3 mm (2.5" x 6.8" x 6.9")	\$360
32Z4128	Large cook tray	22.9 mm x 355.6 mm x 298.5 mm (0.9" x 14.0" x 11.75")	\$290
32Z4133	Small lided solid basket	19.0 mm x 294.6 mm x 294.6 mm (0.75" x 11.6" x 11.6")	\$250
32Z4134	Large lided solid basket	"35 mm x 290 mm x 290 mm (1.4" x 11.4" x 11.4")"	\$260
32Z4028	e4, e4s & e5 Cool down pan	1/2 size 100 mm (4") deep	\$110
40H0098	High speed oven stacking trolley	"1200 mm x 700 mm x 690 mm (47.2" x 27.5" x 24.8")"	\$3,680
PSA2208	e4/e4s Oven spacer kit	"51 mm x 520 mm x 588 mm (2" x 20.5" x 23.2")"	\$610
PSA2150	e4/e4s Paddle storage	"70 mm x 445 mm x 565 mm (2.75" x 17.5" x 22.25")"	\$790
32Z4144	High speed oven cleaner spray	6 x 946 ml (1box)	\$110
32Z4145	High speed oven protector spray	6 x 946 ml (1box)	\$180
32Z4148	Merrychef Cleaner & Protector, (1) each		\$90
USBKEY	Blank Menu Key (USB)		\$40
PSA2101	Upper Impingement Plate		\$500
PSA2191	Lower Impingement Plate		\$500
H5220	HardCoat Quarter-Size Sheet Pan	9.5" x 13" x 1"	\$110
32Z4031	"Teflon Basket, Large Mesh (Mfg Part Number P80022)"	28-48 Weave 25 mm x 343 mm x 292 mm (1" x 13.5" x 11.5")	\$110
STACK-19	"19-inch Stacking Cart- MUST Use with PSA2208"	480 mm x 702 mm x 760 mm (18.9" x 27.6" x 29.9")	\$1,400
STACK-36	36inch SINGLE Oven Cart	915 mm x 585 mm x 610mm (36" x 23.03" x 24.01")	\$2,470
STACK-48	48-inch Stacking Cart	Overall Dimension at Highest Setting: 1226 mm x 717 mm x 663 mm (48.3" x 28.2" x 26.1")	\$4,110
	Start-Up Accessory Kit e4s (set includes one of each of the items listed below)		
	Individual Units:		
	H5220 Quarter Size Hardcoat Sheet Pan		
	PSR310 Oven Paddle, Stainless Steel		\$510
	32Z4031 Teflon Basket, 28-48 Weave Mesh		
	32Z4028 Half-Size Hotel Pan, Stainless Steel		
	32Z4086 Teflon Basket Solid Bottom 13.5" x 13.5" x 1"		

*Double stacking only with e4 or e4s and requires the PSA2208 Oven Spacer Kit.

EIKON® SERIES | e3 OVEN



STANDARD FEATURES

- Advanced Cooking Technology® combines two heat technologies of convection and microwave with a rotating turntable for fast, even heating of food product
- Up to five (5) times faster than conventional cooking methods
- “Ventless” Cooking” capability through standard built-in catalytic converter
- Two (2) rack position options
- Ability to use standard metal baking pan or one (1) round carousel pan while in convection mode
- Automatic voltage detection (U.S. only)
- Cool to touch door exterior
- 13” (332 mm) wide x 12.8” (325mm) deep x 12.6” (320mm) high cooking chamber

*Local codes prevail. These are the “authority having jurisdiction” as stated by the National Fire Protection Association, Inc., in NFPA96-1994.

Merrychef eikon® Series | e3 Oven

Model	Height	Width	Depth (overall with handle)	Depth (door open 90 degrees)	Amps	Volts	Hz	Phase	Shipping Weight	Shipping Cubic Feet	Plug Type	Price & Availability
e3	21.7” (551 mm)	23.5” (598 mm)	24.5” (622 mm)	37” (939 mm)	30	208/240	60	1	155 lb (70 kg)	17.5 cu. ft. (0.5 cu. m)	NEMA 6-30P	\$6,640

e3 general market models come standard with these accessories listed below:

Qty	P/N	Description
2	40H0347ANO	Cast Turntable, Coated, NSF
1	32Z4043	Cool Down Pan
1	USBKey	Menu Key
1	32Z4148	Cleaner Kit
1	40H0249	Turntable Disk
1	SR313	Oven Tray Handle
1	40H0190	Teflon Sheet
2	DR0056	Chromium Plated Steel Rack

EIKON® SERIES - e3 OVEN | ACCESSORIES

Cat. No.	Description	Dimensions	List Price Each
40H0190	"Non-stick cook plate liner *Liners should be placed directly on the cookplate. Designed to increase the non-stick capability of the cook plates."	"0 287 mm (0 11.3")"	\$80
DX0254	"Non-stick tray liner *Liners should be placed directly on the cookplate. Designed to increase the non-stick capability of the cook plates."	"277 mm x 236 mm (10.9" x 9.3")"	\$10
40H0347ANO	e3 Solid cook plate	"0 312 mm (12.3") H: 40 mm (1.6")"	\$360
40H0240	e3 Grill insert	"0 312 mm (12.3") H: 25 mm (1")"	\$100
40H0230	"e3, e4 & e4s Non-stick baking/ roasting tray"	"15 mm x 300 mm x 271 mm (0.6" x 11.8" x 10.7")"	\$110
DX0117	e3, e4 & e4s Vitreous baking/ roasting tray	"25 mm x 321 mm x 297 mm (1" x 12.7" x 11")"	\$160
31Z1234	e3 Wire rack insert	"0 300 mm (11.8") H: 75 mm (3")"	\$140
DR0056	e3 Wire rack	"30 mm x 323 mm x 275 mm (1.2" x 12.7" x 10.8")"	\$110
40H0249	e3 Turntable disk for use with 40H0347ANO	0 191 mm (7.5")	\$100
SR313	Tray handle for use with P40C1423, P40C1151, P40C1157, 40H0347, and DX0117	"25 mm x 264 mm x 91 mm (1" x 10.4" x 3.6")"	\$110
32Z4034	Slotted turner	"100 mm x 79 mm x 300 mm (4" x 3" x 11.8")"	\$50
DV0390	Egg ring	"0 85 mm (3.3") H: 19 mm (0.7")"	\$140
32Z4126	Non-stick mould 2x	"4 mm x 304 mm x 304 mm (1.3" x 9.25" x 4.6")"	\$200
32Z4115	Small Bowl	35.6 mm x 180 mm (1.4" x 7")	\$210
32Z4117	Gyoza tray 2x	31.7 mm x 119.4 mm x 111.7 mm (1.25" x 4.7" x 4.4")	\$200
32Z4119	1/2L Container 1/6GN	63.5 mm x 172.7 mm x 175.3 mm (2.5" x 6.8" x 6.9")	\$360
32Z4043	e3 Cool down pan	1/6 size 150 mm (6") deep	\$110
40H0098	High speed oven stacking trolley	"1200 mm x 700 mm x 690 mm (47.2" x 27.5" x 24.8")"	\$3,680
32Z4144	High speed oven cleaner spray	6 x 946 ml (1box)	\$110
32Z4145	High speed oven protector spray	6 x 946 ml (1box)	\$180
32Z4148	Merrychef Cleaner & Protector, (1) each		\$90
USBKEY	Blank Menu Key (USB)		\$40
SX328	Air Filter Assembly		\$300
	Start-Up Accessory Kit e3 Individual Units: (1x) DX0117 Oven Tray (2x) DR0056 Chromium Plated Steel Rack (1x) 40H0190 Round Teflon Sheet (1x) 32Z4043 Cool Down Pan		\$390

EIKON® SERIES | e5 OVEN



STANDARD FEATURES

- Advanced Cooking Technology® combines two heat technologies of convection and microwave for fast, even heating of food product
- Up to five (5) times faster than conventional cooking methods
- “Ventless” Cooking” capability through standard built-in catalytic converter
- Ability to use a standard, ½ size metal baking pan while in convection mode
- Automatic voltage detection (U.S. only)
- Cool to touch door exterior
- Removable baking rack with optional two positions
- Cooks multiple items at the same time perfectly
- 19.5” (495 mm) wide x 14.1” (358 mm) deep x 10.2” (259 mm) high cooking chamber

*Local codes prevail. These are the “authority having jurisdiction” as stated by the National Fire Protection Association, Inc., in NFPA96-1994.

Merrychef eikon® Series | e5 Oven

Model	Height	Width	Depth (overall with handle)	Depth (door open 90 degrees)	Amps	Volts	Hz	Phase	Shipping Weight	Shipping Cubic Feet	Plug Type	Price & Availability
e5	25.3” (642 mm)	28” (712 mm)	27.8” (705 mm)	39” (990 mm)	30	208/240	60	1	245 lb (111 kg)	11 cu. ft. (0.3 cu. m)	NEMA 6-30P	\$13,270

e5 general market models come standard with these accessories listed below:

Qty	P/N	Description
1	40C1011	Wire Rack
1	32Z4028	Cool Down Pan
1	USBKey	Menu Key
1	32Z4148	Cleaner Kit

EIKON® SERIES - e5 OVEN | ACCESSORIES

Cat. No.	Description	Dimensions	List Price Each
40C1218	"Non-stick tray liner *Liners should be placed directly on the cookplate. Designed to increase the non-stick capability of the cook plates."	"390 mm x 295 mm (15.4" x 11.6")"	\$110
32Z4032	Air frying basket	50 mm x 280mm x 280mm (2" X 11" X 11")	\$110
P40C1423	e5 Vitreous baking/roasting tray (Black)	"25 mm x 432 mm x 336 mm (1" x 17" x 13.2")"	\$140
P40C1151	e5 Vitreous baking/roasting tray (Green)	"25 mm x 432 mm x 336 mm (1" x 17" x 13.2")"	\$130
P40C1157	e5 Vitreous baking/roasting tray (Blue)	"25 mm x 432 mm x 336 mm (1" x 17" x 13.2")"	\$130
DR0057	e5 Wire rack	"32 mm x 435 mm x 332 mm (1.3" x 17.1" x 13")"	\$120
PSR310	"e4, e4s &e5 Paddle without sides (Replaces 400P)"	"328 mm x 311 mm (13" x 12.3")"	\$140
SR320	e4, e4s &e5 Paddle with hand guard and sides	"328 mm x 311 mm (13" x 12.3")"	\$150
SR313	Tray handle for use with P40C1423, P40C1151, P40C1157, 40H0347, and DX0117	"25 mm x 264 mm x 91 mm (1" x 10.4" x 3.6")"	\$110
32Z4034	Slotted turner	"100 mm x 79 mm x 300 mm (4" x 3" x 11.8")"	\$50
DV0390	Egg ring	"0 85 mm (3.3") H: 19 mm (0.7")"	\$140
32Z4126	Non-stick mould 2x	"4 mm x 304 mm x 304 mm (1.3" x 9.25" x 4.6")"	\$200
32Z4113	Non-stick mould 4x	20.3 mm x 254 mm x 254 mm (0.8" x 10.0" x 10.0")	\$190
32Z4132	Non-stick mould 9x	20.3 mm x 279 mm x 279 mm (0.8" x 11.0" x 11.0")	\$400
32Z4131	Non-stick mould 12x	20.3 mm x 368 mm x 279 mm (0.8" x 14.5" x 11.0")	\$390
32Z4115	Small Bowl	35.6 mm x 180 mm (1.4" x 7")	\$210
32Z4117	Gyoza tray 2x	31.7 mm x 119.4 mm x 111.7 mm (1.25" x 4.7" x 4.4")	\$200
32Z4116	Gyoza tray 12x	31.7 mm x 279 mm x 279 mm (1.25" x 11.0" x 11.0")	\$340
32Z4118	1L Container 1/3GN	63.5 mm x 325.1 mm x 175.3 mm (2.5" x 12.8" x 6.9")	\$440
32Z4119	1/2L Container 1/6GN	63.5 mm x 172.7 mm x 175.3 mm (2.5" x 6.8" x 6.9")	\$360
32Z4128	Large cook tray	22.9 mmx 355.6 mm x 298.5 mm (0.9" x 14.0" x 11.75")	\$290
32Z4133	Small lided solid basket	19.0 mm x 294.6 mm x 294.6 mm (0.75" x 11.6" x 11.6")	\$250
32Z4134	Large lided solid basket	"35 mm x 290 mm x 290 mm (1.4" x 11.4" x 11.4")"	\$260
32Z4028	e4, e4s & e5 Cool down pan	1/2 size 100 mm (4") deep	\$110
32Z4144	High speed oven cleaner spray	6 x 946 ml (1box)	\$110
32Z4145	High speed oven protector spray	6 x 946 ml (1box)	\$180
32Z4148	Merrychef Cleaner & Protector, (1) each		\$90
USBKEY	Blank Menu Key (USB)		\$40
5303	Half-Size Sheet Pan, Aluminum	17.75" x 12.88" x 1"	\$140
5303P	Half-Size Sheet Pan, Perforated, Aluminum	17.75" x 12.88" x 1"	\$140
40C1011	Wire Baking Rack	13.5" x 18.25" x .25"	\$150
	Start-Up Accessory Kit e5 (set includes one of each of the items listed below)		
	Individual Units:		
	5303 Aluminum Half-Size Sheet Pan		\$430
	5303P Aluminum Half-Size Sheet Pan - Perforated		
	40C1218 Teflon Liner		
	32Z4028 Cool Down Pan		

LIMITED WARRANTY, TERMS AND CONDITIONS

LIMITED WARRANTY

Merrychef® USA, ("Merrychef®") warrants this product to be free from defects in material and workmanship for a period of one (1) year from the date the product is installed or eighteen (18) months from the date of shipment from our facility, whichever comes first.

During the warranty period, *Merrychef* shall, at *Merrychef's* option, repair or replace parts determined by *Merrychef* to be defective in material or workmanship, and with respect to services, shall re-perform any defective portion of said services. The foregoing shall be the sole obligation of *Merrychef* under this Limited Warranty with respect to the equipment, products and services. With respect to equipment, materials, parts and Accessories manufactured by others, *Merrychef's* sole obligation shall be to use reasonable efforts to obtain the full benefit of the manufacturer's warranties. *Merrychef* shall have no liability, whether in contract, tort, negligence, or otherwise, with respect to non-*Merrychef* manufactured products.

WHO IS COVERED

This Limited Warranty is available only to the original purchaser of the product and is not transferable.

EXCLUSIONS FROM COVERAGE

- Repair or replacement of parts required because of misuse, improper care or storage, negligence, alteration, accident, use of incompatible supplies or lack of specified maintenance shall be excluded;
- Normal maintenance items, including but not limited to, light bulbs, fuses, gaskets, O-rings, interior and exterior finishes, lubrication, de-liming, broken glass, etc.;
- Failures caused by erratic voltages;
- Improper or unauthorized repair;
- Changes in adjustment and calibration after ninety (90) days from equipment installation date;
- This Limited Warranty will not apply to any parts subject to damage beyond the control of *Merrychef*, or to equipment which has been subject to alteration, misuse or improper installation, accidents, damage in shipment, fire, floods, power changes, other hazards or acts of God that are beyond the control of *Merrychef*;
- This Limited Warranty does not apply, and shall not cover any products or equipment manufactured or sold by *Merrychef* when such products or commercial equipment is installed or used in a residential or non-commercial application. Installations not within the applicable building or fire codes render this Limited Warranty and any responsibility or obligations associated therein null and void. This includes any damage, costs or legal actions resulting from the installation of any *Merrychef* commercial cooking equipment in a non-commercial application or installation, where the equipment is being used for applications other than those approved for by *Merrychef*;
- If any product is cleaned without using an approved *Merrychef* cleaning solution, this Limited Warranty shall be void.

LIMITATIONS OF LIABILITY

The preceding paragraphs set forth the exclusive remedy for all claims based on failure of, or defect in, products or services sold hereunder, whether the failure or defect arises before or during the warranty period, and whether a claim, however instituted, is based on contract, indemnity, warranty, tort (including negligence), strict liability, implied by statute, common-law or otherwise, and *Merrychef* its servants and agents shall not be liable for any claims for personal injuries or consequential damages or loss, howsoever caused. Upon the expiration of the warranty period, all such liability shall terminate. **THE FOREGOING WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, WHETHER WRITTEN, ORAL, IMPLIED OR STATUTORY NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE SHALL APPLY, MERRYCHEF DOES NOT WARRANT ANY PRODUCTS OR SERVICES OF OTHERS.**

REMEDIES

The liability of *Merrychef* for breach of any warranty obligation hereunder is limited to: (i) the repair or replacement of the equipment on which the liability is based, or with respect to services, re-performance of the services; or (ii) at *Merrychef's* option, the refund of the amount paid for said equipment or services. Any breach by *Merrychef* with respect to any item or unit of equipment or services shall be deemed a breach with respect to that item or unit or service only.

WARRANTY CLAIM PROCEDURE

Customer shall be responsible to:

- Immediately advise the Dealer or *Merrychef's* Authorized Service Agent of the equipment serial number and the nature of the problem;
- Verify the problem is a factory responsibility. Improper installation or misuse of equipment, are not covered under this Limited Warranty;
- Cooperate with the Service Agency so that warranty service may be completed during normal working hours.

GOVERNING LAW

For equipment, products and services sold in the United States this Limited Warranty shall be governed by the laws of the state of Delaware, USA, excluding their conflicts of law principles. The United Nations Convention on Contracts for the International Sale of Goods is hereby excluded in its entirety from application to this Limited Warranty.

Merrychef USA
1200 Airport North Office Park
Ste A&B
Fort Wayne IN 46825

IMPORTANT ORDERING INFORMATION

ABOUT MERRYCHEF

Merrychef products are used throughout the World, across a wide variety of market segments and applications. In partnership with major food manufacturers and hot food retailers, *Merrychef* is constantly investing in research and development. *Merrychef*® LTD, with headquarters and ISO 9001 approved manufacturing facilities in Aldershot, Hampshire, UK, is an operating company of Welbilt. *Merrychef* USA is based in Cleveland, Ohio. For more info, visit www.merrychef.com.

HOW TO ORDER

Merrychef sells its products through Authorized Dealers. Please contact *Merrychef* for your Local Sales Representative for details. Purchase order should include the following information:

- Company Name with complete billing address and telephone number.
- Purchase order number.
- Ship to address.
- Purchasing agents name.
- Requested ship date.
- Specify complete model number of equipment ordered, quantity of each item ordered.
- Specify exact voltage required. (Example: 208/1 or 240/1 phase)
- Specify model and quantity of all options and Accessories required.
- Specify any special instructions required (example: lift gate required).

TERMS

30 Days Net to customers with an open/credit account with *Merrychef/Welbilt*. Cash discount does not apply on sight draft or C.O.D. shipments. Volume discounts are not allowed on invoices not paid within 30 days. Other penalties may also apply to payments beyond 30 days. Minimum purchase order of \$25.00 on all orders. Prices and specifications are subject to change without notice. All orders accepted subject to government regulations or conditions beyond manufacturers control.

All shipments within the United States F.O.B. from *Merrychef* USA Distribution Center, Covington, TN 38019. Equipment freight classification - Class 85

RETURN POLICY

1. All returned product must have an RMA number from Customer Service prior to sending the product back.
2. The product must be standard product, still crated and within 90 days from date invoiced. Standard products are defined as product configurations that are saleable to the general market. Custom Products are product configurations that are unique to a specific customer and cannot be sold to other customers. Obsolete/discontinued products cannot be returned.
3. If return is approved for standard product, the standard restock charge is 30% or 20% if a replacement order is made.
4. Custom product is **non-returnable**.
5. Applicable freight charges and re-crating will be the customer's responsibility.
6. RMA number must be clearly written on all shipping paperwork to factory/warehouse.
7. RMA will be valid for 45 days from date of issue.

STATEMENT OF POLICY

Merrychef equipment is built to comply with applicable nationally recognized standards for manufacturers. Included among these approval agencies are N.S.F., U.L. and C.S.A. Many local codes exist and it is the responsibility of the owner and installer to comply with these codes. *Merrychef* equipment when properly installed according to instructions, complies with the intent of the O.S.H.A. Act. Constant product improvement makes it necessary for new or improved models to be submitted for testing by these various agencies. Therefore, not all models have agency approvals at all times.

INTERNATIONAL EQUIPMENT

Equipment purchased for international destination is subject to additional charges. For International quotations/approvals contact the appropriate *Merrychef* customer service office.

MERRYCHEF CUSTOMER SERVICE:

For shipments within the United States, Mexico & Latin America.

Merrychef USA

Phone: (888) 417-5462

Online: www.merrychefusa.com

Email: LCNCUSTSERV@Welbilt.com

For shipments within Canada.

Merrychef Canada

Phone: (905) 624-0260

Online: www.garlandcanada.ca

For shipments throughout the rest of the world.

Merrychef Global


Phone: + 44 (0) 1252 371000

Online: www.merrychef.com

Merrychef is owned and operated by Welbilt.

NOTE: Volume chain and international prices to be negotiated. Call for more details.

Scan the code below to locate a dealer, distributor or sales representative in your area.



<http://www.welbilt.us/Sales/Sales-Locators>



Welbilt offers fully-integrated kitchen systems and our products are backed by KitchenCare® aftermarket parts and service. Welbilt's portfolio of award-winning brands includes **Cleveland™**, **Convotherm®**, **Crem™**, **Delfield®**, **fitkitchen®**, **Frymaster®**, **Garland®**, **Kolpak®**, **Lincoln™**, **Manitowoc®**, **Merco®**, **Merrychef®** and **Multiplex®**.

Bringing innovation to the table | **welbilt.com**