



VEI AIA CE INDUSTRIAL INC VVWUC



Catalog || Effective January 1, 2019
Pricing available online and in Autoquotes



New Age Industrial is located in Norton, Kansas, U.S.A., where the company's only aluminum production facilities are located, and where it is now expanding those facilities. Every production employee on the New Age payroll lives and works in the U.S.A.; and it has always been that way.

Nowhere else but in the U.S.A. could our charter members, who started with as little as they had, ever build from scratch a company such as New Age Industrial has become. Their dream to build a "new age" of industry, for the well-being of the people of this country, of encouraging entrepreneurship and maintaining a vibrant industrial base is what has made us who we are today.

Quality is not a goal, but a process...Not an endpoint but a persistent pursuit. All day...Every day. Even though we are proud to say we are "a U.S.A. Manufacturer" it does not mean that the company never imports anything. As in typical manufacturing a product of any complexity, some components that go into a New Age product cannot be made in our own factory. Purchases of imported component items are limited to those situations where the items in question cannot be practically met by any known domestic source.

When we say we are "a U.S.A. Manufacturer", we are stating that our products are made in the U.S.A. In a U.S. factory, by U.S. workers – even if some components might sometimes have to be imported.

New Age has chosen not to outsource the manufacturing of our products to foreign countries in order to take advantage of cheap labor and less stringent environmental standards. The outsourcing of manufacturing by other companies has caused hundreds of thousands, if not millions of jobs to be lost within the U.S. New Age believes in "free trade" but feels that there must also be "fair trade" to ensure that there is a level playing field for all U.S. manufacturers. This includes trade agreements that contain provisions related to product quality, consumer protection, intellectual property rights, fair labor code, employee dignity, safe working conditions, safeguarding of natural resources, environmental protection, and elimination of unfair trade barriers that impede the free flow of goods and services. New Age relishes the competitive nature of a free and fair global marketplace and believes the U.S. can compete with any country in the world given these conditions.

NEW AGE
INDUSTRIAL
NEW AGE

BEHIND THE SCENES

New Age Industrial Aluminum Solutions

New Age began manufacturing in 1966. Fifty years later, we are the leading aluminum manufacturer in the USA. New Age operates out of a 200,000 square foot facility located in the "Heartland of America" in Norton, Kansas. Our rural workforce has a very strong work ethic and a true understanding of what the word "quality" means.

We process 3 million pounds of primary aluminum products in the Material Handling, Foodservice and Supermarket Industries annually.

Our extrusion press, design and fabrication abilities give us the flexibility to mass produce stock items and to build custom products that no other manufacturer offers. Whether it is one or ten thousand units, we'll create a product that meets your needs.

New Age Industrial is more than just another supplier. New Age buys pure primary grade aluminum billet.

We extrude our own aluminum to fit our customers' needs using our own extrusion press. By controlling the extrusion process, we have unlimited flexibility in product design and durability.

New Age has the state of the art computerized equipment to maintain the high quality standards that are essential in the manufacturing process.

New Age is focused on building aluminum products only, insuring that all our welders are highly skilled at giving a precision weld joint every time.

Table of Contents

CORRECTIONAL

Most New Age products can be modified for Correctional use.
Please contact the factory for information.

Cabinets

Enclosed Transport Cabinets	14
Heavy Duty Cabinets	13
Security Cage	49
Utility Cabinet	49

Carts

Mat Carts	66
Utility Cart	24

Racks

Bun Pan Racks	10
Can Racks	33
Covers	69
Dunnage Racks	35-36
Insert Rack	9
Mobile Dunnage Rack	35
Stepped-Angle Pan Racks	11-12
Tray Drying Racks	23
Wide-Angle Pan Racks	11-12

Shelving

All Welded Heavy Duty	37
All Welded T-Bar	38

Stands

Equipment Stand	68
-----------------	----

Trucks

Platform Truck	66
----------------	----

FOODSERVICE

Accessories69

Baseboard

Cove Baseboard	50
----------------	----

Cabinets

Angle-Ledge Transport	15
Clear Door Enclosed	13-16
Delivery Cabinets	13-16, 18
Economy "RAC line" Cabinets	14
Enclosed Transport Cabinets	13-16
Heavy Duty Cabinets	13-16
Room Service Cabinets	17-18
Steamtable Pan Cabinet	14
Universal Adjustable Angle Cabinets	15
Universal Enclosed Cabinet	15
Utility Cabinet	13-16

Carts

2-tier Carts	24,53,67
Airline Catering Carts	20
Banquet Carts	25
Bulk - Frame & Tubs	58

Bussing Carts	32
Carrier Carts	20
Delivery Carts	63-66
Economy "Rac Line" Carts	54-55, 60
Enclosed Carts	13-18
Folding "L" Carts	64
Fry Thaw Carts	19
Linen Carts	25
Lug Carts	57-59
Mat Carts	66
Platter Carts	60-62
Produce Carts	53-54, 56
Queen Marys	25
Room Service Carts	17-18
Serving Carts	24, 32
Tray Delivery Carts	17-18,25
Tubular Deck Carts	53,55,63-64
U-Boats	63,65
Universal Carts	24,60
Utility Carts	24,32,53, 63-64,67

Casters 70

Dollies

Angle Dollies	27,29-31
Bowl Dollies	29
Bread Pan Dollies	30
Bun Pan Dollies	30
Chicken Dolly	31
Chill Pac Dollies	27
Chilltray Dollies	27
Crisping Basket Dolly	27
Cup and Glass Dollies	28
Dish Rack Dollies	28
Dough Dollies	28
Food Box Dollies	27
Keg Dollies	48
Lug Dollies	32,57-59
Milk Crate Dollies	31
Mixer Bowl Dollies	29
Mixing Bowl Dollies	29
Oval Tray Dolly	30
Pizza Dough Box Dolly	29
Sheet Pan Dollies	30
Steamtable Pan Dolly	30
Super Dollies	31
Universal Dollies	31
Universal Lug Dollies	59

Miscellaneous

Crisping Baskets	27,56
Drag Hook	30-31
Lugs	59
Tubs	58

Product Options69

Racks

12"x20"Pan Racks	
End Loading - Standard Angle	6
End Loading - Double Deep	4
Half Size - Standard Angle	6

Lifetime Stepped Angle - Roll-In	12
Lifetime Stepped Angle	11
Lifetime Wide Angle - Roll-In	12
Lifetime Wide Angle	11
Refrigerator/Proofer - Wide Angle	3
Side Loading - Standard Angle	6
Steamtable Pan Rack	6
Universal Wide Angle	8,11
Universal Room Service Cart	17-18
Universal Stepped - Adjustable	9,15
Universal Stepped - Adjustable, Roll-In	9
Universal Stepped - Roll-In	8
Universal Stepped	8
Univ. Stepped Angle Cabinet - Adjustable	15
Wide Angle	8

13"x18" & 14"x18" Pan Racks

Angle Ledge Transport Cabinet	15
Lifetime Stepped Angle - Roll-In	12
Lifetime Stepped Angle	11
Lifetime Wide Angle - Roll-In	12
Lifetime Wide Angle	11
Transport/Retrieval	6
Universal Room Service Cart	18
Universal Stepped - Adjustable	9
Universal Stepped - Adjustable, Roll-In	9
Universal Stepped - Roll-in	8
Universal Stepped	8
Univ. Angle Cabinet - Adjustable	15
Wide Angle	8

15"x20" Tray Racks

End Loading - Standard Angle	4
Lifetime Stepped Angle - Roll-In	12
Lifetime Stepped Angle	11
Room Service Cart	17-18
Side Loading - Double Deep	4
Side Loading - Standard Angle	4
Tray Retrieval	6
Universal Room Service Cart	18
Universal Stepped - Adjustable	9,15,18
Universal Stepped - Adjustable, Roll-In	9
Universal Stepped - Roll-In	8
Universal Stepped	8
Univ. Angle Cabinet - Adjustable	15

Bun Pan Racks

Bakery	1-3,5,7-12,20
Covers	69
Economy - All Welded	2,60
Economy - Knocked Down	2
Economy - Refrigerator/Proofer	3
Enclosed Racks	13-16,18
Full Size - End Loading	1,2,4,5,7-12,62
Full Size - End loading, Knocked Down	1,2
Full Size - Side Loading	1
Full Size - Side Loading, Knocked Down	1
Half Size	1
Insert	9
Lifetime Series	10-13
Nesting "U" Type	7
Nesting "Z" Type	7
Oven Racks	20

Proofer	3,8,9,12
Refrigerator/Proofer	3,8,9,11-12
Retarder	3,8,9,11-12
Roll-in	3,8,9,12
Sheet Pan	1-5, 7-12
Transport/Retrieval	6
Universal Stepped - Adjustable	9
Universal Stepped - Standard	8
Wide Angle	3,4,8

Can Racks

Economy Can Racks	34
First-In, First-Out Can Racks	34
Half Size Can Racks	33
Heavy Duty Can Racks	33-34
Mobile Can Racks	33-34

Dunnage Racks

Covers	35
Economy RAC Line Dunnage Racks	35
Heavy Duty Dunnage Racks	36
Lifetime Series Dunnage Racks	36
Mobile Dunnage Racks	35

Merchandiser Racks

Display Racks	16,22
Folding Merchandiser	22
Mobile Merchandiser	22
Slant Display Rack	16

Platter Racks

Double Platter Racks	61
Economy Platter	61
Heavy Duty	62
Standard Platter Racks	61
Universal - Economy	62
Universal - Standard	62

Special Purpose Racks

Airline Catering Racks	20
Combo Racks	5
Display Racks	16,22
Donut Screen Racks	19
Food Box Racks	5,60
Glass Racks	28
Keg Racks	47
Oval Tray Racks	4
Pizza Box Wall Racks	22
Pizza Pan Racks	22
Pizza Pan Wall Racks	22
Poly Box Racks	5,60
Pot & Pan Racks	32
Retrieval Racks	6
Slant Display Racks	16
Transport Racks	6
Trapezoid Tray Racks	6
Tray Delivery Racks	6,13-17
Tray Drying Racks	23
Universal Oval Tray	4,8
Universal Pizza Pan	22
Utility Racks	1-17
Wall Mount Pan Rack, Adj.	22
Wall Mount Sheet Pan Rack	22

Security Cage.....49

Security Fence49

Shelving

Adjustable Shelving

Accessories	43
Adjust-A-Shelf	39-41
Dunnage Style Shelves	39,42
Economy RAC Line Shelves	42
HD Shelves	39,42
Keg Shelving	47
Louvered Shelves	40,42,47
Mobile Shelving	37-42
Posts	43
Pot & Pan Shelving	32
SB Shelves	41
Slatted Shelves	40,42,47
Solid Brute Shelves	41
Solid Reinforced Shelves	41
Solid Shelves	41,42
T-Bar shelves	40,42,47

All Welded Shelving

All Welded Heavy Duty Shelving	37
All Welded T-Bar Shelving	38
All Welded Mobile Shelving	37-38

Cantilever Shelving

Adjustable HD Heavy Duty Shelves	45
Adj. SB Solid Reinforced Shelves	45
Adjustable T-Bar Shelves	45
Free Standing Braces	45
Free Standing Uprights	45
Wall/Ceiling Uprights	46

Wall Shelving

Heavy Duty Shelves	44
Inverted Shelves	44
Marine Edge Shelves	44
Microwave Shelves	44
Solid Wall Shelves	44
Slanted T-Bar	44
T-Bar Shelves	44
Wall Shelf with Pot Rack	44

Specialty

Corner Guards	50
---------------	----

Stands

Cooking Equipment Stands	67-68
Counter Top Equipment Stands	1,4,67-68
Equipment Stands	21,67-68
Heavy Duty Stands	21,67-68
Mixer Stands-Mobile	21,67-68
Sandwich Rails	68
Slicer Stands - Mobile	21
Stainless Steel Top Stands	1,4,67
Utility Stands	1,4,21,67-68

Tables

Accessories	52
-------------	----

Table of Contents

Boat Racks	52
Heavy Duty Tables	51
Meat Cutting Tables	51
Poly Top Tables	51
Prep Tables	51
Stainless Steel Top Tables	51
Utility Tables	51

Trucks

Boxed Beef Truck	65
Bulk Cart - Frames & Tubs	58
Deck Trucks	66
Diamond Deck Trucks	66
Folding Trucks	63-64
Heavy Duty Stock Trucks	53,65
Low Boy Stock Trucks	64
Platform Trucks	66
Queen Marys	25
Transport	63-66
Tray Trucks	1-20
U-Boats	63,65
Uni-T Trucks	65
Utility Trucks	24

HEALTHCARE

Accessories69

Baseboard

Cove Baseboard	50
----------------	----

Cabinets

Angle-Ledge Transport	15
Clear Door Enclosed	13-16
Delivery Cabinets	13-16,18
Economy "RAC line" Cabinets	14
Enclosed Transport Cabinets	13-16
Heavy Duty Cabinets	13-16
Room Service Cabinets	17-18
Universal Adjustable Angle Cabinets	15
Universal Enclosed Cabinet	15
Utility Cabinet	13-16

Carts

2-Tier Carts	24,53-55,67
Bulk - Frame & Tubs	58
Health Care Carts	6, 12, 17-18, 25
Linen carts	25
Lug Carts	57-59
Mat Carts	66
Platter Carts	60-62
Queen Marys	25
Room Service Carts	17-18
Serving Carts	24, 32
Tray Delivery Carts	17-18,25
Tubular Deck Carts	53,55,64-65
Universal Carts	24,60
Utility Carts	24,32,53,67

Casters 70



Table of Contents

HEALTHCARE - Cont.

Dollies

Angle Dollies	27,29-31
Bowl Dollies	29
Bread Pan Dollies	30
Bun Pan Dollies	30
Chill Pac Dolly	27
Chilltray Dolly	27
Cup and Glass Dollies	28
Dish Rack Dollies	28
Food Box Dollies	27
Lug Dollies	32,57-59
Milk Crate Dollies	31
Mixer Bowl Dollies	29
Mixing Bowl Dollies	29
Oval Tray Dolly	30
Sheet Pan Dollies	30
Steamtable Pan Dolly	30
Super Dollies	31
Universal Dollies	31
Universal Lug Dollies	58

Miscellaneous

Drag Hook	30-31
Lugs	59
Tubs	58

Product Options 69

Racks

12"x20"Pan Racks

End Loading - Standard Angle	6
End Loading - Double Deep	4
Half Size - Standard Angle	6
Lifetime Stepped Angle - Roll-In	12
Lifetime Stepped Angle	11
Lifetime Wide Angle - Roll-In	12
Lifetime Wide Angle	11
Refrigerator/Proofer - Wide Angle	3
Side Loading - Standard Angle	6
Steamtable Rack	6
Universal Wide Angle	8,11
Universal Room Service Cart	17-18
Universal Stepped - Adjustable	9,15
Universal Stepped - Adjustable, Roll-In	9
Universal Stepped - Roll-In	8
Universal Stepped	8
Univ. Stepped Angle Cabinet - Adjustable	15
Wide Angle	8

13"x18" & 14"x18" Pan Racks

Angle Ledge Transport Cabinet	15
Lifetime Stepped Angle - Roll-In	12
Lifetime Stepped Angle	11
Lifetime Wide Angle - Roll-In	12
Lifetime Wide Angle	11
Transport/Retrieval	6
Universal Room Service Cart	16

Universal Stepped - Adjustable	9
Universal Stepped - Adjustable, Roll-In	9
Universal Stepped - Roll-In	8
Universal Stepped	8
Univ. Stepped Angle Cabinet - Adjustable	15
Wide Angle	8

15"x20" Tray Racks

End Loading - Standard Angle	4
Lifetime Stepped Angle - Roll-In	12
Lifetime Stepped Angle	11
Room Service Cart	17-18
Side Loading - Double Deep	4
Side Loading - Standard Angle	4
Tray Retrieval	6
Universal Room Service Cart	18
Universal Stepped - Adjustable	9,15,18
Universal Stepped - Adjustable, Roll-In	9
Universal Stepped - Roll-In	8
Universal Stepped	8
Univ. Stepped Angle Cabinet - Adjustable	15

Bun Pan Racks

Bakery	1-3,5,7-12,20
Covers	69
Economy - All Welded	2,60
Economy - Knocked Down	2
Economy - Refrigerator/Proofer	3
Enclosed Racks	13-16, 18
Full Size - End Loading	1,2,4,5,7-12,62
Full Size - End loading, Knocked down	1,2
Full Size - Side Loading	1
Full Size - Side Loading, Knocked down	1
Half Size	1
Insert	9
Lifetime Series	10-13
Nesting "U" type	7
Nesting "Z" type	7
Oven Racks	20
Proofer	3,8,9,11-12
Refrigerator/Proofer	3,8,9,12
Retarder	3,8,9,11-12
Roll-In	3,8,9,12
Sheet Pan	1-5, 7-12
Transport/Retrieval	6
Universal Stepped - Adjustable	9,15,18
Universal Stepped - Standard	8
Wide Angle	3,4,8

Can Racks

Economy Can Racks	34
First-In, First-Out Can Racks	34
Half Size Can Racks	33
Heavy Duty Can Racks	33-34
Mobile Can Racks	33-34

Dunnage Racks

Covers	35
Economy RAC Line Dunnage Racks	35
Heavy Duty Dunnage Racks	36
Lifetime Series Dunnage Racks	36

Mobile Dunnage Racks	35
----------------------	----

Merchandise Racks

Display Racks	16
Slant Display Rack	16

Platter Racks

Double Platter Racks	61
Economy Platter	61
Heavy Duty	62
Standard Platter Racks	61
Universal - Economy	62
Universal - Standard	62

Special Purpose Racks

Combo Racks	5
Display Racks	16
Food Box Racks	5,60
Glass Racks	28
Oval Tray Racks	4
Poly Box Racks	5,60
Pot & Pan Racks	32
Retrieval Racks	6
Slant Display Racks	16
Transport Racks	6
Trapezoid Tray Racks	6
Tray Delivery Racks	6,13-18
Tray Drying Racks	23
Universal Oval Tray	4,8
Utility Racks	1-17
Wall Mount Pan Rack, Adj.	22
Wall Mount Sheet Pan Rack	22

Shelving

Adjustable Shelving

Adjust-A-Shelf	39-41
Accessories	43
Dunnage Style Shelves	39,42
Economy RAC Line Shelves	42
HD Shelves	39,42
Louvered Shelves	40,42,47
Mobile Shelving	37-42
Posts	43
Pot & Pan Shelving	32
SB Shelves	41
Slatted Shelves	40,42,47
Solid Brute Shelves	41
Solid Reinforced Shelves	41
Solid Shelves	41,42
T-Bar Shelves	40,42,47

All Welded Shelving

All Welded Heavy Duty Shelving	37
All Welded T-Bar Shelving	38
All Welded Mobile Shelving	37-38

Cantilever Shelving

Adjustable HD Heavy Duty Shelves	45
Adjustable SB Solid Reinforced Shelves	45
Adjustable T-Bar Shelves	45
Free Standing Braces	45
Free Standing Uprights	45
Wall/Ceiling Uprights	46

Wall Shelving

Heavy Duty Shelves	44
Inverted Shelves	44
Marine Edge Shelves	44
Microwave Shelves	44
Solid Wall Shelves	44
Slanted T-Bar Shelf	44
T-Bar Shelves	44
Wall Shelf with Pot Rack	44

Specialty

Corner Guards	50
---------------	----

Stands

Cooking Equipment Stands	67-68
Counter Top Equipment Stands	1,4,67-68
Equipment Stands	21,67-68
Heavy Duty Stands	21,67-68
Mixer Stands-Mobile	21,67-68
Sandwich Rails	68
Slicer Stands - Mobile	21
Stainless Steel Top Stands	1,4,67
Utility Stands	1,4,21,67-68

Tables

Accessories	52
Heavy Duty Tables	51
Poly Top Tables	51
Prep Tables	51
Stainless Steel Top Tables	51
Utility Tables	51

Trucks

Bulk Cart - Frames & Tubs	58
Deck Trucks	66
Diamond Deck Trucks	66
Platform Trucks	66
Queen Marys	25
Tray Trucks	1-20

MATERIAL HANDLING

Accessories 69

Baseboard

Cove Baseboard	50
----------------	----

Carts

2-Tier Carts	24,53-55,67
Bulk - Frame & Tubs	58
HD Multi-Shelf Carts, Stainless Steel	25
HD Multi-Shelf Carts, Aluminum	25
Low Boy Carts	64
Lug Carts	57-58
Mat Carts	66
Picking Carts	55,63-67
Platter Carts	60-62
Stocking Carts	24,53,55,64-65
Tubular Deck Carts	53,55,64-65
U-Boats	63,65
Universal Carts	24,58,60
Utility Carts	24, 53,63-67

Casters 70

Dollies

Lug Dollies	32,57,59
Super Dollies	31
Universal Dollies	31
Universal Lug Dollies	59

Miscellaneous

Drag Hook	30-32
Lugs	59
Tubs	58
Product Options	69

Racks

Carrier Cart	20
Combo Racks	5
Covers	2
Insert Rack	9
Poly Box Storage Rack	5
Slant Display Rack	16
Transport/Retrieval	6
Universal Stepped	8
Universal Stepped - Adjustable	9
Universal Stepped - Roll-In	8
Wide Angle	8

Platter Racks

Double Platter Racks	61
Economy Platter	61
Heavy Duty	62
Standard Platter Racks	61
Universal - Economy	62
Universal - Standard	62

Special Purpose Racks

Carrier Racks	20
Combo Racks	5
Display Racks	16,22
Oval Tray Racks	4
Poly Box Racks	5,60
Retrieval Racks	6
Slant Display Racks	16
Transport Racks	6
Universal Oval Tray	4,8
Utility Racks	5,6,8,9,16,20

Security Cage 49

Security Fence 49

Shelving

Adjustable Shelving

Adjust-A-Shelf	39-41
Accessories	43
Dunnage Style Shelves	39,42
Economy RAC Line Shelves	42
HD Shelves	39,42

Table of Contents

Louvered Shelves	40,42,47
Mobile Shelving	37-42
Posts	43
SB Shelves	41
Slatted Shelves	40,42,47
Solid Brute Shelves	41
Solid Reinforced Shelves	41
Solid Shelves	41,42
T-Bar Shelves	40,42,47

All Welded Shelving

All Welded Heavy Duty Shelving	37
All Welded T-Bar Shelving	38
All Welded Mobile Shelving	37-38

Cantilever Shelving

Adjustable HD Heavy Duty Shelves	45
Adjustable SB Solid Reinforced Shelves	45
Adjustable T-Bar Shelves	45
Free Standing Braces	45
Free Standing Uprights	45
Wall/Ceiling Uprights	46

Wall Shelving

Heavy Duty Shelves	44
Inverted Shelves	44
Marine Edge Shelves	44
Solid Wall Shelves	44
T-Bar Shelves	44
Wall Shelf with Pot Rack	44

Specialty

Corner Guards	50
---------------	----

Stands

Equipment Stands	67-68
Heavy Duty Stands	67-68
Stainless Steel Top Stands	67-68
Utility Stands	67-68

Tables

Accessories	52
Boat Racks	52
Heavy Duty Tables	51
Meat cutting Tables	51
Poly Top Tables	51
Prep Tables	51
Stainless Steel Top Tables	51
Utility Tables	51

Trucks

Boxed Truck	65
Bulk Cart - Frames & Tubs	58
Deck Trucks	66
Diamond Deck Trucks	66
Folding Trucks	63-64
Folding Platform Truck	66
Heavy Duty Stock Trucks	53,65
Low Boy Stock Trucks	64
Platform Trucks	66
Tiered Transport Trucks	25



Table of Contents

MATERIAL HANDLING- Cont.	
Transport.....	63-66
U-Boats	63,65
Uni-T Trucks.....	65
Utility Trucks.....	63,64
SUPERMARKET	
Accessories	69
Baseboard	
Cove Baseboard	50
Cabinets	
Angle-Ledge Transport.....	15
Clear Door Enclosed.....	13-16
Delivery Cabinets.....	13-16,18
Economy "RAC Line" Cabinets	14
Enclosed Transport Cabinets.....	13-16
Heavy Duty Cabinets	13-16
Universal Adjustable Angle Cabinets	15
Universal Enclosed Cabinet.....	15
Utility Cabinet.....	13-16
Carts	
2-Tier Carts	24,53,67
Bulk - Frame & Tubs	58
Floral Cart	67
Flour Sack Cart	29
Low Boy Carts.....	64
Lug Carts.....	57-59
Mat Carts.....	66
Picking Carts.....	55,63-65,67
Platter Carts	60-62
Produce Carts	53-54, 56
Produce Merchandiser.....	56
Stocking Carts.....	53,55,64-65
Tubular Deck Carts	53,55,64-65
U-Boats	63,65
Universal Carts.....	24,60
Utility Carts.....	24, 32, 53, 63-64,67
Casters	70
Dollies	
Angle Dollies	27,29-31
Chicken Dolly	32
Food Box Dollies.....	27
Lug Dollies	32,57-59
Milk Crate Dollies	31
Mixer Bowl Dolly.....	29
Mixing Bowl Dollies	29
Oval Tray Dolly.....	30
Sheet Pan Dollies.....	30
Steamtable Pan Dolly.....	30
Super Dollies.....	31
Universal Dollies	31
Universal Lug Dollies	58
Miscellaneous	
Drag Hook	30-31
Lugs	59
Tubs	58
Product Options	69
Racks	
12"x20"Pan Racks	
End Loading - Standard Angle.....	6
End Loading - Double Deep	4
Half Size - Standard Angle	6
Lifetime Stepped Angle - Roll-In	12
Lifetime Stepped Angle.....	11
Lifetime Wide Angle - Roll-In	12
Lifetime Wide Angle.....	11
Refrigerator/Proofer - Wide Angle.....	3
Side Loading - Standard Angle.....	6
Steamtalbe Rack	6
Universal Wide Angle	8,11
Universal Room Service Cart	18
Universal Stepped - Adjustable	9
Universal Stepped - Adjustable, Roll-In	9
Universal Stepped - Roll-In.....	8
Universal Stepped	8
Univ.Stepped Angle Cabinet - Adjustable	15
Wide Angle	8
13"x18" & 14"x18" Pan Racks	
Angle Ledge Transport Cabinet.....	15
Lifetime Stepped Angle - Roll-In	12
Lifetime Stepped Angle.....	11
Lifetime Wide Angle - Roll-In	12
Lifetime Wide Angle	11
Transport/Retrieval	6
Universal Stepped - Adjustable	9
Universal Stepped - Adjustable, Roll-In	9
Universal Stepped - Roll-In.....	8
Universal Stepped	8
Univ. Stepped Angle Cabinet - Adjustable	15
Wide Angle	8
15"x20" Tray Racks	
End loading - Standard Angle	4
Lifetime Stepped Angle - Roll-In	12
Lifetime Stepped Angle.....	11
Side Loading - Double Deep	4
Side Loading - Standard Angle.....	4
Tray Retrieval	6
Universal Room Service Cart	18
Universal Stepped - Adjustable	9,15,18
Universal Stepped - Adjustable, Roll-In	9
Universal Stepped - Roll-In.....	8
Universal Stepped	8
Univ. Angle Cabinet - Adjustable.....	15
Bun Pan Racks	
Bakery	1-2,5,7,10-11,20
Covers	69
Economy - All Welded.....	2,60

Economy - Knocked Down	2
Economy - Refrigerator/Proofer	3
Enclosed Racks	13-16,18
Full Size - End Loading	1,2,4,5,7,8,9,10,11,62
Full Size - End loading, Knocked Down	1,2
Full Size - Side Loading.....	1
Full Size - Side Loading, Knocked Down	1
Half Size	1
Insert.....	9
Lifetime Series.....	10-13
Nesting "U" Type.....	7
Nesting "Z" Type	7
Oven Racks	20
Proofer.....	3,8,9,12
Refrigerator/Proofer	3,8,9,12
Retarder.....	3,8,9,12
Roll-In	3,8,9,12
Sheet Pan	1-5, 7-12
Transport/Retrieval	6
Universal Stepped - Adjustable	9
Universal Stepped - Standard	8
Wide Angle	3,4,8
Can Racks	
Economy Can Racks	34
First-In, First-Out Can Racks	34
Half Size Can Racks	33
Heavy Duty Can Racks.....	33-34
Mobile Can Racks	33
Dunnage Racks	
Covers	35
Economy RAC Line Dunnage Racks.....	35
Heavy Duty Dunnage Racks.....	36
Lifetime Series Dunnage Racks	36
Mobile Dunnage Racks	35
Merchandiser Racks	
Display Racks	16,22,56
Folding Merchandiser	22,56
Mobile Merchandiser	22,56
Slant Display Rack	16
Platter Racks	
Double Platter Racks.....	61
Economy Platter	61
Heavy Duty	62
Standard Platter Racks.....	61
Universal - Economy.....	62
Universal - Standard	62
Special Purpose Racks	
Catering Racks	20
Combo Racks	5
Display Racks	16,22
Food Box Racks	5,60
Glass Racks	28
Oval Tray Racks	4
Pizza Pan Racks	22
Poly Box Racks	5,60

Pot & Pan Racks	32
Slant Display Racks.....	16
Transport Racks	6
Tray Drying Racks	23
Universal Oval Tray	4,8
Utility Racks.....	1-17
Wall Mount Sheet Pan Rack.....	22
Security Cage.....	49
Security Fence	49
Shelving	
Adjustable Shelving	
Accessories	43
Adjust-A-Shelf.....	39-41
Dunnage Style Shelves	39,42
Economy RAC Line Shelves.....	42
HD Shelves.....	39,42
Louvered Shelves	40,42,47
Mobile Shelving	37-42
Posts.....	43
Pot & Pan Shelving.....	32
SB Shelves	41
Slatted Shelves.....	40,42,47
Solid Brute Shelves	41
Solid Reinforced Shelves	41
Solid Shelves.....	41,42
T-Bar Shelves	40,42,47
All Welded Shelving	
All Welded Heavy Duty Shelving	37
All Welded T-Bar Shelving	38
All Welded Mobile Shelving.....	37-38
Cantilever Shelving	
Adjustable HD Heavy Duty Shelves	45
Adjustable SB Solid Reinforced Shelves	45
Adjustable T-Bar Shelves	45
Free Standing Braces.....	45
Free Standing Uprights.....	45
Wall/Ceiling Uprights	46
Wall Shelving	
Heavy Duty Shelves	44
Inverted Shelves.....	44
Marine Edge Shelves	44
Microwave Shelves.....	44
Solid Wall Shelves	44
Slanted T-Bar.....	44
T-Bar Shelves	44
Wall Shelf with Pot Rack.....	44
Specialty	
Corner Guards	50

Stands	
Cooking Equipment Stands.....	67-68
Counter Top Equipment Stands	1,21,67-68
Equipment Stands.....	21,67-68
Heavy Duty Stands	21,67-68
Mixer Stands-Mobile	21,67-68
Sandwich Rails.....	68
Slicer Stands - Mobile	21
Stainless Steel Top Stands	1,67-68
Utility Stands	21,67-68
Tables	
Accessories.....	52
Boat Racks.....	52
Heavy Duty Tables	51
Meat cutting Tables	51
Poly Top Tables	51
Prep Tables	51
Stainless Steel Top Stands	50
Utility Tables	51
Trucks	
Boxed Beef Truck.....	65
Bulk Cart - Frames & Tubs.....	58
Deck Trucks	66
Diamond Deck Trucks	66
Folding Platform Trucks	66
Folding Trucks.....	63-64
Heavy Duty Stock Trucks	53,65
Low Boy Stock Trucks.....	64
Mulit-Shelf	25
Platform Trucks	66
Transport.....	63-66
Tray Trucks	1-20
U-Boats	63,65
Uni-T Trucks.....	65
Utility Trucks.....	63,64

1/2-Size Bun Pan Rack



1313

- All welded aluminum construction — No rivets.
- Units will hold 13" x 18", 14" x 18", and 18" x 26" pans.
- Four, one inch welds per angle guide.
- Lifetime Guarantee against rust and corrosion, superior strength and durability guaranteed.
- NSF Certified.

Model No.	Size W-H-D	Pan Capacity	Runner Spacing	Top Type	Ship Lbs.	List Price
Under-Counter Size - End Loading						
1313	20 3/8" x 32 1/4" x 26"	8	3"	Stainless	36	\$ 752
1314	20 3/8" x 32 1/4" x 26"	8	3"	None	27	\$ 562
Bakery 1/2-Size with Poly Top - End loading						
95958	20 3/8" x 33 3/8" x 26"	5	4 1/2"	Poly	36	\$ 693
Regular 1/2-Size - End Loading						
1311	20 3/8" x 38" x 26"	10	3"	Stainless	42	\$ 753
1312	20 3/8" x 38" x 26"	10	3"	None	30	\$ 564
92096	20 3/8" x 38" x 26"	10	3"	Poly	42	\$ 735
1321	20 3/8" x 38" x 26"	6	5"	Stainless	35	\$ 663
1322	20 3/8" x 38" x 26"	6	5"	None	24	\$ 471
Replacement Top						
45106	20 3/8" x 26" - Stainless Steel				11	\$ 191
45256	20 3/8" x 26" - Aluminum				4	\$ 116

Four 5" stem type casters (#C480).

OPTIONS:

"CL(A)", "MD", "PS", "VB" - see page 69 for details.



All sheet pan racks quoted hold USA standardized 18 x 26" sheet pans (17 7/8 x 25 7/8" actual). We are not responsible for pans that do not meet the industry standard, which may not fit our racks.

Standard Bun Pan Rack

Model No.	Size W-H-L	Pan Capacity	Runner Spacing	Ship Lbs.	List Price
All-Welded Units - 5" platform type casters (#C453).					
7331	20 3/8" x 69 3/4" x 26"	20	3"	45	\$ 654
Options: "B", "CL(B)", "PB", "PS", "VB" - see page 69 for details.					
All-Welded Units - 5" stem type casters (#C480).					
6330	20 3/8" x 69" x 26"	30	2"	50	\$ 762
6331	20 3/8" x 69" x 26"	20	3"	38	\$ 576
6333	20 3/8" x 69" x 26"	12	5"	33	\$ 521
Options: "CL(A)", "PS", "VB" - see page 69 for details.					
Knocked Down Units - 5" stem type casters (#C480).					
6300	20 3/8" x 69" x 26"	30	2"	49	\$ 708
6301	20 3/8" x 69" x 26"	20	3"	39	\$ 521
6303	20 3/8" x 69" x 26"	12	5"	32	\$ 439

Options:
"CL(A)", "VB" - see page 69 for details.

- Accommodates 13" x 18", 14" x 18", and 18" x 26" sheet pans.



7331

6330

6300



All sheet pan racks quoted hold USA standardized 18 x 26" sheet pans (17 7/8 x 25 7/8" actual). We are not responsible for pans that do not meet the industry standard, which may not fit our racks.

Heavy Duty Bun Pan Rack



1461

1331S

- All units accommodate 13" x 18", 14" x 18", and 18" x 26" pans.
- Welded reinforced gussets keep the rack square.
- **Knocked Down Racks are not for bagel applications.**
- Lifetime Guarantee against rust and corrosion, superior strength and durability guaranteed.
- NSF Certified.

Model No.	Size W-H-D	Pan Capacity	Runner Spacing	Ship Lbs.	List Price
3/4-Size End Loading Rack					
1361	20 3/8" x 60 3/8" x 26"	17	3"	48	\$ 764
End Loading Racks					
1461*	20 1/16" x 69 3/4" x 26"	38	1 1/2"	56	\$ 881
1330	20 3/8" x 69 3/4" x 26"	30	2"	70	\$ 948
1331	20 3/8" x 69 3/4" x 26"	20	3"	56	\$ 795
1332	20 3/8" x 69 3/4" x 26"	15	4"	52	\$ 764
1333	20 3/8" x 69 3/4" x 26"	12	5"	48	\$ 663
1334	20 3/8" x 69 3/4" x 26"	10	6"	43	\$ 617
Side Loading Racks					
1461S*	28 3/8" x 69 3/4" x 19"	38	1 1/2"	48	\$ 863
1330S	28 3/8" x 69 3/4" x 19"	30	2"	58	\$ 886
1331S	28 3/8" x 69 3/4" x 19"	20	3"	50	\$ 760
1332S	28 3/8" x 69 3/4" x 19"	15	4"	46	\$ 740
1333S	28 3/8" x 69 3/4" x 19"	12	5"	46	\$ 657
1334S	28 3/8" x 69 3/4" x 19"	10	6"	46	\$ 607

Four 5" platform type swivel casters (#C450).

* #1461 & #1461S Units Hold Pans By The Lip Only.

OPTIONS:

☐ Standard Unit Options:

"CL(B)", "B", "E", "M6", "MD", "VB", "PB", "PP(A)", "PS" - see page 69.

☐ Knocked-Down Unit Options:

Knocked-Down Units - Add "KD" suffix to model #. (no charge)

Four 5" stem type swivel casters (#C480)

This option is not available for model #1461, #1461S or #1361.

"CL(A)", "VB" - see page 69 for details.



All sheet pan racks quoted hold USA standardized 18 x 26" sheet pans (17 7/8 x 25 7/8" actual). We are not responsible for pans that do not meet the industry standard, which may not fit our racks.

Bun Pan Rack Options

See Page 69 For More Details.

"B" - Corner Bumpers (4) - Add "B" suffix to the model #.	\$ 86
"CL" - Caster Locks (2)	
(A) 5" stem caster 7/16" dia. - Add "CL" suffix to the model #.	\$ 10
(B) 5" platform caster - Add "CL" suffix to the model #.	\$ 12
"E" - Solid Base - Add "E" suffix to the model #.	\$ 191
"M6" - Caster Upgrade - Add "M6" suffix to the model #.	\$ 308
"MD" - Medical Caster Upgrade - Add "MD" suffix to the model #.	\$ 253
"PB" - Perimeter Bumper - Add "PB" suffix to the model #.	\$ 251
"PP" - Prison Package	
(A) Tamper Resistant Screws - Add "PP" suffix to the model #.	\$ 65
"PS" - Pan Stop - Add "PS" suffix to the model #.	\$ 52
"VB" - Vertical Bumpers (4) - Add "VB" suffix to the model #.	\$ 146
1359 - Rack Cover (Clear, 12 mil) • 23"W x 64"H x 28"D	\$ 240



1359



"PB"

"PS"

"VB"



Refrigerator/Proofer Rack

BETTER



1337



1336

Model No.	Size W-H-D	Pan Cap.	Runner Spacing	Ship Lbs.	List Price
Standard Refrigerator/Proofer Racks					
1337	20 3/8" x 64" x 26"	11	5"	45	\$ 808
1338	20 3/8" x 64" x 26"	18	3"	55	\$ 925
95433*	20 1/16" x 64 1/2" x 26"	36	1 1/2"	53	\$ 990
Wide-Angle Refrigerator/Proofer Racks — Accepts 18" x 26" or 12" x 20" Pans					
1335	20 3/8" x 64" x 26"	18	3"	72	\$ 1,379
1336	20 3/8" x 64" x 26"	11	5"	56	\$ 1,116

Four 5" platform type casters - 2 swivel (#C450), 2 swivel w/ brake (#C455).
* This Unit Holds Pans By The Lip Only & Is Not NSF Approved.

OPTIONS:

"B", "E", "PB", "PS", "VB" - see page 69 for details.

- Designed to accommodate 13" x 18", 14" x 18", and 18" x 26" pans.
- Wide-Angle racks accommodate 12" x 20" pans also.
- All welded aluminum construction... No rivets to loosen.
- Heavy duty, 5" platform casters are inset.
- Lifetime Guarantee against rust and corrosion.
- NSF Certified.

All sheet pan racks quoted hold USA standardized 18 x 26" sheet pans (17 7/8 x 25 7/8" actual). We are not responsible for pans that do not meet the industry standard, which may not fit our racks.



Refrigerator/Proofer Rack

GOOD



95864

Model No.	Size W-H-D	Pan Cap.	Runner Spacing	Ship Lbs.	List Price
95864	20 3/8" x 63 3/16" x 26"	18	3"	35	\$ 582

All units are equipped with four, 5" stem type casters (#C480).

Options:

"CL(A)", "PS", "VB" — see page 69 for details.

- Accommodates 13" x 18", 14" x 18", and 18" x 26" sheet pans.
- This stem caster rack is ideal for light to medium duty food service, bakery, and supermarket applications.
- Heavy duty extruded angles provide easy product access and selection.

All sheet pan racks quoted hold USA standardized 18 x 26" sheet pans (17 7/8 x 25 7/8" actual). We are not responsible for pans that do not meet the industry standard, which may not fit our racks.



Oval Tray Rack

Model No.	Size W-H-D	Tray Cap.	Tray Size	Angle Spacing	Ship Lbs.	List Price
Standard Units - Accepts Various Oval Trays — NSF Certified.						
NS893	24 3/4" x 69 3/4" x 27 1/2"	10	22" x 26 7/8"	6"	57	\$ 858
95681	24 3/4" x 63 3/4" x 27 1/2"	9	22" x 26 7/8"	6"	54	\$ 813
95048	26 3/8" x 69 3/4" x 30"	10	23 1/2" x 29"	6"	62	\$ 895
Four 5" platform type swivel casters (#C450).						
Universal - Accepts various oval trays, 18" x 26" and 12" x 20" pans.						
96058	26 1/2" x 70 1/8" x 30"	10	See Below	6"	99	\$ 1,769
97690	51 3/4" x 71 1/8" x 30"	20	See Below	6"	205	\$ 3,336
Universal Units (#96058 & #97690) accept oval tray sizes 22 3/4" x 27 3/8", 20 3/4" x 25 1/2", and 23 1/2" x 29".						
Four 5" platform type swivel casters (#C450).						

Options: —

"B", "CL(B)", "M6", "PB", "PS" (#97690 requires two), "VB" - see page 69.

- Handles most oval tray sizes.
- Ideal for serving large parties and banquets.
- Extra gussets are welded in all corners to prevent "racking".
- Four, one inch welds per angle guide.
- Lifetime Guarantee against rust and corrosion.
- Model #NS893, #95681, #95048, and #96058 are NSF Certified.



NS893

96058

15" x 20" Tray Rack

Model No.	Size W-H-D	Pan Cap.	Runner Spacing	Ship Lbs.	List Price
Side Loading Unit					
NS833	23 3/8" x 69" x 30 1/2"	24	5"	41	\$ 784
End Loading Unit					
NS832	17 7/8" x 69" x 21"	12	5"	32	\$ 654
Side Loading Unit - Double Deep with Stainless Steel Top					
NS834	23 3/8" x 38" x 30"	12	5"	42	\$ 906
Side Loading Unit - Double Deep, No Top					
NS834A	23 3/8" x 38" x 30"	12	5"	30	\$ 568

Four 5" stem type casters (#C480).

Options:

"CL(A)", "E", "MD", "PS", "VB" — see page 69 for details.

- Specifically designed for 15" x 20" trays.
- Extra gussets are welded in all corners to prevent "racking".
— All welded construction.
- Four, one inch welds per angle guide.
- Lifetime Guarantee against rust and corrosion.
- NSF Certified.



NS834A

NS833



Poly Box Storage Rack



92052

Model No.	Size W-H-D	Pan Cap.	Runner Spacing	Ship Lbs.	List Price
End Loading - Accepts 18" x 26" or 18" x 13" Poly Food Boxes					
1481	21" x 70¼" x 26"	8	7½"	42	\$ 688
NS648	21" x 70¾" x 26"	16	3½"	53	\$ 917
92052	21" x 71¾" x 26"	12	5"	48	\$ 813

These units will hold 18" x 26" or 18" x 13" poly food boxes, with or without covers manufactured by Cambro®, Carlisle®, Continental®, or Rubbermaid®. Rack capacity is determined by the depth of the box.

THESE UNITS WILL NOT HOLD 18" x 26" BUN PANS.

Four 5" platform type casters - 2 swivel (#C450), 2 swivel w/ brake (#C455).

- Options:**
- "B", "E", "M6", "MD", "PB", "PS", "VB" — see page 69 for details.
- Transport food "boxes" with one rack.
 - Unique "C" channel design holds boxes securely (with or without lid)... Even when pulled partly out.
 - **All welded aluminum construction with 5" platform type casters.**
 - Lifetime Guarantee against rust and corrosion.
 - NSF Certified.



Poly Box/Sheet Pan Combination Rack



1482

Model No.	Size W-H-D	Pan Cap.	Runner Spacing	Ship Lbs.	List Price
1482	20¾" x 69¾" x 26"	13	5"	44	\$ 858
1484	20¾" x 69¾" x 26"	17	3½"	47	\$ 963
1486	20¾" x 69¾" x 26"	9	7½"	40	\$ 724

Capacities listed are the maximum number of 18" x 26" pans each unit will hold; poly box capacity (depths of 6" or less) is one box less than bun pans.

Four 5" platform type casters - 2 swivel (#C450), 2 swivel w/ brake (#C455).

- Options:**
- "B", "E", "M6", "PB", "PS", "VB" - see page 69 for details.
- Transport food "boxes" and 18" x 26" sheet pans with one rack.
 - **All welded aluminum construction with 5" platform type casters.**
 - Lifetime Guarantee against rust and corrosion.
 - NSF Certified.



Steamtable Pan Rack

Model No.	Size W-H-D	Pan Cap.	Runner Spacing	Ship Lbs.	List Price
½-Size Rack w/ Stainless Steel Top — Side Loading					
1501	24¼" x 35" x 27¾"	18	3"	42	\$ 802
Four 5" stem type casters (#C480).					
Options: "CL(A)", "E", "MD", "PS", "VB" — see page 69 for details.					
Full Size - End Loading Unit					
1505	16¼" x 69" x 22¾"	20	3"	42	\$ 670
Four 5" stem type casters (#C480).					
Options: "CL(A)", "E", "MD", "PS", "VB" — see page 69 for details.					
Full Size - Side Loading Units					
1507	23¾" x 69¾" x 27"	22	5"	45	\$ 709
1509	23¾" x 69¾" x 27"	38	3"	52	\$ 865

- Four 5" platform type casters (#C450).
- Options:**
- "CL(B)", "E", "MD", "PS", "PB", "VB" — see page 69.
- Transports a large number of pans and product.
 - Extra gussets are welded in all corners to prevent "racking".
 - **Designed especially for 12" x 20" steamtable/hotel pans.**
 - Four, one inch welds per angle guide.
 - Lifetime Guarantee against rust and corrosion.
 - NSF Certified.



1505



1509

Transport/Retrieval Rack

Model No.	Size W-H-D	Tray Cap.	Angle Spacing	Ship Lbs.	List Price
Tray Retrieval Rack					
97743	20¾" x 69¾" x 30"	Below	5"	54	\$ 944
Tray Capacity= (24) 14" x 18" Trays • (12) 18" x 26" Trays					
97744	22¾" x 69¾" x 30"	24	5"	57	\$ 944
Tray Capacity = (24) 15" x 20" Trays					
97745	20¾" x 69¾" x 30"	24	5"	65	\$ 1,213
Tray Capacity = (24) 14" x 18" Trapezoid Trays / Round Trays					
Four 5" platform type swivel casters (#C453).					
Transport / Retrieval Rack					
97715	40¾" x 70¾" x 30"	Below	5"	152	\$ 2,315
Tray Capacity = (48) 13" x 18" Trays; (48) 14" x 18" Trays; (24) 18" x 26" Pans; (48) 14" x 18" Trapezoid Trays					
Four 5" platform type swivel casters (#C450), two with brake (#C455).					

- Options:**
- "B", "CL(B)", "E" (#97715 requires two), "M6", "MD", "PB", "VB", "PS" (#97715 requires two) — see page 69 for details.



97715



97744



“Z” Type Nesting Pan Rack



1331Z

Model No.	Size W-H-D	Pan Cap.	Runner Spacing	Ship Lbs.	List Price
1331Z	20 3/8" x 69 3/4" x 26"	20	3"	68	\$ 1,015
1330Z	20 3/8" x 69 3/4" x 26"	30	2"	80	\$ 1,158

Roll-In Nesting “Z” Pan Racks

97379	20 3/8" x 64 3/4" x 26"	11	5"	60	\$ 983
99866	20 3/8" x 64 3/4" x 26"	18	3"	65	\$ 1,119

Four 5" platform type casters (#C450).


Designed to accommodate 13" x 18", 14" x 18" and 18" x 26" pans.

#97379 & #99866 Are Not NSF Certified.

Options:

“CL(B)”, “MD”, “VB” — see page 69 for details.

6 “Z” Racks = 14.9 sq/ft • 6 Standard Racks = 22.4 sq/ft



“U” Type Nesting Pan Racks



1330U

Model No.	Size W-H-D	Pan Cap.	Runner Spacing	Ship Lbs.	List Price
1331U	20 3/8" x 69 3/4" x 26"	20	3"	66	\$ 974
1330U	20 3/8" x 69 3/4" x 26"	30	2"	77	\$1,110


Four 5" platform type casters (#C450).

Designed to accommodate 13" x 18", 14" x 18" and 18" x 26" pans.

Options:

“CL(B)”, “MD”, “PS”, “VB” -- see page 69 for details.

6 “U” Racks = 13.8 sq/ft • 6 Standard Racks = 22.4 sq/ft



Universal Stepped-Angle Rack

Model No.	Size W-H-D	Pan Slides	Runner Spacing	Ship Lbs.	List Price
-----------	------------	------------	----------------	-----------	------------

Universal Stepped-Angle Racks

1640	24 1/2" x 70 1/8" x 26"	13 pair	4 1/2"	90	\$ 1,714
1642	24 1/2" x 71 1/8" x 26"	20 pair	3"	156	\$ 2,231

Universal Roll-In Stepped-Angle Racks

1635	24 1/2" x 64 1/2" x 25 1/4"	12 pair	4 1/2"	82	\$ 1,624
1637	24 1/2" x 64 1/2" x 25 1/4"	18 pair	3"	109	\$ 2,039

All Welded Unit • Angle Runners Are NOT ADJUSTABLE

Four 5" platform type swivel casters (#C450).

OPTIONS:

“CL(B)”, “B”, “VB”, “PS”, “PB”, “E” — see pg 69 for details.

PAN SIZES:

10" x 20" Roast & Bake Pans • 20" x 22" Roast & Bake Pans • 18" x 26" Roasting Pans • 18" x 26" Bun Pans • 18" x 13" Bun Pans • 12" x 20" Steam Table Pans • 20 3/4" x 25 1/2" European Std. Gastro-Norm Pans • 15" x 20" Service Tray 14" x 18" Service Tray • 20" x 20" Cup & Glass Racks



1637



1642

Wide Angle Rack

Model No.	Size W-H-D	Pan Slides	Runner Spacing	Ship Lbs.	List Price
-----------	------------	------------	----------------	-----------	------------

Accepts 18" x 26" or 12" x 20" Pans — NSF Certified.

1305	20 3/8" x 69 3/4" x 26"	12 pair	5"	56	\$ 974
1306	20 3/8" x 69 3/4" x 26"	20 pair	3"	72	\$ 1,294

Accepts 18" x 26" or 12" x 20" Pans, And Various Oval Trays.

96058	26 1/2" x 70 1/8" x 30"	10 pair	6"	99	\$ 1,769
97690	51 3/4" x 71 1/8" x 30"	20 pair	6"	205	\$ 3,336

Four 5" platform type swivel casters (#C450).

OPTIONS:

“B”, “CL(B)”, “E”, “M6”, “MD”, “PB”, “PS”, “VB” -- see page 69.

- Mix-and-match 12" x 20" (by the lip), 13" x 18", 14" x 18", and/or 18" x 26" pans or trays. (#1305 & #1306)
- Model #96058 and #97690 will accept 12" x 20" pans, 18" x 26" pans, and several sizes of oval trays.
- Welded reinforced gussets keep the rack square under heavy loads.
- Four, one inch welds per angle guide.
- **Model #1305, #1306 and #96058 are NSF Certified.**



96058



1306

Universal Adjustable Stepped Angle Rack



1650

Model No.	Size W-H-D	No. Of Runners	Minimum Spacing	Ship Lbs.	List Price
Roll-In Unit					
1650	24½" x 64" x 26"	12 pair	1 ½"	82	\$ 1,807
Standard Unit					
1655	24½" x 70" x 26"	13 pair	1 ½"	89	\$ 2,032
Additional Angle Runner					
42068				2	\$ 87

Bottom pan slides are welded in place.
Four 5" platform type swivel casters (#C450).

Options:
"B", "CL(B)", "E", "PB", "PS", "VB" - see page 69 for details.

- Heavy duty utility racks for the transport and storage of product on a large variety of pans.
See page 8 for pan sizes (Universal Stepped Angle Rack).
- All welded aluminum frame with adjustable universal angles on 1½" centers.
- Roll-in unit fits pass-through refrigerators, freezers, and warming cabinets with in-board 5" swivel casters.
- Lifetime Guarantee against rust and corrosion.



Insert Rack



1612



1610

Model No.	Size W-H-D	18" x 26" Cap.	Angle Spacing	Ship Lbs.	List Price
½-Size Unit					
1610	20¾" x 23" x 24"	7	3"	14	\$ 377
Full Size Unit					
1612	20¾" x 51" x 24"	16	3"	28	\$ 561
97729	20¾" x 51" x 24"	24	2"	35	\$ 599

Fits most reach-ins • Needs 21" door clearance.

OPTIONS:
"PS" - see page 69 for details. ** Not Available on KD Units **

- All welded aluminum frame.
- Lifetime Guarantee against rust and corrosion.



LIFETIME SERIES
GUARANTEED FOR LIFE

A rugged bun pan rack that will withstand years of rough use.

Built with the rigors of the foodservice industry in mind, these racks are built to hold up... and stay that way.

Designed for institutional, correctional, casino, hotel, university and hospital use — Ideal for facilities that require a durable rack to meet the needs of their around-the-clock usage.

- Heavy duty 6" x 2" casters allow for maximum mobility.
- Ergonomically friendly radius uprights.
- Two full welds on every angle connection. - 5" of welds on each angle.
- NSF Certified.



4331



Model No.	Size W-H-D	Pan Cap.	Angle Spacing	Ship Lbs.	List Price
4330	21½" x 73" x 26"	30	2"	86	\$ 2,162
4331	21½" x 73" x 26"	20	3"	83	\$ 1,831
4332	21½" x 73" x 26"	15	4"	75	\$ 1,719
4333	21½" x 73" x 26"	12	5"	66	\$ 1,630

All units are equipped with four, 6" x 2" platform type casters (#C510).
Designed to accommodate 13" x 18", 14" x 18" and 18" x 26" pans.

Options:
"B", "CL(C)" - Standard Casters, "E", "PB", "PP(A)", "PS"
— see page 69 for details.

Caster Upgrade — Add "KU" suffix to model #.....\$ 453
(Four 6" platform type K-Urethane swivel casters.)
Optional Caster Locks for Upgrade - "CL(D)" — see page 69 for details.



- Heavy Duty, 6" x 2" casters allow for maximum mobility.
- Ergonomically friendly radius uprights with reinforcing crossbars.
- Three full welds per angle connection equaling 7" of welds per angle.

All LIFETIME SERIES products carry a LIFETIME Guarantee against rust and corrosion as well as a LIFETIME Guarantee against material defects and workmanship.



Wide-Angle Pan Rack
Stepped-Angle Pan Rack



4340



Wide-Angle Pan Racks
#4339 - 20 sets of angle runners
#4340 - 12 sets of angle runners

Stepped-Angle Pan Racks
#4640- 13 sets of angle runners
#4642- 20 sets of angle runners

LIFETIME SERIES
GUARANTEED FOR LIFE

Built with heavy duty “D” tube construction, our full size racks are “user friendly” and strong.

Designed for institutional, correctional, casino, hotel, university and hospital use — Ideal for facilities that require a durable rack to meet the needs of their around-the-clock usage.

- Ergonomically friendly radius uprights with reinforcing cross bars.
- Heavy Duty, 6” x 2” casters allow for maximum mobility.
- NSF Certified.

Model No.	Size W-H-D	Angle Spacing	Ship Lbs.	List Price
Wide-Angle Pan Racks				
4339	21½” x 73” x 26”	3”	99	\$ 2,314
Pan Capacity = (20) 18” x 26”, (19) 12” x 20”, (40) 13” x 18”, (40) 14” x 18”				
4340	21½” x 73” x 26”	5”	81	\$ 1,828
Pan Capacity = (12) 18” x 26”, (11) 12” x 20”, (24) 13” x 18”, (24) 14” x 18”				
Stepped-Angle Pan Racks				
4640	25” x 73” x 26”	4 ½”	142	\$ 2,497
4642	25” x 73” x 26”	3”	158	\$ 3,157

All units are equipped with four, 6” x 2” platform type casters (#C510).
Accepts: Roast & Bake Pans 20” x 22”, 18” x 26” & 10” x 20”, Steamtable Pans 12” x 18” & 12” x 20”, Bun Pans 18” x 13” & 18” x 26”, Service Trays 15” x 20” & 14” x 18”, Maxi Pan 20 ¾” x 25 ½”, Standard Gastro-Norm Pans 20 ¾” x 25 ½”
Note: Angle Runners Are NOT ADJUSTABLE.

Options:
“B”, “CL(C)” standard, “CL(D)” upgrade, “E”, “PB”, “PP(A)”, “PS”
- see page 69.

Caster Upgrade — Add “KU” suffix to model #.....\$ 453
(Four 6” platform type K-Urethane swivel casters.)

All LIFETIME SERIES products carry a LIFETIME Guarantee against rust and corrosion as well as a LIFETIME Guarantee against material defects and workmanship.



LIFETIME SERIES
GUARANTEED FOR LIFE

Unequaled in their “user friendly” heavy duty construction, these Wide-Angle Roll-In Racks are built to last.

Designed for institutional, correctional, casino, hotel, university and hospital use — Ideal for facilities that require a durable rack to meet the needs of their around-the-clock usage.

- Specifically built for roll-in freezers, proofers, refrigerators, and retarders with a maximum height of 64” and inset casters.
- Two full welds on every angle connection — The most in the industry.
- NSF Certified.

Model No.	Size W-H-D	Angle Spacing	Ship Lbs.	List Price
Wide-Angle Roll-In Racks				
4337 **	21½” x 64” x 26”	5”	74	\$ 1,700
Pan Capacity = (11) 18” x 26”, (10) 12” x 20”, (22) 13” x 18”, (22) 14” x 18”				
4338	21½” x 64” x 26”	3”	80	\$ 2,029
Pan Capacity = (18) 18” x 26”, (17) 12” x 20”, (36) 13” x 18”, (36) 14” x 18”				
Stepped-Angle Roll-In Racks				
4635	25” x 64” x 26”	4 ½”	84	\$ 2,134
4637	25” x 64” x 26”	3”	118	\$ 2,693

** Top angle clearance is 4¼”.

All units are equipped with four, 5” platform type casters (#C461).
Accepts: Roast & Bake Pans 20” x 22”, 18” x 26” & 10” x 20”, Steamtable Pans 12” x 18” & 12” x 20”, Bun Pans 18” x 13” & 18” x 26”, Service Trays 15” x 20” & 14” x 18”, Maxi Pan 20 ¾” x 25 ½”, Standard Gastro-Norm Pans 20 ¾” x 25 ½”
Note: Angle Runners Are NOT ADJUSTABLE

Options:
“B”, “CL(B)”, “E”, “PB”, “PP(A)”, “PS” — see page 69 for details.

All LIFETIME SERIES products carry a LIFETIME Guarantee against rust and corrosion as well as a LIFETIME Guarantee against material defects and workmanship.



Wide-Angle Roll-In Rack
Stepped-Angle Roll-In Rack



4635



Wide-Angle Roll-In Racks
#4337 - 11 sets of angle runners
#4338 - 18 sets of angle runners

Stepped-Angle Roll-In Racks
#4635- 12 sets of angle runners
#4637- 18 sets of angle runners

Transport Cabinet



Half-Size Enclosed Transport Cabinet



#50929

LIFETIME SERIES
GUARANTEED FOR LIFE

- The toughest Enclosed Cabinet in the industry, these cabinets are built to withstand the rigors of on/off truck and transport use.
- Formed door and rear panel create a chimney effect allowing air to circulate freely from top to bottom.
- Solid side panels are composed of interlocking aluminum extrusions with guides spaced on 1-1/2" centers for maximum capacity.

Model No.	Size W-H-D	Pan Cap.	H.D. Base	Ship Lbs.	List Price
Full Size Enclosed Pan Rack — 1½" Runner Spacing					
1290WDW	207½" x 69" x 27½"	38	Yes	168	\$3,125
Standard Equipped With Heavy Reinforced Door.					
#C418 = 6" x 2" K-Urethane platform type swivel caster.					
Units hold 13" x 18", 14" x 18", and 18" x 26" pans by the lip.					

Options:
"B", "CL(D)", "DL", "PB" - see page 69 for details.
Clear Polycarbonate Door - Add "CD" suffix to model #.....Call Factory

All sheet pan racks quoted hold USA standardized 18 x 26" sheet pans (17½ x 25½" actual). We are not responsible for pans that do not meet the industry standard, which may not fit our racks.

All LIFETIME SERIES products carry a LIFETIME Guarantee against rust and corrosion as well as a LIFETIME Guarantee against material defects and workmanship.

Model No.	Size W-H-D	Runner Spacing	Pan Capacity	Ship Lbs.	List Price
Half-Size, Enclosed Transport Cabinet					
50929	207½" x 38" x 27½"	1½"	20	105	\$ 2,676
Equipped with four, 5" platform type casters (#C450)					
Units hold 13" x 18", 14" x 18", and 18" x 26" pans by the lip.					

- Options:
- "B", "CL(B)" - see page 69 for details.
- General storage and movement of trays and pans.
 - Lifetime Guarantee against rust and corrosion.

All sheet pan racks quoted hold USA standardized 18 x 26" sheet pans (17½ x 25½" actual). We are not responsible for pans that do not meet the industry standard, which may not fit our racks.



Enclosed Transport Cabinet

BETTER



1290



1290CD



Sheet Pan / Bun Pan Enclosed Cabinet

Model No.	Size W-H-D	Casters	Pan Cap.	H.D. Base	Ship Lbs.	List Price
½-Size Enclosed Pan Rack — 1½" Runner Spacing						
1296	207½" x 38" x 27½"	5" (#C450)	20	No	103	\$ 1,755
¾-Size Enclosed Pan Rack — 1½" Runner Spacing						
1293	207½" x 56" x 27½"	5" (#C450)	32	Yes	132	\$ 2,123
Full Size Enclosed Pan Rack — 1½" Runner Spacing						
1290	207½" x 68" x 27½"	5" (#C450)	40	Yes	159	\$ 2,238
1292*	207½" x 69" x 27½"	6" (#C510)	38	Yes	158	\$ 2,571
Solid Sides, Open Ends, Solid Top & Bottom — 1½" Spacing						
1291	207½" x 68" x 27½"	5" (#C450)	40	Yes	86	\$ 1,586
Solid Sides, Open Ends - Top & Bottom — 1½" Runner Spacing						
96328	20½" x 69½" x 26½"	5" (#C450)	39	N/A	82	\$ 1,255

Casters:
#C450 = 5" x 1½" polyurethane platform type swivel caster.
#C510 = 6" x 2" polyurethane platform type swivel caster.
* Equipped With A Reinforced Door — Standard
Units hold 13" x 18", 14" x 18", and 18" x 26" pans by the lip.

Steamtable Pan Enclosed Cabinet

Model No.	Size W-H-D	Casters	Pan Cap.	H.D. Base	Ship Lbs.	List Price
Steamtable Pan Enclosed Cabinet — 1½" Runner Spacing						
95141	23¾" x 69" x 27¾"	C450	24	Yes	166	\$ 2,798
Unit holds 12" x 20" steamtable pans (4" deep). Not NSF Approved.						

- Options:
"B", "MD" (excluding #1292), "PB", "CL(B)", "CL(C)" -- See page 69 for details.
- Clear Polycarbonate Door - Add "CD" suffix to model #.....Call Factory
- Open Door Latch - Add "DL" suffix to model #.....\$ 23
- Reinforced Door - Add "RD" suffix to model #.....\$ 81
- Note: #1292 comes equipped with a reinforced door - standard.
- Prison Package - Add "PP(B)" suffix to model # (#1290, #1293, & #1296 only).\$ 325
- (4) Welded Hinges
 - (4) 6" Casters (#C510)
 - (2) Padlock Holes In Door
 - (+) Extra Interior Bracing
 - (+) Tamper-Proof Screws & Bolts
 - *** 38 Pan Capacity ***

All sheet pan racks quoted hold USA standardized 18 x 26" sheet pans (17½ x 25½" actual). We are not responsible for pans that do not meet the industry standard, which may not fit our racks.

Model No.	Size W-H-D	Pan Cap.	Runner Spacing	Ship Lbs.	List Price
1290A	207½" x 68" x 27½"	40	1 ½"	134	\$ 2,152
Units is equipped with four, 5" platform type casters (#C453).					
Units hold 13" x 18", 14" x 18", and 18" x 26" pans by the lip.					

- Options:
"B", "CL(B)", "PB" — See page 69 for details.
- Clear Polycarbonate Door - Add "CD" suffix to model #.....Call Factory
- Open Door Latch - Add "DL" suffix to model #.....\$ 23
- Reinforced Door - Add "RD" suffix to model #.....\$ 81

All sheet pan racks quoted hold USA standardized 18 x 26" sheet pans (17½ x 25½" actual). We are not responsible for pans that do not meet the industry standard, which may not fit our racks.



Enclosed Transport Cabinet

GOOD



1290A

Angle-Ledge Transport Cabinet



97243CDCLPB

Model No.	Size W-H-D	Runner Spacing	H.D. Base	Reinforced Door	Tie Rod	Ship Lbs.	List Price
97243	21" x 69½" x 29⅝"	5"	Yes	Yes	1	156	\$ 3,257
Pan Capacity: (12) 18" x 26" • (24) 14" x 18" • (24) 13" x 18"							
97718	21" x 69½" x 29⅝"	3"	Yes	Yes	2	162	\$ 3,755
Pan Capacity: (20) 18" x 26" • (40) 14" x 18" • (40) 13" x 18"							

Casters: #C450 = 5" x 1⅜" polyurethane platform type swivel caster.
Also Available With Other Angle Spacing Options, Call Factory For Quote.

Options:
"B", "CL(B)", "M6", "MD", "PB" -- See page 69 for details

Open Door Latch - Add "DL" suffix to model #. \$ 23
Clear Polycarbonate Door - Add "CD" suffix to model #. Call Factory

All sheet pan racks quoted hold USA standardized 18 x 26" sheet pans (17⅞ x 25⅞" actual). We are not responsible for pans that do not meet the industry standard, which may not fit our racks.



Universal Adjustable Angle Cabinet



97746



Model No.	Size W-H-D	Angle Spacing	Angle Runners	H.D. Base	Ship Lbs.	List Price
97746	27⅝" x 61½" x 30⅞"	Adj.	11 pair	Yes	255	\$ 4,385
97747	27⅝" x 70½" x 30⅞"	Adj.	13 pair	Yes	243	\$ 4,791
Additional Angle Runner						
42078					2.25	\$ 87

Casters: #C450 = 5" x 1⅜" polyurethane platform type swivel caster.
Angle Runners are adjustable on 1½" centers.
Standard equipped with Reinforced Door.
Pan Sizes: 10" x 20" Roast and Bake Pans • 20" x 22" Roast & Bake Pans • 18" x 26" Roasting Pans
18" x 26" Bun Pans • 18" x 13" Pans • 12" x 20" Steam Table Pans • 20 ¾" x 25 ½" European Standard GastRo-Norm Pans • 15" x 20" Service Tray • 14" x 18" Service Tray • 20" x 20" Cup & Glass Racks.

Options:
"B", "CL(B)", "M6", "MD", "PB" — See page 69 for details.

Open Door Latch - Add "DL" suffix to model #. \$ 23
Clear Polycarbonate Door - Add "CD" suffix to model #. Call Factory

All sheet pan racks quoted hold USA standardized 18 x 26" sheet pans (17⅞ x 25⅞" actual). We are not responsible for pans that do not meet the industry standard, which may not fit our racks.



Enclosed Display Cabinet

Model No.	Size W-H-D	Angle Spacing	Angle Runners	Ship Lbs.	List Price
98063	20⅞" x 68¼" x 27⅝"	5"	10 pair	162	\$ 3,350
Accommodates 18" x 26 & 13" x 18" pans and trays. Equipped with four 5" plate type casters (#C450).					

Options:
"B", "CL(B)", "PB" — see page 69 for details.

- Provides an attractive display with high product visibility.
- Combines an "open" look with the protection of an enclosed cabinet.
- Lifetime Guarantee against rust and corrosion.

All sheet pan racks quoted hold USA standardized 18 x 26" sheet pans (17⅞ x 25⅞" actual). We are not responsible for pans that do not meet the industry standard, which may not fit our racks.



Vented Lexan Side Panels



Angle Guides With Stops



98063

Slant Display Rack

Model No.	Size W-H-D	Pan Cap.	Runner Spacing	Ship Lbs.	List Price
1137	28½" x 70" x 22"	7	8¾"	32	\$ 627
1139	28½" x 77¼" x 22"	9	7½"	38	\$ 743

Four 5" stem type swivel casters (#C480).
Designed to accommodate 18" x 26" pans.

Options:
"CL(A)", "VB" — see page 69 for details.

- Provides an attractive display with high product visibility.
- All welded aluminum construction.
- Lifetime Guarantee against rust and corrosion.
- NSF Certified.

All sheet pan racks quoted hold USA standardized 18 x 26" sheet pans (17⅞ x 25⅞" actual). We are not responsible for pans that do not meet the industry standard, which may not fit our racks.



1139



Room Service Delivery Cart



96005C



Removable Tray Top

Model No.	Size W-H-D	Runner Spacing	Pan Cap.	Ship Lbs.	List Price
96005C	36¾" x 42¾" x 23"	5"	12	80	\$ 2,493
Accommodates 15" x 20" trays					
Four 6" platform type casters; two swivel w/ brake (#C511), two rigid (#C518).					

- All-welded, aluminum construction is lightweight yet durable.
- Holds 15" x 20" trays with space on the bottom for bus trays.
- Special cover helps protect contents.
- Equipped with vertical corner bumpers at the top, a full perimeter bumper at the bottom and a vertical pan stop.
- 6" platform casters provide easy maneuverability.



Room Service Tray Return Cart



96004C



Model No.	Size W-H-D	Runner Spacing	Pan Cap.	Ship Lbs.	List Price
96004C	23" x 59¼" x 31¼"	5"	20	51	\$ 1,312
Accommodates 15" x 20" trays.					
Four 5" stem type swivel casters (#C480).					

Options:
"CL(A)", "E", "MD" — see page 69 for details.

- All-welded, aluminum construction is lightweight yet durable.
- Holds 15" x 20" trays.
- Special "staph check" cover helps protect contents.
- Equipped with vertical corner bumpers at the bottom as well as a vertical pan stop.



Room Service Cart

Model No.	Size W-H-D	Angle Spacing	Pan Cap.	Ship Lbs.	List Price
Room Service Cart with Aluminum Doors					
97655	23 ¾" x 42 ½" x 32"	5 ½"	12	142	\$ 3,360
Room Service Cart with Polycarbonate Doors					
97655CD	23 ¾" x 42 ½" x 32"	5 ½"	12	142	\$ 3,605

Tray Capacity: (12) 15" x 20"
Unit comes standard with a heavy duty base.
Equipped with four 6" plate type casters - two swivel (#C513), two rigid (#C514).

Options:
"B", "CL(C)", "MD", "PB" — see page 69 for details.

- Two reinforced doors with pass-through design.



97655CD

Universal Room Service Cart

Model No.	Size W-H-D	Angle Spacing	Angle Runners	Ship Lbs.	List Price
97830	27 5/8" x 50" x 33 1/8"	Adj.	5 pair	198	\$ 3,902
Pan Capacity: (12) 14" x 18"; (12) 15" x 20"; (6) 16" x 22"; (6) 18" x 26"; plus many other additional sizes. — Call the factory for details.					
Unit comes standard with a heavy duty base.					
Equipped with four 5" plate type casters - two swivel (#C455), two rigid (#C460).					

Options:
"MD" — see page 69 for details.

- Adjustable, universal stepped type angle runners give a variety of pan/tray options.
- Angle runners are adjustable on 1½" centers.
- Welded top rail.
- Standard corner bumpers.
- Reinforced door opens a full 270°.



97830



Donut Screen Rack



93020KD

Model No.	Size W-H-D	Screen Cap.	Screen Size	Ship Lbs.	List Price
NS621KD	26 3/4" x 69" x 26"	20	23" x 23"	52	\$ 692
NS947KD	27 3/4" x 69" x 26"	20	24" x 24"	54	\$ 692
93020KD	26 3/4" x 69" x 33"	20	23" x 33"	62	\$1,022

All Models Are Shipped Knocked-Down (K.D.).
Four 5" stem type casters (#C480).

Options:
"CL(A)", "VB" -- see page 69 for details.

- Four, one inch welds per angle guide.
- Standard 3" runner spacing.
- Shipped "Knocked Down" for freight savings.
- Lifetime Guarantee against rust and corrosion.
- NSF Certified.



Fry Thaw Cart



1215

Model No.	Size W-H-D	Basket Cap.	Ship Lbs.	List Price
1210	18" x 52 1/2" x 27"	18	29	\$ 609
1215	24 1/2" x 52 1/2" x 27"	27	34	\$ 670

Corner bumpers and removable drip pan are standard.
Four 3" platform type swivel casters (#C410).

- Designed to hold fry baskets in or out of the freezer.
- Available in double or triple basket widths.
- All welded aluminum construction.
- Lifetime Guarantee against rust and corrosion.
- NSF Certified.



Oven Rack

New Age Industrial manufactures Oven Racks for the following brands of Rotating Rack Ovens:

- Adamatic
- Gemini
- Revent
- Customer Racks Available, call factory for details.
- Baxter
- Lucks
- Baker's Aid
- Hobart

Call New Age at 800-255-0104
for catalog information and pricing.

- The toughest Oven Racks on the market.
- Our quality exceeds any other stainless steel or aluminum rack made.
- Racks accommodate 18" x 26" bun pans.
- Heavy duty, 4" diameter "Hi-Temp" wheel casters.
- Six, 3/4" welds per angle runner... The most in the industry.
- Heavy duty all welded aluminum construction.
- Lifetime Guarantee against rust and corrosion.



1801A

Carrier Cart

Model No.	Size W-H-L	Shelf Size	No. Shelves	Shelf Spacing	Ship Lbs.	List Price
95667	20 1/2" x 55" x 64"	20" x 60"	3	top = 17 1/2" bottom = 18 1/2"	175	\$ 2,378

Four 6" x 2" platform type casters —
Two swivel (#C510), two swivel w/ brake (#C511).

- Multipurpose cart for the storage and transport of food modules, boxes, pots & pans, wire baskets, and similar items.
- Heavy duty all welded construction.
- All three solid shelves have three edges turned up (sides & back), with the front edge turned down.
- Upper two shelves are slanted 1° toward the rear to facilitate drainage. - All shelves have drainage holes.
- Equipped with four heavy duty 6" x 2" platform type swivel casters, two with brakes.
- Shelf clearance = 17 1/2" • Weight Capacity = 1800lbs.
- Lifetime Guarantee against rust and corrosion.



95667



SARAH Mixer Stand



Model No.	Size W-H-D	Ship Lbs.	List Price
99738	29" x 70" x 23"	63	\$ 1,945

Equipped with four 5" platform type swivel casters with brake (#C566).

Options:
Cord Wrap - Add "CW" suffix to model #.\$ 37

- Stainless steel top and undershelf.
- Removable aluminum accessory pole.



Slicer Stand



Model No.	Size W-H-D	Runner Spacing	Pan Capacity	Ship Lbs.	List Price
99217	28¾" x 30" x 20"	3"	6	67	\$ 1,542

Equipped with four 5" platform type swivel casters with total locks (#C566).

Options:
"B", "E", "MD", "PB", "PS" — See page 69 for details.
Cord Wrap - Add "CW" suffix to model #.\$ 37



Retractable 16 GA
Stainless Steel
Pull-Out Shelf
& Top Bracing

- Designed to hold equipment, transport trays, and with the retractable shelf, hold pans while slicing.
- Accommodates 18" x 26" pans.
- Four, one inch welds per angle guide.



Slicer/Mixer Stand



Outrigger Channels

Model No.	Size W-H-D	Runner Spacing	Pan Capacity	Ship Lbs.	List Price
98000	23¼" x 31¼" x 26"	1½"	12	44	\$ 1,259
98001	23¼" x 37" x 26"	1½"	16	61	\$ 1,324
98179	23¼" x 37" x 26"	3"	8	59	\$ 1,352

Equipped with four 5" platform type swivel casters with brake (#C455).
Vertical Corner Bumpers (4) are standard.
Designed to accommodate 13" x 18", 14" x 18" and 18" x 26" pans.
Note: Models #98000 & #98001 hold pans by the lip.

Options:
"B", "E", "MD", "PB", "PS" — See page 69 for details.

Cord Wrap - Add "CW" suffix to model #.\$ 37



Universal Pizza Pan Rack

Model No.	Size W-H-D	Pan Size	Pan Clearance	Pan Cap.	Ship Lbs.	List Price
Single-Wide • Single-Deep - Ships Knocked Down						
97720	18½" x 72" x 16¾"	12" to 16"	2¾"	20	37	\$ 1,051
97722	20¾" x 72" x 16¾"	10" to 18"	2¾"	20	47	\$ 1,519
99309	20¾" x 72" x 16¾"	14" to 18"	2¾"	20	37	\$ 938
99456	Vinyl Cover For Above Units • White w/ 2 Zippers				6	\$ 271
Single-Wide • Double-Deep - Ships Knocked Down						
97721	18½" x 72" x 32	12" to 16"	2¾"	40	60	\$ 1,860
99310	20¾" x 72" x 32"	14" to 18"	2¾"	40	62	\$ 2,031
99457	Vinyl Cover For Above Units • White w/ 4 Zippers				6	\$ 335

Four 5" stem type swivel casters (#C480).
Options: "CL(A)", "VB" — See page 69 for details.

TABLE TOP UNIT						
99970	12" x 24½" x 13"	10" to 18"	1 ¾"	8	9	\$ 590

- Unique pan guide design accommodates various pan sizes.
- Optional vinyl covers for full-size units have a viewing window.



99970

Pizza Pan Rack

Model No.	Size W-H-D	Pan Cap.	Description	Runner Spacing	Ship Lbs.	List Price
NS590A	Adj. x 34¾" x 13¾"	13	1 Wide / 1 High	2"	28	\$ 640
NS599A	Adj. x 62½" x 13¾"	26	1 Wide / 2 High	2"	44	\$ 931
NS603A	Adj. x 62½" x 13¾"	52	2 Wide / 2 High	2"	70	\$ 1,959
NS596A	Adj. x 62½" x 13¾"	78	3 Wide / 2 High	2"	104	\$ 2,486
NS600A	Adj. x 34¾" x 13¾"	26	2 Wide / 1 High	2"	44	\$ 1,072

Four 5" stem type swivel casters (#C480).
Adjustable widths in 1" increments to hold 10" through and including 16" pans.
Width inside uprights = 10½" Minimum • 16½" Maximum

- Each rack is adjustable to accommodate a 10" to 16" pizza pan.
- Units ship knocked down for freight savings.




NS596A

NS599A


Wall Mount Pan Racks

Model No.	Size W-H-D	Runner Spacing	Pan Cap.	Ship Lbs.	List Price
Adjustable					
96000	60" x 18" x 207½"	2"	45	85	\$ 2,649
Sheet Pan - Holds 18" x 26" pans					
98138	28¾" x 21" x 18"	3"	6	21	\$ 695

- Adjustable wall mount pan rack is designed with a channel slide that allows the sections to be adjusted left or right, depth (front to back) is 20".
 - Vertical angle spacing is not adjustable.
- Contact the factory for additional sizes and spacing.
- Lifetime Guarantee against rust and corrosion, superior strength and durability guaranteed.



96000



98138

Correctional Duty Tray Drying Rack



96704

Model No	Size ** W-H-L	Tray Levels	Guide Clearance	Tray Cap.	Ship Lbs.	List Price
96704	28½" x 64" x 58¼"	3	2.65"	120*	245	\$ 4,670
96705	28½" x 82" x 58¼"	4	2.65"	160*	239	\$ 5,014
96706	28½" x 64" x 69¼"	3	2.65"	144*	282	\$ 4,758
96707	28½" x 82" x 69¼"	4	2.65"	192*	343	\$ 5,479
96708	28½" x 64" x 63½"	3	1.4"	240*	290	\$ 4,669
96709	28½" x 82" x 63½"	4	1.4"	320*	318	\$ 5,014
96710	28½" x 64" x 75½"	3	1.4"	288*	318	\$ 4,758
96711	28½" x 82" x 75½"	4	1.4"	384*	395	\$ 6,036

Four 6" x 2" heavy duty platform type swivel casters (#C490) with tamper proof fasteners.
* Note: Tray Capacity is based on two, compartmented or insulated trays per slot.
** Height varies, based on tray size, confirm with factory when ordering. Above height is based on a 16" tray.

These Tray Drying Racks are built-to-order and cannot be returned.

Options:
"CL(C)", "PB", "VB" — see page 69 for details.
Note: The bottom drainage channel is removed when perimeter and corner bumpers are used.



Tray Drying Racks - Adjustable



95413

Model No	Size W-H-L	Tray Levels	Guide Clearance	Ship Lbs.	List Price
95413	28" x 50½" x 63¾"	2	1.4"	172	\$ 2,680
96090	28" x 50½" x 59"	2	2.65"	159	\$ 2,680
95333	28" x 74½" x 63¾"	3	1.4"	234	\$ 3,671
96087	28" x 74½" x 59"	3	2.65"	219	\$ 3,671

All units shipped K.D.
Four 5" platform type casters (#C450).
Options:
"CL(B)" — see page 69 for details.

- Shipped "Knocked Down" for freight savings.
- Tray capacity depends on style and size of tray.
 - Model #95413 & #95333 will hold (40) 18" x 26" trays per level (shelf), and #96090 & #96087 will hold (20) 18" x 26" trays per level (shelf).
- Heavy duty tray guides are .090" thick and are ideally spaced on 1½" and 2¾" centers.
 - Actual clearance: 1½" spacing = 1.4" • 2¾" spacing = 2.65"
- Heavy duty aluminum construction.
- Lifetime Guarantee against rust and corrosion.



Extreme Duty Utility Cart

Model No	Size W-H-L	Shelf Size	Shelf Spacing	Ship Lbs.	List Price
97177	22" x 41" x 37"	21¾" x 33⅝"	27"	66	\$ 1,355
97178	22" x 41" x 54"	21¾" x 50⅝"	27"	82	\$ 1,601
97179	29" x 41" x 37"	28¾" x 33⅝"	27"	72	\$ 1,447
97180	29" x 41" x 54"	28¾" x 50⅝"	27"	142	\$ 1,619

Four 6" heavy duty polyurethane platform type casters:
two swivel (#C510) and two rigid (#C518).
Options:
"B", "CL(C)", "PB", "PP(A)", "VB" — see page 69.

- Two-Tier units ideal for use in coolers, freezers, and dry storage.
- Transport heavy loads up to 1500# per shelf
 - 2000# Rolling Capacity -
- Heavy Duty 6" platform type casters.
- All welded, heavy duty aluminum construction.
- Lifetime Guarantee against rust and corrosion.



97180

Correctional Duty Utility Cart

Model No.	Size W-H-L	Shelf Size	Shelf Spacing	Wt. Cap.	Ship Lbs.	List Price
97769	18½" x 39" x 32½"	18½" x 28¾"	14½"	550 lbs.	42	\$ 936

Four 5" plate type casters - two swivel (#C450) two rigid (#C460) with tamper proof fasteners.
Three tier solid shelf unit: each shelf with three sides up 1 ¼" and one side down 1 ¼".
Options:
"B", "CL(B)", "VB" — see page 69 for details.

- Ideal three shelf unit for various tasks such as serving, bussing and general utility.
- Strength and durability of stainless steel at much less the cost.
- Lifetime Guarantee against rust and corrosion.



97769



Queen Mary — Aluminum



1455

Model No.	Size D-H-L	Weight Capacity	No. Shelves	Shelf Spacing	Ship Lbs.	List Price
1450	29" x 66" x 62"	3000 lbs.	5	12"	186	\$ 2,824
1451	29" x 66" x 75"	2500 lbs.	5	12"	210	\$ 3,131
1452	29" x 66" x 62"	2500 lbs.	4	16½"	174	\$ 2,538
1455	29" x 66" x 62"	3000 lbs.	6	9¼"	205	\$ 3,066

Four 8" platform type casters— two swivel (#C526) two rigid (#C527).

Each Unit Is Equipped With A Full Perimeter Bumper.

Options:

"CL(E)"— see page 69 for details.

Towing Options Available — Call For Pricing

- Built for transporting BIG loads for banquets, catering, and bussing.
- Smooth radius handle and uprights.
- Solid shelves with marine edges add strength and contain spills.
- Standard perimeter bumper protects surfaces.
- Durable, all welded aluminum construction with 8" x 2" casters (standard).
- Model #1451 accepts 23" wide oval trays — 3 wide per shelf.
- Lifetime Guarantee against rust and corrosion.
- NSF Certified.



We Cater To YOU!

At New Age, we know what the Catering Industry is all about - SERVICE. We know that when people expect excellent service from you, and your company, you expect that from your suppliers, as well. That is why we strive to design, develop and deliver the best, most durable and efficient products to you...Our customer.

We are here to serve YOU. From every aspect of your foodservice requirements, we have the products you need and the quality you want.



98752

99400

98678

Queen Mary — Stainless



97942

Model No.	Size D-H-L	Weight Capacity	No. Shelves	Shelf Spacing	Ship Lbs.	List Price
97942	29" x 66" x 65½"	3000 lbs.	5	10½"	355	\$ 6,052
98181	29" x 66" x 78½"	2500 lbs.	5	10½"	351	\$ 6,764
98182	29" x 66" x 65½"	2500 lbs.	4	14½"	322	\$ 5,128
98183	29" x 66" x 65½"	3000 lbs.	6	8¼"	365	\$ 6,820

Four 8" platform type casters— two swivel (#C526) two rigid (#C527).

Each Unit Is Equipped With A Full Perimeter Bumper.

Options:

"CL(E)"— see page 69 for details.

Towing Options Available — Call For Pricing

- Built for transporting BIG loads for banquets, catering, and bussing.
- Durable, all welded aluminum frame with removable stainless steel shelf covers.
- Smooth radius handle and uprights.
- Standard perimeter bumper protects surfaces.
- Equipped with 8" x 2" casters (standard).
- Model #98181 accepts 23" wide oval trays — 3 wide per shelf.
- Lifetime Guarantee against rust and corrosion.



Food Carrier Dolly

Model No	Size W-H-D	Ship Lbs.	List Price
99144	17¾" x 8¾" x 23¾"	18	\$ 311

Four 5" platform type casters; two swivel (#C450), two swivel with brake (#C455).

- This unit is designed to hold and transport Cambro 300MPC Food Carriers, but can be modified to hold any carrier.
- Ideal for catering and banquet transport/storage, preventing injury and saving time.
- Lifetime Guarantee against rust and corrosion.



99144



Chill Dolly



1171

Model No.	Size W-L	Description	Ship Lbs.	List Price
1171	22 1/2" x 21 1/2"	Single Stack	18	\$ 404
1172	22 1/2" x 42 1/2"	Double Stack	21	\$ 445
1174		Handle	8	\$ 81

Four 5" platform type casters— two swivel (#C450), two rigid (#C460)
Accepts Nestier®, Buckhorn® chillpac containers 20" x 24".

NS968	19" x 8" x 22 3/8"	Single Stack	16	\$ 332
-------	--------------------	--------------	----	--------

Four 5" platform type casters (#C453)
Accepts Nestier®, Buckhorn® chillpac containers 20" x 24".

- Options:**
"CL(B)" — see page 69 for details.
- Heavy duty transport dollies...Ideal for cook-chill systems.
 - Weight Capacity = 1000 lbs.
 - Open base provides maximum air circulation.
 - Lifetime Guarantee against rust and corrosion.
 - NSF Certified.



Crisping Basket Dolly



NS926

Model No.	Size W-H-L	Ship Lbs.	List Price
NS926	26 3/4" x 8" x 29 3/4"	18	\$ 337
0307	26" x 9" x 29"	8	\$ 114

Crisping Baskets - Sold Separately, Not Included With Above
Four 5" platform type casters - two swivel (#C450), two rigid (#C460).
#NS926 Does Not Include A Crisping Basket

- Options:**
"CL(B)" — see page 69 for details.
- Superior strength and versatility for maximum loads
 - Lifetime Guarantee against rust and corrosion.
 - NSF Certified.



Food Box Dolly



1630



Removable Drip Tray

Model No.	Size W-H-L	Wt. Cap.	Deck Height	Ship Lbs.	List Price
1630	24" x 36" x 33"	500 lbs.	12"	27	\$ 817
1631	24" x 36" x 33"	500 lbs.	16"	29	\$ 817

Four 5" swivel type stem casters (#C480).
Removable Drip Tray Included.

- Options:**
"CL(A)" — see page 69 for details.
- Superior strength and versatility for maximum loads.
 - Lifetime Guarantee against rust and corrosion.
 - NSF Certified.



Mobile Cup/Glass Rack



93037



97142

Model No.	Size W-H-D	Tray Capacity	Runner Spacing	Ship Lbs.	List Price
NS345	22" x 65" x 20 1/2"	8	7"	30	\$ 602
93037	22" x 69" x 20 1/2"	6	10"	30	\$ 542

Four 5" stem type swivel casters (#C480).
Options: "CL(A)", "PS", "VB" - see page 69 for details.

97142	22" x 64" x 20 1/2"	9	6"	45	\$ 727
-------	---------------------	---	----	----	--------

Four 5" plate type swivel casters (#C453).
Options: "B", "CL(B)", "MD", "PB", "PS", "VB" - see page 69 for details.

Accepts 20" x 20" racks.

- These mobile racks easily move heavy loads.
- Eliminate wasted storage space.
- Lifetime Guarantee against rust and corrosion.
- NSF Certified.



Cup/Glass Rack Dolly



1176A



1179A

Model No.	# Of Stacks	Size W-H-D	Weight Capacity	Ship Lbs.	List Price
1176A	Single	20 3/8" x 9 3/8" x 22 3/8"	1000 lbs.	23	\$ 511
1179A	Handle			5.5	\$ 63

Single: Four 5" platform type swivel casters (#C450).
Double & Triple: Four 5" platform type casters;
- two swivel (#C450), two rigid (#C460).

- OPTIONS:**
"B", "CL(B)" - see page 69 for details.
- One piece solid pan construction with 1 1/2" lips up on all sides to contain spills.
 - Optional handle available.
 - Heavy duty aluminum construction with four 5" platform type casters.
 - Holds 20" x 20" or smaller glass racks.
 - Lifetime Guarantee against rust and corrosion.
 - NSF Certified.



Dough Dolly



98040



1195 • 1196

Model No.	Size W-H-D	Wheel Size	Ship Lbs.	List Price
Dough Dollies				
1195	18" x 5 1/2" x 25 1/2"	3"	12	\$ 233
1196	18" x 8" x 25 1/2"	5"	14	\$ 298

Designed for 25 3/4"W x 2 5/16"H x 17 1/16"L trays or boxes.
Accepts Cambro® #DB18263CW & Toteline® trays Model #870008.
Toteline is a registered trademark of Molded Fiber Glass Tray Co.

Pizza Dough Box Dolly				
98040	20 1/2" x 7 1/4" x 27 1/4"	5"	18	\$ 339

Accommodates 18" x 26" dough boxes.

- Casters:**
#1195 = Four 3" platform type swivel casters (#C410).
#1196 & #98040 = Four 5" platform type swivel casters (#C453).

Options:
"CL(B)" - see page 69 for details.



Bowl Dolly



Model No.	Size W-H-D	Ring Diameter	Quart Size	Ship Lbs.	List Price
Mixer Bowl Dolly - NSF Approved.					
95636	26¾" x 30¾" x 26¾"	20¼" I.D.	80	34	\$ 610
98736	24¾" x 30¾" x 24¾"	18¼" I.D.	60	28	\$ 871
98737	29¾" x 30¾" x 29¾"	22¾" I.D.	140	29	\$ 892

Note: Unit Heights Do Not Include Bowls
Information is based on Hobart® mixing bowl sizes.
Four 5" plate type casters—two swivel (#C450) two w/ brake (#C455).
Options: "B" - see page 69 for details.

Mixing Bowl Dolly - NOT NSF Approved					
98716	30" x 30" x 30"	29½" I.D.	80	24	\$ 826

Four 5" plate type swivel casters (#C453).
Accommodates Vollrath 80QT mixing bowl, model #79800.
Options: "B" - see page 69 for details.



Mixer Bowl Dolly



Model No.	Size W-H-D	Wt. Cap.	Ship Lbs.	List Price
99936	14" x 7 ⁹ / ₁₆ " x 14"	800 lbs.	15	\$ 277

Four 3" platform casters(#C410).
Designed to hold an 40-120 quart bowl.

- Designed to make rolling heavy mixing bowls in and out of place an easy task, this rust proof unit is ideal for the kitchen/prep room atmosphere.



Mixing Bowl Dolly



Model No.	Size W-H-D	Ring Diameter	Quart Size	Ship Lbs.	List Price
Mixing Bowl Dolly - NOT NSF Certified.					
51949	22" x 31.625" x 26"	20.875" I.D.	30	35	\$1,373

Four 5" swivel plate type casters (#C566).
Accommodates 30QT mixing bowl, not included.

- Designed to hold an 30-quart mixing bowl at a working height in order to minimize uncomfortable working positions.
- Equipped with four 5" stem type swivel casters.
- Five-Year Guarantee against material defects and workmanship.
- Lifetime Guarantee against rust and corrosion.



Model No.	Size W-H-D	Weight Capacity	Ship Lbs.	List Price
-----------	------------	-----------------	-----------	------------

Angle Dolly Without Sides or Handle				
1192	18 ⁷ / ₈ " x 7" x 27"	800 lbs.	18	\$ 298

Angle Dolly With Sides & Handle				
1193	21" x 33½" x 28½"	900 lbs.	25	\$ 517

Two Tier Angle Dolly With Sides & Handle				
1194	21" x 44½" x 30"	900 lbs.	33	\$ 670

Four 5" platform type swivel casters (#C453).
Options: "CL(B)", "MD", "PP(A)" — see page 69 for details.

Oval Tray Dolly - Not NSF Approved.				
97055	26¾" x 33¼" x 30"	800 lbs.	36	\$ 718

Four 5" platform casters: 2 swivel (#C450), 2 swivel w/ brake (#C455).
Accommodates up to 23½" x 29" oval trays.
Options: "CL(B)" - see page 69 for details.

Steamtable Pan Dolly - Not NSF Approved.				
4-Bay				
98998	30" x 48" x 44"	1000 lbs.	69	\$ 1,633

2-Bay				
98195	30" x 64" x 22"	1000 lbs.	46	\$ 1,078

Four 5" platform casters(#C450).
Accommodates up to 12" x 20" steamtable pans.
Options: "CL(B)" - see page 69 for details.

Aluminum Drag Hook				
1199	37½" Long		1	\$ 29



Model No.	Size W-H-D	Pan Capacity	Ship Lbs.	List Price
50112	27¾" x 73" x 28½"	140	68	\$ 1,377

Equipped with four, 8" x 2" plate type swivel casters (#C526).

- Ideal for hotel, casino, hospital and correctional facilities.
- This unit will store and transport up to 140 sheet pans.
 - Designed to hold sheet pans at a backward angle to keep the stack from tipping forward outside of the frame.
- Can be customized to meet your specific needs.
- Lifetime Guarantee against rust and corrosion.



Model No.	Size W-H-D	Weight Cap.	Ship Lbs.	List Price
-----------	------------	-------------	-----------	------------

Angle Dolly - Holds 5 strap 1lb. loaf pans (9²³/₃₂" x 26")				
93189	21 ⁷ / ₈ " x 6" x 28½"	800 lbs.	17	\$ 331

Four 3" platform type swivel casters (#C410)

Universal Bread Pan Dolly				
95219	26¾" x 9" x 30¾"	800 lbs.	24	\$ 409

Four 5" platform type swivel casters (#C453).
Options: "CL(B)" - see page 69 for details. *Model #95219 Only*****

Aluminum Drag Hook				
1199	37½" Long		1	\$ 29



Dollies



Bulk Sheet Pan Dolly



Bread Pan Dolly



Milk Crate Dolly



Model No.	Size W-H-D	# Of Stacks	Crate Cap.	Ship Lbs.	List Price
1620	13¾" x 9" x 28¼"	2	8	19	\$ 314
1622	26¾" x 9" x 28¼"	4	16	22	\$ 356

Four 5" swivel type platform casters (#C453).

Options:
"CL(B)" — see page 69 for details.

Aluminum Drag Hook				
1199	37½" Long		1	\$ 29

- Accomodates 13" x 13" Milk Crates.
- Superior strength and versatility for maximum loads.
- Lifetime Guarantee against rust and corrosion.



Super Dolly



Model No.	Size W-H-D	Wheel Size	Wt Cap.	Ship Lbs.	List Price
1181	24" x 10" x 29½"	6"	2800 lbs.	30	\$ 527
1182	24" x 8" x 29½"	5"	1000 lbs.	18	\$ 406

Four platform type casters - two swivel, two rigid.
#1181= 2 swivel (#C490) 2 rigid (#C500)
#1182 = 2 swivel (#C450) 2 rigid (#C460)

Options:
"B", "CL(C)" (Model #1181), "CL(B)" (Model #1182) - see page 69.

Aluminum Drag Hook				
1199	37½" Long		1	\$ 29



Chicken Dolly



Model No.	Size W-H-D	Wt. Cap.	Ship Lbs.	List Price
1187	24" x 14" x 30¼"	500 lbs.	24	\$ 494

Replacement Drip Pan

1188			5	\$ 100
------	--	--	---	--------

Aluminum Drag Hook

1199	37½" Long		1	\$ 29
------	-----------	--	---	-------

Four 5" stem type casters -two swivel (#C480), two w/ brake (#C485).
Comes equipped with drip pan.

- Specifically designed to stack iced or frozen foods.
- Compact dollies keep drips, spills and condensation to a minimum with a sturdy, removable drip pan.
- Lifetime Guarantee against rust and corrosion.
- NSF Certified.



Utility/Bussing Cart



Utility Bussing Cart						
Model No.	Size W-H-D	Shelf Size	Shelf Spacing	Weight Cap.	Ship Lbs.	List Price
3-Tier						
NS745	18½" x 39" x 32½"	18½" x 28¾"	13"	350 lbs.	35	\$ 684
1440	16½" x 39" x 27¾"	16½" x 24"	13"	350 lbs.	29	\$ 718

Four 5" stem type casters— two swivel (#C480) two w/ brake (#C485).
Each shelf with three sides up 1¼" and one side down 1¼".

Options: "B", "MD", "VB" — see page 69 for details.

Lug Dolly / Bussing Cart				
Model No.	Size W-H-D	Weight Cap.	Ship Lbs.	List Price
99304	15¾" x 41½" x 28"	500 lbs.	21	\$ 509

Four 5" stem type casters (#C480). Not NSF Approved.



Bus Tub Wall Shelf



Model No.	Size W-H-D	No. Tiers	Shelf Clearance	Ship Lbs.	List Price
98272	24" x 30" x 16"	2	12"	22	\$ 540
98301	36" x 30" x 16"	2	12"	24	\$ 619
98213	48" x 30" x 16"	2	12"	35	\$ 803
98142	60" x 30" x 16"	2	12"	45	\$ 767



TBD

Weight Capacity
per shelf

*Determined by method of
installation and type of wall.*

Pot & Pan Rack



Model No.	Size D-H-L	No. Of Tiers	Ship Lbs.	List Price
Stationary Units				
P2448	24" x 76" x 48"	4	59	\$ 944
P2460	24" x 76" x 60"	4	86	\$ 1,140
Mobile Units - 5" Stem Type Casters (#C440)				
PM2448	24" x 74" x 48"	4	68	\$ 1,197
PM2460	24" x 74" x 60"	4	97	\$ 1,307

All units shipped K.D.



Can Rack • ½-Size

BETTER



1235



1227

Model No.	Size W-H-D	Can Cap.		Top Style	Ship Lbs.	List Price
½-Size - Can Rack (41" Tall)						
1225	25" x 41" x 35"	72	96	Stainless	73	\$ 1,312
1226	25" x 41" x 35"	72	96	Aluminum	60	\$ 1,053
1226NT	25" x 41" x 35"	72	96	None	50	\$ 966
1227	25" x 41" x 35"	72	96	Poly	72	\$ 1,139
Counter Height - Can Rack (35" Tall)						
1235	25" x 35" x 35"	54	72	Stainless	68	\$ 1,224
1236	25" x 35" x 35"	54	72	Aluminum	57	\$ 967
1236NT	25" x 35" x 35"	54	72	None	44	\$ 879
1237	25" x 35" x 35"	54	72	Poly	69	\$ 1,050

Template for mounting Edlund No.1 Can Opener included.
Four 5" platform type casters, two swivel w/ brake (#C455) and two rigid (#C460).

Options:
"PP(A)" — see page 69 for details.
1255Solid Shelf Trays (3).....\$ 78

- Each unit boasts heavy gauge aluminum construction with the most welds in the industry, insuring years of strength and durability.
- Easily loaded/unloaded with one hand providing automatic stock rotation when loaded from the rear.
- Lifetime Guarantee against rust and corrosion.
- NSF Certified.



Can Rack - Full Size

BETTER



1250CK

Model No.	Size W-H-D	Can Capacity				Casters	Ship Lbs.	List Price
		#10	#5	#2½	#303			
1250*	25" x 71" x 35"	162	216	**	**	No	100	\$ 1,203
1250CK	25 ½" x 78" x 35"	162	216	**	**	Yes	125	\$ 1,506
1251*	23" x 66" x 35"	**	**	352	484	No	112	\$ 1,871
1254*	25" x 73" x 35"	**	288	**	**	No	102	\$ 1,612
1256*	25 ½" x 71" x 47"	216	297	**	**	No	130	\$ 1,718
1256CK	26" x 77 ¼" x 47"	216	297	**	**	Yes	137	\$ 2,058

* Units without casters are equipped with NSF Certified adjustable feet.
*** Casters can not be retrofitted. Factory option only. ***
"CK" Units: Equipped with four 6" plate type casters — two swivel w/ brake(#C495), two rigid (#C500).

Options:
"PP(A)" — see page 69 for details
1255Solid Shelf Trays (3) - fits 35" deep Can Racks.....\$ 78
1257Solid Shelf Trays (3) - fits 47" deep Can Racks\$ 132
0118Adjustable Feet - Replacement\$ 9.33

- Superior quality.
- Adjustable feet are standard with stationary units.
- Lifetime Guarantee against rust and corrosion.
- NSF Certified.



For the Chef
ON THE GO

A place for everything, and everything in it's place. Organization is key, especially when you are working in a small or satellite location. These items are perfect for small pop-up restaurants, food trucks, temporary or event locations.



99135 || Prep Table

Five-In-One!

The perfect prep-area workstation has arrived. Cutting board, prep table, can rack, pan storage and universal pan rack...All in ONE!
Simply roll the unit into place and go to work. Designed to work for any task.

Four-In-One!

A one-stop cart designed specifically for caterer's to hold sheet pans, glass racks, beverage dispensers and a full-size folding table.
Lightweight, heavy duty aluminum cart for easy catering transportation.
Can be customized to hold any catering or event items.



51564 || Caterer's Cart



One Concept... Multiple Possibilities.



52212 || School Serving Cart

Designed by a Texas School Foodservice Director to meet the needs of his Breakfast In The Classroom program. Holds milk, food offering and fruit. Retractable railing provides space for a convenient card payment system.

This unit can be customized to work perfectly with your school breakfast or grab-and-go food program.



51171 || Double-Deep Keg Stacker

Whether you want to roll out the barrel, store it or lock it up, New Age has the products you need.

Keg Stackers with adjustable shelves let you determine your perfect shelf spacing.

Aluminum Security Fences are guaranteed to never rust or corrode and keep your inventory safe and secure.

Keg Holders are now available to handle half and sixth-barrel kegs, the perfect accessory to any Beverage Delivery Truck.



Aluminum Security Fence



52064 || Shown on BDT18568



51753 || Shown on BDT18568

Half-Size Racks Full-Size Features

These racks have the same features as their full-size counterparts, but are sized to maximize your space and work area setup.



51949 || Mixing Bowl Dolly

This indispensable dolly holds a 30 qt. mixing bowl along with standard 18" x 26" sheet pans. Designed for Correctional, Healthcare, Casino and Hotel use, as well as any other Foodservice application.



51861 || Tray Drying Rack

Allows for tray drying in an existing footprint — under a table! Holds 18" x 26" standard sheet pans.



51960 || Rotisserie Spit Rack

This rack aids in preparation of spits for rotisserie ovens. Prep spits with food product; load onto rack and transport to rotisserie oven. This versatile rack can go from rotisserie oven to walk-in cooler. Will not rust or corrode in cooler or freezer.

Customizable to match your rotisserie oven capacity — This unit holds 7 LBC spits.



50929 || Transporation Cabinet

Same quality you love about our other enclosed cabinets with a sleeker, clear door!

F.I.F.O. Can Rack

 BEST



97294



Model No.	Size W-H-D	Can Capacity #10	Ship Lbs.	List Price
Stationary Unit				
97294	27 1/8" x 79 1/2" x 42"	156	190	\$ 3,647
Four NSF Certified Adjustable Feet				
Mobile Unit - Not NSF Approved				
97294CK	27 1/8" x 81 1/8" x 42"	156	208	\$ 4,012
Four 6" plate type casters; two swivel w/ brake (#C495), two rigid (#C500).				

Options:
0117 Adjustable Feet - Replacement.\$ 21

- Automatically rotates stock — Loaded & Retrieved from the front!
- Easily loaded from the front, no need to move it out from the wall.
- Holds (156) #10 cans within 8 square feet.



Economy F.I.F.O. Can Rack

Model No.	Size W-H-D	Can Capacity #10	Ship Lbs.	List Price
Stationary Unit				
99381	26 5/8" x 78 1/4" x 42"	156	140	\$ 2,791
Four NSF Certified Adjustable Feet.				

Options:
0118 Adjustable Feet - Replacement.\$ 10

****Casters Can Not Be Placed On This Unit****

- Automatically rotates stock — Loaded & Retrieved from the front!
- Easily loaded from the front, no need to move it out from the wall.
- Holds (156) #10 cans within 8 square feet.



99381



Economy Can Rack

 GOOD

Model No.	Size W-H-D	Can Capacity #10	#5	Casters	Ship Lbs.	List Price
6259	25" x 71" x 35 1/4"	162	216	No	86	\$ 922
Adjustable Feet Standard.						

****Casters Can Not Be Placed On This Unit****

- Adjustable feet standard equipment.
- Store up to (162) #10 cans or (216) #5 cans in only six square feet of space.
- Provides automatic stock rotation when loaded from the rear.
- Inclined angle glides give you easy access to a large number of cans with one unit.



6259

Mobile Dunnage Rack

BETTER



Mobile Dunnage Rack



Model No.	Size D-H-L	Weight Capacity	Ship Lbs.	List Price
1201	20" x 8¼" x 25¾"	1000 lbs.	21	\$ 454
1211	20" x 8¼" x 31¾"	1000 lbs.	21	\$ 463
1202	20" x 8¼" x 37¾"	1000 lbs.	22	\$ 477
1200	20" x 8¼" x 43¾"	1000 lbs.	25	\$ 490
1203	20" x 8¼" x 49¾"	1000 lbs.	27	\$ 505
1212	20" x 8¼" x 61¾"	1000 lbs.	24	\$ 531
1208	Handle for 20" W Units Above		6	\$ 81
1213	24" x 8¼" x 25¾"	1000 lbs.	20	\$ 456
1214	24" x 8¼" x 31¾"	1000 lbs.	22	\$ 469
1204	24" x 8¼" x 37¾"	1000 lbs.	24	\$ 482
1205	24" x 8¼" x 43¾"	1000 lbs.	27	\$ 497
1206	24" x 8¼" x 49¾"	1000 lbs.	27	\$ 510
1207	24" x 8¼" x 61¾"	1000 lbs.	30	\$ 534
1174	Handle for 24" W Units Above		7.5	\$ 81

Four 5" plate type casters:
2- swivel w/ brake (#C455) • 2- rigid (#C460)

Options:
Heavy Duty Casters -Add "HD6" suffix to model #..... \$ 103
Four 6" plate type casters- (2) swivel w/ brake (#C495) • (2) rigid (#C500).
All Swivel Casters -Add "SW" suffix to model #. \$ 25

Dunnage Rack Covers



Model No.	Size D-L	Ship Lbs.	List Price
Anti-Slip Covers			
51101	20" x 36"	11	\$ 259
51102	20" x 48"	14.5	\$ 339
51103	20" x 60"	18	\$ 383
Solid Cover			
95456	20" x 36	4.5	\$ 117

Fits 2000 and 6000 Series Dunnage Racks with same D x L dimensions. **Does Not Fit Lifetime Series Racks.**
* Dunnage Rack sold separately.

- Anti-Slip, Raised tread, perforated top, has 3" O.C. Spacing - Disrupted elevation = ¾".
- Removable sheet nests over Dunnage Rack frame.
- All Aluminum, Guaranteed Rust Free!

Dunnage Rack

GOOD



6000 Series - Dunnage Racks

Model No.	# of Lat.	Weight Capacity	Size D-H-L	Ship Lbs.	List Price
6017	4	2000 lbs.	20" x 8" x 36"	8	\$160
6018	4	2000 lbs.	20" x 8" x 48"	10	\$171
6019	4	1500 lbs.	20" x 8" x 60"	13	\$189
6004	4	2000 lbs.	20" x 12" x 36"	9	\$160
6005	4	2000 lbs.	20" x 12" x 48"	11	\$171
6006	4	1500 lbs.	20" x 12" x 60"	14	\$189
6014	5	2000 lbs.	24" x 8" x 36"	9	\$170
6015	5	2000 lbs.	24" x 8" x 48"	11	\$192
6016	5	1500 lbs.	24" x 8" x 60"	14	\$220
6008	5	2000 lbs.	24" x 12" x 36"	10	\$170
6009	5	2000 lbs.	24" x 12" x 48"	12	\$192
6010	5	1500 lbs.	24" x 12" x 60"	15	\$220



Dunnage Rack

BETTER



2000 Series - Dunnage Racks

Model No.	Size D-H-L	Weight Capacity	# of Lat.	Ship Lbs.	List Price
2001	18" x 8" x 36"	3000 lbs.	4	9	\$ 187
2002	18" x 8" x 48"	2500 lbs.	4	11	\$ 219
2003	18" x 8" x 60"	2000 lbs.	4	13	\$ 248
2029	18" x 12" x 24"	3200 lbs.	4	7	\$ 164
2020	18" x 12" x 36"	3000 lbs.	4	10	\$ 197
2021	18" x 12" x 48"	2500 lbs.	4	14	\$ 229
2022	18" x 12" x 60"	2000 lbs.	4	17	\$ 261
2017	20" x 8" x 36"	3000 lbs.	4	9	\$ 197
2018	20" x 8" x 48"	2500 lbs.	4	12	\$ 229
2019	20" x 8" x 60"	2000 lbs.	4	13	\$ 261
2052	20" x 12" x 30"	3000 lbs.	4	10	\$ 192
2004	20" x 12" x 36"	3000 lbs.	4	11	\$ 197
2054	20" x 12" x 42"	3000 lbs.	4	13	\$ 225
2005	20" x 12" x 48"	2500 lbs.	4	15	\$ 229
2006	20" x 12" x 60"	2000 lbs.	4	18	\$ 261
2031	24" x 8" x 24"	3000 lbs.	5	9	\$ 213
2014	24" x 8" x 36"	2500 lbs.	5	11	\$ 237
2015	24" x 8" x 48"	2500 lbs.	5	14	\$ 276
2016	24" x 8" x 60"	2000 lbs.	5	17	\$ 315
2032*	24" x 8" x 72"	4000 lbs.	5	20	\$ 451
2013	24" x 12" x 24"	2500 lbs.	5	9	\$ 213
2062	24" x 12" x 30"	2500 lbs.	5	11	\$ 215
2008	24" x 12" x 36"	2500 lbs.	5	15	\$ 237
2064	24" x 12" x 42"	2500 lbs.	5	15	\$ 269
2009	24" x 12" x 48"	2500 lbs.	5	21	\$ 276
2033	24" x 12" x 54"	2000 lbs.	5	17	\$ 368
2010	24" x 12" x 60"	2000 lbs.	5	24	\$ 315
2012*	24" x 12" x 72"	4000 lbs.	5	27	\$ 421
2026	30" x 12" x 36"	3000 lbs.	6	14	\$ 304
2027	30" x 12" x 48"	3000 lbs.	6	19	\$ 330
2028	30" x 12" x 60"	2500 lbs.	6	20	\$ 400
2007*	30" x 12" x 72"	2500 lbs.	6	27	\$ 546

* Models have 6 legs.
Options :
Removable Aluminum Cover — Call For Pricing.
Custom Sizes Available — Call For Pricing.



- All feet are permanently sealed with welded aluminum caps... Not plastic.
- All welded aluminum racks keep product organized and off of the floor.
- Lifetime Guarantee against rust and corrosion.
- **E-Channel and Stacking units available** — Call factory for details.
- NSF Certified.

LIFETIME SERIES
GUARANTEED FOR LIFE

The toughest Dunnage Rack on the market. These all welded racks are "beefed up" to hold maximum weight capacities up to 5000 pounds.

Model No.	Size W-H-D	Weight Capacity	Ship Lbs.	List Price
4004	20" x 12" x 36"	5000 lbs.	18	\$ 449
4005	20" x 12" x 48"	4000 lbs.	21	\$ 500
4006	20" x 12" x 60"	3400 lbs.	23	\$ 551
4008	24" x 12" x 36"	4000 lbs.	21	\$ 527
4009	24" x 12" x 48"	4000 lbs.	25	\$ 585
4010	24" x 12" x 60"	4000 lbs.	27	\$ 643
4027	30" x 12" x 48"	4000 lbs.	31	\$ 707
4065	36" x 12" x 48"	4000 lbs.	35	\$ 830



All LIFETIME SERIES products carry a LIFETIME Guarantee against rust and corrosion as well as a LIFETIME Guarantee against material defects and workmanship.





H.D. Series Three Shelf Unit



H.D. Series Three Shelf Unit
w/ Optional "M6" Casters
Casters are factory installed only.

- Ideal for **correctional facilities, supermarkets, hotels,** and institutions.
- Built to organize larger, heavier loads.
- New Age uses the heaviest aluminum extrusion for maximum life and strength.
- Mobile units available —Factory installed only.
- **All non-mobile units include adjustable feet.**
- Lifetime Guarantee against rust and corrosion, **superior** for refrigerated environments.
- E-Channel units available — Call factory for details.
- NSF Certified.

1500
POUND

Weight
Capacity
per shelf

Model No.	Size D-H-L	Shelf Lat.	Ship Lbs.	List Price
Two Shelf Unit - 34½" Shelf Clearance				
1021	20" x 48" x 36"	4	53	\$ 458
1030	20" x 48" x 42"	4	56	\$ 554
1022	20" x 48" x 48"	4	60	\$ 514
1023	20" x 48" x 60"	4	65	\$ 573
1024	20" x 48" x 72"	4	71	\$ 628
1025	24" x 48" x 36"	5	56	\$ 529
1031	24" x 48" x 42"	5	60	\$ 555
1026	24" x 48" x 48"	5	63	\$ 582
1027	24" x 48" x 60"	5	69	\$ 656
1028	24" x 48" x 72"	5	74	\$ 730
Three Shelf Unit - 22½" Shelf Clearance				
1041	20" x 60" x 36"	4	56	\$ 612
1050	20" x 60" x 42"	4	64	\$ 694
1042	20" x 60" x 48"	4	67	\$ 688
1043	20" x 60" x 60"	4	78	\$ 772
1044	20" x 60" x 72"	4	87	\$ 860
1045	24" x 60" x 36"	5	61	\$ 706
1051	24" x 60" x 42"	5	75	\$ 754
1046	24" x 60" x 48"	5	75	\$ 808
1047	24" x 60" x 60"	5	82	\$ 904
1048	24" x 60" x 72"	5	93	\$ 1,010
Four Shelf Unit - 18½" Shelf Clearance				
1061	20" x 72" x 36"	4	65	\$ 749
1070	20" x 72" x 42"	4	80	\$ 895
1062	20" x 72" x 48"	4	83	\$ 862
1063	20" x 72" x 60"	4	91	\$ 976
1064	20" x 72" x 72"	4	111	\$ 1,094
1065	24" x 72" x 36"	5	71	\$ 877
1071	24" x 72" x 42"	5	81	\$ 961
1066	24" x 72" x 48"	5	85	\$ 1,016
1067	24" x 72" x 60"	5	102	\$ 1,162
1068	24" x 72" x 72"	5	117	\$ 1,294

Mobile Units — Factory Options Only	
6" Platform casters (#C490)	
- Add "M6" suffix to model #.....	\$ 423
5" Platform casters (#C450)	
- Add "M5" suffix to model #.....	\$ 317
Additional Adjustable Feet:	
Model #0117	\$ 21
Options:	
"CL(B)", "CL(C)", "PP(A)" - see page 69 for details.	



Model No.	Size D-H-L	Ship Lbs.	List Price
Two Shelf Unit - 34¼" Shelf Clearance			
1021TB	20" x 48" x 36"	55	\$ 551
1030TB	20" x 48" x 42"	57	\$ 567
1022TB	20" x 48" x 48"	67	\$ 610
1023TB	20" x 48" x 60"	73	\$ 688
1024TB	20" x 48" x 72"	77	\$ 771
1025TB	24" x 48" x 36"	56	\$ 582
1031TB	24" x 48" x 42"	63	\$ 633
1026TB	24" x 48" x 48"	69	\$ 676
1027TB	24" x 48" x 60"	76	\$ 764
1028TB	24" x 48" x 72"	80	\$ 854
Three Shelf Unit - 22¼" Shelf Clearance			
1041TB	20" x 60" x 36"	62	\$ 720
1050TB	20" x 60" x 42"	67	\$ 764
1042TB	20" x 60" x 48"	76	\$ 832
1043TB	20" x 60" x 60"	91	\$ 948
1044TB	20" x 60" x 72"	96	\$ 1,065
1045TB	24" x 60" x 36"	70	\$ 795
1051TB	24" x 60" x 42"	76	\$ 867
1046TB	24" x 60" x 48"	78	\$ 925
1047TB	24" x 60" x 60"	89	\$ 1,070
1048TB	24" x 60" x 72"	103	\$ 1,198
Four Shelf Unit - 18¼" Shelf Clearance			
1061TB	20" x 72" x 36"	78	\$ 891
1070TB	20" x 72" x 42"	83	\$ 965
1062TB	20" x 72" x 48"	88	\$ 1,046
1063TB	20" x 72" x 60"	103	\$ 1,211
1064TB	20" x 72" x 72"	119	\$ 1,365
1065TB	24" x 72" x 36"	90	\$ 1,002
1071TB	24" x 72" x 42"	92	\$ 1,114
1066TB	24" x 72" x 48"	97	\$ 1,173
1067TB	24" x 72" x 60"	112	\$ 1,362
1068TB	24" x 72" x 72"	127	\$ 1,537

Mobile Units — Factory Options Only	
6" Platform casters (#C490)	
- Add "M6" suffix to model #.....	\$ 423
5" Platform casters (#C450)	
- Add "M5" suffix to model #.....	\$ 317
Additional Adjustable Feet:	
Model #0117	\$ 21
Options:	
"CL(B)", "CL(C)", "PP(A)" - see page 69 for details.	



Closeup: Underside of T-Bar Shelf.



T-Bar Series Three Shelf Unit
w/ Optional "M5" Casters
Casters are factory installed only.



T-Bar Series Four Shelf Unit

- **Ideal for correctional facilities.**
- Each unit has easy-to-clean flat surfaces that aid in the easy-on and easy-off of smaller product with the strength to hold heavy product.
- These all welded units keep product organized and off of the floor while providing adequate air flow.
- New Age "T"s are 2¼" wide and spaced 1¾" apart, giving our T-Bar shelves the most surface area.
- **All non-mobile units include adjustable feet.**
- Mobile units available —Factory installed only.
- Lifetime Guarantee against rust and corrosion, **superior** for refrigerated environments.
- NSF Certified.

1000
POUND

Weight
Capacity
per shelf



Complete Unit Shown With
(3) HD Shelves
(4) Posts (pg 43)



Adjust-A-Shelf — H.D. Series

- With weight capacities at one ton (2000#) per shelf, these units will hold almost anything!
- Built To Organize Large, Heavy Loads.
- Lifetime Guarantee against rust and corrosion, superior for refrigerated environments.
- E-Channel units available — Call factory for details.
- NSF Certified.

2000
POUND

Weight
Capacity
per shelf

Model No.	Size D-L	# Of Lat.	Ship Lbs.	List Price Per Shelf
1530HD	15" x 30"	3	6.2	\$ 144
1536HD	15" x 36"	3	7	\$ 148
1542HD	15" x 42"	3	7.5	\$ 156
1548HD	15" x 48"	3	8.8	\$ 162
1554HD	15" x 54"	3	9.5	\$ 172
1560HD	15" x 60"	3	10.3	\$ 181
1566HD	15" x 66"	3	11.6	\$ 204
1572HD	15" x 72"	3	12	\$ 197
1830HD	18" x 30"	4	7	\$ 157
1836HD	18" x 36"	4	8.7	\$ 164
1842HD	18" x 42"	4	9	\$ 173
1848HD	18" x 48"	4	11.5	\$ 187
1854HD	18" x 54"	4	11.8	\$ 193
1860HD	18" x 60"	4	12.3	\$ 228
1866HD	18" x 66"	4	13.8	\$ 238
1872HD	18" x 72"	4	14.8	\$ 243
2030HD	20" x 30"	4	8.2	\$ 160
2036HD	20" x 36"	4	8.7	\$ 164
2042HD	20" x 42"	4	9.6	\$ 172
2048HD	20" x 48"	4	12.8	\$ 187
2054HD	20" x 54"	4	13.4	\$ 195
2060HD	20" x 60"	4	13.9	\$ 209
2066HD	20" x 66"	4	14.9	\$ 224
2072HD	20" x 72"	4	16.4	\$ 243
2096HD*	20" x 96"	4	19	\$ 338
2430HD	24" x 30"	5	9	\$ 202
2436HD	24" x 36"	5	10	\$ 219
2442HD	24" x 42"	5	11.6	\$ 228
2448HD	24" x 48"	5	13.2	\$ 245
2454HD	24" x 54"	5	15	\$ 258
2460HD	24" x 60"	5	17.3	\$ 274
2466HD	24" x 66"	5	18	\$ 287
2472HD	24" x 72"	5	19.6	\$ 298
2496HD*	24" x 96"	5	24	\$ 370
3030HD	30" x 30"	6	10.5	\$ 244
3036HD	30" x 36"	6	12.4	\$ 261
3048HD	30" x 48"	6	16.2	\$ 296

Constructed of 1½" x 1¾" extruded aluminum tubing.
* 96" Shelves Require 6 Posts.

See Page 43 For Posts & Accessories.

Design Your Own Custom Unit

- All three series of "Adjust-A-Shelf" Shelving (the same length and width) are interchangeable.
- This allows you to custom make your own complete units with the type of shelving (H.D., T-Bar, Solid Brute) you need.
- Each unit assembles in minutes with only an allen wrench.


LIFETIME
Construction Guarantee

NSF



Model No.	Size D-L	Ship Lbs.	List Price Per Shelf
1530TB	15" x 30"	6.25	\$ 169
1536TB	15" x 36"	7.4	\$ 194
1542TB	15" x 42"	8	\$ 203
1548TB	15" x 48"	10	\$ 201
1554TB	15" x 54"	10	\$ 210
1560TB	15" x 60"	11	\$ 237
1566TB	15" x 66"	12	\$ 282
1572TB	15" x 72"	13	\$ 250
1830TB	18" x 30"	7.5	\$ 175
1836TB	18" x 36"	8.8	\$ 175
1842TB	18" x 42"	9.5	\$ 189
1848TB	18" x 48"	11.5	\$ 197
1854TB	18" x 54"	12	\$ 215
1860TB	18" x 60"	13.6	\$ 228
1866TB	18" x 66"	14	\$ 251
1872TB	18" x 72"	16	\$ 252
2030TB	20" x 30"	8.4	\$ 195
2036TB	20" x 36"	9	\$ 175
2042TB	20" x 42"	10.2	\$ 192
2048TB	20" x 48"	12	\$ 197
2054TB	20" x 54"	13.3	\$ 222
2060TB	20" x 60"	14.2	\$ 228
2066TB	20" x 66"	15	\$ 266
2072TB	20" x 72"	16.8	\$ 275
2430TB	24" x 30"	9.5	\$ 209
2436TB	24" x 36"	10.5	\$ 224
2442TB	24" x 42"	12	\$ 243
2448TB	24" x 48"	14	\$ 258
2454TB	24" x 54"	15.5	\$ 277
2460TB	24" x 60"	17.5	\$ 289
2466TB	24" x 66"	18.6	\$ 300
2472TB	24" x 72"	20.6	\$ 314

See Page 43 For Posts & Accessories.



Closeup: Underside of T-Bar Shelf.

Design Your Own Custom Unit

- All three series of "Adjust-A-Shelf" Shelving (the same length and width) are interchangeable.
- This allows you to custom make your own complete units with the type of shelving (H.D., T-Bar, Solid Brute) you need.
- Each unit assembles in minutes with only an allen wrench.

LIFETIME
Construction Guarantee

NSF



Complete Unit Shown With
(4) T-Bar Shelves
(4) Posts (pg 43)
(4) 5" Stem Type Casters (pg 43)



Adjust-A-Shelf — T-Bar Series

- Unique T-Bar construction allows for easy-on, easy-off of product for easy storage while providing maximum air circulation.
- Wide T-Bar and 1¾" space between "T"s gives more welds per "T" and more shelf surface.
- Lifetime Guarantee against rust and corrosion, superior for refrigerated environments.
- NSF Certified.

1500
POUND

Weight
Capacity
per shelf



Adjust-A-Shelf Shelving - Solid Brute Series



Complete Unit Shown With
(5) Solid Brute Shelves
(4) Posts (pg 43)



Adjust-A-Shelf - Solid Brute Series

- Unique removable top permits easy clean-up while the reinforced under-bracing gives added support.
- Lifetime Guarantee against rust and corrosion, superior for refrigerated environments.
- NSF Certified.

800
POUND

Weight
Capacity
per shelf

Model No.	Size D-L	Ship Lbs.	List Price Per Shelf
1530SB	15" x 30"	8	\$ 214
1536SB	15" x 36"	9.5	\$ 234
1542SB	15" x 42"	10.5	\$ 244
1548SB	15" x 48"	11.5	\$ 246
1554SB	15" x 54"	13	\$ 293
1560SB	15" x 60"	14	\$ 299
1830SB	18" x 30"	9	\$ 227
1836SB	18" x 36"	10	\$ 205
1842SB	18" x 42"	11.5	\$ 217
1848SB	18" x 48"	12.5	\$ 195
1854SB	18" x 54"	14	\$ 295
1860SB	18" x 60"	15	\$ 270
1872SB	18" x 72"	17.5	\$ 290
2030SB	20" x 30"	9	\$ 269
2036SB	20" x 36"	11	\$ 199
2042SB	20" x 42"	12.3	\$ 241
2048SB	20" x 48"	14	\$ 233
2054SB	20" x 54"	15.4	\$ 265
2060SB	20" x 60"	15.8	\$ 274
2066SB	20" x 66"	17.5	\$ 482
2072SB	20" x 72"	18	\$ 317
2430SB	24" x 30"	10.5	\$ 236
2436SB	24" x 36"	11.8	\$ 222
2442SB	24" x 42"	13.4	\$ 247
2448SB	24" x 48"	16.5	\$ 236
2454SB	24" x 54"	17	\$ 274
2460SB	24" x 60"	18.4	\$ 290
2466SB	24" x 66"	19.2	\$ 405
2472SB	24" x 72"	23.2	\$ 336

This solid shelf with reinforced bars provides a flat, smooth surface.

See Page 43 For Posts & Accessories.

Design Your Own Custom Unit

- All three series of "Adjust-A-Shelf" Shelving (the same length and width) are interchangeable.
- This allows you to custom make your own complete units with the type of shelving (H.D., T-Bar, Solid Brute) you need.
- Each unit assembles in minutes with only an allen wrench.

LIFETIME
Construction Guarantee

NSF

Adjustable H.D. Shelf



H.D. Style Shelf

Model No.	Weight Capacity	Size W-L	Ship Lbs.	List Price
C1836HD	1100 lbs.	18" x 36"	7	\$ 139
C1848HD	1100 lbs.	18" x 48"	7.5	\$ 178
C1860HD	1100 lbs.	18" x 60"	9.2	\$ 191
C2436HD	1100 lbs.	24" x 36"	7.75	\$ 183
C2448HD	1100 lbs.	24" x 48"	10.1	\$ 220
C2460HD	1100 lbs.	24" x 60"	12.5	\$ 198
C2472HD	500 lbs.	24" x 72"	14.7	\$ 240

See Page 43 For Posts & Accessories.

- Built to accommodate heavier product and designed for use in all environments including freezers, coolers, as well as packaging and storage areas.
- Lifetime Guarantee against rust and corrosion.
- NSF Certified.

1 YEAR
Construction Guarantee

NSF

Adjustable T-Bar Shelf



T-Bar Style Shelf

Model No.	Weight Capacity	Size W-L	Ship Lbs.	List Price
C1836TB	900 lbs.	18" x 36"	7.4	\$ 178
C1848TB	900 lbs.	18" x 48"	8	\$ 196
C1860TB	900 lbs.	18" x 60"	10	\$ 214
C2436TB	900 lbs.	24" x 36"	8	\$ 179
C2448TB	900 lbs.	24" x 48"	10.6	\$ 189
C2460TB	900 lbs.	24" x 60"	13	\$ 237
C2472TB	500 lbs.	24" x 72"	16.3	\$ 259

See Page 43 For Posts & Accessories.

- Built to accommodate smaller item and heavier loads for use in all environments including freezers, coolers, as well as packaging and storage areas.
- Lifetime Guarantee against rust and corrosion.
- NSF Certified.

1 YEAR
Construction Guarantee

NSF

Adjustable Solid Shelf



Solid Style Shelf

Model No.	Weight Capacity	Size D-L	Ship Lbs.	List Price
1530S	400 lbs.	15" x 30"	6.3	\$ 181
1536S	400 lbs.	15" x 36"	6.9	\$ 199
1542S	400 lbs.	15" x 42"	7.6	\$ 213
1548S	400 lbs.	15" x 48"	8.9	\$ 219
1830S	400 lbs.	18" x 30"	7.3	\$ 183
1836S	400 lbs.	18" x 36"	7.3	\$ 165
1842S	400 lbs.	18" x 42"	9.2	\$ 208
1848S	400 lbs.	18" x 48"	11	\$ 189
2030S	400 lbs.	20" x 30"	8.5	\$ 196
2036S	400 lbs.	20" x 36"	8.8	\$ 174
2042S	400 lbs.	20" x 42"	9.8	\$ 207
2048S	400 lbs.	20" x 48"	13	\$ 187


Economical solid shelf with double thick marine edge.

Page 43 For Posts & Accessories.

- Organizes Smaller, Lighter Product. Solid sheet design permits easy clean-up and minimizes the mess of "leaky" products.

1 YEAR
Construction Guarantee

NSF



Design Your Own Custom Unit

- All three series of "Adjust-A-Shelf" Shelving (the same length and width) are interchangeable.
- This allows you to custom make your own complete units with the type of shelving (H.D., T-Bar, Solid Brute) you need.
- Each unit assembles in minutes with only an allen wrench.



Model No.	Item Description	Ship Lbs.	List Price
Brackets			
a. NS496	Countertop/Floor Post Brackets	.5	\$ 24
b. NS885	Wall Brackets (pair): Secures Shelving to Wall	1	\$ 34
Attach shelving units to the floor or wall to meet the Seismic Requirements of most states.			
Pole Clips *** H.D. & T-Bar Shelves (pages 39-40) Only ***			
c. PC432	Common Pole Clips (pair)	.25	\$ 21
Clip two units together, shelf to shelf, and eliminate two posts.			
U-Braces			
2036UB	U-Brace for 20" x 36" Shelves	4	\$ 95
2042UB	U-Brace for 20" x 42" Shelves	4.9	\$ 97
2048UB	U-Brace for 20" x 48" Shelves	5.5	\$ 99
2060UB	U-Brace for 20" x 60" Shelves	6.8	\$103
2436UB	U-Brace for 24" x 36" Shelves	5.1	\$109
2442UB	U-Brace for 24" x 42" Shelves	5.8	\$109
2448UB	U-Brace for 24" x 48" Shelves	6.6	\$109
2460UB	U-Brace for 24" x 60" Shelves	7.9	\$109
Adds extra support, keeping posts stable between large spans.			
Casters			
e. C440	5" Stem Type Casters w/ Brakes	2.5	\$ 57
Casters are heavy duty, easily installed, and can be added in the field.			
Adjustable Feet			
f. 0116	Adjustable Feet	.5	\$ 22
Adjustable Feet are easily installed, and can be added in the field.			

Posts



Model No.	Length	Ship Lbs.	List Price
12P	12"	.6	\$ 20
34P	34"	1.7	\$ 32
48P	48"	2.5	\$ 37
54P	54"	3	\$ 37
60P	60"	3	\$ 50
68P	68"	3.6	\$ 45
72P	72"	3.9	\$ 46
76P	76"	4	\$ 48
84P	84"	4.1	\$ 50
Capped aluminum pipe (1-5/16" o.d.).			
Marked in 2" increments.			



Model No.	Size D-L	Weight Capacity	# Of Hooks	Ship Lbs.	List Price
a. T-Bar Wall Shelf / Pot Rack					
1121PR	20" x 36"	700 lbs.	6	15	\$ 327
1122PR	20" x 48"	600 lbs.	7	21	\$ 390
1123PR	20" x 60"	500 lbs.	8	26	\$ 449
0119	Additional Pot Hook (1)				\$ 10
Adjustable pot rack hooks slide easily into place to fit your needs.					

Model No.	Size D-L	Weight Capacity	Ship Lbs.	List Price
b. T-Bar Wall Shelves				
1121	20" x 36"	700 lbs.	11	\$ 233
1122	20" x 48"	600 lbs.	14	\$ 258
1123	20" x 60"	500 lbs.	16	\$ 301
1124	24" x 60"	500 lbs.	26	\$ 399
Heavy duty shelf design for larger, heavier product.				
c. Slanted T-Bar Wall Shelves				
97102	21" x 48"	600 lbs.	26	\$ 825
d. Solid Wall Shelves- Regular 18 GA				
NS675	12" x 24"	200 lbs.	5	\$ 148
1125	12" x 36"	150 lbs.	7	\$ 146
1126	12" x 48"	125 lbs.	8	\$ 158
1127	12" x 60"	100 lbs.	9	\$ 170
For lighter loads and smaller product, contains spills.				

Options: Extra Undershelf Brackets - Call Factory				
d. Solid Wall Shelves - Heavy Duty 12 GA				
NS675A	12" x 24"	300 lbs.	6	\$ 166
1125A	12" x 36"	300 lbs.	8	\$ 186
1126A	12" x 48"	225 lbs.	11	\$ 209
1127A	12" x 60"	150 lbs.	13	\$ 244
NS753	15" x 24"	300 lbs.	5	\$ 214
NS943	15" x 36"	300 lbs.	7	\$ 233
NS793	15" x 48"	225 lbs.	11	\$ 274
94249	15" x 60"	150 lbs.	12	\$ 307
95634	18" x 24"	300 lbs.	8	\$ 191
92093	18" x 36"	300 lbs.	10	\$ 265
92094	18" x 48"	225 lbs.	13	\$ 332
94136	18" x 60"	150 lbs.	15	\$ 398
Thick, 12 gauge for heavier loads. Performs like stainless steel.				

Options: Extra Undershelf Brackets - Call Factory				
e. Microwave Shelf - Heavy Duty 12 GA				
95634	18" x 24"	300 lbs.	8	\$ 191
95883	24" x 24"	300 lbs.	10	\$ 200
f. Inverted Shelves - T-Bar				
97285	20" x 36"	500 lbs.	11	\$ 251
97286	20" x 48"	500 lbs.	14	\$ 303
97287	20" x 60"	500 lbs.	16	\$ 399

- Lifetime Guarantee against rust and corrosion.
- NSF Certified.



TBD

Weight Capacity
per shelf

Determined by method of installation and type of wall.



Inverted Shelf



The above free-standing unit consists of the following:

- a. H.D. Shelf (2)

b. T-Bar Shelf (2)

c. Solid Shelf (2)

d. Right Upright (1)
- e. Common Upright (1)

f. Left Upright (1)

g. Horizontal Brace (2 pair)

Note: One pair required per shelving section.

Ordering Instructions

- Determine the number of shelving sections in the shelving run – Find type, number, and depth of shelves required per section. **a, b, c**
- Add a pair of horizontal braces per shelving section. **g**
- Shelving sections 3', 4', and 5' long require two uprights, one left and one right. **d, f**
- Run lengths over 5' require a left and right upright on the ends and a common upright between each section. (as shown in the picture above). **d, e, f**

Note

- Shelving runs are described in one foot increments. The actual length of a run is an additional 2 ¾", i.e. a typical 7' run is actually 7' 2 ¾" (86 ¾") long.

Model No.	Size D-L	Weight Cap.	Ship Lbs.	List Price
a. H.D. Bar Shelf				
2501	18" x 36"	900 lbs.	6.5	\$ 160
2502	18" x 42"	900 lbs.	8.5	\$ 166
2503	18" x 48"	900 lbs.	9	\$ 176
2505	18" x 60"	900 lbs.	11.2	\$ 191
2511	24" x 36"	900 lbs.	8.3	\$ 192
2512	24" x 42"	900 lbs.	8.7	\$ 200
2513	24" x 48"	900 lbs.	9.2	\$ 213
2515	24" x 60"	900 lbs.	11	\$ 229
Full radius front edge.				
b. T-Bar Shelf				
2521	18" x 36"	900 lbs.	9.5	\$ 204
2522	18" x 42"	900 lbs.	10.5	\$ 222
2523	18" x 48"	900 lbs.	11.8	\$ 237
2525	18" x 60"	900 lbs.	14.6	\$ 279
2531	24" x 36"	900 lbs.	11	\$ 226
2532	24" x 42"	900 lbs.	13.5	\$ 246
2533	24" x 48"	900 lbs.	14.5	\$ 261
2535	24" x 60"	900 lbs.	17	\$ 311
Ideal for smaller product as well as heavier loads.				
c. Solid Reinforced Shelf				
2541	18" x 36"	700 lbs.	9.5	\$ 246
2542	18" x 42"	700 lbs.	10.5	\$ 291
2543	18" x 48"	700 lbs.	12	\$ 253
2545	18" x 60"	700 lbs.	14.6	\$ 293
2551	24" x 36"	700 lbs.	11	\$ 257
2552	24" x 42"	700 lbs.	12	\$ 293
2553	24" x 48"	700 lbs.	13	\$ 275
2555	24" x 60"	700 lbs.	19	\$ 324
For smaller products and spill control.				

Model No.	Item Description	Ship Lbs.	List Price
g. Horizontal Brace — Free-Standing Units Only			
2581	36" Horizontal Brace (2)	3.9	\$ 55
2582	42" Horizontal Brace (2)	4.8	\$ 66
2583	48" Horizontal Brace (2)	5.8	\$ 66
2585	60" Horizontal Brace (2)	6.7	\$ 82
Free-Standing Uprights — 72" in Height			
f. 2561	21" Left Upright • 18" Shelves	12.5	\$ 302
d. 2563	21" Right Upright • 18" Shelves	12.5	\$ 302
e. 2565	21" Common Upright • 18" Shelves	14	\$ 371
f. 2571	27" Left Upright • 24" Shelves	13.5	\$ 312
d. 2573	27" Right Upright • 24" Shelves	13.5	\$ 312
e. 2575	27" Common Upright • 24" Shelves	14.5	\$ 379
Uprights have locking tabs spaced on 12" centers and an extended leg with adjustable foot.			
Model No.	Item Description	Ship Lbs.	List Price
h. Shelf Divider — Free-Standing & Wall/Ceiling Mounted Units			
51233	60" Horizontal Divider	14.5	\$ 596
Attaches securely to uprights -- Sold Separately			



a.

H.D. Bar Shelf • 900# Wt. Capacity



b.

T-Bar Shelf • 900# Wt. Capacity



c.

Solid Brute Shelf • 700# Wt. Capacity

Model No.	Item Description	Ship Lbs.	List Price
Wall & Ceiling Mounted Uprights			
95403	72" Left Upright	9	\$ 327
95404	72" Right Upright	9	\$ 327
95405	72" Common Upright	10.5	\$ 357
97753	84" Left Upright	10.5	\$ 336
97755	84" Right Upright	10.5	\$ 336
97754	84" Common Upright	11.4	\$ 379
95631	96" Left Upright	12.5	\$ 346
95632	96" Right Upright	12.5	\$ 346
95633	96" Common Upright	13	\$ 394
96617	108" Left Upright	14.5	\$ 371
96618	108" Right Upright	14.5	\$ 371
96619	108" Common Upright	15	\$ 441

Uprights have locking tabs spaced on 12" centers.



Wall/Ceiling Mounted Unit

Ordering Instructions

- Determine the number of shelving sections in the shelving run – Find type, number, and depth of shelves required per section.
- Horizontal braces are not needed.
- Shelving sections 3', 4', and 5' long require two uprights, one left and one right.
- Run lengths over 5' require a left and right upright on the ends and a common upright between each section. (as shown in the picture above).

Note

- Upright height (length) is determined by ceiling height.
- Actual shelf depth from the wall to the front of the shelf is 3" more than the listed shelf depth.
- The actual shelving run length is found by adding 6½" to the sum of the shelf lengths in a shelving run — a typical 7' shelving run which uses a 36" shelf length and a 48" shelf length is actually 90½" long (7' 6½").

Keg Stacker



NS933

Model No.	Size D-H-L	½-Barrel Capacity	⅓-Barrel Capacity	No. Shelves	Ship Lbs.	List Price
Complete Units						
31842TT7	18" x 76" x 42"	4	12	3	49	\$ 731
NS933	18" x 76" x 60"	6	18	3	71	\$ 967
NS475	18" x 76" x 72"	8	22	3	73	\$1,096
1288	18" x 76" x 80"	8	26	3	78	\$1,090
1289 *	20¾" x 76" x 93"	10	34	3	98	\$1,296
Keg Shelves Only –Posts (see pg 43) **Customize Your Own Units**						
94273	18" x 3" x 60"	3	9	1	14.4	\$ 285
95410	18" x 3" x 72"	4	11	1	16.5	\$ 324
94274	18" x 3" x 80"	4	13	1	21	\$ 341
94275 *	20¾" x 3" x 93"	5	17	1	23	\$ 405
U-Brace / Wall Protectors - Not NSF Certified.						
94029	18" x 2" x 60"				7.5	\$ 118
1872UB	18" x 2" x 72"				5.4	\$ 116
94030	18" x 2" x 80"				9	\$ 127
94031 **	19¾" x 2" x 93"				10	\$ 139

* Shelves Require Six Posts; This adds 2¾" to the overall depth.

** Requires Six Posts; This adds 1¾" to overall depth

Models 31842TT7, NS475, 95410 & 1872UB Are Not NSF Certified.



Double-Deep Keg Stacker



51171



Keg Shelf Closeup

Model No.	Size D-H-L	½-Barrel Cap.	⅓-Barrel Cap.	No. Shelves	Ship Lbs.	List Price
COMPLETE UNITS						
51169	34" x 84" x 42"	8	24	3	90	\$ 1,757
51170	34" x 84" x 54"	12	30	3	103.9	\$ 1,905
51171	34" x 84" x 60"	12	36	3	117	\$ 1,932
51172	34" x 84" x 72"	16	42	3	137	\$ 2,237
51173*	36¾" x 84" x 80"	16	48	3	214	\$ 2,520
51174*	36¾" x 84" x 93"	20	54	3	226	\$ 2,893
KEG SHELVES ONLY –Posts (see pg 43) **Customize Your Own Units**						
51019	34" x 3" x 42"	4	12	1	27	\$ 518
51020	34" x 3" x 54"	6	15	1	35	\$ 594
51021	34" x 3" x 60"	6	18	1	42	\$ 627
51022	34" x 3" x 72"	8	21	1	50	\$ 750
51023*	36¾" x 3" x 80"	8	24	1	49	\$ 813
51024*	36¾" x 3" x 93"	10	27	1	57	\$ 928
TOP SHELVES – Lite T-Bar ** Not For Kegs **						
51025	34" x 2" x 42"	n/a	n/a	1	17	\$ 432
98951	34" x 2" x 54"	n/a	n/a	1	21.5	\$ 453
98953	34" x 2" x 60"	n/a	n/a	1	24	\$ 470
50723	34" x 2" x 72"	n/a	n/a	1	27	\$ 532
51026*	36¾" x 2" x 80"	n/a	n/a	1	31	\$ 588
51027*	36¾" x 2" x 93"	n/a	n/a	1	43	\$ 730
U-Brace / Wall Protectors - Not NSF Approved.						
51298	34" x 2" x 42"	n/a	n/a	n/a	6	\$ 254
51299	34" x 2" x 54"	n/a	n/a	n/a	7	\$ 269
51181	34" x 2" x 60"	n/a	n/a	n/a	8.5	\$ 281
51300	34" x 2" x 72"	n/a	n/a	n/a	9	\$ 297
51280**	35¾" x 2" x 80"	n/a	n/a	n/a	10	\$ 350
51182**	35¾" x 2" x 93"	n/a	n/a	n/a	11	\$ 381

* Shelves Require Six Posts; This adds 2¾" to the overall depth.

** Requires Six Posts; This adds 1¾" to overall depth



Keg Stacker Accessories

Model No.	Size W-H-L	Ship Lbs.	List Price
a. Solid Shelf Cover — Double-Deep Units Only			
51328	34" x 2" x 42"	10	\$ 355
51270	34" x 2" x 54"	13	\$ 271
52352	34" x 2" x 60"	15	\$ 312
51271	34" x 2" x 72"	18	\$ 327
52354 *	34" x 2" x 80"	21	\$ 427
51305 *	34" x 2" x 93"	24	\$ 524
* Comes in two separate pieces to accommodate center posts.			
b. EZ Panel Regulator Mount			
51956	4" x 10" x 36" (fits 42" shelf)	9	\$ 358
52446	4" x 10" x 48" (fits 54" shelf)	12	\$ 390
52264	4" x 10" x 54" (fits 60" shelf)	13	\$ 395
52284	4" x 10" x 66" (fits 72" shelf)	14	\$ 485
52049	4" x 10" x 74" (fits 80" shelf)	17	\$ 515
52050	4" x 10" x 87" (fits 93" shelf)	17	\$ 567
c. 1/2-Shelf — Double-Deep Units Only			
51412	34" x 3" x 42"	20	\$ 372
52437	34" x 3" x 54"	23	\$ 465
51273	34" x 3" x 60"	25	\$ 469
52355	34" x 3" x 72"	28	\$ 551
51274	34" x 3" x 80"	32	\$ 609
51276*	35¾" x 3" x 93"	36	\$ 740
* Requires Six Posts; This adds 1¾" to the overall depth.			



Keg Carrier

Model No.	Size W-H-L	Ship Lbs.	List Price
Holds (5) 15.5 Gallon, Half-Barrel Kegs			
51753	21 ½" x 4 ¼" x 54 ¾"	8	\$ 163
Holds (15), Sixth-Barrel (Craft) Kegs			
52064	21 ½" x 3 ¾" x 58 ¼"	13	\$ 269



51753 - Shown on BDT18568 (pg 63)

Keg Dolly

Model No.	Size W-H-L	Weight Capacity	Ship Lbs.	List Price
98037	17¼" x 5¼" x 17¼"	175 lbs.	13	\$ 262
Accommodates ¼ and ½ Barrel Kegs up to 16 ¾" in diameter. Four 3" platform type casters (#C410).				

- Low profile helps reduce back injury.
- Lifetime Guarantee against rust and corrosion.




98037

Aluminum Security Fence



Security Fence • Left Hinge
Call New Age at 800-255-0104 for information and pricing on custom units.

Standard units that fall between these parameters, with a **center door**:
Opening Width = 69"-114"
Opening Height = 88"-112"
Will have a List Price of: **\$3,858**
Safety Options:
Inside Latch..... \$376
Allows someone locked inside to escape without tools. Add "XH" to quote request.
These units are built-to-order and cannot be returned.



- Will not corrode like wire fencing.
- Additional Locking Options Available - *Contact the factory.*

Each fence needs a custom quote. When requesting a Security Fence, we need the **WIDTH & HEIGHT of the opening** for the fence along with the **HINGE POSITION** (left or right). If there are special conditions such as a Ceiling Mounted Condenser or some other object that would require the fence to be modified, we need these dimensions to quote the fence.

Note: Actual fence width is 2" less than the opening width.

Aluminum Security Cage



Model No.	Size W-H-D	Interior Shelves	Shelf Size	Clear Space	Ship Lbs.	List Price
Mobile Security Cage						
97621	49" x 71" x 26¾"	3	23½" x 45¾"	19"	170	\$ 5,898
Equipped with four, 5" plate type casters (#C450).						
Stationary Security Cage						
97846	48" x 72" x 24"	4	22" x 45"	14"	155	\$ 4,986
Equipped with four adjustable feet (#0117).						
Solid Security Cage With Vents						
98167	49¼" x 70½" x 25½"	3	24" x 45"	19"	190	\$ 5,290
Equipped with four, 5" plate type casters (#C450).						
Solid Security Cage With Adjustable Shelves						
99551	37¼" x 72¾" x 26"	3	22½" x 35"	Adj.	175	\$ 6,647
Equipped with four, 5" plate type casters (#C450).						

Options: "PP(A)" - see page 69 for details.

These units are built-to-order and cannot be returned.


- Provides safe, lockable security of valuable and/or dangerous materials.
 - Ideal "emergency box" for schools
 - Use for chemical storage
- Equipped with double doors with a stainless steel hasp and replaceable stainless steel hinges.
- All welded aluminum construction.
- Lifetime Guarantee against rust and corrosion.



Aluminum Cove Baseboard

Model No.	Length	Height	Ship Lbs.	List Price
9787C	96"	5"	4.65	\$ 118
Inside Corner - (2) Pieces				
9789C	5"	5"	1	\$ 28
Outside Corner - (2) Pieces				
9790C	5"	5"	1	\$ 28

- Solid anodized aluminum keeps its good looks and cleans up with just soap and water.
- Use instead of quarry tile or vinyl.
- Due to its natural propensity to ward off rust and corrosion, this baseboard is perfect for any type of atmosphere.
- Easy to install.



Aluminum Holders

Model No.	Holds	Size W-H-D	Ship Lbs.	List Price
99140	Plastic Wrap	15" x 5½" x 6"	3	\$ 105
99141	Aluminum Foil	20" x 4" x 4½"	3	\$ 216
99148	Day Dots	8¾" x 4½" x 4¾"	2	\$ 290
98144	Gloves	5¾" x 9½" x 3⅞"	3	\$ 63
98140	Scoop	6" x 3½" x 3¼"	3	\$ 135

- Items traditionally manufactured in stainless steel but can be made from aluminum at a more economic price point.



Corner Guards

Model No.	Length	Ship Lbs.	List Price
2" x 2" Wings 90°			
97873	36"	1.5	\$ 64
97874	48"	1.9	\$ 74
97875	60"	5	\$ 80
97876	72"	5.5	\$ 87
3" x 3" Wings 90°			
97877	36"	3.5	\$ 79
97878	48"	4	\$ 88
97879	60"	5.5	\$ 101
97880	72"	6	\$ 112

.080" Thick Aluminum Sheet.



Work Tables



Solid Poly Top



Stainless Steel Top
With Backsplash



Solid Poly Top
w/ Backsplash & Undershelf

Poly Top Tables

Model No.	Size D-H-L	Ship Lbs.	List Price	Model No.	Size D-H-L	Ship Lbs.	List Price	Model No.	Ship Lbs.	List Price
Solid PolyTop -- No Backsplash				Poly Top With 6" Stainless Steel Backsplash				Undershelf		
24P36KD	24" x 35½" x 36"	50	\$ 948	24PBS36KD	24" x 35½" x 36"	60	\$ 1,141	24US36KD	8	\$ 217
24P48KD	24" x 35½" x 48"	59	\$ 1,133	24PBS48KD	24" x 35½" x 48"	68	\$ 1,285	24US48KD	11	\$ 300
24P60KD	24" x 35½" x 60"	73	\$ 1,313	24PBS60KD	24" x 35½" x 60"	73.5	\$ 1,489	24US60KD	14	\$ 334
24P72KD	24" x 35½" x 72"	86	\$ 1,357	24PBS72KD	24" x 35½" x 72"	101	\$ 1,559	24US72KD	17	\$ 312
24P84KD	24" x 35½" x 84"	99	\$ 1,628	24PBS84KD	24" x 35½" x 84"	106	\$ 1,963	24US84KD	19	\$ 521
24P96KD	24" x 35½" x 96"	106	\$ 1,686	24PBS96KD	24" x 35½" x 96"	111	\$ 1,807	24US96KD	22	\$ 575
30P36KD	30" x 35½" x 36"	55	\$ 1,025	30PBS36KD	30" x 35½" x 36"	60	\$ 1,277	30US36KD	10	\$ 253
30P48KD	30" x 35½" x 48"	71	\$ 1,143	30PBS48KD	30" x 35½" x 48"	85	\$ 1,342	30US48KD	13	\$ 262
30P60KD	30" x 35½" x 60"	80	\$ 1,355	30PBS60KD	30" x 35½" x 60"	97	\$ 1,596	30US60KD	17	\$ 345
30P72KD	30" x 35½" x 72"	100	\$ 1,420	30PBS72KD	30" x 35½" x 72"	108	\$ 1,669	30US72KD	20	\$ 353
30P84KD	30" x 35½" x 84"	104	\$ 1,718	30PBS84KD	30" x 35½" x 84"	120	\$ 2,165	30US84KD	23	\$ 529
30P96KD	30" x 35½" x 96"	115	\$ 1,637	30PBS96KD	30" x 35½" x 96"	132	\$ 2,083	30US96KD	27	\$ 532

Stainless Steel Top Tables

Model No.	Size D-H-L	Ship Lbs.	List Price	Model No.	Size D-H-L	Ship Lbs.	List Price	Model No.	Ship Lbs.	List Price
Solid Stainless Steel Top -- No Backsplash				Stainless Steel Top With 6" Backsplash				Undershelf		
24SS36KD	24" x 35½" x 36"	46	\$ 1,162	24SSB36KD	24" x 35½" x 36"	49	\$ 1,314	24US36KD	8	\$ 217
24SS48KD	24" x 35½" x 48"	59	\$ 1,325	24SSB48KD	24" x 35½" x 48"	61	\$ 1,486	24US48KD	11	\$ 300
24SS60KD	24" x 35½" x 60"	74	\$ 1,497	24SSB60KD	24" x 35½" x 60"	77	\$ 1,662	24US60KD	14	\$ 334
24SS72KD	24" x 35½" x 72"	81	\$ 1,685	24SSB72KD	24" x 35½" x 72"	88	\$ 1,724	24US72KD	17	\$ 312
24SS84KD	24" x 35½" x 84"	112	\$ 1,896	24SSB84KD	24" x 35½" x 84"	115	\$ 1,936	24US84KD	19	\$ 521
24SS96KD	24" x 35½" x 96"	116	\$ 2,090	24SSB96KD	24" x 35½" x 96"	119	\$ 2,077	24US96KD	22	\$ 575
30SS36KD	30" x 35½" x 36"	51	\$ 1,163	30SSB36KD	30" x 35½" x 36"	52	\$ 1,163	30US36KD	10	\$ 253
30SS48KD	30" x 35½" x 48"	63	\$ 1,348	30SSB48KD	30" x 35½" x 48"	65	\$ 1,348	30US48KD	13	\$ 262
30SS60KD	30" x 35½" x 60"	71	\$ 1,577	30SSB60KD	30" x 35½" x 60"	80	\$ 1,528	30US60KD	17	\$ 345
30SS72KD	30" x 35½" x 72"	87	\$ 1,729	30SSB72KD	30" x 35½" x 72"	95	\$ 1,767	30US72KD	20	\$ 353
30SS84KD	30" x 35½" x 84"	101	\$ 1,952	30SSB84KD	30" x 35½" x 84"	110	\$ 1,946	30US84KD	23	\$ 529
30SS96KD	30" x 35½" x 96"	114	\$ 2,129	30SSB96KD	30" x 35½" x 96"	125	\$ 2,137	30US96KD	27	\$ 532



Table Accessories


Model No.	Item Description	Size	Ship Lbs.	List Price
Table Accessories				
1375	Paper Holder	12" x 5" x 31"	3	\$ 104
1376	Platter Holder	30" x 24"	17	\$ 424
1377	Drawer/Hardware	15" x 18"	10	\$ 419
1379	S.S. Backsplash 6" x 6"	36"	14	\$ 235
1380	S.S. Backsplash 6" x 6"	48"	16	\$ 261
1381	S.S. Backsplash 6" x 6"	60"	19	\$ 294
1382	S.S. Backsplash 6" x 6"	72"	22	\$ 327
1383	S.S. Backsplash 6" x 6"	84"	25	\$ 519
1384	S.S. Backsplash 6" x 6"	96"	28	\$ 393
999	(4) Casters, 5" Stem Type For KD Tables		10	\$ 264
#1376 Fits 30" wide tables only. Note: Casters Are Factory Installed Only.				



Model No.	Item Description	Ship Lbs.	List Price
99819	12" x 24" SS Shelf, Posts, & Brackets	17	\$ 764
99820	12" x 24" SS Shelf	11	\$ 519
99653	12" x 36" SS Shelf, Posts & Brackets	25	\$ 949
99654	12" x 36" SS Shelf	16	\$ 738
99821	12" x 48" SS Shelf, Posts & Brackets	34	\$ 980
99822	12" x 48" SS Shelf	22	\$ 777
99823	12" x 60" SS Shelf, Posts & Brackets	43	\$ 1,178
99824	12" x 60" SS Shelf	28	\$ 987
99825	12" x 72" SS Shelf, Posts & Brackets	51	\$ 1,373
99826	12" x 72" SS Shelf	37	\$ 1,183

Model No.	Size D-H-L	Ship Lbs.	List Price
Table Mount Boat Racks			
120T	15" x 21¼" x 36"	16	\$ 497
1371T	15" x 21¼" x 48"	24	\$ 559
1372T	15" x 21¼" x 60"	21	\$ 627
1373T	15" x 21¼" x 72"	22	\$ 775
1374T	15" x 21¼" x 96"	27	\$ 875
1375T	15" x 21¼" x 120"	30	\$ 1,000
Wall Mount Boat Racks			
120W	15" x 21¼" x 36"	11	\$ 403
1371W	15" x 21¼" x 48"	14	\$ 559
1372W	15" x 21¼" x 60"	18	\$ 540
1373W	15" x 21¼" x 72"	19	\$ 728
1374W	15" x 21¼" x 96"	22	\$ 832
1375W	15" x 21¼" x 120"	29	\$ 936
Ceiling Mount Boat Racks — "L" Type			
1373CL	15" x 21¼" x 72"	25	\$ 976
1374CL	15" x 21¼" x 96"	28	\$ 1,646
Ceiling Mount Boat Racks — "T" Type			
1373CT	29" x 21¼" x 72"	36	\$ 1,350
1374CT	29" x 21¼" x 96"	41	\$ 1,646
All Boat Racks Include Mounting Brackets.			

Options:
#1378 Boat Rack Divider.....\$ 57



Cantilever Overshelves



Boat Racks

Wall Mount Boat Rack

- Structural aluminum mesh creates back and base.
- Allows easy cleaning.



Ceiling Mount Boat Rack - "L"

- Structural aluminum mesh with "L" type shelf, vertically adjustable telescoping mount.



Ceiling Mount Boat Rack - "T"

- Structural aluminum mesh with "T" type shelf, vertically adjustable telescoping mount.
- Storage on front and back of unit.



Produce/Stocking Cart



1415



1420



1490

Model No	Size W-H-L	Weight Cap.	No. Casters	Top Shelf Height	Shelf Spacing	Ship Lbs.	List Price
Solid Top Shelf • T-Bar Bottom Shelf							
1415	19" x 30" x 41"	800 lbs.	4	30"	20"	43	\$ 753
Solid Top Shelf • T-Bar Bottom Shelf w/ Handle							
1416	19" x 42" x 48"	800 lbs.	4	30"	20"	46	\$ 786
T-Bar Top & Bottom Shelf w/ Handle							
1420	19" x 42" x 48"	1000 lbs.	4	30"	20"	45	\$ 671
Solid Top & Bottom Shelf w/ Handle							
1490	19" x 39" x 48"	800 lbs.	6	30"	20"	55	\$ 982

Model #1415, #1416 & #1420: Four 5" platform type casters - two swivel (#C450) two rigid (#C460).
Model #1490: Six 5" platform type casters - four swivel (#C450) two rigid (#C460).

Options: *** **FACTORY INSTALLED ONLY** ***
"CL(B)", "PB" — See page 69 for details.

- These all welded units provide maximum strength and durability.
- Raised marine edge on solid shelves contain spills.
- T-Bar type shelves provide air circulation.
- Lifetime Guarantee against rust and corrosion.
- NSF Certified.



Heavy Duty Stock Truck



NS557A

Model No	Size W-H-L	Weight Cap.	Top Shelf Type	Top Shelf Height	Shelf Spacing	Ship Lbs.	List Price
NS557	21" x 44" x 59½"	3000#	Bar	30"	18"	62	\$ 965
Unit With Solid Aluminum Top							
NS557A	21" x 44" x 59½"	3000#	Solid	30"	18"	65	\$1,263

Two tier unit with handle.
Four 6"x 2" platform type casters: two swivel w/ brake (#C495), two rigid (#C500).

Options:
"B", "PB", "VB" -- See page 69 for details.

- For use in any application that requires maximum strength and durability.
- All welded aluminum construction with four, 6" x 2" platform type casters.
- 3000 lbs. Weight capacity.
- Lifetime Guarantee against rust and corrosion.
- NSF Certified.



Wet Produce Cart



Model No	Size W-H-L	Weight Capacity	No. Casters	Top Shelf Height	Shelf Spacing	Ship Lbs.	List Price
Carts w/ Two (2) Removable Pans							
1408	21" x 41" x 48½"	1200 lbs.	6	30"	19¼"	64	\$ 1,173
1410	29" x 41" x 50½"	1000 lbs.	6	30"	19¼"	69	\$ 1,381

Above units come equipped with a full perimeter bumper on the top shelf.
Six 5" platform type casters — four swivel (#C450) two rigid (#C460).

Options:
"CL(B)" — See page 69 for details.
Rear Mount Basket - Add "RMB" suffix to model #.....\$ 195
Paper Towel Bracket - Add "PTB" suffix to model #.....\$ 75

- This Wet Produce Truck helps minimize the mess of transporting produce by retaining moisture and debris.
- With two reinforced removable drip pans, this unit allows you to contain as well as remove unwanted moisture promoting a clean, sanitary area.
- Each removable shelf is reinforced with a heavy-duty, channel-enforced frame supported by four sturdy posts (one located at each corner).
- NSF Certified.



1408 • 1410

Wet Produce Cart



Model No	Size W-H-L	Weight Capacity	No. Casters	Top Shelf Height	Shelf Spacing	Ship Lbs.	List Price
Cart w/ One (1) Removable Pan							
97126	24¾" x 38" x 52"	700 lbs.	4	30"	20"	52	\$ 849

Above unit has removable pan on top shelf w/ heavy duty tubular base.
Four 5" platform type casters — two swivel (#C450) two rigid (#C460).

Options:
"B", "CL(B)", "PB" -- See page 69 for details.
Paper Towel Bracket - Add "PTB" suffix to model #.....\$ 75

- Double-deck cart moves product at a convenient, workable height from the floor.
- Perfect for narrow aisles with a width of 24¾".
- All-welded construction provides for heavy duty stocking and produce operations.
- NSF Certified.



97126



Tubular Deck Cart



95661

Model No	Size W-H-L	Weight Cap.	Top Shelf Height	Shelf Spacing	Ship Lbs.	List Price
95661	19" x 42" x 46"	700 lbs.	30"	20¾"	40	\$ 658

Four 5" platform type casters, two swivel (#C450) two rigid (#C460).

Options:
"CL(B)" — See page 69 for details.

- Double-deck cart moves product at a convenient, workable height from the floor.
- Perfect for narrow aisles with a width of 19".
- All-welded construction provides for heavy duty stocking and produce operations.
- NSF Certified.



Utility Stock Truck



96134BH

Model No	Size W-H-L	Weight Cap.	Top Shelf Height	Shelf Spacing	Ship Lbs.	List Price
96134BH	21" x 41½" x 47"	700 lbs.	30"	20¾"	42	\$ 764

Four 5" platform type swivel casters (#C453).
Top shelf measures 19"W x 40"L without bumpers.
Handle and Corner Bumpers — Standard Equipment.

- Double-deck stock truck moves product at a convenient, workable height from the floor.
- Perfect for narrow aisles with a width of 19".
- All-welded construction provides for heavy duty stocking and produce operations.
- NSF Certified.



Produce Crisping Cart

Model No.	Size W-H-L	Basket Capacity	Runner Spacing	Ship Lbs.	List Price
Stationary Unit- Equipped With Drip Pan & Adjustable Feet					
1315	32½" x 81½" x 26"	8	10¾"	42	\$ 677
Mobile Units — Equipped With Drip Pan					
1316	32½" x 86½" x 26"	8	10¾"	60	\$ 866
95136	32½" x 76" x 26"	7	10¾"	58	\$ 813
Crisping Basket					
0307	26" x 9" x 29"			8	\$ 114

Mobile units are equipped with four 5" platform type casters:
two swivel (#C450), two swivel w/ brake (#C455).

All units accept Nestier, Buckhorn®, and Lewis chill baskets 26" x 29".

- Allows quick, easy access to all crisping baskets.
- Mobile unit can be filled in prep area and rolled into the cooler.
- Lifetime Guarantee against rust and corrosion, superior for coolers and freezers.
- NSF Certified.



1316

Mobile Merchandiser

Model No.	Position	Size L-H-W	Weight Capacity	Ship Lbs.	List Price
1407	Upright / Display	43" x 43½" x 24"	1000 lbs.	45	\$ 921
	Flat / Storage	48" x 19" x 24"			

Four heavy duty Polyurethane type platform casters —
two: 2" x 5" rigid w/ brake (#C464) & two: 1¾" x 5" swivel (#C450).

- Show off your merchandise, not your merchandiser.
- Vertical adjustment from flat, to 30° to 45° degrees providing three different, attractive displays.
- Folds flat and stores upright to save space.
- Use multiple units to create larger displays.
- Has 8 square feet of merchandising area... Takes up 3½ square feet of storage space.
- Lifetime Guarantee against rust and corrosion.



1407

Lug Dollies

BETTER



Model No.	Size W-H-D	Lug Cap.	Ship Lbs.	List Price
Heavy Duty- Accepts 15½" x 8¾" x 25" Lug (Not Included)				
1261	18¾" x 27½" x 21"	2	24	\$ 449
1262	18¾" x 52" x 26½"	4	36	\$ 610
1263	18¾" x 72" x 26½"	6	40	\$ 712
1264	29½" x 62" x 33"	10	48	\$ 876

MODEL #1261 REQUIRES STACKING LUGS
#1261, #1262, & #1263 has four 5" plate type swivel casters (#C450).
#1264 has four 5" platform type casters; two swivel (#C450), two rigid (#C460).

Options:
"CL(B)"(#1261, #1262 & #1263 only) — See page 69 for details.

Standard - Accepts 15½" x 8¾" x 25" Lug (Not Included)				
1265	16¾" x 19" x 26"	1	11	\$ 197
1266	16¾" x 33" x 29¼"	2	18	\$ 319
99304*	15¾" x 41½" x 28"	3	21	\$ 509
1267	Handle for #1265 & #1266 (bolted on)			\$ 86
Standard - With Welded Handle				
1265H	15¾" x 36½" x 28¾"	1	14	\$ 287
1266H	15¾" x 36½" x 30½"	2	17.5	\$ 396

Four 5" stem type casters (#C480).
* Not NSF Approved.
Options:
"CL(A)", "MD" — See page 69 for details.



Lug Dollies

GOOD



Model No.	Lug Cap.	Size W-H-D	Ship Lbs.	List Price
6265	1	16¾" x 19" x 26"	10	\$ 173
6266	2	16¾" x 33" x 29¼"	16	\$ 248
97205*	3	18¾" x 42" x 26"	23	\$ 343
6262	4	18¾" x 51" x 26"	25	\$ 458
97253*	5	18¾" x 61" x 26"	28	\$ 466
6263	6	18¾" x 71" x 26"	31	\$ 466

Four 5" swivel type stem casters (#C480) - No brakes.
* Not NSF Approved.
Options:
"CL(A)" — See page 69 for details.

- Accepts standard lugs (15½"W x 8¾"H x 25"L).
- Ideal for bulk food transporting.
- NSF Certified.



Bulk Cart • Frame & Tubs

Model No.		Size W-H-D	Ship Lbs.	Price
***** All Items Are Sold Separately *****				
a. 2½ Bushel • 16.5 Gallon				
99521	Dolly	20¼" x 33" x 26¼"	26	\$ 471
0300	Tub	19¼" x 13¾" x 26"	8	\$ 218
b. 4 Bushel • 30 Gallon				
99271	Dolly	21" x 28¼" x 30¼"	22	\$ 417
0381	Tub	21¼" x 15¾" x 32¾"	12	\$ 375
0381L	Lid	22½" x 2" x 34"	9	\$ 183
c. 6 Bushel • 41 Gallon				
99272	Dolly	22" x 25" x 29"	22	\$ 437
0363	Tub	23¼" x 20" x 32¼"	17	\$ 445
0363L	Lid	24¼" x 2" x 33½"	6	\$ 204
d. 8 Bushel • 57 Gallon				
99273	Dolly	23¼" x 24" x 34½"	23	\$ 443
0360	Tub	24½" x 23" x 36¼"	23	\$ 525
0360L	Lid	25" x 2½" x 37½"	12.5	\$ 259
e. 9 Bushel • 66 Gallon				
99274	Dolly	27½" x 25" x 38¼"	26	\$ 470
0382	Tub	29½" x 19" x 41½"	27	\$ 557
0382L	Lid	29½" x 2½" x 41½"	10	\$ 245


Four 5" stem type casters (#C482).
All carts with tubs are 36½" high.
Options:
"CL(A)" — See page 69 for details.



- The perfect "bulk" cart for every department.
- All welded construction.
- Lifetime Guarantee against rust and corrosion.



Mega Movers



Tub and Base are not joined for easy cleaning.

- Aluminum Base
- Lifetime Guarantee against rust and corrosion.
 - Six wheel design allows for zero turning radius.
 - 1500 lb. Weight Capacity

- FDA Tubs
- FDA Compliant tubs.
 - Heavy wall in "all natural white" color.
 - Seamless molded Polyethylene body.
 - Smooth finish with rounded corners.



Model No.		Size W-H-L	Ship Lbs.	List Price
***** All Items Are Sold Separately *****				
f. 14 Bushel • 17 Cubic Feet • 115 Gallon				
51619	Dolly	24½" x 8" x 36½"	30	\$ 631
0814	Tub	32" x 27½" x 44"	35	\$ 692
(Tub on Doll 35¾"H)				
g. 16 Bushel • 18.6 Cubic Feet • 135 Gallon				
51620	Dolly	24½" x 9" x 36½"	30	\$ 635
0816	Tub	32" x 30" x 44"	38	\$ 738
(Tub on Dolly 36¾"H)				
h. 18 Bushel • 24 Cubic Feet • 155 Gallon				
51621	Dolly	26½" x 9" x 38¾"	31	\$ 641
0818	Tub	34" x 30" x 46"	41	\$ 832
(Tub on Dolly 38¼"H)				
i. 20 Bushel • 25.6 Cubic Feet • 170 Gallon				
51622	Dolly	28½" x 9" x 44½"	33	\$ 647
0820	Tub	36" x 31" x 52"	46	\$ 889
(Tub on Dolly 39¾"H)				

Six 5" plate type casters; four swivel (C450), two rigid (C463).



Universal Lug Dolly



1279

1277

Model No.	Size W-H-D	Lug Capacity	Between Shelf Space	Ship Lbs.	List Price
1276	18½" x 36" x 26"	3	10"	26	\$ 495
1277	18½" x 47" x 26"	4	10"	30	\$ 537
1279	18½" x 68" x 26"	6	10"	35	\$ 567

Four 5" stem type casters (#C480).

Options:
"CL(A)" — See page 69 for details.

- Designed to hold lugs by the bottom, not the lip allowing the storage of various sizes of lugs.
- Lifetime Guarantee against rust and corrosion.
- NSF Certified.



Lug Storage Dolly & Lugs



99251



RGY16825



0361

Model No.	Size W-H-D	With Handle	Ship Lbs.	List Price
99251	17" x 6" x 26"	No	13	\$ 197

Four 3" x 1¾" platform type swivel casters (#C410).

Model No.	Size W-H-L	Color	Ship Lbs.	List Price
RGY16825	15½" x 8¾" x 25"	gray	4	\$ 53
0361	Lid For #RGY16825	gray	1	\$ 48

Food Approved Molded Poly • Formed Cross-Stacking Bottom

Universal Cart



1357

Model No.	Size W-H-D	No. Shelves	Between Shelf Space	Ship Lbs.	List Price
1356	20⅞" x 67" x 27"	6	10½"	47	\$ 764
1357 *	28½" x 69" x 32"	7	9"	60	\$1,246
1358 **	20⅞" x 67" x 27"	8	7¼"	46	\$ 892

Four 5" platform type casters (#C450).

* Model #1357 is a double capacity unit.

** Model #1358 will not accept lugs.

Options:
"B", "CL(B)", "MD", "PB", "VB" — see page 69 for details.

- Ideal multipurpose rack for all departments.
- Accepts many sizes of platters, pans, boxes and lugs.
- All welded construction with 5" platform type casters.
- Lifetime Guarantee against rust and corrosion.
- NSF Certified.



Universal Cart



1356M

Model No.	Size W-H-L	Pan Cap.	Runner Spacing	Ship Lbs.	List Price
For Platters, Pans, or Boxes Up To 18"W x 26"L					
1356M	20⅞" x 67" x 27"	6	10½"	45	\$ 622

Four 5" stem type swivel casters (#C480).

Options:
"CL(A)", "VB" — see page 69 for details.

- Ideal for transporting various sized platters, trays, boxes, and lugs.
- Heavy duty extruded oval tubing shelves provide easy product access and selection.
- NSF Certified.



Platter Rack • Angle Guide

BETTER



Model No	Size W-H-D	Platter Cap.	Platter Size	Runner Spacing	Ship Lbs.	List Price
Single						
Designed for 10" x 30" Platters						
1340	13" x 39" x 30"	6	10" x 30"	5"	23	\$ 581
1343	13" x 69" x 30"	10	10" x 30"	6"	32	\$ 572
1345	13" x 69" x 30"	12	10" x 30"	5"	35	\$ 585
Designed for 12" x 30" Platters						
1346	15¼" x 39" x 30"	6	12" x 30"	5"	24	\$ 493
1348	15¼" x 69" x 30"	10	12" x 30"	6"	43	\$ 542
1347	15¼" x 69" x 30"	12	12" x 30"	5"	43	\$ 585
Four 5" stem type casters (#C480) — "Single" units listed above.						
Double						
1349	25½" x 71½" x 30"	18	10" x 30"	7½"	70	\$ 1,111
1350	29½" x 71½" x 30"	18	12" x 30"	7½"	71	\$ 1,111
Four 5" platform type swivel casters (#C450) — "Double" units listed above.						

Options:
Single: "CL(A)", "MD", "PS", "VB" — see page 69 for details.
Double: "B", "CL(B)", "MD", "PS" (requires two), "VB" — see page 69 for details.



Platter Rack • Angle Guide

GOOD



Model No.	Size W-H-D	Platter Size	Platter Cap.	Runner Spacing	Ship Lbs.	List Price
6345	13" x 69" x 30"	10" x 30"	12	5"	34	\$ 463
6348	15¼" x 69" x 30"	12" x 30"	10	6"	33	\$ 463
6347	15¼" x 69" x 30"	12" x 30"	12	5"	36	\$ 463

Options:
"CL(A)", "PS", "VB" — See page 69 for details.

- Ideal for platter transport to and from the meat department.
- Heavy duty extruded angles provide easy product access and selection.
- Approved for use in freezers, coolers, as well as packaging and storage areas.



Heavy Duty Platter Rack

Model No	Size W-H-D	Platter Cap.	Platter Size	Runner Spacing	Ship Lbs.	List Price
1161	15¾" x 39½" x 26½"	6	12" x 26"	5"	30	\$ 653
1162	21" x 39½" x 26½"	6	18" x 26"	5"	30	\$ 630
1163	15¾" x 69½" x 26½"	12	12" x 26"	5"	42	\$ 746
1164	21" x 69½" x 26½"	12	18" x 26"	5"	52	\$ 746

Options:
"B", "CL(B)", "M6", "MD", "PB" - See page 69 for details.



Universal Platter Rack

BETTER

Model No.	Size W-H-D	No. Shelves	Between Shelf Space	Ship Lbs.	List Price
Accepts 10" x 30" or 12" x 30" Platters					
1354	16" x 42" x 32½"	5	7¼"	37	\$ 603
1355	16" x 67" x 32½"	8	7¼"	51	\$ 731

Options:
"B", "CL(B)", "MD", "PB", "VB" - See page 69 for details.



Universal Platter Rack

GOOD

Model No.	Size W-H-D	No. Shelves	Shelf Spacing	Ship Lbs.	List Price
For 10" - 12" Platters Up To 30" In Length					
6354	15½" x 42" x 32"	5	7¼"	34	\$ 563
1355M	15½" x 67" x 32"	8	7¼"	45	\$ 669

Options:
"CL(A)", "VB" - See page 69 for details.




Bulk Delivery Truck



Model No.	Size W-H-L	Position	Weight Cap.	Ship Lbs.	List Price
BDT18568	18" x 63" x 61"	Unfolded	1200 lbs.	104	\$ 1,549
	18" x 17" x 61"	Folded			
Casters= six 8" x 2" casters; four swivel (#C526), two rigid (#C527).					
BDT18566	18" x 61" x 61"	Unfolded	1200 lbs.	96	\$ 1,480
	18" x 15" x 61"	Folded			
Casters= six 6" x 2" casters; four swivel (#C5513), two rigid (#C514).					

Options:
Removable Handle — Add "R" suffix to model #. \$ 14
Dual Brake System — Add "B" suffix to model #. \$ 137
For Center Rigid Wheels **** New Carts Only - Not for Retro-Fit ****



- Big enough to transport enough product to stock a complete area, this folding delivery truck allows quick, convenient stocking.
- Vertical cart storage allows 100% accessibility for your next delivery.
- Maneuverable —zero turning —easier for narrow aisles and coolers.
- Solid integrated deck.
- Center rigid casters allow for zero turning radius.
- Lifetime Guarantee against rust and corrosion.



Custom Products Designed By YOU...
Delivered By NEW AGE INDUSTRIAL

Need a custom cart? Whether you need a specialized breakfast delivery cart for your school meal plan, or you just need a rack with different runner spacing — New Age can easily take your ideas and turn them into a solution for your application. Contact us to find out how easy it is.



98222



99135



50802

Folding Utility Cart



96856

Model No	Size Unfolded	Size Folded	Weight Capacity	Ship Lbs.	List Price
96856	16" x 64" x 64¾"	16" x 14" x 64¾"	1500 lbs.	76	\$1,041

Four 5" x 1¼" polyurethane, platform type swivel casters (#C450) and two 6" x 2" polyurethane, platform type rigid casters (#C518).

Options: * Factory Installed Only*****
"E" - See page 69 for details

- **Effortless Stocking Capability**
 - Ideal for transporting heavy loads from the back room to the floor area or cooler.
 - big enough to stock a complete area with one trip!
- **Completely Portable** - Six wheel design allows the unit to turn on a dime.
- **Guaranteed Maintenance Free**
 - **Lifetime Guarantee** against rust and corrosion.
 - **Five-Year Construction Guarantee.**
- **Maximum Storage Space**
 - Stores upright (on-end) to maximize available storage space.



Model No.	Size W-H-L	Deck Height	No. Casters	Ship Lbs.	List Price
95370	20" x 52¾" x 55¼"	9"	6	53	\$ 963
95241	18" x 63" x 62"	9½"	6	54	\$ 894

Six casters - four 5" swivel (#C450) and two 2" x 6" rigid (#C518).

- Folds up for easy storage.
- Has 7½ square feet of deck space... Takes up less than 2 square feet of storage space.
- 1200# Weight Capacity.
- For transporting heavy loads from the backroom to the floor.
- Lifetime Guarantee against rust and corrosion, superior for coolers & freezers.



95370

95241

Low Boy Stock Cart

Model No.	Size W-H-L	Weight Capacity	Deck Height	No. Casters	Ship Lbs.	List Price
1183	16" x 41" x 54"	1000#	9½"	6	40.5	\$ 731
1184	14" x 40" x 39"	1000#	7¾"	4	23	\$ 545

Model #1183: four 5" swivel (#C450) two 6" rigid (#C518) platform type casters.
Model #1184: two 5" swivel (#C450) two rigid (#C460) platform type casters.
EACH UNIT HAS A REMOVABLE HANDLE.

- Designed for transporting heavy loads from the backroom to the floor.
- Rounded front helps protect walls and displays.
- Lifetime Guarantee against rust and corrosion, superior for coolers & freezers.
- NSF Certified.



1184

1183



U-Boat



Model No	Size W-H-L	Weight Cap.	Ship Lbs.	List Price
U-Boats				
95762	18" x 52¼" x 60"	1500 lbs.	51	\$ 877
96055	20" x 52¼" x 60"	1500 lbs.	59	\$ 924
Units equipped with four, 5" x 1¼" polyurethane, platform type swivel "end" casters (#C450) and two, 6" x 2" polyurethane, platform type rigid "center" casters (#C518).				
Removable Shelves For U-Boats - Listed Above				
95762RS	For #95762		13	\$ 307
96055RS	For #96055		15	\$ 288
Removable shelves are reinforced with a solid cover.				

Options:
"E" - See page 69 for details



Boxed Beef Truck



Model No	Size D-H-L	No. Of Shelves	Shelf Spacing	Ship Lbs.	List Price
1151	27" x 71" x 63"	2	29"	118	\$ 1,380
1152	27" x 71" x 63"	3	top= 28" bottom = 29"	123	\$ 1,549

Four 6" platform type casters: two swivel w/ brake (#C511) and two rigid (#C518).
Options:
"B", "PB", "&" "VB" — see page 69 for details.

- Use in coolers, freezers, and dry storage.
- Transport heavy loads up to 2600#.
- Heavy Duty 6" platform type casters.
- All welded, heavy duty aluminum construction.
- Lifetime Guarantee against rust and corrosion.
- NSF Certified.



Uni-T Truck



Model No	Size D-H-L	Wheel Size	Shelf Spacing	Ship Lbs.	List Price
1430	24" x 68" x 58"	6"	38¼"	92	\$ 1,252
1431	24" x 70" x 58"	8"	38¼"	114	\$ 1,420

Model #1430: Four 6" x 2" casters, two swivel (#C490), two rigid (#C500).
Model #1431: Four 8" x 2" casters, two swivel (#C526), two rigid (#C527).
Options:
"B", #1430=CL(C), #1431=CL(E) "PB", & "VB" -- see page 69.

- Use in coolers, freezers, and dry storage.
- Transport heavy loads up to 2000#.
- All welded, heavy duty aluminum construction.
- Lifetime Guarantee against rust and corrosion.
- NSF Certified.



Aluminum Platform Truck

Model No.	Size W-H-L	Deck Size	Weight Capacity	Ship Lbs.	List Price
Platform Truck With Smooth Deck					
PT2436S6	24" x 41" x 39"	24" x 36"	2600 lbs.	54	\$ 1,205
PT2448S6	24" x 41" x 51"	24" x 48"	2600 lbs.	58	\$ 1,320
PT3048S6	30" x 41" x 51"	30" x 48"	2600 lbs.	65	\$ 1,428
PT3060S6	30" x 41" x 63"	30" x 60"	2600 lbs.	75	\$ 1,571
PT3660S6	36" x 41" x 63"	36" x 60"	2600 lbs.	89	\$ 1,878
PT3672S6	36" x 41" x 75"	36" x 72"	2600 lbs.	93	\$ 1,988
Platform Truck With Tread Plate Deck					
PT2436P6	24" x 41" x 39"	24" x 36"	2600 lbs.	56	\$ 1,307
PT2448P6	24" x 41" x 51"	24" x 48"	2600 lbs.	60	\$ 1,348
PT3048P6	30" x 41" x 51"	30" x 48"	2600 lbs.	67	\$ 1,516
PT3060P6	30" x 41" x 63"	30" x 60"	2600 lbs.	78	\$ 1,589
PT3660P6	36" x 41" x 63"	36" x 60"	2600 lbs.	89	\$ 1,878
PT3672P6	36" x 41" x 75"	36" x 72"	2600 lbs.	95	\$ 1,935

Four 6"x2" heavy duty polyurethane tread plate casters - 2 swivel (#C510), 2 rigid (#C518).
Equipped with (1) handle, optional extra/replacement handles sold below.

Options:
"CL(C)", "PB", "PP(C)" — see page 69 for details.

Caster Upgrade -- Replace last digit of model # with "8" \$ 51
Consists of four 8" x 2" heavy duty polyurethane tread plate casters — 2 swivel (#C526), 2 rigid (#C527).
Options: "CL(E)" — see page 69 for details.

Extra Handle					
60328	For 24" Wide Units		11	\$	124
60329	For 30" Wide Units		11.5	\$	124
60330	For 36" Wide Units		13	\$	124

Options:
Extra Handle Welded in Place -- Add "PP" suffix to model #.



Smooth Deck



Tread Plate Deck
(shown with caster upgrade)

Mat Cart

Model No.	Size W-H-D	Weight Capacity	Ship Lbs.	List Price
All Welded				
99360	41½" x 40" x 27½"	500 lbs.	40	\$ 998
Four 5" plate type swivel casters two (#C450), two with brake (#C455).				
Knocked Down				
51087	24" x 451/4" x 36"	500 lbs.	37	\$ 1,014
Four 5" plate type casters , swivel with brake (#C455).				

- Labor saving mobile mat carts keep mats off of the floor for easy, efficient cleaning.
- Hooks secure perforated mats for storage and cleaning.
- Center horizontal bars hold solid mats. (all welded unit only)
- Open design allows use of waste container. (K.D. model only)
- Ideal for power washing mats on the cart.
- Lifetime Guarantee against rust and corrosion.



99360



51087



Picking Cart



Model No	Size W-H-L	Wt. Cap.	No. Casters	Top Shelf Height	Shelf Spacing	Ship Lbs.	List Price
Solid Top Shelf • T-Bar Bottom Shelf							
1415	19" x 30" x 41"	800 lbs.	4	30"	20"	43	\$ 753
Solid Top Shelf • T-Bar Bottom Shelf w/ Handle							
1416	19" x 42" x 48"	800 lbs.	4	30"	20"	46	\$ 786
T-Bar Top & Bottom Shelf w/ Handle							
1420	19" x 42" x 48"	1000 lbs.	4	30"	20"	45	\$ 671
Solid Top & Bottom Shelf w/ Handle							
1490	19" x 39" x 48"	800 lbs.	6	30"	20"	55	\$ 982
Solid Top & Bottom Shelf w/ Handle -- "Floral Cart" - Not NSF Approved							
NS765	18½" x 32" x 45"	500 lbs.	6	32"	22½"	43	\$ 929

Model #1415, #1416 & #1420: Four 5" platform type casters - two swivel (#C450) two rigid (#C460).
Model #1490: Six 5" platform type casters - four swivel (#C450) two rigid (#C460).
Model #NS765: Four 5" platform type swivel casters (#C453).

Options: *** **FACTORY INSTALLED ONLY** ***
"CL(B)", "PB" — See page 69 for details.

- These all welded units provide maximum strength and durability.
- Raised marine edge on solid shelves contain spills.
- T-Bar type shelves provide air circulation.
- Lifetime Guarantee against rust and corrosion.
- NSF Certified. (Excluding model #NS765)



Spill Containing Shelves

Equipment Stand



24ESS29US

Model No.	Size W-H-D	Top Style	Ship Lbs.	List Price
24ESS29	24" x 24" x 29"	Stainless	31	\$ 804
24ESA29	24" x 24" x 29"	Aluminum	22.5	\$ 655

Units equipped with NSF Certified adjustable feet.

Options:
Aluminum Undershelf - Add "US" suffix to model #\$ 108
Casters - Add suffix "999" to model #.....\$ 264
- All swivel with brake (#C447). • Height with casters = 24".
** Casters Are Factory Installed Only **



Modular Aluminum Equipment Stand



12436GSCUSR

12448GSC

21524ES24P • 21524ES24PC

Model No.	Size D-H-L	Ship Lbs.	List Price
Stationary Units - Aluminum Top			
12436GS	24" x 24" x 36"	27.5	\$ 738
12448GS	24" x 24" x 48"	32	\$ 781
12460GS	24" x 24" x 60"	37	\$ 874
12472GS	24" x 24" x 72"	45	\$ 1,306
13036GS	30" x 24" x 36"	31	\$ 827
13048GS	30" x 24" x 48"	37	\$ 856
13060GS	30" x 24" x 60"	50	\$ 999
13072GS	30" x 24" x 72"	55	\$ 1,096
Stationary Unit w/ Aluminum Top & Undershelf			
12436GSU	24" x 24" x 36"	37	\$ 918
12448GSU	24" x 24" x 48"	45	\$ 1,002
12460GSU	24" x 24" x 60"	51.5	\$ 1,077
12472GSU	24" x 24" x 72"	55	\$ 1,758
13036GSU	30" x 24" x 36"	43	\$ 1,029
13048GSU	30" x 24" x 48"	47	\$ 1,099
13060GSU	30" x 24" x 60"	62	\$ 1,262
13072GSU	30" x 24" x 72"	66	\$ 1,426
Mobile Unit - Aluminum Top			
12436GSC	24" x 24" x 36"	38	\$ 903
12448GSC	24" x 24" x 48"	40	\$ 1,005
12460GSC	24" x 24" x 60"	47	\$ 1,092
12472GSC	24" x 24" x 72"	52	\$ 1,403
13036GSC	30" x 24" x 36"	41	\$ 975
13048GSC	30" x 24" x 48"	50	\$ 1,052
13060GSC	30" x 24" x 60"	52	\$ 1,126
13072GSC	30" x 24" x 72"	59	\$ 1,324
Four 5" Stem Casters (#C440).			
Mobile Unit w/ Aluminum Top & Undershelf			
12436GSCU	24" x 24" x 36"	44	\$ 1,040
12448GSCU	24" x 24" x 48"	51	\$ 1,138
12460GSCU	24" x 24" x 60"	57	\$ 1,219
12472GSCU	24" x 24" x 72"	70	\$ 1,739
13036GSCU	30" x 24" x 36"	51	\$ 1,122
13048GSCU	30" x 24" x 48"	57	\$ 1,241
13060GSCU	30" x 24" x 60"	71	\$ 1,336
13072GSCU	30" x 24" x 72"	82	\$ 1,486

Four 5" Stem Casters (#C440).
Weight Capacity = 1000#

Options:
Sandwich Rail - Add "SR" suffix to model #.
36" long\$ 364
48" long\$ 424
60" long\$ 610
72" long\$ 677

Note: Must use same length sandwich rail as Equipment Stand.


Other options available - Contact factory for quote.



Model No.	Size D-H-L	Ship Lbs	List Price
Adjustable Aluminum Solid Shelves (2) - 400# capacity per shelf			
21524ES24P	15" x 24" x 24"	15	\$ 456
21530ES24P	15" x 24" x 30"	22	\$ 487
21536ES24P	15" x 24" x 36"	19	\$ 501
21542ES24P	15" x 24" x 42"	20	\$ 528
21548ES24P	15" x 24" x 48"	23	\$ 516
21824ES24P	18" x 24" x 24"	17	\$ 445
21830ES24P	18" x 24" x 30"	19.5	\$ 472
21836ES24P	18" x 24" x 36"	22	\$ 433
21842ES24P	18" x 24" x 42"	23.5	\$ 521
21848ES24P	18" x 24" x 48"	27.5	\$ 457
22024ES24P	20" x 24" x 24"	20	\$ 487
22030ES24P	20" x 24" x 30"	22	\$ 495
22036ES24P	20" x 24" x 36"	25.5	\$ 454
22042ES24P	20" x 24" x 42"	25.5	\$ 517
22048ES24P	20" x 24" x 48"	31	\$ 477
21524ES30P	15" x 30" x 24"	17	\$ 464
21530ES30P	15" x 30" x 30"	19	\$ 495
21536ES30P	15" x 30" x 36"	20	\$ 531
21542ES30P	15" x 30" x 42"	21	\$ 558
21548ES30P	15" x 30" x 48"	24	\$ 571
21824ES30P	18" x 30" x 24"	18	\$ 431
21830ES30P	18" x 30" x 30"	20.5	\$ 499
21836ES30P	18" x 30" x 36"	22.5	\$ 463
21842ES30P	18" x 30" x 42"	24.5	\$ 550
21848ES30P	18" x 30" x 48"	28.5	\$ 512
22024ES30P	20" x 30" x 24"	21	\$ 517
22030ES30P	20" x 30" x 30"	23	\$ 523
22036ES30P	20" x 30" x 36"	24.5	\$ 480
22042ES30P	20" x 30" x 42"	26	\$ 547
22048ES30P	20" x 30" x 48"	28.5	\$ 507
21524ES36P	15" x 36" x 24"	17	\$ 453
21530ES36P	15" x 36" x 30"	20	\$ 484
21536ES36P	15" x 36" x 36"	21	\$ 519
21542ES36P	15" x 36" x 42"	22.5	\$ 547
21548ES36P	15" x 36" x 48"	25	\$ 560
21824ES36P	18" x 36" x 24"	19	\$ 440
21830ES36P	18" x 36" x 30"	22	\$ 487
21836ES36P	18" x 36" x 36"	24.5	\$ 452
21842ES36P	18" x 36" x 42"	25.5	\$ 539
21848ES36P	18" x 36" x 48"	29.5	\$ 501
22024ES36P	20" x 36" x 24"	22	\$ 506
22030ES36P	20" x 36" x 30"	24	\$ 515
22036ES36P	20" x 36" x 36"	25	\$ 469
22042ES36P	20" x 36" x 42"	27	\$ 536
22048ES36P	20" x 36" x 48"	33	\$ 495

Options:
Casters (4): Add "C" suffix to model #.\$ 210
Swivel Stem Casters w/ brakes (#C440).
Note: This option adds 6" to the overall height of the unit.



“B” - Corner Bumpers (4) • Add “B” suffix to the model #.....\$ 86		
Non-marking gray rubber, mounted to the corners of the unit's base. Note: This option adds 2" to the width and depth of the unit . Corner bumpers available on full frame units only. Check specific model options for availability.		
“CL” - Caster Locks (2)		
(A) 5" stem caster 7/16" dia. — Add “CL” suffix to the model #.....\$ 10 (B) 5" platform caster — Add “CL” suffix to the model #.\$ 12 (C) 6" platform caster — Add “CL” suffix to the model #.\$ 34 (D) 6" platform K-Urethane caster — Add “CL” suffix to the model #.\$ 59 (E) 8" platform caster — Add “CL” suffix to the model #.....\$ 98		
“E” - Solid Base • Add “E” suffix to the model #.....\$ 191		
Solid aluminum sheet welded to the top of the unit's base. MUST be factory installed.		
“M6” - Caster Upgrade • Add “M6” suffix to the model #.\$ 308		
Upgrade from 5" platform type casters to 6" platform type casters. May change height of racks.		
“MD”- Medical Caster Upgrade • Add “MD” suffix to the model #.\$ 253		
Upgrade to 5" medical grade casters. *** Caster upgrades are not available for all products. ***		
“PB” - Perimeter Bumpers • Add “PB” suffix to the model #.\$ 251		
Non-marking gray rubber strip, usually affixed around the unit's base. Note: This option adds 2" to the width and depth of the unit. MUST be factory installed.		
“PP” - Prison Package		
(A) Tamper Resistant Screws — Add “PP” suffix to the model #.\$ 65 (B) Tamper Resistant Screws, Welded Hinges, Extra Interior Bracing (<i>reduces pan capacity</i>), 6" Caster Upgrade, Padlock Holes in Door — Add “PP” suffix to the model #.\$ 325 (C) Tamper Resistant Screws / All Welded Handle — Add “PP” suffix to the model #.\$ 137		
“PS” - Pan Stop • Add “PS” suffix to the model #.....\$ 52		
Aluminum strap welded to the rear of the unit — Prevents pans from pushing off the back of the unit. MUST be factory installed.		
“VB” - Vertical Bumpers (4) • Add “VB” suffix to the model #.....\$ 146		
Non-marking black rubber strips, usually 8" long, mounted near the bottom of the unit's uprights. Note: This option adds 1" to the width and depth of the unit.		
#1359 - Rack Cover (Clear, 12 mil.) • 23"W x 64"H x 28"D\$ 240		
Universal End-Load/Side-Load Rack Cover. Clear for product visibility. Three full zippers.		

Model No.	Caster		Wheel Material	Max. Temp	Weight Cap. (lbs.)	Stem Dia. or Hole Pattern	List Price
	Size	Type Description					
C405	3" x 7/16"	Stem Swivel	Polyurethane Wheel	180°	125	7/16" Stem	\$ 25
C410	3" x 13/8"	Plate Swivel	Polyolefin Wheel	140°	200	13/4" x 3"	\$ 47
C418	6" x 2"	Plate Swivel	K-Urethane Wheel	180°	700	3" x 3"	\$ 189
C421	8" x 2"	Plate Swivel w/ brake	Polyolefin Hub, Polyurethane Tread	185°	900	3" x 3"	\$ 142
C430	4" x 1 1/2"	Plate Swivel	Hi-temp Wheel (above 400°)	550° intermittent 425° continuous	400	1 3/4" x 3"	\$ 66
C440	5" x 1 3/8"	Stem Swivel w/ brake	Polyolefin Wheel	140°	300	1" Stem	\$ 57
C445	5" x 1 3/8"	Stem Swivel	Polyolefin Wheel	140°	300	1" Stem	\$ 50
C447	5" x 1 3/8"	Stem Swivel w/ brake	Polyolefin Wheel	140°	200	1/2" Stem	\$ 76
C450	5" x 1 3/8"	Plate Swivel	Polyolefin Hub, Polyurethane Tread	180°	250	1 3/4" x 3"	\$ 52
C453	5" x 1 1/4"	Plate Swivel	Polyolefin Hub, Polyurethane Tread	140°	225	1 3/4" x 3"	\$ 48
C455	5" x 1 3/8"	Plate Swivel w/ brake	Polyolefin Hub, Polyurethane Tread	180°	250	1 3/4" x 3"	\$ 63
C460	5" x 1 3/8"	Plate Rigid	Polyolefin Hub, Polyurethane Tread	180°	250	1 3/4" x 3"	\$ 57
C461	5" x 2"	Plate Swivel	Polyolefin Hub, Polyurethane Tread	140°	800	3" x 3"	\$ 96
C464	5" x 2"	Plate Rigid w/ brake	Polyolefin Hub, TPR Tread	120°	350	3" x 3"	\$ 106
C480	5" x 1"	Stem Swivel	Polyolefin Wheel	130°	135	7/16" Stem	\$ 39
C482	5" x 1 3/8"	Stem Swivel	Polyolefin Hub, Polyurethane Tread	180°	250	7/16" Stem	\$ 50
C483	5" x 1 3/8"	Stem Swivel w/ brake	Polyolefin Hub, Polyurethane Tread	180°	250	7/16" Stem	\$ 57
C485	5" x 1"	Stem Swivel w/ brake	Polyolefin Wheel	130°	135	7/16" Stem	\$ 44
C490	6" x 2"	Plate Swivel	Polyolefin Wheel	190°	700	3" x 3"	\$ 107
C495	6" x 2"	Plate Swivel w/ brake	Polyolefin Wheel	190°	700	3" x 3"	\$ 113
C500	6" x 2"	Plate Rigid	Polyolefin Wheel	190°	700	3" x 3"	\$ 77
C510	6" x 2"	Plate Swivel	Polyolefin Hub, Polyurethane Tread	140°	700	3" x 3"	\$ 96
C511	6" x 2"	Plate Swivel w/ brake	Polyolefin Hub, Polyurethane Tread	140°	700	3" x 3"	\$ 136
C513	6" x 2"	Plate Swivel	TPR "Softie" A70	150°	800	3" x 3"	\$ 111
C514	6" x 2"	Plate Rigid	TPR "Softie" A70	150°	800	3" x 3"	\$ 105
C517	6" x 2"	Plate Swivel w/ brake	TPR "Softie" A70	150°	800	3" x 3"	\$ 123
C518	6" x 2"	Plate Rigid	Polyolefin Hub, Polyurethane Tread	140°	700	3" x 3"	\$ 79
C526	8" x 2"	Plate Swivel	Polyolefin Hub, Polyurethane Tread	185°	900	3" x 3"	\$ 133
C527	8" x 2"	Plate Rigid	Polyolefin Hub, Polyurethane Tread	185°	800	3" x 3"	\$ 111
548	8" x 2"	Plate Rigid	Metal Hub, Carefree	140°	300	3" x 3"	\$ 204
C557	5" x 1 1/4"	Stem Swivel	TPR Wheel, Synthetic Rig	150°	250	7/16" Stem	\$ 79
C557B	5" x 1 1/4"	Stem Swivel w/brake	TPR Wheel, Synthetic Rig	150°	250	7/16" Stem	\$ 83
C558	5" x 1 1/4"	Plate Swivel	TPR Wheel, Synthetic Rig	150°	250	1 3/4" x 3"	\$ 96
C558B	5" x 1 1/4"	Plate Swivel w/brake	TPR Wheel, Synthetic Rig	150°	250	1 3/4" x 3"	\$ 108
C559	10" x 3 1/2"	Axle Flat Free	Steel Hub, Non-scuff Polyurethane	N/A	400	5/8" DIA	\$ 184
C560	10" x 3 1/2"	Axle Pneumatic	Steel Hub / 4-ply Rubber	N/A	400	5/8" DIA	\$ 127
C566	5" x 1 3/8"	Plate Total Lock	Polyurethane Wheel	160°	300	1 3/4" x 3"	\$ 69



Ordering Information

Prices: Prices in this Price List are effective January 1, 2019. For additional product information please visit our website at www.NewAgeIndustrial.com, AutoQuotes®, or contact the factory. Specifications and prices are subject to change without prior notice.

Quotations: Quotations are valid for 45 days from the date of the quotation. Changes in raw materials or economic factors are beyond our control. New Age reserves the right to increase prices with 30 days notice or at the time of the order confirmation.

Cancellations: Cancelled orders within two weeks of scheduled shipment are subject to a cancellation charge of 25% of the total purchase order.

Terms of Payment: Payment in full 30 days after shipment or C.O.D. at the discretion of New Age Industrial's Credit Department. If you are a new customer and are not listed in Dun & Bradstreet, please give us the name and address of three credit references and your bank, unless you prefer C.O.D. terms. We also accept Visa, Master Card, and American Express payments.

Past due accounts are subject to 1.5% interest per month.

Damaged or Lost Goods: It is the responsibility of the consignee's receiving agent to inspect equipment upon delivery. If you see your shipment is incomplete or damaged when you receive it make a notation on the freight bill — If the freight company will not allow you to do so, refuse shipment. If the damage is concealed, you must notify New Age within 15 days (including the day of delivery plus weekends and holidays). New Age will handle all claim paperwork for the customer.

Returns: Returned merchandise must be pre-approved with a RMA number assigned by New Age and noted on both the shipping label and bill of lading. Merchandise is to be returned with transportation charges prepaid and is subject to a 20% handling and inspection charge. **New Age reserves the right to refuse the return of any piece of equipment.**

Acceptance: Possession of Price List does not constitute an offer to sell. Orders are subject to acceptance by New Age Industrial.

Custom Equipment: All equipment not listed in this Price List shall be considered "custom". **POSITIVELY NO RETURNS will be accepted on "custom" built equipment.**

NSF: New Age Industrial Corp., Inc. food service products are manufactured and designed with high sanitary standards and most are listed by NSF International. For specific items, please refer to the latest NSF food service listing.

Safety: For the most current safety information, see www.NewAgeIndustrial.com or call 800-255-0104.



Guarantee

New Age Industrial Corporation, Inc. guarantees that the products listed in their most recent price list (casters, wheels, and other fastening devices excluded) will not rust or corrode for the period of time the original purchaser owns it, provided the products are used within the listed restrictions.

LIFETIME
Construction Guarantee

The Lifetime Series, "Adjust-A-Shelf" Shelving and "Quick Change" Cantilever Shelving products are guaranteed for the LIFETIME of the original purchaser. They will be free from defects in material and workmanship and will not rust or corrode if used within the listed restrictions.

5 YEAR
Construction Guarantee

New Age Industrial Corporation, Inc. guarantees the original owner that its products will be free from defects in material and workmanship (when properly installed) for FIVE YEARS, provided the product has been used within the listed restrictions.

1 YEAR
Construction Guarantee

New Age Industrial Corporation, Inc. guarantees the original owner that its products will be free from defects in material and workmanship (when properly installed) for ONE YEAR, provided the product has been used within the listed restrictions.

Restrictions

1. Your New Age product must be used solely for its intended purpose. Abuse of, misuse of, changes to, alteration of, or improper maintenance of original equipment shall void any warranty.
2. Your New Age product must not be loaded beyond the product's published uniformly distributed static load limit (capacity).
3. Your New Age product must be cleaned on a periodic basis every three to four weeks or be cleaned within accepted industry standards, following the generally accepted cleansing agent's instructions.
4. New Age shall not be liable for incidental, special, indirect, or consequential damages arising or resulting from misuse, use, inability to use, or from product defects or other tort.

If requested, the damaged product will be returned to New Age at the owner's expense for inspection and approval.

New Age Industrial Corporation, Inc.
16788 US Hwy 36 • PO Box 520
Norton, KS 67654

0116.....	43	1123.....	44	1261.....	57	1371T.....	52	1642.....	8	2060HD.....	39
0117.....	34, 37-38	1123PR.....	44	1262.....	57	1371W.....	52	1650.....	9	2060SB.....	41
0118.....	33-34	1124.....	44	1263.....	57	1372T.....	52	1655.....	9	2060TB.....	40
0119.....	33-34	1125.....	44	1264.....	57	1372W.....	52	1830HD.....	39	2060UB.....	43
0300.....	58	1125A.....	44	1265.....	57	1373CL.....	52	1830S.....	42	2062.....	36
0307.....	27, 56	1126.....	44	1265H.....	57	1373CT.....	52	1830SB.....	41	2064.....	36
0360.....	58	1126A.....	44	1266.....	57	1373T.....	52	1830TB.....	40	2066HD.....	39
0360L.....	58	1127.....	44	1266H.....	57	1373W.....	52	1836HD.....	39	2066SB.....	41
0361.....	59	1127A.....	44	1267.....	57	1374CL.....	52	1836S.....	42	2066TB.....	40
0363.....	58	1137.....	16	1276.....	59	1374CT.....	52	1836SB.....	41	2072HD.....	39
0363L.....	58	1139.....	16	1277.....	59	1374T.....	52	1836TB.....	40	2072SB.....	41
0381.....	58	1151.....	65	1279.....	59	1374W.....	52	1842HD.....	39	2072TB.....	40
0381L.....	58	1152.....	65	1288.....	47	1375.....	52	1842S.....	42	2096HD.....	39
0382L.....	58	1161.....	62	1289.....	47	1375T.....	52	1842SB.....	41	21524ES24P.....	68
0382L.....	58	1162.....	62	1290.....	14	1375W.....	52	1842TB.....	40	21524ES30P.....	68
0814.....	58	1163.....	62	1290A.....	14	1376.....	52	1848HD.....	39	21524ES36P.....	68
0816.....	58	1164.....	62	1290WDW.....	13	1377.....	52	1848S.....	42	21530ES24P.....	68
0818.....	58	1171.....	27	1291.....	14	1378.....	52	1848SB.....	41	21530ES30P.....	68
0820.....	58	1172.....	27	1292.....	14	1379.....	52	1848TB.....	40	21530ES36P.....	68
1021.....	37	1174.....	27, 35	1293.....	14	1380.....	52	1854HD.....	39	21536ES24P.....	68
1021TB.....	38	1176A.....	28	1296.....	14	1381.....	52	1854SB.....	41	21536ES30P.....	68
1022.....	37	1179A.....	28	12P.....	43	1382.....	52	1854TB.....	40	21536ES30P.....	68
1022TB.....	38	1181.....	31	13036GS.....	68	1383.....	52	1860HD.....	39	21536ES36P.....	68
1023.....	37	1182.....	31	13036GSC.....	68	1384.....	52	1860SB.....	41	21542ES24P.....	68
1023TB.....	38	1183.....	64	13036GSCU.....	68	1407.....	56	1860TB.....	40	21542ES30P.....	68
1024.....	37	1184.....	64	13036GSU.....	68	1408.....	54	1866HD.....	39	21542ES36P.....	68
1024TB.....	38	1187.....	31	13048GS.....	68	1410.....	54	1866TB.....	40	21548ES24P.....	68
1025.....	37	1188.....	31	13048GSC.....	68	1415.....	53, 67	1872HD.....	39	21548ES30P.....	68
1025TB.....	38	1192.....	30	13048GSCU.....	68	1416.....	53, 67	1872SB.....	41	21548ES36P.....	68
1026.....	37	1193.....	30	13048GSU.....	68	1420.....	53, 67	1872TB.....	40	21824ES24P.....	68
1026TB.....	38	1194.....	30	1305.....	8	1430.....	65	1872UB.....	47	21824ES30P.....	68
1027.....	37	1195.....	28	1306.....	8	1431.....	65	2001.....	36	21824ES36P.....	68
1027TB.....	38	1196.....	28	13060GS.....	68	1440.....	32	2002.....	36	21830ES24P.....	68
1028.....	37	1199.....	30-31	13060GSC.....	68	1450.....	25	2003.....	36	21830ES30P.....	68
1028TB.....	38	1200.....	35	13060GSCU.....	68	1451.....	25	2004.....	36	21830ES36P.....	68
1030.....	37	1201.....	35	13060GSU.....	68	1452.....	25	2005.....	36	21836ES24P.....	68
1030TB.....	38	1202.....	35	13072GS.....	68	1455.....	25	2006.....	36	21836ES30P.....	68
1031.....	37	1203.....	35	13072GSC.....	68	1461S.....	1	2007.....	36	21836ES36P.....	68
1031TB.....	38	1204.....	35	13072GSCU.....	68	1461S.....	1	2008.....	36	21842ES24P.....	68
1041.....	37	1205.....	35	13072GSU.....	68	1481.....	5	2009.....	36	21842ES30P.....	68
1041TB.....	38	1206.....	35	1311.....	1	1482.....	5	2010.....	36	21842ES36P.....	68
1042.....	37	1207.....	35	1312.....	1	1484.....	5	2012.....	36	21848ES24P.....	68
1042TB.....	38	1208.....	35	1313.....	1	1486.....	5	2013.....	36	21848ES30P.....	68
1043.....	37	120T.....	52	1314.....	1	1490.....	53, 67	2014.....	36	21848ES36P.....	68
1043TB.....	38	120W.....	52	1315.....	56	1501.....	6	2015.....	36	22024ES24P.....	68
1044.....	37	1210.....	19	1316.....	56	1505.....	6	2016.....	36	22024ES30P.....	68
1044TB.....	38	1211.....	35	1321.....	1	1507.....	6	2017.....	36	22024ES36P.....	68
1045.....	37	1212.....	35	1322.....	1	1509.....	6	2018.....	36	22030ES24P.....	68
1045TB.....	38	1213.....	35	1330.....	1	1530HD.....	39	2019.....	36	22030ES30P.....	68
1046.....	37	1214.....	35	1330S.....	1	1530S.....	42	2020.....	36	22030ES36P.....	68
1046TB.....	38	1215.....	19	1330U.....	7	1530SB.....	41	2021.....	36	22036ES24P.....	68
1047.....	37	1225.....	33	1330Z.....	7	1530TB.....	40	2022.....	36	22036ES30P.....	68
1047TB.....	38	1226.....	33	1331.....	1	1536HD.....	39	2026.....	36	22036ES36P.....	68
1048.....	37	1226NT.....	33	1331S.....	1	1536S.....	42	2027.....	36	22042ES24P.....	68
1048TB.....	38	1227.....	33	1331U.....	7	1536SB.....	41	2028.....	36	22042ES30P.....	68
1050.....	37	1235.....	33	1331Z.....	7	1536TB.....	40	2029.....	36	22042ES36P.....	68
1050TB.....	38	1236.....	33	1332.....	1	1542HD.....	39	2030HD.....	39	22048ES24P.....	68
1051.....	37	1236NT.....	33	1332S.....	1	1542S.....	42	2030S.....	42	22048ES30P.....	68
1051TB.....	38	1237.....	33	1333.....	1	1542SB.....	41	2030SB.....	41	22048ES36P.....	68
1061.....	37	12436GS.....	68	1333S.....	1	1542TB.....	40	2030TB.....	40	2430HD.....	39
1061TB.....	38	12436GSC.....	68	1334.....	1	1548HD.....	39	2031.....	36	2430SB.....	41
1062.....	37	12436GSCU.....	68	1334S.....	1	1548S.....	42	2032.....	36	2430TB.....	40
1062TB.....	38	12436GSU.....	68	1335.....	3	1548SB.....	41	2033.....	36	2436HD.....	39
1063.....	37	12448GS.....	68	1336.....	3	1548TB.....	40	2036HD.....	39	2436SB.....	41
1063TB.....	38	12448GSC.....	68	1337.....	3	1548UB.....	39	2036S.....	42	2436TB.....	40
1064.....	37	12448GSCU.....	68	1338.....	3	1554HD.....	41	2036SB.....	41	2436UB.....	43
1064TB.....	38	12448GSU.....	68	1340.....	61	1554SB.....	41	2036TB.....	40	2442HD.....	39
1065.....	37	12460GS.....	68	1343.....	61	1554TB.....	40	2036UB.....	43	2442SB.....	41
1065TB.....	38	12460GSC.....	68	1345.....	61	1560SB.....	41	2042HD.....	39	2442TB.....	40
1066.....	37	12460GSCU.....	68	1346.....	61	1560TB.....	40	2042S.....	42	2442UB.....	43
1066TB.....	38	12460GSU.....	68	1347.....	61	1566HD.....	39	2042SB.....	41	2448HD.....	39
1067.....	37	12472GS.....	68	1348.....	61	1566TB.....	40	2042TB.....	40	2448SB.....	41
1067TB.....	38	12472GSC.....	68	1349.....	61	1572HD.....	39	2042UB.....	43	2448TB.....	40
1068.....	37	12472GSCU.....	68	1350.....	61	1572TB.....	40	2048HD.....	39	2448UB.....	43
1068TB.....	38	12472GSU.....	68	1354.....	62	1610.....	9	2048S.....	42	2454HD.....	39
1070.....	37	1250.....	33	1355.....	62	1612.....	9	2048SB.....	41	2454SB.....	41
1070TB.....	38	1250CK.....	33	1355M.....	62	1620.....	31	2048TB.....	40	2454TB.....	40
1071.....	37	1251.....	33	1356.....	60	1622.....	31	2048UB.....	43	2460HD.....	39
1071TB.....	38	1254.....	33	1356M.....	60	1630.....	27	2052.....	36	2460SB.....	41
1121.....	44	1255.....	33	1357.....	60	1631.....	27	2054.....	36	2460TB.....	40
1121PR.....	44	1256.....	33	1358.....	60	1635.....	8	2054HD.....	39	2460UB.....	43
1122.....	44	1256CK.....	33	1359.....	2	1637.....	8	2054SB.....	41	2466HD.....	39
1122PR.....	44	1257.....	33	1361.....	1	1640.....	8	2054TB.....	40	2466SB.....	41



Index

2466TB.....	40	30PBS72KD.....	51	51412.....	48	95433.....	3	97880.....	50	C440.....	43, 70
2472HD.....	39	30PBS84KD.....	51	51619.....	58	95456.....	35	9789C.....	50	C445.....	70
2472SB.....	41	30PBS96KD.....	51	51620.....	58	95631.....	46	9790C.....	50	C447.....	70
2472TB.....	40	30SS36KD.....	51	51621.....	58	95632.....	46	97942.....	25	C450.....	70
2496HD.....	39	30SS48KD.....	51	51622.....	58	95633.....	46	98000.....	21	C453.....	70
24ESA29.....	67	30SS60KD.....	51	51753.....	48	95634.....	44	98001.....	21	C455.....	70
24ESS29.....	67	30SS72KD.....	51	51949.....	29	95636.....	29	98037.....	48	C460.....	70
24P36KD.....	51	30SS84KD.....	51	51956.....	48	95661.....	55	98040.....	28	C461.....	70
24P48KD.....	51	30SS96KD.....	51	52049.....	48	95667.....	20	98063.....	16	C464.....	70
24P60KD.....	51	30SSB36KD.....	51	52050.....	48	95681.....	4	98138.....	22	C480.....	70
24P72KD.....	51	30SSB48KD.....	51	52056.....	48	95762.....	65	98140.....	50	C482.....	70
24P84KD.....	51	30SSB60KD.....	51	52064.....	48	95762RS.....	65	98142.....	32	C483.....	70
24P96KD.....	51	30SSB72KD.....	51	52171.....	48	95864.....	3	98144.....	50	C485.....	70
24PBS36KD.....	51	30SSB84KD.....	51	52264.....	48	95883.....	44	98167.....	49	C490.....	70
24PBS48KD.....	51	30SSB96KD.....	51	52284.....	48	95958.....	1	98179.....	21	C495.....	70
24PBS60KD.....	51	30US36KD.....	51	52352.....	48	96000.....	22	98181.....	25	C500.....	70
24PBS72KD.....	51	30US48KD.....	51	52353.....	48	96004C.....	17	98182.....	25	C510.....	70
24PBS84KD.....	51	30US60KD.....	51	52354.....	48	96005C.....	17	98183.....	25	C511.....	70
24PBS96KD.....	51	30US72KD.....	51	52355.....	48	96055.....	65	98195.....	30	C513.....	70
24SS36KD.....	51	30US84KD.....	51	54P.....	43	96055RS.....	65	98213.....	32	C514.....	70
24SS48KD.....	51	30US96KD.....	51	6004.....	35	96058.....	4, 8	98272.....	32	C517.....	70
24SS60KD.....	51	31842TT7.....	47	6005.....	35	96087.....	23	98301.....	32	C518.....	70
24SS72KD.....	51	34P.....	43	6006.....	35	96090.....	23	98716.....	29	C526.....	70
24SS84KD.....	51	4004.....	36	6008.....	35	96134BH.....	55	98736.....	29	C527.....	70
24SS96KD.....	51	4005.....	36	6009.....	35	96328.....	14	98737.....	29	C548.....	70
24SSB36KD.....	51	4006.....	36	6010.....	35	96617.....	46	98951.....	47	C557.....	70
24SSB48KD.....	51	4008.....	36	6014.....	35	96618.....	46	98953.....	47	C557B.....	70
24SSB60KD.....	51	4009.....	36	6015.....	35	96619.....	46	98998.....	30	C558.....	70
24SSB72KD.....	51	4010.....	36	6016.....	35	96704.....	23	99140.....	50	C558B.....	70
24SSB84KD.....	51	4027.....	36	6017.....	35	96705.....	23	99141.....	50	C559.....	70
24SSB96KD.....	51	4065.....	36	6018.....	35	96706.....	23	99144.....	26	C560.....	70
24US36KD.....	51	42068.....	9	6019.....	35	96707.....	23	99148.....	50	C566.....	70
24US48KD.....	51	42078.....	15	60328.....	66	96708.....	23	99217.....	21	NS345.....	28
24US60KD.....	51	4330.....	10	60329.....	66	96709.....	23	99251.....	59	NS475.....	47
24US72KD.....	51	4331.....	10	60330.....	66	96710.....	23	99271.....	58	NS496.....	43
24US84KD.....	51	4332.....	10	60P.....	43	96711.....	23	99272.....	58	NS557.....	53
24US96KD.....	51	4333.....	10	6259.....	34	96856.....	64	99273.....	58	NS557A.....	53
2501.....	45	4337.....	12	6262.....	57	97055.....	30	99274.....	58	NS590A.....	22
2502.....	45	4338.....	12	6263.....	57	97102.....	44	99304.....	32, 57	NS596A.....	22
2503.....	45	4339.....	11	6265.....	57	97126.....	54	99309.....	22	NS599A.....	22
2505.....	45	4340.....	11	6266.....	57	97142.....	28	99310.....	22	NS600A.....	22
2511.....	45	45106.....	1	6300.....	2	97177.....	24	99360.....	66	NS603A.....	22
2512.....	45	45256.....	1	6301.....	2	97178.....	24	99381.....	34	NS621KD.....	19
2513.....	45	4635.....	12	6303.....	2	97179.....	24	99456.....	22	NS648.....	5
2515.....	45	4637.....	12	6330.....	2	97180.....	24	99457.....	22	NS675.....	44
2521.....	45	4640.....	11	6331.....	2	97205.....	57	99521.....	58	NS675A.....	44
2522.....	45	4642.....	11	6333.....	2	97243.....	15	99551.....	49	NS745.....	32
2523.....	45	48P.....	43	6345.....	61	97253.....	57	99653.....	52	NS753.....	44
2525.....	45	50112.....	30	6347.....	61	97285.....	44	99654.....	52	NS765.....	67
2531.....	45	50723.....	47	6348.....	61	97286.....	44	99738.....	21	NS793.....	44
2532.....	45	50929.....	13	6354.....	62	97287.....	44	99819.....	52	NS832.....	4
2533.....	45	51019.....	47	68P.....	43	97294.....	34	99820.....	52	NS833.....	4
2535.....	45	51020.....	47	72P.....	43	97294CK.....	34	99821.....	52	NS834.....	4
2541.....	45	51021.....	47	7331.....	2	97379.....	7	99822.....	52	NS834A.....	4
2542.....	45	51022.....	47	76P.....	43	97621.....	49	99823.....	52	NS885.....	43
2543.....	45	51023.....	47	84P.....	43	97655.....	18	99824.....	52	NS893.....	4
2545.....	45	51024.....	47	92052.....	5	97655CD.....	18	99825.....	52	NS926.....	27
2551.....	45	51025.....	47	92093.....	44	97690.....	4, 8	99826.....	52	NS933.....	47
2552.....	45	51026.....	47	92094.....	44	97715.....	6	99866.....	7	NS943.....	44
2553.....	45	51027.....	47	92096.....	1	97718.....	15	999.....	52, 67	NS947KD.....	19
2555.....	45	51087.....	66	93020KD.....	19	97720.....	22	99936.....	29	NS968.....	27
2561.....	45	51101.....	35	93037.....	28	97721.....	22	99970.....	22	P2448.....	32
2563.....	45	51102.....	35	93189.....	30	97722.....	22	BDT18566.....	63	P2460.....	32
2565.....	45	51103.....	35	94029.....	47	97729.....	9	BDT18568.....	63	PC432.....	43
2571.....	45	51169.....	47	94030.....	47	97743.....	6	C1836HD.....	42	PM2448.....	32
2573.....	45	51170.....	47	94031.....	47	97744.....	6	C1836TB.....	42	PM2460.....	32
2575.....	45	51171.....	47	94136.....	44	97745.....	6	C1848HD.....	42	PT2436P6.....	66
2581.....	45	51172.....	47	94249.....	44	97746.....	15	C1848TB.....	42	PT2436S6.....	66
2582.....	45	51173.....	47	94273.....	47	97747.....	15	C1860HD.....	42	PT2448P6.....	66
2583.....	45	51174.....	47	94274.....	47	97753.....	46	C1860TB.....	42	PT2448S6.....	66
2585.....	45	51181.....	47	94275.....	47	97754.....	46	C2436HD.....	42	PT3048P6.....	66
3030HD.....	39	51182.....	47	95048.....	4	97755.....	46	C2436TB.....	42	PT3048S6.....	66
3036HD.....	39	51233.....	45	95136.....	56	97769.....	24	C2448HD.....	42	PT3060P6.....	66
3048HD.....	39	51271.....	48	95141.....	14	97830.....	18	C2448TB.....	42	PT3060S6.....	66
30P36KD.....	51	51273.....	48	95219.....	30	97846.....	49	C2460HD.....	42	PT3660P6.....	66
30P48KD.....	51	51274.....	48	95241.....	64	97873.....	50	C2460TB.....	42	PT3660S6.....	66
30P60KD.....	51	51276.....	48	95333.....	23	97874.....	50	C2472HD.....	42	PT3672P6.....	66
30P72KD.....	51	51280.....	47	95370.....	64	97875.....	50	C2472TB.....	42	PT3672S6.....	66
30P84KD.....	51	51298.....	47	95403.....	46	97876.....	50	C405.....	70	RGY16825.....	59
30P96KD.....	51	51299.....	47	95404.....	46	97877.....	50	C410.....	70		
30PBS36KD.....	51	51300.....	47	95405.....	46	97878.....	50	C418.....	70		
30PBS48KD.....	51	51305.....	48	95410.....	47	97879.....	50	C421.....	70		
30PBS60KD.....	51	51328.....	48	95413.....	23	9787C.....	50	C430.....	70		

WE'VE GONE SOLAR

Working Together For
A Greener Future.



1,600 PANEL • 404 kW System

providing 1/3 of our electric needs

35% of electricity use-related pollution
avoided by installing this system.

31,161,582

pounds of CO2 will be kept
out of the atmosphere
over the next 25 years,
by installing this system.



NEWAGE
INDUSTRIAL
NEWAGE
NewAgeIndustrial.com



