



CLEVELAND

A Welbilt Brand

SUGGESTED LIST PRICE STANDARD EQUIPMENT AND ACCESSORIES

2022 PRICE LIST



TIMELESS QUALITY TRUSTED FOR LIFE



EFFECTIVE | NOVEMBER 1, 2022

1 CLEVELAND IS STEAM

Our sole focus is on Steam Cooking Equipment. Our three locations boast over 550 years of shared steam experience. We are North America’s largest steam equipment provider.

2 STATE OF THE ART CONCORD FACILITY

Our state of the art Concord facility is both ASME and ISO 9001 approved.

- ISO9001 Quality System, Since 1997
- ASME - 100 PSI High Pressure Vessel Certified since 1977
- CE Mark Pressure Vessel Approval for Europe since 2002
- SELO of AQSIS Pressure Vessel Approval for China.



3 WE OFFER AN EXTENSIVE PRODUCT LINE

More models to suite any application

4 QUICKSHIP WAREHOUSE PROGRAM



QS — QuickShip Items (48 hours)

EX — Express Items (10 work day lead time)

5 BEST IN CLASS

“Best in Class” winner by FE&S Magazine for 16 years; in 2017 winning 10 of 12 Categories.



STEAMERS
(16 times)
Overall Winner
Operators Winner
Consultant Winner
Dealer Winner



KETTLES
(8 times)
Overall Winner
Operators Winner
Dealer Winner



TILT SKILLETS
(9 times)
Overall Winner
Consultant Winner
Dealer Winner

6 CUSTOMER & TECHNICAL SUPPORT

Steam focused **Customer & Technical Support** via an experienced team ready to help, **both pre-sale and aftermarket!**

7 WARRANTY

A **Unique Warranty** with low industry rates offering the best overall warranty coverage. Our product reliability creates low rates.

STEAMERS

SteamCub, SteamCub Plus, 5 Pans (1SCE, 1SCMCS) 5

SteamChef Electric, 3 & 6 Pans (22CCT6, 22CET3.1 22CET6.1)..... 6

SteamChef Gas, 3 & 6 Pans (22CGT3.1, 22CGT6.1)..... 7

SteamCraft 3 & 5 Pan (21CET8, 21CET16, 21CGA5)..... 8

SteamCraft, Gemini 10-Pan Steamers (24CGA, 24CEA, 24CGP, 24CDP10)..... 9

Classic Line Steamers, 15 PSI Boilers, Convection, Pressure Steamers 5 Classic Line Boiler Base with Kettles..... 10

Modular Bases with Kettles — Classic Line 11

Installation Program, Water Filters..... 12

Steamer Accessories 13

KETTLES

Countertop Electric Kettles & Stands (KET, TKET Series)..... 14

Countertop Gas Kettles & Stands (KGT Series) 15

Floor Model Gas Kettles Stationary (KGL Series) 16

Floor Model Gas Kettles, Tilting (KGL-T Series) 17

Floor Model Electric Kettles, Stationary (KEL Series) 18

Floor Model Electric Kettles, Tilting (KEL-T Series) 19

Countertop Direct Steam kettles, Modular Stands (KDT-T Series, SD Series) 20

Floor Model Direct Steam Kettles, Stationary (KDL Series) 21

Floor Model Direct Steam Kettles, Tilting (KDL-T Series) 22

Kettle Accessories 23-25

Mixer Kettles, Vertical Sweep & Fold Series, Direct Steam (MKDL, TMKDL Series)..... 26

Mixer Kettles, Vertical Sweep & Fold Series, Electric (MKEL, TMKEL Series)..... 27

Mixer Kettles, Vertical Sweep & Fold Series, Gas (MKGL Series)..... 28

TILT SKILLETS

Countertop Electric (SET10, SET15)..... 29

Floor Model "Durapan" Series (SEL-SGL-TR Series)..... 30

Floor Model, Power Pan, (SEL-SGL-T1 Series) 26 Tilt Skillet Accessories 31

Tilting Skillet Accessories 32

PRODUCT REFERENCE SECTION

Model Number Legend 33

THE CLEVELAND ADVANTAGE – KEY PRODUCTS AND FEATURES

Steamers

 SteamCraft 3/5, Gemini 10 Feature Callouts 34

 SteamChef Boilerless Convection Steamers (22CET, 22CGT, 22CCT Series)..... 35

 SteamChef Patented KleanShield (22CET, 22CGT, 22CCT Series) 36

 SteamCraft 3/5 Steamers (21CET8, 21CET16)..... 37

 Gemini 10 Pan Convection Steamer (24CGA10.2)..... 38

 Classic Line Steamers (24CGM, 24CEM Series)..... 39

 Steamer Warranty 40

Steam Jacketed Kettles

 Gas and Electric Feature Kettle Callouts (KEL, KGL Series) 41

 Benefits of Steam Jacket Kettle Cooking 42

 Countertop Steam Jacketed Kettles (KET, TKET-T Series) 43

THE CLEVELAND ADVANTAGE – KEY PRODUCTS AND FEATURES (CONTINUED)

Steam Jacketed Kettles

- Gas Floor Model Steam Jacketed Kettles (KGL Series).....44
- Guide to Kettle Drain Valves45
- Swing Drain Funnels46
- Pan Carriers (PCK) and Flow Diverters (FD) for Tilting Kettles47

Tilting Skillets

- SGL-T1 Series Features Callouts.....48
- DuraPan - TR Series Tilt Skillets (SGL, SEL-TR)49
- PowerPan, T1 Series Tilt Skillets (SEL, SGL-T1).....50

Cook Chill Systems

- Mixer Kettles, HA Series, Vertical Sweep and Fold Series51
- Self-Contained Cook Chill Systems52

EASYDIAL CONTROLS for Self-Contained Tilting Kettles, T1 Series Tilt Skillets 53

CORRECTIONAL PACKAGES 54-55

MARINE SHIPBOARD PACKAGES.....56

TECHNICAL INFORMATION

- Recommend Pipe Capacity for Direct Steam Kettles57
- Recommended Piping Schematic for direct Steam Kettles.....57
- Steam Requirement Data - Boiler Sizing Information.....58
- Steam Flow Rates for Direct Steam Kettles58
- Pressure Temperature Chart58
- Kettle and Tilt Skillet Capacity Serving Calculator.....59
- Energy Star and LEED information for Steamers60

STATEMENT OF POLICIES.....61

WARRANTY & EXTENDED WARRANTY PROGRAM..... 62-63

STEAMER INSTALLATION PROGRAM.....64

WATER TREATMENT SELECTION GUIDELINES65




QUICK SHIP PROGRAM.....66

SHIPPING WEIGHTS, DIMENSIONS, CUBIC FEET, FREIGHT CLASS 67-68

CONVECTION STEAMERS, ELECTRIC BOILERLESS

STEAMCUB BOILERLESS STANDARD CONNECTIONLESS STEAMER

SteamCub Electric Boilerless Steamer, 208-240 Volt, 3 Phase, Capacity For 5 each 12" X 20" X 2.5" Pans, Self Adjusting Two-Piece Compartment Door, Door Steam Shut Off Switch, Heavy 14 Gauge Stainless Steel Construction, 6" Adjustable Legs, Meets ENERGY STAR, Certified to Applicable UL, CSA and NSF Standards

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
STEAMCUB CONNECTIONLESS, 208-240 VOLT, 3 PHASE STANDARD				
	1SCMCS	5 - Pan SteamCub - Connectionless Non Convection	260/118	\$20,695
	1SCE	5 - Pan SteamCub - Connectionless - Non Convection with Hold Feature, Digital Controls	260/118	\$23,139
	(2) 1SCMCS	5 - Pan SteamCub - Connectionless Stacked	600/272	\$46,754
	109194	Mounting Kit Required For Single Unit To Stand		\$0
STEAMCUBOPTIONS				
	VOS2	440-480 Volt 3 Phase		\$0
	SPH	Single Phase Option		\$0
	ELEVATION	Specify Elevation If Over 3,500 Feet Electric Models		\$0
EQUIPMENT STANDS				
	UNISTAND34	34" High Equipment Stand For Single Unit (P/N 111721)	85/39	\$3,799
	UNISTAND25	25" High Equipment Stand For Single Unit or Direct Stacking a 22CET3.1(P/N111717)	75/34	\$3,799
	POSK	Pull Out Shelf Kit For Unistands (P/N 111724)		\$1,021
	URK	Pan Rack Kit For Unistand (P/N 111726)		\$772
	ES2469	Stacking Stand For Stacking SteamCub (1SCMCS) (Pan 1095981)	77/35	\$6,208

CONVECTION STEAMERS, ELECTRIC BOILERLESS

STEAMCHEF BOILERLESS CONVECTION STEAMERS WITH KLEANSHIELD






STEAM CHEF® Convection Steamer, Electric Boilerless 208-240 Volt 3 Phase, 60 Minute Electro-Mechanical Timer & Manual (Continuous Steaming) Bypass Switch, Surecook Load Compensating Timer, Self Adjusting Two-Piece Compartment Door, Patented KleanShield Compartment Design Eliminates Flavor Transfer, Door Steam Shut Off Switch, Capacity For Three Or Six 12" X 20" X 2.5" Pans, Heavy 14 Gauge Stainless Steel Construction, 4" Adjustable Legs, Meets Energy Star®, UL197/NSF Certification

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
ELECTRIC CONNECTIONLESS STEAMCHEF, 208-240 VOLT, 3 PHASE STANDARD				
	22CCT6	6-Pan SteamChef Electric Connection-less Convection Steamer With KleanShield	335/153	\$23,847
	(2)22CCT66	Two 22CCT6 with ES26304466G stacking stand with KE004074 mounting kit		\$52,987
	KE004074	Mounting Kit For 22CCT6 (Required For Mounting To Unistand34 And ES26304466G)		\$0
ELECTRIC CONNECTED STEAMCHEF 208-240 VOLT, 3 PHASE STANDARD				
	22CET3.1	3-Pan Electric Boilerless Convection Steamer (Drain And Water Connection Required)	235/107	\$19,712
	22CET6.1	6-Pan Electric Boilerless Convection Steamer (Drain And Water Connection Required)	335/153	\$25,581
	(2) 22CET33.1	(2) 22CET3.1 Stacked With ES263044E Stacking Stand		\$42,044
	(2) 22CET63.1	(1) 22CET3.1, (1) 22CET6.1 Stacked With ES263044E Stacking Stand		\$50,097
	(2) 22CET66.1	(2) 22CET6.1 Stacked With ES263044E Stacking Stand		\$55,671
STEAMCHEF OPTIONS				
	ELEVATION	Specify elevation over 3,500 feet		\$0
	SPH	Single Phase Option		\$0
	VOS2	440-480 volt option		\$480
	DHR	Door Hinged Right, Controls On The Left , (22CET3.1, 22CET6.1 Only)		\$976
	1114941	Right Side Heat Shield For 22CET3.1 - 3 Pan SteamChef		\$1,610
	ETC1	Electronic Controls With Load Compensating Thermostat (22CET3.1, 22CET6.1 only)		\$1,030
COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE PAGE 12)				
	NHT60	5 Foot Long FDA Garden Hose Style Water Connection (2 Required - P/N 110999)		\$433
	SPW	Single Point Water Connection (P/N 111009) Not Available On Stacked Units		\$429
	LPCK	Natural To LP Gas Conversion Kit For Gas SteamChef (P/N114678)		\$771
	PR	Additional Pan Rack Guides (Set) For 3 Pan		\$997
	WBT-QT11-CR	Optipure Water Filter	12/6	\$1,077
	EQUIPMENT STANDS			
CHEFSTACK3	Stack Kit (Spacer , Water, Drain Kit) For Two 3-Pan SteamChef's (Unistand25 Required) (PN 111771)			\$1,421
ES263044E	Stacking Stand For Stacking 3-6 Pan Electric SteamChef (22CET3.1, 22CET6.1) (P/N 111467E)		100/44	\$5,294
ES26304466G	Stacking stand for two each model (22CCT6) (P/N113130G)			\$5,294
UNISTAND34	34" High Equipment Stand for Single Unit (P/N 111721)			\$3,799
UNISTAND25	25" High Equipment Stand for single unit or direct stacking a 22CET3.1 (P/N111717)			\$3,799

CONVECTION STEAMERS, GAS BOILERLESS

GAS STEAMCHEF BOILERLESS CONVECTION STEAMERS WITH KLEANSHIELD

STEAM CHEF® Convection Steamer, Gas Boilerless, 32,000 Btu'S, 60 Minute Electro-Mechanical Timer & Manual (Continuous Steaming) Bypass Switch, Surecook Load Compensating Timer, Self Adjusting Two-Piece Compartment Door, Patented KleanShield Compartment Design Eliminates Flavor Transfer, Door Steam Shut Off Switch, Capacity For Three Or Six 12" X 20" X 2.5" Pans, Heavy 14 Gauge Stainless Steel Construction, 4" Adjustable Legs, Meets Energy Star®, Certified to Applicable UL, CSA and NSF Standards

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
GAS STEAMCHEF STANDARD WITH 115 VOLT, NATURAL GAS				
	22CGT3.1	3-Pan Gas Boilerless Convection Steamer (Drain And Water Connection Required)	255/116	\$23,835
	22CGT6.1	6-Pan Gas Boilerless Convection Steamer (Drain And Water Connection Required)	355/161	\$30,795
	(2) 22CGT33.1	(2) 22CGT3.1 Stacked With ES26304433G Stacking Stand Connected		\$53,798
	(2) 22CGT63.1	(1) 22CGT3.1, (1) 22CGT6.1 Stacked With ES26304466G Stacking Stand		\$60,366
	(2) 22CGT66.1	(2) 22CGT6.1 Stacked With ES26304466G Stacking Stand		\$66,652
	111895	Mounting Kit Required For Single Unit On Stand		\$0
	OPTIONS			
ELEVATION	Specify Elevation If Over 2,000 Feet For Gas Models			\$0
LPG	L.P. Gas Option			\$0
COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE PAGE 12)				
	NHT60	5 Foot Long FDA Approved Garden Hose Style Water Connection (2 Required - P/N 110999)		\$433
	SPW	Single Point Water Connection (P/N 111009) Not Available On Stacked Units		\$429
	LPCK	Natural To LP Gas Conversion Kit For Gas SteamChef (P/N114678)		\$771
	PR	Additional Pan Rack Guides (Set) For 3 Pan		\$997
WATER FILTERS				
	WBT-QTI1-CR	Optipure Water Filter	12/6	\$1,077
	EQUIPMENT STANDS			
	UNISTAND34	34" High Equipment Stand For Single Unit (P/N 111721)	85/39	\$3,799
	UNISTAND25	25" High Equipment Stand For Single or Stacked Unit (P/N111717)	75/34	\$3,799
	POSK	Pull Out Shelf Kit For Unistands (P/N 111724)		\$1,021
	URK	Pan Rack Kit For Unistand (P/N 111726)		\$772
	ES26304466G	Stacking Stand For Stacking 6-Pan Gas SteamChef, 22CGT6.1 (P/N) 113130G)	100/44	\$5,294
	ES26304433G	Stacking Stand For Stacking 3- Pan Gas SteamChef 22CGT3.1(P/N) 113131G)	100/44	\$5,294

CONVECTION STEAMERS, COUNTER TOP, STAINLESS STEEL GENERATORS

STEAMCRAFT COUNTER TOP CONVECTION GENERATOR MODELS

SteamCraft® Generator Style Convection Steamer, 60 Minute Electro-Mechanical Timer & Manual (Continuous Steaming) Bypass Switch, Capacity For three or five 12" X 20" X 2.5" Pans, Self Adjusting Two-Piece Compartment Door, Auto Water Fill And Drain, Firebar Style Self Cleaning Heating Element With Special Low Watt Drying Element For Dry Steam (Electric Models), Steam Shut Off Door Switch, Heavy 14 Gauge Stainless Steel Construction, 4" Adjustable Legs Standard, Easy Access Descaling Port, Certified to Applicable UL, CSA and NSF Standards

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
ELECTRIC & GAS MODELS AVAILABLE				
	21CET8	3-Pan Convection Steamer with Electric Steam Generator, 8 Kw	210/50	\$17,400
	(2) 21CET8	(2) 21CET8 Stacked, Includes Stacking Kit And Stand, Field Assembled, 8 W Each	600/272	\$41,213
	21CET16	5-Pan Convection Steamer with Electric Steam Generator, 16 Kw	248/58	\$24,728
	21CGA5	5-Pan Convection Steamer with Gas Generator, 70, 000 Btu's, Natural Gas, 115 Volt	275/125	\$33,768
	OPTIONS			
	VOS1	208 Or 240 Volt 3 Phase (Must Specify One On Electric Models)		\$0
	VOS2	440-480 Volt 3 Phase (Electric Models)		\$480
	SPH	Single Phase Option (21CET8 Only)		\$0
	ETC1	Digital Controls (Minutes/Seconds) With Surecook Load Compensating Timer		\$1,030
	DHR	Door Hinged Right, Controls On The Left (Not Available On 21CGA5)		\$976
	1114941	Heat Shield For 21CET8 Only Right Side		\$1,610
	LPG	LP Gas Option (21CGA5)		\$0
	ELEVATION	Gas Models Specify Elevation If Over 2,000 Feet		\$0
	CPSCG	Prison Packages, Tamper Proof Pan Racks, Tamper Proof Exterior Sheeting, Tamper Proof Descaling Port, Protective Cover for Controls, Hasp Lock by others. (See Page 49 for Details)		\$2,536
	COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE PAGE 12)			
	SMDCK	(P/N FK104658) Drain Cooling Kit For Counter Top Steamers (21CET8, 21CET16, 21CGA5)		\$606
	DISSOLVE	Dissolve Descaling Solution Case Of 6 - One Gallon Containers (106174)		\$703
	BDPK1	Boiler Descaling Pump Kit - For Generators With Descale Port (1071421)		\$1,939
	QDC60	60" Quick Disconnect Hose (Gas Models)		\$1,735
	PR	Additional Pan Rack Guides - 3 Pan Models		\$997
	SPH1	Single Phase Conversion Kit For 21CET8		\$2,044
	WATER FILTERS			
	QT11-CR	QT11-CR Optipure Water Filter	12/6	\$1,076
	QTSX-2PG	QTSX-2PG High Hardness Optipure Water Filter	12/6	\$1,267
	1150360	Water Quality Test Kit		\$67
	EQUIPMENT STANDS			
	UNISTAND34	34" High Equipment Stand (P/N 111721)	85/39	\$3,799
	UNISTAND25	25" High Equipment Stand Or Direct Stacking A 21CET8 (P/N 111717)	75/34	\$3,799
POSK	Pull Out Shelf Kit For Unistands (P/N 111724)		\$1,021	
URK	Pan Rack Kit For Unistand (P/N 111726)		\$772	
STK1	Stacking Kit For Direct Stacking Two 21CET8'S (P/N 107166) Requires Unistand25		\$2,813	
ES2446	Steamcraft Stacking Stand For Stacking Two 21CET8, Or Two 21CET16 (Not Available On 21CGA5) (P/N 1054521)	77/34	\$6,451	



Model (2)21CET8: Direct stacking two 21CET8 requires using Stacking Kit STK1 (PN 107166) and Unistand25. Contact factory for pricing and installation instructions.

CONVECTION STEAMERS, COUNTER TOP, STAINLESS STEEL GENERATORS

10-PAN CONVECTION STEAMERS — FLOOR MODEL WITH GENERATORS


Steamcraft® 10 Convection Steamer, 2 Compartment Generator Style Steamer. Turbo Charged Forced Air Gas Combustion Design (Gas Models) Capacity For Ten 12" X 20" X 2.5" Pans, 60-Minute Electro-Mechanical Timer & Manual (Continuous Steaming) Bypass Switch, Self Adjusting Two-Piece Compartment Door, Door Steam Shut Off Switch, Heavy Gauge Stainless Steel Construction, 6" Level Adjustable Flanged Feet, Easy Access Descaling Port, Certified to Applicable UL, CSA and NSF Standards

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
GAS, ELECTRIC, DIRECT STEAM MODELS AVAILABLE				
	24CGA6.2S	6 -Pan Convection, Gas Gemini Series Twin Generator, 50M Btu's Each	565/256	\$52,456
	24CGA10	10-Pan Convection, Gas Single Generator, 125M Btu	565/256	\$48,398
	24CGA10.2	10-Pan Convection, Gas Gemini Series Twin Gas Generator 72M Btu'S Each	565/256	\$53,368
	24CGA10.2ES	10-Pan Convection, Gas Gemini Series Twin Gas Generator 50M Btu'S Each Meets Energy Star	565/256	\$59,752
	24CGP10	10-Pan Convection, Gas 15-Psi Gas Boiler, 240M Btu	830/376	\$76,597
	24CEA10	10-Pan Convection, Electric Gemini Series Twin Generator, 16 Kw Each	528/240	\$50,536
	24CDP10	10-Pan Convection, Direct Steam (Must Use Clean Potable Steam Source, 20 - 50- PSI Incoming Required)	495/224	\$47,890
OPTIONS				
ELEVATION	Gas Models Specify Elevation If Over 2,000 Feet			\$0
LPG	LP - Propane Gas (Gas Models)			\$0
FF	Level Adjustable Flanged Feet For Floor Bolting Standard			STD
VOS1	208 Or 240 Volt 3 Phase (Must Specify One 24CEA10 Only)			\$0
VOS22	440-480 Volt 3 Phase (24CEA10 Only)			\$2,366
LWO	Low Wattage Option 8 Kw Per Compartment (24CEA10 Only)			\$236
DHR2	Door Hinged Right, Controls On The Right (Not Available On 24CGA6.2S, 24CDP10)			\$1,865
ETC2	Digital Timer With Load Compensating Feature (Not Available On 24CDP10)			\$2,022
CPSCG	Prison Packages, Tamper Proof Pan Racks, Tamper Proof Exterior Sheeting, Tamper Proof Descaling Port, Protective Cover for Controls, Hasp Lock by others. (See Page 49 for Details)			\$2,536
COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE PAGE 12)				
   	DISSOLVE	Dissolve Descaling Solution 6 - One Gallon Containers (106174)		\$703
	BDPK	Boiler Descaling Pump Kit - For 15 Psi Boiler Models (24CGP10 Only) (PN 107142)		\$1,939
	BDPK1	Boiler Descaling Pump Kit - For Generators With Descale Port (1071421)		\$1,939
	QDC60	5 Foot Long 3/4" Long Gas Quick Disconnect Hose, Gas Models Only (P/N 1007841)		\$1,735
	GPTO10	Gas Power Take Off Kit To Operate Direct Steam Kettles (P/N 40946 - 24CGP10 Only)		\$1,015
	IMK6	6 Foot Long Kettle Interconnect Hose (409351) Requires Power Take Off Kit (Model 24CGP10 Only)		\$870
	IMK10	10 Foot Long Kettle Interconnect Hose (409355) Requires Power Take Off Kit (Model 24CGP10 Only)		\$1,202
	IMK15	15 Foot Long Kettle Interconnect Hose (409358) Requires Power Take Off Kit (Model 24CGP10 Only)		\$1,516
	LGDCCK	Large Drain Cooling Kit Floor Model Steamers (Requires 115 Volt)		\$1,263
	113716	Heat Shield For 24CGA10, 24CEA10, 24CGP10 Right Side Only		\$2,545
113717	Heat Shield For 24CGA10.2 Right Side Only		\$2,545	
WATER FILTERS				
QT11-CR	QT11-CR Optipure Water Filter		\$1,076	
QTSX-2PG	QTSC-2PG High Hardness Optipure Water Filter		\$1,267	
OP350/50	Reverse Osmosis Filter, 350 Gal. Day, 50 Gallon Tank For 24CGA10.2, 24CGA10, 24CEA10		\$11,444	
WBT-BWS1500/50	Reverse Osmosis Filter, 1,500 Gal. Day, 50 Gallon Stor. Tank For 24CGP10		\$19,651	
1150360	Water Quality Test Kit		\$67	

CONVECTION & PRESSURE STEAMERS, BOILER BASE (15 PSI)

CLASSIC LINE STEAMERS — BOILER BASE STEAMERS





Cleveland Classic Convection & Pressure Steamers, 15 PSI Boiler Base (Gas, Electric, Steam Coil) Steamer With 5-Year Prorated Boiler Warranty, Heavy 14 Gauge Stainless Steel Construction, 6" Level Adjustable Flanged Feet, Heavy Stainless Steel Frame, 60 Minute Mechanical Timer, Certified to Applicable UL, CSA and NSF Standards

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
6 - PAN CONVECTION, ELECTRIC, GAS, DIRECT STEAM, STEAM COIL MODELS AVAILABLE				
	24CGM200	6-Pan Convection Steamer, 200M Btu Gas 15 PSI Boiler, 24" Wide Base	610/277	\$68,012
	24CEM24	6-Pan Convection Steamer, Electric 24Kw 15 PSI Boiler, 24" Wide Base	530/240	\$65,346
	24CSM	6-Pan Convection Steamer, Steam Coil 15 PSI Boiler, 24" Wide Base	635/288	\$72,988
	36CGM300	6-Pan Convection Steamer, 300M Btu Gas 15 PSI Boiler, 36" Wide Base	755/342	\$76,961
16 - PAN CONVECTION, ELECTRIC, GAS, DIRECT STEAM, MODELS AVAILABLE				
	36CGM16300	16-Pan Convection Steamer, 300M Btu Gas 15 PSI Boiler, 36" Wide Base	1080/499	\$91,601
	36CEM1648	16-Pan Convection Steamer, Electric 48Kw 15 Boiler, 36" Wide Base	1080/499	\$76,035
	36CDM16	16-Pan Convection Steamer, Direct Steam (Requires Clean Steam, 35-50 PSI), 36" Base	1080/499	\$61,377
2 & 3 COMPARTMENT PRESSURE STEAMERS, ELECTRIC, GAS, DIRECT STEAM				
	PEM242	2-Compartment Pressure Steamer, 24Kw Electric 15 PSI Boiler, 36" Wide Base	830/426	\$72,888
	PEM243	3-Compartment Pressure Steamer, 24Kw Electric 15 PSI Boiler, 36" Wide Base	830/426	\$75,035
	PGM3002	2-Compartment Pressure Steamer, 300M Btu Gas 15 PSI Boiler, 36" Wide Base	874/397	\$79,291
	PGM3003	3-Compartment Pressure Steamer, 300M Btu Gas 15 PSI Boiler, 36" Wide Base	1040/472	\$94,745
	PDL2	2-Compartment Pressure Steamer, Direct Steam, 36" Wide Base	510/231	\$43,860
	PDL3	3-Compartment Pressure Steamer, Direct Steam, 36" Wide Base	600/272	\$57,597
OPTIONS				
	FF	Level Adjustable Flanged Feet For Floor Bolting Standard		STD
	LPG	LP Gas Option, Gas Models		\$0
	ELEVATION	Gas Models Specify Elevation If Over 2,000 Feet		\$0
	36KW	36Kw Option For Electric Boilers		\$2,131
	48KW	48 Kw Option For Electric Boilers		\$4,353
	VOS22	440-480 Volt, 60 Hz, 3 Phase (Electric Models Only)		\$2,366
	PKO	PKO - Power Take Off Option For Pressure Steamers To Operate Kettles		\$2,250
	CP-CCX	Prison Packages, Tamper Proof Pan Racks, Tamper Proof Exterior Sheeting, Tamper Proof Cabinet Base with Hasp, Protective Cover for Control with Hasp, Hasp Lock by others. (See Page 49 for Details)		\$3,763
	COMMON ACCESSORIES (FOR DETAILED ACCESSORIES SEE PAGE 12)			
	GPTO	Power Take Off Kit For Gas Boilers - 6 Pan Convection Models Only (40946)		\$1,014
	EPTO	Power Take Off Kit For Electric Boilers 6 Pan Convection Models Only (40947)		\$1,006
	IMK6	6 Foot Long Kettle Interconnect Kit (409351)		\$870
	IMK10	10 Foot Long Kettle Interconnect Kit (409355)		\$1,202
	IMK15	15 Foot Long Kettle Interconnect Kit (409358)		\$1,516
	DISSOLVE	Descaling Solution 6 - One Gallon Containers (106174)		\$703
	BDPK	Boiler Descaling Pump Kit - 15 Psi Boilers (107142)		\$1,939
	LGDCCK	Large Drain Cooling Kit Floor Model Steamers (Requires 115 Volt)		\$1,263
	QDC60	5 Foot 3/4" Long Gas Quick Disconnect Hose, Gas Models Only 24CGM200, 36CGM300 Models (P/N 1007841)		\$1,735
	WATER FILTERS			
	QT11-CR	Optipure Water Filter	12/6	\$1,076
	QTSX-2PG	High Hardness Optipure Water Filter	12/6	\$1,267
	OP350/50	Reverse Osmosis Filter, 350 Gal. Day, 50 Gallon Storage Tank (For 24 Kw Boilers Only)	25/12	\$11,444
	WBT-BWS1500/50	Reverse Osmosis Filter, 1,500 Gal. Day, 50 Gallon Storage Tank (200M, 300M Btu Boilers)	25/12	\$19,651
	1150360	Water Quality Test Kit		\$67

MODULAR BASES WITH KETTLES, BOILER BASE (15 PSI)

MODULAR BASES WITH KETTLES — BOILERS

Cleveland Classic Boiler Base, 15 PSI Boiler Base (Gas, Electric, Direct Steam) With 5-Year Prorated Boiler Warranty, Heavy 14 Gauge Stainless Steel Construction, 6" Level Adjustable Flanged Feet, Heavy Stainless Steel Frame, Full Width Drain Trough And Grate, Splash Guard, 6 & 10 Gallon Direct Steam Combinations, Double Pantry Faucet, 316 Stainless Steel Interior On Kettle, Certified to Applicable UL, CSA and NSF Standards

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
	24EMK624	One 6-Gallon Kettle, 24Kw 15-PSI Boiler	565/256	\$46,950	
	36EMK6624	Two 6-Gallon Kettles, 24Kw 15-PSI Boiler	610/276	\$69,510	
	24GMK6200	One 6-Gallon Kettle, 200M Btu Gas 15-PSI Boiler	565/256	\$53,896	
	36GMK66300	Two 6-Gallon Kettles, 300M Btu Gas 15-PSI Boiler	630/286	\$75,705	
	36GMK1010300	Two 10-Gallon Kettles, 300M Btu Gas 15-PSI Boiler	630/286	\$78,580	
	24DMK6	One 6-Gallon Kettle, Direct Steam	565/256	\$28,650	
	36DMK66	Two 6-Gallon Kettles, Direct Steam	630/286	\$47,864	
	36DMK1010	Two 10-Gallon Kettles, Direct Steam	630/286	\$52,978	
	24GM200	200M Btu Gas 15-PSI Boiler Base	465/210	\$36,275	
	36GM300	300M Btu Gas 15-PSI Boiler Base	520/235	\$44,366	
	24EM24	24 Kw Electric 15-PSI Boiler Base	390/176	\$30,138	
		OPTIONS			
		FF	Level Adjustable Flanged Feet For Floor Bolting Standard		\$0
36KW		36Kw Option For Electric Boilers		\$2,131	
48KW		48 Kw Option For Electric Boilers		\$4,353	
VOS1		208 Or 240 Volt 3 Phase (Electric Models Only)		\$0	
VOS22		440-480 Volt, 60 Hz, 3 Phase (Electric Models Only)		\$2,366	
LPG		LP Gas Option (Gas Models)		\$0	
ELEVATION		Gas Models Specify Elevation If Over 2,000 Feet		\$0	
	COMMON ACCESSORIES (FOR DETAILED ACCESSORIES SEE PAGE 12)				
	GPTO	Power Take Off Kit For Gas Boilers - (40946)		\$1,014	
	EPTO	Power Take Off Kit For Electric Boilers (40947)		\$1,006	
	IMK6	6 Foot Long Kettle Interconnect Kit (409351)		\$870	
	IMK10	10 Foot Long Kettle Interconnect Kit (409355)		\$1,202	
	IMK15	15 Foot Long Kettle Interconnect Kit (409358)		\$1,516	
	DISSOLVE	Descaling Solution 6 - One Gallon Containers (106174)		\$703	
	BDPK	Boiler Descaling Pump Kit - 15 Psi Boilers (107142)		\$1,939	
QDC60	5 Foot 3/4" Long Gas Quick Disconnect Hose, Gas Models Only 24CGM200, 36CGM300 Models (P/N 1007841)		\$1,735		
	WATER FILTERS				
	QT11-CR	Optipure Water Filter	12/6	\$1,076	
	QTSX-2PG	High Hardness Optipure Water Filter	12/6	\$1,267	
	OP350/50	Reverse Osmosis Filter, 350 Gal. Day, 50 Gallon Storage Tank (For 24 Kw Boilers Only)	25/12	\$11,444	
	WBT-BWS1500/50	Reverse Osmosis Filter, 1,500 Gal. Day, 50 Gallon Storage Tank (200M, 300M Btu Boilers)	25/12	\$19,651	
	1150360	Water Quality Test Kit		\$67	




INSTALLATION PROGRAM — WATER FILTERS

STEAMERS






Installation Program For Steamers: Factory Authorized Servicer (FAS) Will Arrange And Oversee The Complete Installation And Start Up Process To Ensure Proper Operation. See Installation Program Policy Document For Program Details.
Installation Program Prices Are A Net Price - No Discounts

MODEL	DESCRIPTION	SHIP WT LBS/KGS	NET PRICE
INSTALLATION OF FIRST UNIT			
11000115896	Table Top Steamers: 22CET3/6.1, 22CGT3/6.1, 21CET8, 21CET16, 21CGA5		\$1,650
11000115898	Floor Model Steamers: 24CGA10, 24CEA10, 24CGA10.2, 24CGA6.2S		\$2,625
11000115900	Floor Model Steamer: 24CGP10		\$3,320
INSTALLATION OF SECOND UNIT			
110000115897	Table Top Steamers: 22CET3/6.1, 22CGT3/6.1, 21CET8, 21CET16, 21CGA5		\$891
11000115899	Floor Model Steamers: 24CGA10, 24CEA10, 24CGA10.2, 24CGA6.2S		\$1,683
11000115901	Floor Model Steamer: 24CGP10		\$2,805
ADDITIONAL INSTALLATION PROGRAM SERVICES			
11000116000	Pre Installation Site Survey (Required)		\$283
11000116001	Water Filter Installation - Standard System, Only Filters Include Models In Price List		\$249
11000116002	Disposal Of Old Equipment		\$356
INSTALLATION KITS			
INSTKITCET1	Installation Kit, Electric Steamers 22CET3/6, 21CET8, 208-240 Volt Series		\$775
INSTKITCET2	Installation Kit, Electric Steamers 22CET3/6, 21CET8/16, 480 Volt Series		\$620
INSTKITCET3	Installation Kit, Electric Steamers 21CET16, 208, 220, 240 Volt Series		\$634
INSTKITCEA4	Installation Kit, Electric Steamers 24CEA10 208, 240, 480 Volt Series		\$843
INSTKITCGA5	Installation Kit, Gas Steamers 21CGA5, 22CGT3/6 Series		\$949
INSTKITCGA6	Installation Kit, Gas Steamers 24CGA, 24CGP Series		\$1,123

WATER FILTERS

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
STANDARD FILTERS				
	QTI1-CR	Optipure Water Filter #160-52081 (QTI1+CR)	12/6	\$1,076
	CTO-Q10	Replacement Cartridge #300-05828 (1 Required)		\$213
	CTOS-QCR	Replacement Cartridge #300-05831 (1 Required)		\$322
	1150360	H2O Water Quality Test Kit		\$67
HIGH HARDNESS WATER FILTERS (+170 PPM)				
	QTSX-2PG	Optipure Water Filter #160-52822	12/6	\$1,267
	CTO-Q	Replacement Cartridge #300-05830 (1 Required)		\$162
	SCLX2-Q	Replacement Cartridge (1 Required)		\$359
	1150360	H2O Water Quality Test Kit		\$67
REVERSE OSMOSIS FILTERS				
	OP350/50	350 Gallon Per Day R.O. Filter With 50 Gallon Storage Tank	25/12	\$11,444
	CTO-Q	Replacement Cartridge (300-05830) 2 Required		\$162
	AMS-QT	Replacement Cartridge (204-53040) 1 Required		\$1,516
	MA-Q15	Replacement Cartridge (300-95855) 1 Required		\$255
	BWS1500/50	1500 Gallon Per Day R.O. Filter With 50 Gallon Storage Tank		\$21,027
	CTO-Q	Replacement Cartridge (300-05830) 3 Required		\$162
	MA-Q15	Replacement Cartridge (300-95855) 1 Required		\$255

ALL STEAMER ACCESSORIES

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
DESCALING SOLUTION, PUMP KITS				
	DISSOLVE	(P/N106174) Dissolve Descaling Solution, 6 One Gallon Containers		\$703
	BDPK	(P/N 107142) Boiler Descaling Pump Kit For 15 Psi Boilers		\$1,939
	BDPK1	(P/N 1071421) Boiler Descaling Pump Kit For Generators		\$1,939
POWER TAKE OFF KITS				
	GPTO	(P/N 40946) Power Take Off Kit, Gas Boiler Base Classic Line Steamers and Boiler Bases		\$1,014
	EPTO	(P/N 40947) Electric Power Take Off Kit, Classic Line Steamers and Boiler Bases		\$1,006
	GPTO10	(P/N 107082) Power Take Off Kit, SteamCraft Power 10		\$1,015
	IMK6	(P/N 409351) 6" Long Kettle Interconnecting Kit		\$870
	IMK10	(P/N 409355) 10" Long Kettle Interconnecting Kit		\$1,202
	IMK15	(P/N 409358) 15" Long Kettle Interconnecting Kit		\$1,516
DRAIN COOLING KITS				
	SMDCK	(P/N Fk104658) Drain Cooling Kit For Counter Top Steamers, (Steamcraft Only)		\$606
	LGDCCK	(P/N 106290) Large Drain Cooling Kit For Floor Model Steamers		\$1,263
HEAT SHIELDS				
	113716	Heat Shield 10 Pan Steamers Models 24CGA10, 24CEA10 (P/N 113716)		\$2,545
	113717	Heat Shield 10 Pan Steamers Models 24CGA10.2 (P/N 113717)		\$2,545
	1114941	Heat Shield 3 Pan Steamchef, Add 4" To Right Side (P/N 1114941)		\$1,610
GAS CONVERSION KITS				
	114768	Natural To LP Conversion Kit, 22CGT3.1/6.1, 2,000 Ft Elevation, UL Certified		\$771
	114772	Natural To LP Conversion Kit, 21CGA5, 2,000 Ft Elevation, UL Certified		\$771
	114594	Natural To LP Conversion Kit, 24CGA6.2, 24CGA6.2ES, 24CGA10.2ES, (P/N 114594)		\$771
	114596	Natural To LP Conversion Kit, 24CGA10.2, 2,000 Ft Elevation, UL Certified		\$771
	114774	Natural To LP Conversion Kit,, 24CGA10, 2,000 Ft Elevation, Certified		\$771
	114776	Natural To LP Conversion Kit, 24CGP10, 2,000 Ft Elevation, UL Certified		\$771
	114780	Natural To LP Conversion Kit, 300M Btu Boiler Base		\$720
	114767	LP To Natural Conversion Kit 22CGT3.1/6.1, 2,000 Ft Elevation, UL Certified		\$771
	114771	LP To Natural Conversion Kit, 21CGA5, 2,000 Ft Elevation, UL Certified		\$771
	114775	LP To Natural Conversion Kit, 24CGP10, 2,000 Ft Elevation, UL Certified		\$771
	114593	LP To Natural Conversion Kit, 24CGA6.2, 24CGA10.2ES, 24CGA6.2ES,		\$771
	114595	LP To Natural Conversion Kit , 24CGA10.2, 2,000 Ft Elevation, UL Certified		\$771
	114773	LP To Natural Conversion Kit, 24CGA10, 2,000 Ft Elevation, UL Certified		\$771
MISCELLANEOUS				
QDC60	5 Foot long 3/4" Long Gas Quick Disconnect Hose, Gas Models Only 24CGM200, 36CGM300 Models (P/N 1007841)			\$1,735
MS	Moisture Separator Trap (P/N 19020)			\$1,348
PRV	Pressure Reducing Valve			\$2,209
TRF	Step Down Transformer (P/N 107040)			\$1,352
SPH1	Single Phase Field Conversion Kit 21CET8 (P/N 104393)			\$2,044
PR	Additional Pan Rack Guide For 3 Pan Steamer (P/N 41423)			\$997
414232	Pan Pack set for 5 pan steamer			\$997
110832	Pan Rack for 6 Pan Steamer			\$997
PP25	2.5" 12" X 20" Perforated Pan (P/N 16868)			\$571
PP4	4" X 12" X 20" Perforated Pan (P/N 16854)			\$665
SP25	2.5" X 12" X 20" Solid Pan (P/N 16869)			\$535
SPW	Single Point Water Connection, Garden Hose Style			\$429
NHT60	5 Foot Garden Hose Style Water Connection Kit (P/N 11009999)			\$433
LF4	4" Adjustable Legs Standard (P/N 2501018) Price Each			\$51
LF41	4" Legs For Counter Top Steamers (1 Ea) 21CGA5 (P/N 2501018)			\$51
LF42	4" For Counter Top Steamers (1 Ea) Steamcraft 21CET8 (Black) (P/N 1014501)			\$51
LF43	4" Legs For Counter Top Steamers (1 Ea) Steamchef (P/N 1110021)			\$51
LF6	6" Legs For Counter Top Steamers (1 Ea) SteamCub (P/N 115328)			\$51
105994	Additional Pan Rack set for pressure steamers, 1 set per compartment			\$767
POSK	Pull out Shelves for Pressure Steamers, 1 set each compartment			\$1,021

KETTLES, COUNTER TOP, ELECTRIC

COUNTER TOP ELECTRIC KETTLES

Cleveland Self Contained Counter Top Kettles, Electric Models Standard 208 - 240 Volt, 3 Phase (Field Convertible To 1 Phase), 50 PSI Steam Jacket Rating, Solid state temperature control, 316 Stainless Steel Interior, IPX6 Water Rated, 2/3 Steam Jacket, Built In Diagnostics, Reinforced Rolled Rim, Marine Style Self Locking Safety Latch, 1 - 10 Steam Control Dial, Low Water LED Indicator, Color Coded Pressure Vacuum Gauge. Certified to Applicable UL, CSA and NSF Standards, CE Certification

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
ELECTRIC MODELS					
	KET3T	3 Gallon (11 Liter) Electric Tilting With Standard Controls	95/43	\$14,724	
	KET6T	6 Gallon (23 Liter) Electric, Tilting With Standard Controls	160/73	\$15,939	
	KET6TGB	6 Gallon (23 Liter) Electric, Gear Box Style Tilting With Standard Controls	170/77	\$20,691	
	KET12T	12 Gallon (45 Liter) Electric, Tilting with Standard Controls	180/82	\$19,287	
	KET12TGB	12 Gallon (45 Liter) Electric Gear Box Style Tilting With Standard Controls	190/86	\$22,352	
	KET20T	20 Gallon (90 Liter) Electric, Tilting (Floor Model) With Standard Controls	260/118	\$30,708	
	KE003874	Field Installed Drain Drawer (For KET20T only)		\$1,090	
	TKET3T	Twin 3 (11 Liter Ea) Gallon Electric, Tilting With Standard Controls	135/60	\$31,778	
	TKET6T	Twin 6 (23 Liter Ea) Gallon Electric, Tilting With Standard Controls	226/103	\$38,194	
	TKET12T	Twin 12 (45 Liter Ea) Gallon Electric, Tilting With Standard Controls	315/143	\$48,151	
	EASYDIAL CONTROL OPTION				
	EZD	EasyDial Control Option (Not Available On TKET'S)		\$2,158	
	TCP1	Core Temperature Probe, EasyDial Controls Only (Not Available On TKET'S)		\$1,351	
ADDITIONAL OPTIONS					
ELEVATION	Specify Elevation If Over 3,000 Feet Electric Models		\$0		
KM1G	Kettle Gallon Markings - 1 Gallon Increments (Use KM1L Liters Increments)		\$1,457		
HW1	High Wattage Option (6,12, 20 KET Electric Models)		\$0		
HW20	High Wattage Option (KET20T Electric Models)		\$0		
VOK1	380 Or 415 Volt, 50 Hz, 3 Phase For Electric Export (N/A On KET3T)		\$1,375		
VOK2	440/480 Volt, 60 Hz, 3 Phase (N/A On KET3T)		\$2,447		
PCE	Protective Control Cover		\$654		
CP-KTTT	Correctional Package For Counter Top Electric Kettles		\$2,025		
COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE ALL KETTLE ACCESSORIES PAGE 22-24)					
	CL3	Lift Off Cover With Build In Condensate Seal		\$993	
	CL6	Lift Off Cover With Build In Condensate Seal		\$993	
	CL12	Lift Off Cover With Build In Condensate Seal		\$1,288	
	CL20	Lift Off Cover With Build In Condensate Seal		\$1,362	
	DPKT	DPKT Double Pantry Faucet /Bracket		\$1,506	
	SPKT	SPKT Single Pantry Faucet /Bracket		\$1,164	
	KE003874	Field Installed Drain Drawer (For KET20T only)		\$1,090	

ST SERIES EQUIPMENT STANDS

Heavy Stainless Steel Construction With 1-1/4' Square Tubing, Adjustable Feet, (Rear Flanged Feet For Bolting To Floor) Standard With Sliding Drain Drawer And Splash Screen, Can Be Hard Piped To Floor Drain, UL197, NSF-4 Certification



EST28	28" Economy Equipment Stand, No Drain Drawer For Single Kettle	28/13	\$3,319
ST28	28" Wide Equipment Stand W/ Drain Drawer And Splash Screen For Single Kettle	35/16	\$4,612
ST42	42" Wide Equipment Stand W/ Drain Drawer And Splash Screen (TKET3T, TKET6T)	65/29	\$8,756
ST55	55" Wide Equipment Stand W/ Drain Drawer And Splash Screen (For (2) KET3T, KET6T, KET12T, SET10, SET15, KDT3, KDT6T, KDT12T)	70/32	\$9,425
ST55T	55" Wide Equipment Stand W/ Drain Drawer And Splash Screen (For (1) TKET12T)	70/32	\$9,245
SG28	Large Flow Folding Splash Guard For ST28, ST55		\$544
SG42	Large Flow Folding Splash Guard For ST42 Equipment Stand		\$458

KETTLES, COUNTER TOP, GAS

COUNTER TOP GAS KETTLES

Cleveland Self Contained Counter Top Kettles, Gas Models Standard With 120 Volt With Cord & Plug, 50 Psi Steam Jacket Rating, 316 Stainless Steel Interior, 2/3 Steam Jacket, Built In Diagnostics, Reinforced Rolled Rim, Marine Style Self Locking Safety Latch, 1 - 10 Steam Control Dial, Low Water LED Indicator, Color Coded Pressure Vacuum Gauge. Certified to Applicable UL, CSA and NSF Standards

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
GAS MODELS				
	KGT6T	6 Gallon (23 Liter) Gas Tilting With Standard Controls	130/59	\$28,958
	KGT12T	12 Gallon (45 Liter) Gas Tilting With Standard Controls	190/86	\$34,416
	KGT12TGB	12 Gallon (45 Liter) Gas Gear Box Style Tilting With Standard Controls	215/98	\$38,166
EASYDIAL CONTROL OPTION				
	EZD	EasyDial Control Option		\$2,158
	ADDITIONAL OPTIONS			
	ELEVATION	Specify Elevation If Over 2,000 Feet Gas Models		\$0
	LPG	LP Gas Option (KGT Series)		\$0
	KM1G	Kettle Gallon Markings - 1 Gallon Increments (Use KM1L for Liter Increments))		\$1,457
	VOK1G	220 Volt, 50 Hz, 1 Phase (KGT Series For Export)		\$1,454
	PCE	Protective Control Cover		\$654
	CP-KTTT	Correctional Package For Counter Top Electric Kettles		\$2,025
COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE ALL KETTLE ACCESSORIES PAGE 22-24)				
	CL6	Lift Off Cover With Build In Condensate Seal		\$993
	CL12	Lift Off Cover With Build In Condensate Seal		\$1,288
	DPKT	DPKT Double Pantry Faucet /Bracket		\$1,506
	SPKT	SPKT Single Pantry Faucet /Bracket		\$1,164
	FS6GAS	Food Strainer For 6 Gallon Gas Kettle		\$828
	FS12GAS	Food Strainer For 12 Gallon Gas Kettle		\$828
	QDC60	5 Foot Long 3/4" Long Gas Quick Disconnect Hose (P/N 1007841)		\$1,735

ST SERIES EQUIPMENT STANDS






Heavy Stainless Steel Construction With 1-1/4' Square Tubing, Adjustable Feet, (Rear Flanged Feet For Bolting To Floor) Standard With Sliding Drain Drawer And Splash Screen, Can Be Hard Piped To Floor Drain, UL197, NSF-4 Certification

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	EST28	28" Economy Equipment Stand, No Drain Drawer For Single Kettle	28/13	\$3,319
	ST28	28" Wide Equipment Stand W/ Drain Drawer And Splash Screen For Single Kettle	35/16	\$4,612
	ST42	42" Wide Equipment Stand W/ Drain Drawer And Splash Screen (For Two KGT6T)	65/29	\$8,756
	ST55	55" Wide Equipment Stand W/ Drain Drawer And Splash Screen (For Two KGT12T)	70/32	\$9,425
	SG28	Large Flow Folding Splash Guard For ST28, ST55		\$544
	SG42	Large Flow Folding Splash Guard For ST42 Equipment Stand		\$534

GAS FLOOR MODEL — STATIONARY

KETTLES, GAS FLOOR MODEL — STATIONARY

Cleveland Self Contained Counter Top Kettles, Gas Models Standard With 120 Volt With Cord & Plug, 50 Psi Steam Jacket Rating, 316 Stainless Steel Interior, 2/3 Steam Jacket, Built In Diagnostics, Reinforced Rolled Rim, Marine Style Self Locking Safety Latch, 1 - 10 Steam Control Dial, Low Water LED Indicator, Color Coded Pressure Vacuum Gauge. Certified to Applicable UL, CSA and NSF Standards

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
STATIONARY MODELS - STANDARD WITH 2" TANGENT DRAW-OFF AND SPRING ASSIST COVER				
	KGL25	25 Gallon (95 Liter) Gas Kettle, 2" Tangent Draw-Off And Spring Assist Cover	320/144	\$39,838
	KGL40	40 Gallon (150 Liter) Gas Kettle, 2" Tangent Draw-Off And Spring Assist Cover	520/235	\$44,743
	KGL40SH	40 Gallon (150 Liter) Gas Kettle, Short Series Full Steam Jacket, 2" Tangent Draw-Off And Spring Assist Cover	520/235	\$46,254
	KGL60	60 Gallon (225 Liter) Gas Kettle, 2" Tangent Draw-Off And Spring Assist Cover	560/255	\$55,794
	KGL60SH	60 Gallon (225 Liter) Gas Kettle, Short Series Full Steam Jacket, 2" Tangent Draw-Off And Spring Assist Cover	560/255	\$60,555
	KGL80	80 Gallon (300 Liter) Gas Kettle, 2" Tangent Draw-Off And Spring Assist Cover	600/270	\$62,172
	KGL100	100 Gallon (375 Liter) Gas Kettle, 2" Tangent Draw-Off And Spring Assist Cover	620/280	\$75,305
	GAS MODELS STATIONARY OPTIONS			
	ELEVATION	Gas Models Specify Elevation If Over 2,000 Feet		\$0
	LPG	LP Gas Option		\$0
	KM2G	Gallon Markings - 5 Gallon Increments (Use KM2L for Liter increments)		\$1,471
	HS0001	Front Mounted Removable Heat Deflector Shield		\$1,514
	VOK4	220 Volt, 60Hz, 1 Phase (KGL Series Only)		\$1,138
	VOK5	220 -240 Volt, 50 Hz, 1 Phase (For Export KGL Series Only)		\$3,502
	CP-STATKT	Prison Package For Stationary Kettles, Tamper Proof Spring Assist Cover with HASP, Tangent Draw-Off Bar Style Protection, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard (See Page 50 for Details)		\$6,104
	CP-RB	Prison Package Bar Rim		\$3,495
TANGENT DRAW- OFF & PUMPABLE OPTIONS FOR STATIONARY GAS MODELS				
	2ACME	Acme Thread Added To 2" Tangent Draw-Off On Stationary Kettle (Special Order)		\$1,090
	TD3S	3" Tangent Draw-Off With Strainer Upgrade Add On Price		\$3,963
	TD3SA	3" Tangent Draw-Off With Acme Thread, For Pumping Capability		\$3,654
	BV3AC	3" Butterfly Valve With Acme Thread (Except KGL25T), For Pumping Capability		\$4,403
	FPVA3	3" Air Piston Valve For Pumping (KE003775-2) (Gas Models 60 Gallon And Larger) - For Pumping		\$15,328
	COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE ALL KETTLE ACCESSORIES PAGE 22-24)			
	DPKS	DPKS Double Pantry Faucet		\$1,506
	SPKS	SPKS Single Pantry Faucet		\$1,164
	QDC60	5 Foot Long 3/4" Long Gas Quick Disconnect Hose (P/N 1007841)		\$1,735
ACCESSORIES (FOOD GRADE HOSES) 45 & 90 DEGREE ADAPTERS SEE PAGE 20				
	MFS-HO-3	3" Diameter Food Grade Hose, 3 Feet Long		\$7,378
	MFS-HO-6	3" Diameter Food Grade Hose, Two 3 Feet Long Hoses		\$9,988

KETTLES, GAS FLOOR MODEL — TILTING

SELF CONTAINED GAS KETTLES — TILTING




Cleveland Self Contained Tilting Floor Model Steam Jacketed Kettles, Gas Operated, Patented Forced Air "Double Pass" Self Contained Gas Steam Generator, 120 Volt With Cord & Plug, Solid State Temperature Control, 50 PSI Steam Jacket Rating, 316 Stainless Steel Kettle Interior, 2/3 Steam Jacketed, Built In Diagnostics, Reinforced Rolled Rim, 1 - 10 Steam Control Dial, Low Water LED Indicator, Color Coded Pressure Vacuum Gauge, Level Adjustable Flanged Feet, Certified to Applicable UL, CSA and NSF Standards, CE Certification

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
TIKING MODELS STANDARD - (2" TANGENT DRAW-OFF AND SPRING ASSIST COVER IS OPTIONAL)				
	KGL25T	25 (95 Liter) Gallon Gas Tilting With Standard Controls	320/144	\$62,532
	KGL40T	40 (150 Liter) Gallon Gas Tilting With Standard Controls	520/235	\$66,021
	KGL40TSH	40 (150 Liter) Gallon Gas Tilting - Short Series 38" Rim Height With Standard Controls, Full Steam Jacket	520/235	\$77,814
	KGL60T	60 (225 Liter) Gallon Gas Tilting With Standard Controls	560/225	\$71,084
	KGL80T	80 Gallon (300 Liter) Gas Tilting With Standard Controls	600/270	\$87,275
	EASYDIAL CONTROL OPTIONS TILTING GAS MODELS			
	EZD	EasyDial Control Option - Tilting Models Only		\$2,158
	TCP1	Core Temperature Probe, EasyDial Controls Only		\$1,351
	GAS MODELS STATIONARY & TILTING ADDITIONAL OPTIONS			
	ELEVATION	Gas Models Specify Elevation If Over 2,000 Feet		\$0
	LPG	LP Gas Option		\$0
	KM2G	Gallon Markings - 5 Gallon Increments (Use KM2L for Liter Increments)		\$1,471
	HS0001	Front Mounted Removable Heat Deflector Shield		\$1,514
	VOK4	220 Volt, 60Hz, 1 Phase (KGL Series Only)		\$1,138
	VOK5	220 -240 Volt, 50 Hz, 1 Phase (For Export KGL Series Only)		\$3,502
	CP-TILTCTD	Prison Package For Tilting Kettles With TD Valve: Tamper Proof Spring Assist Cover with HASP, Tangent Draw-Off Bar Style Protection, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard, Hasp Lock by Others (See Page 50 for Details)		\$6,297
	CP-TILTCT	Prison Package For Tilting Kettles With No TD Valve: Tamper Proof Spring Assist Cover with HASP, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard, HASP Lock by Others (See Page 50 for Details)		\$3,704
	CP-RB	Prison Package Bar Rim		\$3,495
		TANGENT DRAW-OFF & PUMPABLE OPTIONS FOR TILTING GAS MODELS		
TD2		2" Tangent Draw Off With Strainer		\$3,033
TD2A		2" Tangent Draw Off With Acme Thread And Strainer For Pumping Capability		\$3,514
TD3		3" Tangent Draw-Off With Strainer (60 Gallon And Larger Only)		\$9,323
TD3A		3" Tangent Draw-Off Valve With Acme Thread, (60 Gallon And Larger) For Pumping Capability		\$11,745
BV3A		3" Butterfly Valve With Acme Thread (Except KGL25T) For Pumping Capability		\$4,711
FPVA3		3" Air Piston Valve For Pumping (KE003775-2) (Gas Models 60 Gallon And Larger) For Pumping		\$15,328
	SPRING ASSIST COVERS, TILTING MODELS			
	CHS25	25 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$3,029
	CHS40	40 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$3,690
	CHS40GTSH	40 Short Series Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$3,969
	CHS60	60 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$3,839
	CHS80	80 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$4,327
	CHS100	100 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$8,184
	COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE ALL KETTLE ACCESSORIES PAGE 22-24)			
	DPKT	DPKT Double Pantry Faucet and Bracket		\$1,506
	SPKT	SPKT Single Pantry Faucet and Bracket		\$1,164
	PCK	Self Leveling Pan Carrier (Tilting Models)		\$1,676
SPRING ASSIST COVERS, TILTING MODELS				
MFS-HO-3	3" Diameter Food Grade Hose, 3 Feet Long			\$7,378
MFS-HO-6	3" Diameter Food Grade Hose, Two 3 Feet Long Hoses			\$9,988

KETTLES, ELECTRIC FLOOR MODEL — STATIONARY

SELF CONTAINED ELECTRIC KETTLES — STATIONARY

Cleveland Self Contained Floor Model Stationary, Electric Standard 208 - 240 Volt, 3 Phase (Field Convertible To 1 Phase), 316 Stainless Steel Kettle Interior, Solid State Temperature Controls, IPX6 Water Rated, 50 PSI Steam Jacket Rating, 2/3 Steam Jacketed, Built In Diagnostics, Reinforced Rolled Rim, 1 - 10 Steam Control Dial, Low Water LED Indicator, Color Coded Pressure Vacuum Gauge, Level Adjustable Flanged Feet, Certified to Applicable UL, CSA and NSF Standards, CE Certification

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
STATIONARY MODELS STANDARD WITH 2" TANGENT DRAW-OFF AND SPRING ASSIST COVER				
	KEL25	25 Gallon (95 Liter) Electric Kettle, 2" Tangent Draw-Off, Spring Assist Cover	210/95	\$35,370
	KEL30	30 Gallon (110 Liter) Electric Kettle, 2" Tangent Draw-Off, Spring Assist Cover	230/105	\$35,693
	KEL40	40 Gallon (150 Liter) Electric Kettle, 2" Tangent Draw-Off, Spring Assist Cover	280/127	\$36,432
	KEL40SH	40 Gallon (150 Liter) Electric Kettle Short Series, Full Steam Jacket, 2" Tangent Draw-Off, Spring Assist Cover	280/127	\$43,534
	KEL60	60 Gallon (225 Liter) Electric Kettle, 2" Tangent Draw-Off, Spring Assist Cover	330/150	\$47,001
	KEL60SH	60 Gallon (225 Liter) Electric Kettle Short Series, Full Steam Jacket, 2" Tangent Draw-Off, Spring Assist Cover	340/155	\$57,216
	KEL80	80 Gallon (300 Liter) Electric Kettle, 2" Tangent Draw-Off, Spring Assist Cover	385/175	\$60,214
	KEL100	100 Gallon (375 Liter) Electric Kettle, 2" Tangent Draw-Off, Spring Assist Cover	415/195	\$69,154
		ELECTRIC MODEL STATIONARY ADDITIONAL OPTIONS		
ELEVATION		Specify Elevation If Over 3,000 Feet For Electric Models		\$0
HW2		High Wattage Option (Floor Model Electric Models KEL Series)		\$3,362
VOK1		380 Or 415 Volt, 50 Hz, 3 Phase For KEL Electric Models - Export		\$1,375
VOK2		440/480 Volt, 60 Hz, 3 Phase For KEL Electric Models		\$2,447
KM2G		Gallon Markings - 5 Gallon Increments (Use KM2L for Liter Increments)		\$1,471
HS001		Front Mounted Removable Heat Deflector Shield		\$1,765
CP-STATKT		Prison Package For Stationary Kettles, Tamper Proof Spring Assist Cover with HASP, Tangent Draw-Off Bar Style Protection, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard (See Page 50 for Details)		\$6,104
CP-RB		Prison Package Bar Rim		\$3,495
TANGENT DRAW- OFF & PUMPABLE OPTIONS FOR STATIONARY MODELS (FOR USE WITH FOOD PUMP)				
2ACME	Acme Thread Added To 2" Tangent Draw-Off On Stationary Kettle (Special Order)		\$1,090	
TD3S	3" Tangent Draw-Off With Strainer Upgrade/Add On Price (60 Gallon And Larger Only)		\$3,963	
TD3SA	3" Tangent Draw-Off With Acme Thread Upgrade, Add On Price (60 Gallon And Larger Only)		\$3,654	
FOOD HOSE KITS (ALL MODELS) 45 & 90 DEGREE ELBOWS SEE PAGE 20				
MFS-HO-3	3" Diameter Food Grade Hose, 3 Feet Long		\$7,378	
MFS-HO-6	3" Diameter Food Grade Hose, Two 3 Feet Long Hoses		\$9,988	
COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE ALL KETTLE ACCESSORIES PAGE 22-24)				
	DPKS	DPKS Double Pantry Faucet		\$1,506
	SPKS	SPKS Single Pantry Faucet		\$1,164

KETTLES, ELECTRIC FLOOR — TILTING

SELF CONTAINED ELECTRIC KETTLES — TILTING


Cleveland Self Contained Floor Model Tilting Kettles, Electric Standard 208 - 240 Volt, 3 Phase (Field Convertible To 1 Phase), 316 Stainless Steel Kettle Interior ,50 PSI Steam Jacket Rating, 2/3 Steam Jacketed, Solid State Temperature Controls, IPX6 Water Rated, Built In Diagnostics, Reinforced Rolled Rim, 1 - 10 Steam Control Dial, Low Water LED Indicator, Color Coded Pressure Vacuum Gauge, Level Adjustable Flanged Feet, Certified to Applicable UL, CSA and NSF Standards, CE Certification

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
TILTING MODELS (2" TANGENT DRAW-OFF AND SPRING ASSIST COVER IS OPTIONAL)				
	KEL25T	25 (95 Liter) Gallon Electric Tilting With Standard Controls	290/132	\$48,386
	KEL40T	40 (150 Liter) Gallon Electric Tilting With Standard Controls	360/163	\$51,734
	KEL40TSH	40 Gallon (150 Liter) Electric Tilting - Short Series 35" Rim Height With Standard Controls, Full Steam Jacket, No TD2	360/163	\$52,081
	KEL60T	60 Gallon (225 Liter) Electric Tilting With Standard Controls	415/188	\$59,171
	KEL60TSH	60 Gallon (225 Liter) Electric Tilting - Short Series 35" Rim Height With Standard Controls, Full Steam Jacket, No TD2	415/188	\$75,970
	KEL80T	80 Gallon (300 Liter) Electric Tilting With Standard Controls	470/213	\$68,277
	KEL100T	100 Gallon (375 Liter) Electric Tilting With Standard Controls	520/235	\$81,299
EASYDIAL CONTROL OPTIONS TILTING MODELS ONLY				
	EZD	EasyDial Control Option - Tilting Models Only		\$2,158
	TCP1	Core Temperature Probe, EasyDial Controls Only		\$1,351
ELECTRIC TILTING MODELS ADDITIONAL OPTIONS				
	ELEVATION	Specify Elevation If Over 3,000 Feet		\$0
	HW2	High Wattage Option (Floor Model Electric Models KEL Series)		\$3,362
	VOK1	380 Or 415 Volt, 50 Hz, 3 Phase For KEL Electric Models - Export		\$1,375
	VOK2	440/480 Volt, 60 Hz, 3 Phase For KEL Electric Models		\$2,447
	KM2G	Gallon Markings - 5 Gallon Increments (Use KM2L for Liter Increments)		\$1,471
	HS001	Front Mounted Removable Heat Deflector Shield		\$1,557
	CP-TILTCTD	Prison Package For Tilting Kettles With TD Valve: Tamper Proof Spring Assist Cover with HASP, Tangent Draw-Off Bar Style Protection, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard, Hasp Lock by Others (See Page 50 for Details)		\$6,297
	CP-TILTCT	Prison Package For Tilting Kettles With No TD Valve: Tamper Proof Spring Assist Cover with HASP, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard, HASP Lock by Others (See Page 50 for Details)		\$3,704
	CP-RB	Prison Package Bar Rim		\$3,495
	TANGENT DRAW-OFF AND PUMPABLE OPTIONS FOR TILTING ELECTRIC MODELS			
	TD2	2" Tangent Draw Off With Strainer, Not Available In Short Series		\$3,033
	TD3	3" Tangent Draw-Off With Strainer (60 Gallon And Larger Only)		\$9,323
	TD2A	2" Tangent Draw Off With Acme Thread And Strainer For Pumping (Special Order)		\$3,514
	TD3A	3" Tangent Draw-Off Valve With Acme Thread, (60 Gallon And Larger) For Pumping		\$11,745
ACCESSORIES (FOOD HOSE KIT) 45 & 90 DEGREE ELBOWS SEE PAGE 20				
	MFS-HO-3	3" Diameter Food Grade Hose, 3 Feet Long		\$7,378
	MFS-HO-6	3" Diameter Food Grade Hose, Two 3 Feet Long Hoses		\$9,988
SPRING ASSIST COVERS, TILTING MODELS				
	CHS25	25 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$3,029
	CHS40	40 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$3,690
	CHS40ETSH	40 SH Series Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$3,969
	CHS60	60 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$3,839
	CHS60ETSH	60 SH Series Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$4,984
	CHS80	80 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$4,327
	CHS100	100 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$8,184
COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE ALL KETTLE ACCESSORIES PAGE 22-24)				
	DPKT	DPKT Double Pantry Faucet & Bracket, Large 3/4" Spout		\$1,506
	SPKT	SPKT Single Pantry Faucet & Bracket Large 3/4" Spout		\$1,164
	PCK	Self Leveling Pan Carrier (Tilting Models)		\$1,676

KETTLES, COUNTER TOP DIRECT STEAM & KETTLE COMBINATIONS ON 18" STANDS


COUNTER TOP KETTLES, DIRECT STEAM

Cleveland Self Direct Steam Counter Top Kettles, 50 PSI Steam Jacket Rating, 316 Stainless Steel Interior, 2/3 Steam Jacketed, 316 Stainless Steel Kettle Interior, Reinforced Rolled Rim, Right Hand Steam Control Valve, Certified to Applicable UL, CSA and NSF Standards, CE Certification

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	KDT1T	.5 Gallon (2 Liter) Direct Steam Tilting, 2/3 Steam Jacketed	20/9	\$12,850
	KDT6T	6 Gallon (23 Liter) Direct Steam Tilting, 2/3 Steam Jacketed	40/18	\$11,407
	KDT10T	10 Gallon (38 Liter) Direct Steam Tilting, 2/3 Steam Jacketed	55/25	\$9,967
	KDT12T	12 Gallon (45 Liter) Direct Steam Tilting, 2/3 Steam Jacketed	55/25	\$18,202
	KDT20T	20 Gallon (80 Liter) Direct Steam Tilting, 2/3 Steam Jacketed	90/41	\$24,410
	ST28KDT12T	KDT12T, 12 Gallon Direct Steam Kettle mounted on ST28 Stand with using AK12-ST28 Adapter Kit		\$23,918
	COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE ALL KETTLE ACCESSORIES PAGE)			
SCK2	SCK2 - Steam Controls Kit (Steam Trap, Strainer, Check Valve)			\$2,210
CL1 (3,6)	Lift Off Cover With Built In Condensate Seal			\$993
CL12	Lift Off Cover With Built In Condensate Seal			\$1,288
CL20	Lift Off Cover With Built In Condensate Seal			\$1,362
ADAPTER TOPS FOR KDT SERIES, USED ON ST SERIES STANDS				
AK-12-ST28	Adapter Top For ST Stands, 12 Gallon Models, For Mounting To ST28 Stand			\$2,516
AK-20-ST28	Adapter Top For ST Stands, 20 Gallon Models, For Mounting To ST28 Stand			\$2,516
AK-3/3-ST42	Adapter Top For ST Stands, 3 Gallon Models, For Mounting To ST42 Stand			\$2,516
AK-3/6-ST42	Adapter Top For ST Stands, 6 Gallon Models For Mounting To ST42 Stand			\$2,516
AK-3-ST28	Adapter Top For ST Stands, 3 Gallon Models For Mounting To ST28 Stand			\$2,516
AK-6/12-ST42	Adapter Top For ST Stands, 6 and 12 Gallon Models For Mounting To ST42 Stand			\$2,516
AK-6/6-ST42	Adapter Top For ST Stands, Two 6 Gallon Models For Mounting To ST42 Stand			\$2,516
AK-6-ST28	Adapter Top For ST Stands, 6 Gallon Models For Mounting To ST28 Stand			\$2,516
AK12-ST55	Adapter Top For ST Stands, (2) 12 Gallons Models For Mounting To ST55 Stand			\$2,157


ST SERIES EQUIPMENT STANDS

Heavy Stainless Steel Construction With 1-1/4' Square Tubing, Adjustable Feet, (Rear Flanged Feet For Bolting To Floor) Standard With Sliding Drain Drawer And Splash Screen, Can Be Hard Piped To Floor Drain, Certified to Applicable UL, CSA and NSF Standards

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	EST28	28" Economy Equipment Stand, No Drain Drawer For Single Kettle	28/13	\$3,319
	ST28	28" Wide Equipment Stand W/ Drain Drawer And Splash Screen For Single Kettle	35/16	\$4,612
	ST42	42" Wide Equipment Stand W/ Drain Drawer And Splash Screen (For Two KDT6T'S - Must order Adapter Top)	65/29	\$8,756
	ST55	55" Wide Equipment Stand W/ Drain Drawer And Splash Screen (For (2) KDT6T, KDT12T - Must order Adapter Top)	70/32	\$9,425
	SG28	Large Flow Folding Splash Guard For ST28, ST55		\$544
	SG42	Large Flow Folding Splash Guard For ST42 Equipment Stand		\$534

DIRECT STEAM KETTLES — 18" HIGH MODULAR STAND

Cleveland Direct Steam Modular Bases, 18" High Base With Full Width Drain Trough And Grate with Sliding Drain Pan (SDP1), 316 Stainless Steel Interior, Double Pantry Faucet, Splash Guard, Level Adjustable Flanged Feet, 316 Stainless Steel Standard, Certified to Applicable UL, CSA and NSF Standards

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	SD450K6	One 6-Gallon Kettle On 18" Wide Modular Base	40/64	\$29,770
	SD650K12	One 12-Gallon Kettle On 18" Wide Modular Base	160/73	\$34,181
	SD760K12	One 6-Gallon Kettle On 26" Wide Modular Base	175/79	\$35,673
	SD1050K66	Two 6-Gallon Kettles On 42" Wide Modular Base	210/95	\$45,231
	SD1200K612	One 6, One 12 Gallon Kettle On 48" Wide Modular Base	230/104	\$51,071
	SD1600K1212	One 6, One 20 Gallon Kettle On 63" Wide Modular Base	290/132	\$63,782
	SD1600K620	Two 12 Gallon Kettle On 63" Wide Modular Base	250/114	\$63,782
SD1800K2020	Two 20 Gallon Kettles On 71" Wide Modular Base	340/154	\$77,501	

KETTLES, DIRECT STEAM FLOOR MODEL — STATIONARY

DIRECT STEAM STATIONARY KETTLES

Cleveland Self Direct Steam Floor Model Stationary Kettles, 50 PSI Steam Jacket Rating, 316 Stainless Steel Kettle Interior, 2/3 Steam Jacketed, 2" Tangent Draw Off Valve, Rotatable Spring Assist Cover, Reinforced Rolled Rim, Steam Control Valve, Level Adjustable Flanged Feet, Certified to Applicable UL, CSA and NSF Standards, CE Certification




PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
TILTING MODELS (2" TANGENT DRAW-OFF AND SPRING ASSIST COVER IS OPTIONAL)				
	KDL25	25 Gallon (95 Liter) Direct Steam Tri-Leg, 2/3 Steam Jacketed	170/77	\$22,748
	KDL30F	30 Gallon (110 Liter) Direct Steam Tri-Leg, Full Steam Jacketed	135/61	\$39,548
	KDL40	40 Gallon (150 Liter) Direct Steam Tri-Leg, 2/3 Steam Jacketed	230/104	\$23,344
	KDL40SH	40 Gallon (150 Liter) Direct Steam Tri-Leg, Full Steam Jacketed Short Series, Full Steam Jacket	230/104	\$32,675
	KDL60	60 Gallon (225 Liter) Direct Steam Tri-Leg, 2/3 Steam Jacketed	260/150	\$28,059
	KDL60SH	60 Gallon (225 Liter) Direct Steam Tri-Leg, Full Steam Jacketed Short Series Full Steam Jacket	260/150	\$39,236
	KDL80	80 Gallon (300 Liter) Direct Steam Tri-Leg, 2/3 Steam Jacketed	290/130	\$33,403
	KDL80SH	80 Gal. (300 Liter) Direct Steam Tri-Leg, Full Steam Jacketed Short Series Full Steam Jacket	290/180	\$44,705
	KDL100	100 Gallon (375 Liter) Direct Steam Tri-Leg, 2/3 Steam Jacketed	350/150	\$45,117
	KDL100F	100 Gallon (375 Liter) Direct Steam Tri-Leg, Full Steam Jacketed	360/163	\$86,340
	KDL125	125 Gallon (475 Liter) Direct Steam Tri-Leg, 2/3 Steam Jacketed	410/170	\$57,429
	KDL125F	125 Gallon (475 Liter) Direct Steam Tri-Leg, Full Steam Jacketed	410/185	\$103,822
	KDL150	150 Gallon (575 Liter) Direct Steam Tri-Leg, 2/3 Steam Jacketed	490/196	\$63,750
	KDL200	200 Gallon (757 Liter) Direct Steam Tri-Leg, 2/3 Steam Jacketed	560/255	\$87,978
PUMPABLE OPTIONS (FOR USE WITH MSFS MODEL FOOD PUMP)				
	BV3A	3" Butterfly Valve With Acme Thread (Except KGL25T), 90 Degree Elbow, 8' Long Food Grade Hose		\$11,745
OPTIONS				
	CHS	Spring Assist Rotatable Cover With Built In Condensate Seal Standard		STD
	TD2	2" Tangent Draw Off With Strainer		\$3,033
	KM2G	Gallon Markings - 5 Gallon Increments (Use KM2L for Liter Increments)		\$1,471
	HS001	Front Mounted Removable Heat Deflector Shield		\$1,765
	CP-STATKT	Prison Package For Stationary Kettles, Tamper Proof Spring Assist Cover with HASP, Tangent Draw-Off Bar Style Protection, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard (See Page 50 for Details)		\$6,104
	CP-RB	Prison Package Bar Rim		\$3,495
COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE ALL KETTLE ACCESSORIES PAGE 22-24)				
	DPKS	DPKT Double Pantry Faucet, Large 3/4" Spout		\$1,506
	SPKS	SPKT Single Pantry Faucet, Large 3/4" Spout		\$1,164
	SCK2	Steam Controls Kit (Steam Trap, Strainer, Check Valve)		\$2,210



KETTLES, FLOOR MODEL, DIRECT STEAM — TILTING





DIRECT STEAM KETTLES — TILTING

Cleveland Self Direct Steam Floor Model Tilting Kettles, 50 PSI Steam Jacket Rating, 2/3 Steam Jacketed, 316 Stainless Steel Kettle Interior, Reinforced Rolled Rim, Steam Control Valve, Level Adjustable Flanged Feet, Certified to Applicable UL, CSA and NSF Standards, CE Certification

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	KDL25T	25 Gallon (95 Liter) Direct Steam Tilting, Steam Jacketed Tri-Leg Design	220/110	\$25,842
	KDL40T	40 Gallon (150 Liter) Direct Steam Tilting, Steam Jacketed Tri-Leg Design	275/125	\$27,199
	KDL40TSH	40 Gal. (150 Liter) Direct Steam Tilting, Full Steam Jacketed -Tri Leg Short Series 35"	230/104	\$38,794
	KDL60T	60 Gallon (225 Liter) Direct Steam Tilting, 2/3 Steam Jacketed Tri-Leg Design	345/157	\$32,145
	KDL60TSH	60 Gal.(225 Liter) Direct Steam Tilting, Full Steam Jacketed -Short Series 35" Rim	260/150	\$46,063
	KDL80T	80 Gal. (300 Liter) Direct Steam Tilting, 2/3 Steam Jacketed Quad Leg Design	415/188	\$36,842
	KDL80TSH	80 Gal. (300 Liter) Direct Steam Tilting, Full Steam Jacketed -Short Series 35" Rim	290/255	\$52,855
	KDL100T	100 Gallon (375 Liter) Direct Steam Tilting, 2/3 Steam Jacketed Quad Leg Design	475/216	\$45,989
	KDL125T	125 Gal. (475 Liter) Direct Steam Tilting, 2/3 Steam Jacketed Quad Leg Design	535/244	\$55,439
	KDL150T	150 Gal. (575 Liter) Direct Steam Tilting, 2/3 Steam Jacketed Quad Leg Design	595/270	\$66,452
TANGENT DRAW-OFF OPTIONS				
	TD2	TD2 -2" Tangent Draw Off Drain Strainer		\$3,033
	TD3	3" Tangent Draw-Off With Strainer (60 Gallon And Larger Only, (Not Available On KDM'S)		\$9,323
PUMPABLE OPTIONS (FOR USE WITH MFS MODEL FOOD PUMP)				
	BV3AC	3" Butterfly Valve With Acme Thread, 90 Degree Elbow, 8' Long Food Grade Hose (Special Order)		\$11,745
SPRING ASSIST COVER OPTIONS TILTING MODELS				
	CHS25	25 Gallon Spring Assist Rotatable Cover With Built In Condensate Seal Standard		\$3,029
	CHS40	40 Gallon Spring Assist Rotatable Cover With Built In Condensate Seal Standard		\$3,690
	CHS40DTSH	40 Gallon Short Series Spring Assist Rotatable Cover With Built In Condensate Seal Standard		\$3,949
	CHS60	60 Gallon Spring Assist Rotatable Cover With Built In Condensate Seal Standard		\$3,839
	CHS60DTSH	60 Gallon Short Series Spring Assist Rotatable Cover With Built In Condensate Seal Standard		\$3,984
	CHS80	80 Gallon Spring Assist Rotatable Cover With Built In Condensate Seal Standard		\$4,327
	CHS80DTSH	80 Gallon Short Series Spring Assist Rotatable Cover With Built In Condensate Seal Standard		\$4,327
	CHS100	100, 125, 150 Gal. Spring Assist Rotatable Cover With Built In Condensate Seal Standard		\$8,184
OPTIONS				
	KM2G	KM2G Gallon Markings (Use KM2L for Liter Increments)		\$1,471
	HS001	Front Mounted Removable Heat Deflector Shield		\$1,765
	SCK2	Steam Controls Kit (Steam Trap, Strainer, Check Valve)		\$2,210
	CP-TILTCTD	Prison Package For Tilting Kettles With TD Valve: Tamper Proof Spring Assist Cover with HASP, Tangent Draw-Off Bar Style Protection, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard, Hasp Lock by Others (See Page 50 for Details)		\$6,297
	CP-TILTCT	Prison Package For Tilting Kettles With No TD Valve: Tamper Proof Spring Assist Cover with HASP, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard, HASP Lock by Others (See Page 50 for Details)		\$3,704
	CP-RB	Heavy Duty Bar Rim		\$3,495
	COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE ALL KETTLE ACCESSORIES PAGE 22-24)			
	DPKT	DPKT Double Pantry Faucet & Bracket, Large 3/4" Spout		\$1,506
	SPKT	SPKT Single Pantry Faucet & Bracket Large 3/4" Spout		\$1,164
	PCK	Self Leveling Pan Carrier (Tilting Models)		\$1,676

















ALL KETTLE ACCESSORIES

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
LIFT OFF COVERS — LID HOLDERS					
 	CL1	1 Gallon Lift Off Cover		\$993	
	CL3	3 Gallon Lift Off Cover with Built In Condensate Seal		\$993	
	CL6	6 Gallon Lift Off Cover with Built In Condensate Seal		\$993	
	CL12	12 Gallon Lift Off Cover with Built In Condensate Seal		\$1,288	
	CL10	10 Gallon Lift Off Cover with Built In Condensate Seal		\$1,032	
	CL20	20 Gallon Lift Off Cover with Built In Condensate Seal		\$1,362	
	CL25	25 Gallon Lift Off Cover with Built In Condensate Seal		\$1,997	
	CL40	40 Gallon Lift Off Cover with Built In Condensate Seal		\$2,362	
	CL60	60 Gallon Lift Off Cover with Built In Condensate Seal		\$2,621	
	CL80	80 Gallon Lift Off Cover with Built In Condensate Seal		\$3,004	
	CL100	100 Gallon Lift Off Cover with Built In Condensate Seal		\$3,388	
	LCH3	3 Gallon Lid Holder For KET3T (KE003927-3)		\$483	
	LCH6	6 Gallon Lid Holder Lid Holder KET6T (KE003927-2)		\$483	
	LCH12	12 Gallon Lid Holder KET12T (KE003927-1)		\$483	
	LCH20	20 Gallon Lid Holder KET20T (KE003927-4)		\$483	
	LCH6G	6 Gallon Lid Holder Lid Holder KGT6T (KE003980-2)		\$414	
	LCH12G	12 Gallon Lid Holder Lid Holder KGT12T (KE003980-1)		\$414	
	FAUCETS				
	 	SPK1	Single Pantry Faucet (KDT12T, KDT20T SD Or ST Stand Mounted)		\$1,164
DPK1		Double Pantry Faucet (KDT12T, KDT20T SD Or ST Stand Mounted)		\$1,506	
SPK2		Single Pantry Faucet And Bracket Kit (KDL/P60T, KDL/P80T, KDL/P100T, MKET12/20T)		\$1,164	
DPK2		Double Pantry Faucet And Bracket Kit (KDL/P60T, KDL/P80T, KDL/P100T, MKET12/20T)		\$1,506	
SPK3		Single Pantry Faucet And Bracket Kit (KDL/P25T, KDL/P40T)		\$1,164	
DPK3		Double Pantry Faucet And Bracket Kit (KDL/P25T, KDL/P40T)		\$1,506	
SPK5		Single Pantry Faucet (All Stationary Kettles Except HA-MKGL)		\$1,164	
DPK5		Double Pantry Faucet And Bracket Kit (All Stationary Kettles Except HA-MKGL)		\$1,506	
SPK6		Single Pantry Faucet (KDM25, KDM40T)		\$1,088	
DPK6		Double Pantry Faucet (KDM25, KDM40T)		\$1,407	
SPK7		Single Pantry Faucet And Bracket (KDL40, 60, 80Tsh ,ELI40,60TSH)		\$1,164	
DPK7		Double Pantry Faucet And Bracket Kit (KDL40, 60, 80TSH ,KEL40,60TSH)		\$1,506	
SPK8		Single Pantry Faucet And Bracket Kit (KDT6T SD Or ST Stand Mounted)		\$1,164	
DPK8		Double Pantry Faucet And Bracket Kit (KDT6T SD Or ST Stand Mounted)		\$1,506	
SPK10		Single Pantry Faucet And Bracket Kit(KDL100T, KDL125T)		\$1,164	
DPK10		Double Pantry Faucet And Bracket Kit (KDL100T, KDL125T)		\$1,506	
SPK11		Single Pantry Faucet And Bracket Kit (HAMKGL60T, 80T, 100-T)		\$1,047	
DPK11		Double Pantry Faucet And Bracket Kit (HAMKGL60T, 80T, 100-T)		\$1,354	
SPK17		Single Pantry Faucet And Bracket Kit (HAMKGL60, 80, 100)		\$1,068	
DPK17		Double Pantry Faucet And Bracket Kit (HAMKGL60, 80, 100)		\$1,449	
SPK18		Single Pantry Faucet And Bracket Kit (KDM60T)		\$998	
DPK18		Double Pantry Faucet And Bracket Kit (KDM60T)		\$1,292	
SPK27		Single Pantry Faucet And Bracket Kit (KET3T, 6T, 12T, TKET3T, 6T, 12T)		\$998	
DPK27		Double Pantry Faucet And Bracket Kit (KET3, 6, 12T, TKET3T, 6T, 12T)		\$1,292	
SPK20		Single Pantry Faucet And Bracket Kit (KEL40,60,80,100-T, KGT6T, 12-T)		\$998	
DPK20		Double Pantry Faucet And Bracket Kit (KEL40,60,80,100-T, KGT6, 12-T)		\$1,292	
SPK21		Single Pantry Faucet And Bracket Kit (KEL25T)		\$998	
DPK21	Double Pantry Faucet And Bracket Kit (KEL25T)		\$1,292		
SPK22	Single Pantry Faucet And Bracket Kit (KGL40,60,80-T, KGL40TSH)		\$998		
DPK22	Double Pantry Faucet And Bracket Kit (KGL40,60,80-T, KGL40TSH)		\$1,292		
SKFK	Single Pantry Kettle Filler (P/N 105978)		\$2,692		
DKFK	Double Pantry Kettle Filler (P/N 105979)		\$3,237		
PRSK	Pre-Rinse Spray Hose (P/N B-0113)		\$3,366		
KE54159	Faucet Bracket Kettles - This Is Item FBKT Not KE54159		\$452		

ALL KETTLE ACCESSORIES (CONTINUED)

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
PAN CARRIER, FOOD & DRAIN STRAINERS, COOKING BASKETS					
	PCK	Pan Carrier Kettles For Tilting Kettles		\$1,676	
	FD	Flow Diverter		\$3,496	
	DRAINPAN6	6" Deep 12" X 20" Stainless Steel Pan With Drain		\$1,101	
	SDP1	Sliding Drain Pan for SD Stands		\$1,108	
	DS2	Perforated Drain Strainer, 2" Draw-Off, 3/16" Strainer Holes		\$818	
	DS2S	Solid Drain Strainer, 2" Draw-Off, 3/16" Strainer Holes		\$818	
	DS3	Perforated Drain Strainer, 3" Draw-Off, 3/16" Strainer Holes		\$818	
	DS3S	Solid Drain Strainer, 3" Draw-Off, 3/16" Strainer Holes		\$818	
	MKDS2/316A	Drain Strainer For Vertical Mixer Kettles 2" Draw-Off		\$752	
	MKDS3/316A	Drain Strainer For Vertical Mixer Kettles 3" Draw-Off		\$752	
		SH25	Drain Strainer Hook, 25 gallon (100 Liter) Kettle (PN KE51462)		\$662
		SH40	Drain Strainer Hook, 40 gallon (150 Liter) Kettle (PN KE51464)		\$662
SH60		Drain Strainer Hook, 60 gallon (225 Liter) Kettle (PN KE51465)		\$662	
SH80		Drain Strainer Hook, 80 gallon (300 Liter) Kettle (PN KE51466)		\$662	
SH100		Drain Strainer Hook, 100 gallon (375 Liter) Kettle (PN KE51467)		\$662	
	SH125	Drain Strainer Hook, 125 gallon (475 Liter) Kettle (PN KE51468)		\$662	
	SH150	Drain Strainer Hook, 150 gallon (575 Liter) Kettle (PN KE51469)		\$662	
	FS3	FS3 - 3 Gallon Food Strainer		\$829	
	FS6	FS6 - 6 Gallon Food Strainer, Electric, Directs steam Models		\$828	
	FS6GAS	FS6 - 6 Gallon Food Strainer, gas models		\$828	
	FS12	FS12 - 12 Gallon Food Strainer, Electric, Direct Steam Models		\$829	
	FS12GAS	FS12 - 12 Gallon Food Strainer, Gas models		\$828	
	FS20	FS20 - 20 Gallon Food Strainer		\$829	
	FS25	FS25 - 25 Gallon Food Strainer		\$829	
		FS40	FS40 - 40 Gallon Food Strainer		\$2,375
FS60		FS60 - 60 Gallon Food Strainer		\$2,375	
FS80		FS80 - 80 Gallon Food Strainer		\$5,928	
FS100		FS100 - 100 Gallon Food Strainer		\$5,928	
FS150		FS150 - 100 Gallon Food Strainer		\$5,928	
FS125		FS125 - 125 Gallon Food Strainer		\$5,928	
FS40SH		FS40SH - 40 Gallon Food Strainer SH Series		\$2,942	
FS60SH		FS60SH - 60 Gallon Food Strainer SH Series		\$2,942	
FS80SH		FS80SH - 80 Gallon Food Strainer SH Series		\$2,942	
FS40SHG		FS40SHG - 40 Gallon Food Strainer SH Series Gas Models		\$2,942	
	FS60HA	FS60HA 60 Gallon Food Strainer For HA Series Mixers		\$2,940	
	FS80HA	FS80HA 80 Gallon Food Strainer For HA Series Mixers		\$5,929	
	FS100HA	FS100HA 100 Gallon Food Strainer For HA Series Mixers		\$5,928	
	BS3	3 Gallon Basket		\$1,810	
	BS6	6 Gallon Basket		\$1,909	
	BS12	12 Gallon Basket		\$2,409	
	TBS20	Tri Basket System 20 Gallon Models (Includes Three BS-3'S)		\$6,086	
	TBS25	Tri Basket System 25 Gallon Models (Includes Three BS-3'S)		\$6,453	
	TBS40	Tri Basket System 40 Gallon Models (Includes Three BS-6'S)		\$6,512	
	TBS60	Tri Basket System 60 Gallon Models (Includes Three BS-6'S)		\$7,986	
	TBS80	Tri Basket System 80 Gallon Models (Includes Three BS-6'S)		\$7,986	
	TBS100	Tri Basket System 100 Gallon Models (Includes Three BS-12'S)		\$7,986	
	TBS40SH	Tri Basket System 40 Gallon Models SH Series (Includes Three BS-6'S)		\$7,986	
	TBS60SHGAS	Tri Basket System 60 Gallon Models SH Series Gas (Includes Three BS-6'S)		\$7,986	
TBS80SH	Tri Basket System 80 Gallon Models SH Series (Includes Three BS-6'S)		\$7,986		
KETTLE ACCESSORY KIT					
	KAK	Kettle Accessory Kit (P/N 40880) Includes All Items Below		\$3,051	
	KBK	Kettle Brush Kit (P/N 408802)		\$1,102	
	CB	Clean Up Brush (P/N 00856)		\$0	
	KP	Kettle Paddle (P/N 102405)		\$504	
	KW	Kettle Whip (P/N 00961)		\$1,011	
	KB	Kettle Brush (P/N 00853)		\$483	
	DB	Draw-Off Brush (P/N 00852)		\$283	
	KL	Kettle Ladle (P/N 00904)		\$814	

ALL KETTLE ACCESSORIES (CONTINUED)

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
MEASURING STRIPS				
 <p>MS</p>	MS6	6 Gallon Measuring Strip		\$975
	MS12	12 Gallon Measuring Strip		\$975
	MS20	20 Gallon Measuring Strip		\$975
	MS25	25 Gallon Measuring Strip		\$975
	MS40	40 Gallon Measuring Strip		\$975
	MS60	60 Gallon Measuring Strip		\$975
	MS80	80 Gallon Measuring Strip		\$975
	MS100	100 Gallon Measuring Strip		\$975
MISCELLANEOUS				
	SCK1	Steam Control Kit - Direct Steam Stationary Kettle (Steam Trap, Strainer, Check Valve)		\$2,210
	SCK2	Steam Control Kit - Direct Steam Tilting Kettle, (Steam Trap, Strainer, Check Valve)		\$2,210
	SCK3	Steam Control Kit - Direct Steam 200 Gallons (Steam Trap, Strainer, Check Valve)		\$2,210
	SF3	Swing Drain Funnel For Tilting Kettles (KE003891-1, Floor Mounted)		\$1,534
	SF4	Swing Drain Funnel For Stationary Kettles. (KE003891-2 Kettle Mounted)		\$1,534
	TDDC	Drain Cup With Hose, For Use With Tangent Draw-Off		\$1,342
	ELK	Leg Extensions		\$1,839
	TD2A45	45 Degree Elbow with 8 Foot Hose To Be Used For 2" Tangent With Acme Thread		\$613
	TD2A90	90 Degree Elbow with 8 Foot Hose To Be Used For 2" Tangent With Acme Thread		\$636
	TD3A45	45 Degree Elbow with 8 Foot Hose To Be Used For 3" Tangent Draw Off or Butterfly Valve with Acme Thread		\$1,084
	TD3A90	90 Degree Elbow with 8 Foot Hose To Be Used For 3" Tangent Draw Off or Butterfly Valve with Acme Thread		\$1,211
	KE55336-1	90 Degree Reducer, 3" Acme Tread To 2" Sani Clamp (Tri-Clover) Reducer		\$2,552
	KE55336-2	90 Degree Reducer, 3" Sani Clamp To 2" Sani Clamp (Tri-Clover) Reducer		\$3,398
	KE55336-3	45 Degree Reducer, 3" Sani Clamp To 2" Sani Clamp (Tri-Clover) Reducer		\$2,846
	KE55336-4	90 Degree Elbow, 2" Sani Clamp To 2" Sani Clamp (Tri-Clover) Reducer		\$1,128
	KE55336-5	45 Degree Elbow, 2" Sani Clamp To 2" Sani Clamp (Tri-Clover) Reducer		\$1,013
	KE55336-6	90 Degree Elbow, 3" Acme Thread To 3" Sani Clamp (Tri-Clover)		\$1,635
	KE003716-1	KGT6T Nat. To L.P. Conversion Kit 2,000 Ft Elevation, UI Certified		\$1,394
	KE003716-2	KGT12T Nat. To L.P. Conversion Kit 2,000 Ft Elevation, UI Certified		\$1,394
	KE003716-3	KGL25T Nat. To L.P. Conversion Kit 2,000 Ft Elevation, UI Certified		\$1,394
	KE003716-4	KGL60T & Up Nat. To L.P. Conversion Kit 2,000 Ft Elevation, UI Certified		\$1,394
	KE003716-5	KGL40T Nat. To L.P. Conversion Kit 2,000 Ft Elevation, UI Certified		\$1,394
LARGE PASTA BASKETS AND DOLLY'S				
	PBD-40	Dolly For 40 Gallon Pasta Basket		\$11,813
	PBD-40SH	Dolly For 40 Gallon Pasta Basket Short Series		\$12,020
	PBD-60	Dolly For 60 Gallon Pasta Basket		\$12,525
	PBD-80	Pasta Dolly For 80 Gallon Pasta Basket		\$12,644
	PBD-100	Pasta Dolly For 100 Gallon Pasta Basket		\$14,068
	PBD-200	Pasta Dolly For 200 Gallon Pasta Basket		\$15,077
	PBK-40	40 Gallon Pasta Basket		\$34,963
	PBK-40SH	40 Gallon Pasta Basket Short Series		\$37,397
	PBK-60	60 Gallon Pasta Basket		\$38,584
	PBK-80	80 Gallon Pasta Basket		\$39,771
	PBK-100	100 Gallon Pasta Basket		\$40,958
	PBK-200	200 Gallon Pasta Basket		\$61,141
WATER METER, WATER COOLING				
	AWC1	Automatic Water Cooling For Direct Steam Kettles (P/N AWC1120/60)		\$12,316
	GMC1/LMC1	Water Meter (P/N WM0001)		\$13,987
	SWM	Stand For Water Meter		\$1,722

MIXER KETTLES, DIRECT STEAM, VERTICAL SWEEP & FOLD SERIES

STEAM JACKETED MIXER KETTLES

Cleveland Direct Steam Counter Top Mixer Kettle: 2/3 Steam Jacketed, 50 PSI, Two Piece Hinged Cover With Safety Screen, 316 Stainless Steel, Gallon Markings On Mixer Shaft (2 Gal./5 L marks for 12 gal model, 5 Gal, 10 L marks for 20 gal model), Steam Control Valve, Right Side, 115 Voltage Standard, Level Adjustable Legs with Flanged Feet, Certified to Applicable UL, CSA and NSF Standards, CE Certification



PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	MKDT12T	12 Gallon (45 Liter) Floor Model Direct Steam Mixer Kettle, Lever Style Hand Tilt	370/186	\$53,260
	MKDT20T	20 Gallon (80 Liter) Floor Model Direct Steam Mixer Kettle Lever Style Hand Tilt	410/186	\$73,129
OPTIONS				
	SLD20	Sliding Drain Drawer With Splash Screen		\$2,939
	240V	208 or 240 Volt Option		\$0
	STM	Steam Valve Left Side Location (Right Side Standard)		\$0
	SCK2	Steam Control Kit (Steam Trap, Strainer and Check Valve)		\$2,210

STEAM JACKETED MIXER KETTLES

Cleveland Floor Model Direct Steam Mixer Kettles, 3" Butterfly Valve With Acme Thread, Built In Two Piece Hinged Cover With Built In Safety Screen, 50 PSI Steam Jacket Rating, Variable Speed Agitator With 0-70 RPM Scraper Blade, 0-210 RPM Secondary Agitator, 208-240 Volt - 3/4 Horse Power Belt Drive, Gallon or Liter Markings On Mixer Shaft (10 Gallon/40 Liter Increments), DPK Double Pantry Faucet, Manual Hand Tilt, 316 Stainless Steel Liner, Certified to Applicable UL, CSA and NSF Standards, CE Certification



PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	MKDL40T	40 Gallon (150 Liter) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	700/315	\$171,478
	MKDL60T	60 Gallon (225 Liter) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	740/333	\$176,941
	MKDL80T	80 Gallon (300 Liter) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	830/373	\$181,961
	MKDL100T	100 Gallon (375 Liter) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	910/409	\$201,677
	MKDL125T	125 Gallon (475 Liter) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	1000/450	\$202,815
	MKDL150T	150 Gallon (575 Liter) Floor Model Direct Steam Mixer Kettle Power Tilt Std	1100/495	\$204,444
	TMKDL40T	Twin 40 Gallon (150 Liter Ea) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	1360/612	\$295,292
	TMKDL60T	Twin 60 Gallon (225 Liter Ea) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	1610/730	\$293,729
	TMKDL80T	Twin 80 Gallon (300 Liter Ea) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	1700/771	\$300,560
	TMKDL100T	Twin 100 Gallon (375 Liter Ea) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	1800/817	\$336,963
	TMKDL125T	Twin 125 Gallon (475 Liter Ea) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	1890/857	\$347,925
	TMKDL150T	Twin 150 Gallon (575 Liter Ea) Floor Model Direct Steam Mixer Kettle, Power Tilt Std	1990/903	\$352,370

OPTIONS & ACCESSORIES (MKDL, TMKDL) TWIN MIXER (ADD OPTION PRICE 2X)



	VOK1	380 Or 415 Volt, 50 Hz, 3 Phase For Electric Export		\$1,375
	VOK2	440/480 Volt, 60 Hz, 3 Phase		\$2,447
	PT3	Power Tilt (Standard On 150 Gallon Model Only)		\$10,387
	FBV2	2" Flush Bottom Ball Style Valve		CALL
	FPVA3	3" Air Operated Flush Piston Valve (KE003775-2) (Requires Air Compressor) For Pumping		\$15,328
	TD3A45	45 Degree Elbow with 8 Foot Hose To Be Used For 3" Tangent Draw Off or Butterfly Valve with Acme Thread		\$1,084
	TD3A90	90 Degree Elbow with 8 Foot Hose To Be Used For 3" Tangent Draw Off or Butterfly Valve with Acme Thread		\$1,211
	HS001	Front Mounted Removable Heat Deflector Shield		\$1,765
	SCK2	Steam Controls Kit (Trap, Strainer, Check Valve)		\$2,210
	MKDS2/316A	2" Mixer Drain Strainer 1/4" Holes		\$752
	MKDS3/316A	3" Mixer Drain Strainer 1/4" Holes		\$752
	CP-MKDL	Correctional Package -MKDL, TMKDL Mixer Kettles (Prison Screws And Screw Driver, Switch Guard, TD Valve Strap, Pressure Gauge Guard, Prison Control Cover)		\$4,748

CONTROL OPTIONS (MKDL, TMKDL)



	GMC1/LMC1	Automatic Water Meter, Built Into Console Mounted (Specify Gallons Or Liters) Used With 3/4" Filler Hose, Replaces DPK Double Pantry Faucet		\$14,966
	AWC1	Automatic Water Cooling, Built Into Console (Direct Steam Kettles Only)		\$12,316
	EZD-DTCI	easyDial Digital Time and Temperature Control & Indicator with Data Logger and USB Port		\$17,377

ACCESSORIES (SEE ALL KETTLE ACCESSORIES PAGE 22-24)

MIXER KETTLES, ELECTRIC, VERTICAL SWEEP & FOLD SERIES

STEAM JACKETED MIXER KETTLES

Cleveland Counter Top Electric Mixer Kettles: 208-240 V, 3 PH Standard, Solid State Temperature Controls, Built In Two Piece Hinged Cover With Built In Safety Screen, 50 PSI Steam Jacket Rating, Variable Speed Agitator With 0-70 RPM Scraper Blade, 0-210 RPM Secondary Agitator, 3/4 Horsepower Belt Drive, Gallon or Liter Markings On Mixer Shaft (2 Gal/5 L marks for 12 gal model, 5 Gal/10 L marks for 20 gal model), Low Water LED Indicator Light, Manual Lever Hand Tilt, 316 Stainless Steel Liner Standard, Certified to Applicable UL, CSA and NSF Standards, CE Certification



PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	MKET12T	12 Gallon (45 Liter) Floor Model Electric Mixer Kettle Lever Style Hand Tilt	340/153	\$61,343
	MKET20T	20 Gallon (80 Liter) Floor Model Electric Mixer Kettle Lever Style Hand Tilt	340/153	\$85,299
OPTIONS				
ELEVATION	Specify Elevation If Above 3,000 Feet			\$0
VOK1	380 or 415 Volt, 50 Hz, 3 Phase For Electric Export			\$1,375
VOK2	440 or 480 Volt, 60 Hz, 3 Phase			\$2,447
HW1	High Wattage Standard On MKET Mixer Kettles			\$0
SLD20	Sliding Drain Drawer with Splash Screen			\$2,939
PCE	Protective Control Cover			\$654
CP-MKET	Correctional Packages, MKET (Control Cover, Prison Screws, Prison Screw Driver, Pressure Gauge Guard)			\$1,995

ELECTRIC SWEEP & FOLD VERTICAL STEAM JACKETED MIXER KETTLES

Cleveland Floor Model Electric Mixer Kettles, Solid State Temperature Controls, 2" Tangent Draw-Off, Two Piece Hinged Cover With Built In Safety Screen, 50 PSI Steam Jacket Rating, Variable Speed Agitator With 0-70 RPM Scraper Blade, 0-210 RPM Secondary Agitator, 208-240 Volt - 3/4 Horsepower Belt Drive, Gallon or Liter Markings On Mixer Shaft (10 gallon/ 40 liters increments), Low Water LED Indicator Light, Manual Hand Tilt, 316 Stainless Steel Liner Standard, High Wattage Standard, DPK Double Pantry Faucet, Certified to Applicable UL, CSA and NSF Standards, CE Certification



PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	MKEL40T	40 Gallon (150 Liter) Floor Model Electric Mixer Kettle Hand Tilt Std	820/369	\$175,944
	MKEL60T	60 Gallon (225 Liter) Floor Model Electric Mixer Kettle Hand Tilt Std	870/391	\$179,836
	MKEL80T	80 Gallon (300 Liter) Floor Model Electric Mixer Kettle Hand Tilt Std	1060/477	\$192,599
	MKEL100T	100 Gallon (375 Liter) Floor Model Electric Mixer Kettle Hand Tilt Std	1250/525	\$206,191
	TMKEL40T	Twin 40 Gal. (150 Liter Ea) Floor Model Gallon Electric Mixer Kettle Hand Tilt Std	1600/720	\$222,179
	TMKEL60T	Twin 60 Gal. (225 Liter Ea) Floor Model Gallon Electric Mixer Kettle Hand Tilt Std	1670/751	\$224,968
	TMKEL80T	Twin 80 Gal. (300 Liter Ea) Floor Model Gallon Electric Mixer Kettle Hand Tilt Std	1840/828	\$253,195
	TMKEL100T	Twin 100 Gal. (375 Liter Ea) Floor Model Gallon Electric Mixer Kettle Hand Tilt Std	2150/975	\$279,764

PUMPABLE OPTIONS (FOR USE WITH MFS MODEL FOOD PUMP)

TD2A	2" Tangent Draw-Off Valve With Acme Thread (Special Order)		\$3,514
TD2A45	45 Degree Elbow with 8 Foot Hose To Be Used For 2" Tangent With Acme Thread		\$613
TD2A90	90 Degree Elbow with 8 Foot Hose To Be Used For 2" Tangent With Acme Thread		\$636
MKDS2/316A	2" Mixer Drain Strainer 1/4" Holes		\$752

OPTIONS & ACCESSORIES (MKEL, TMKEL)

ELEVATION	Specify If Over 3,000 Feet		\$0
VOK1	380 or 415 Volt, 50 Hz, 3 Phase For Electric Export		\$1,375
VOK2	440 or 480 Volt, 60 Hz, 3 Phase		\$2,447
HW2	High Wattage Option (Standard On Mixer Kettles)		STD
PT3	Power Tilt Option		\$10,387
HS001	Front Mounted Removable Heat Deflector Shield		\$1,765
CP-MKEL	Correctional Package -MKEL, TMKEL Mixer Kettles (Prison Screws And Screw Driver, Switch Guard, TD Valve Strap, Pressure Gauge Guard, Prison Control Cover)		\$4,749

CONTROL OPTIONS (MKEL, TMKEL)

GMC1/LMC1	Automatic Water Meter, Built Into Console Mounted (Specify Gallons Or Liters) Used With 3/4" Filler Hose, Replaces DPK Double Pantry Faucet		\$14,966
EZD-DTCI	easyDial Digital Time and Temperature Control & Indicator with Data Logger and USB Port		\$17,377



ACCESSORIES (SEE ALL KETTLE ACCESSORIES PAGE 22-24)



MIXER KETTLES, GAS, VERTICAL SWEEP & FOLD SERIES

SELF CONTAINED GAS SWEEP & FOLD VERTICAL STEAM JACKETED MIXER KETTLES




Cleveland Floor Model Gas Mixer Kettles, Solid State Temperature Controls, 3" Butterfly Valve With Acme Thread, Built In Two Piece Hinged Cover With Built In Safety Screen, 50 PSI Steam Jacket Rating, Variable Speed Agitator With 0-70 RPM Scraper Blade, 0-210 RPM Secondary Agitator, 3/4 Horse Power Belt Drive, Gallon or Liter Markings On Agitator Shaft (10 Gallon/40 Liter Increments), Low Water LED Indicator Light, DPK Double Pantry Faucet, Manual Hand Tilt, 316 Stainless Steel Liner Standard. Certified to Applicable UL, CSA and NSF Standards, CE Certification

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	MKGL40T	40 Gallon (150 Liter) Floor Model Gas Mixer Kettle Hand Tilt STD	850/386	\$197,505
	MKGL60T	60 Gallon (225 Liter) Floor Model Gas Mixer Kettle Hand Tilt STD	925/420	\$202,374
	MKGL80T	80 Gallon (300 Liter) Floor Model Gas Mixer Kettle Power Tilt STD	1000/454	\$207,431
OPTIONS & ACCESSORIES (MKGL)				
	208-240	208-240 Volt, 60 Hz, 3 Phase Standard		\$0
	VOK1	380 or 415 Volt, 50 Hz, 3 Phase For Electric Export		\$1,375
	VOK2	440 or 480 Volt, 60 Hz, 3 Phase		\$2,447
	GAS TYPE	Specify: Natural, Propane, Butane, Manufactured, Town, Other		\$0
	ELEVATION	Specify Altitude If Over 2,000 Feet		\$0
	PT3	Power Tilt Option		\$8,906
	FBV2	2" Ball Style Valve (Contact Factory, 80, 100 Gallons Only)		CALL
	FPVA3	3" Air Operated Flush Piston Valve (KE003775-2) (Requires Air Compressor) For Pumping		\$15,328
	TD3A45	45 Degree Elbow with 8 Foot Hose To Be Used For 3" Tangent Draw Off or Butterfly Valve with Acme Thread		\$1,084
	TD3A90	90 Degree Elbow with 8 Foot Hose To Be Used For 3" Tangent Draw Off or Butterfly Valve with Acme Thread		\$1,211
	MKDS-3/316AS	3" Butterfly Valve Solid Drain Strainer - No Holes		\$924
	MKDS3/316A	3" Butterfly Valve Drain Strainer - 1/4" Holes		\$752
	HS001	Front Mounted Removable Heat Deflector Shield		\$1,765
	CP-MKGL	Correctional Package -MKGL Mixer Kettles (Prison Screws And Screw Driver, Switch Guard, Water Level Gauge Guard, Prison Control Cover)		\$4,749
	OPTIONS & ACCESSORIES (MKGL)			
	208-240	208-240 Volt, 60 Hz, 3 Phase Standard		\$0
	VOK1	380 or 415 Volt, 50 Hz, 3 Phase For Electric Export		\$1,375
	VOK2	440 or 480 Volt, 60 Hz, 3 Phase		\$2,447
CONTROL OPTIONS (MKGL)				
	GMC1/LMC1	Automatic Water Meter, Built Into Console Mounted (Specify Gallons Or Liters) Used With 3/4" Filler Hose, Replaces DPK Double Pantry Faucet		\$13,987
	EZD-DTCI	easyDial Digital Time and Temperature Control & Indicator with Data Logger and USB Port		\$17,377
ACCESSORIES (SEE ALL KETTLE ACCESSORIES PAGE 22-24)				

TILTING SKILLETS, COUNTER TOP

TILT SKILLETS COUNTER TOP ELECTRIC

Cleveland Table Top Tilting Skillets, Self Contained Electric, Marine Style Safety Latch, Heating Elements Cast Into 1.25" Aluminum Block Covers Entire Surface For Even Temperature Distribution, Lift Off Cover, Bead Blasted Cooking Surface Prevents Sticking, Certified to Applicable UL, CSA and NSF Standards, CE Certification

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	SET10	10 Gallon (42 Liter) New Mini MVP Tilt Skillet with easyDial Controls and Spring Assist Cover, Manual Lever Tilt with Safety Latch	200/91	\$29,825
	SET15	15 Gallon (68 Liter) Electric Lever Style Manual Tilt (208 Volt, 3 Phase) (CE)	201/93	\$26,239
OPTIONS (BUILT-ON AT THE FACTORY)				
	VOSK1	240 Volt, 60 Hz, 3 Phase (For SET Electric Models)		\$0
	VOSK2	380/415 Volt, 50 Hz, 3 Phase For Export (SET Electric Models)		\$1,365
	SPH	Single Phase Option		\$0
	TD1.5	1.5" Tangent Draw-Off (for SET10 only)		\$1,550
	COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE PAGE 31)			
	SCL15	15 Gallon Left Off Cover Standard On SET15 (standard on SET15)		\$1,433
	LCHS15	Lid Holder For SET15		\$457
	FS15S	Pour Spout Strainer For SET15		\$862
	DPK15	Double Pantry Faucet & Bracket For SET10		\$1,506
	DPK16	Double Pantry Faucet & Bracket For SET15		\$1,506
	SPK15	Single Pantry Faucet & Bracket For SET10		\$1,164
	SPK16	Single Pantry Faucet & Bracket For SET15		\$1,164
	BSSET15	Pasta Basket For SET15		\$2,522
	MS-15	15 Gallon Measuring Strip For SET15		\$975

ST SERIES EQUIPMENT STANDS




Heavy Stainless Steel Construction With 1-1/4' Square Tubing, Adjustable Feet, (Rear Flanged Feet For Bolting To Floor) Standard With Sliding Drain Drawer And Splash Screen, Can Be Hard Piped To Floor Drain, Certified to Applicable UL, CSA and NSF Standards

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	EST28	28" Wide Economy Equipment Stand, No Drain Drawer For Single Skillet		\$3,319
	ST28	28" Wide Equipment Stand W/ Drain Drawer And Splash Screen For Single Skillet		\$4,612
	ST55	55" Wide Equipment Stand W/ Drain Drawer And Splash Screen (For SET10, Or Two SET15)		\$9,425
	SG28	Large Flow Folding Splash Guard For ST28, ST55		\$544

TILTING SKILLETS, FLOOR MODEL, TR SERIES "DURAPAN"

TILT SKILLETS TR DURAPAN SERIES

Cleveland Durapan TR Series Tilt Skillet, Front Hinge Style Tilting Skillet, Hydraulic Hand Tilt With Quick Lowering Feature, Bead Blasted Cooking Surface Prevents Sticking, Solid State "Imbedded" Temperature Thermostats For Even Temperature Distribution, IPX6 Water Rated, 100 - 425 F. Temperature Control Knob, Stainless Steel Gas Burners on gas models, Reinforced Rolled Rim Eliminates Pan Warping, Vented Spring Assist Cover, IPX6 Water Rating Protection, Certified to Applicable UL, CSA and NSF Standards, CE Certification for Gas TR Models

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	SGL30TR	30 Gallon (117 Liter) Gas Manual Tilt - Open Base	498/227	\$45,929
	SGL40TR	40 Gallon (156 Liter) Gas Manual Tilt - Open Base	622/318	\$49,691
	SEL30TR	30 Gallon (117 Liter) Electric Manual Tilt - Open Base	485/220	\$36,255
	SEL40TR	40 Gallon (156 Liter) Electric Manual Tilt - Open Base	620/282	\$40,211
OPTIONS (BUILT-ON AT THE FACTORY)				
	GM1	Gallon and Liter Markings Standard		\$0
	LPG	LP Gas		\$0
	ELEVATION	Gas Models Specify Elevation If Over 2,000 Feet		\$0
	SLD	Sliding Drain Drawer With Splash Screen (Pour Spout moves to left side if No Tangent Draw-Off is ordered, SGL/SEL-TR Models Only)		\$2,939
	SGSLD-TR	Folding Splash Guard For TR Tilt Skillet Drain Drawer (For heavy pours)		\$503
	TDS2K	2" Tangent Draw Off With Drain Strainer, mounted on left side (Pan Carrier Not Available On 30 Gal. Models)		\$1,627
	PT2	Power Tilt With Manual Override Option		\$1,144
	VOSK1	240 Volt, 60 Hz, 3 Phase (Specify For SEL Electric Models)		\$1,365
	VOSK2	380/415 Volt, 50 Hz, 3 Phase For Export (SEL Electric Models)		\$1,365
	VOSK3	440-480 Volt, 60 Hz, 3 Phase (For SEL Electric Models)		\$1,365
	VOSK4	220/240 Volt, 50 Hz, 1 Phase For Export (For SGL Gas Models)		\$1,365
	CPPCBTR	Protective Control Cover		\$966
CP-SKTD	Prison Package For Tilt Skillets (See Page 49 for Details)		\$2,889	
COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE PAGE 31)				
	FSSK	Pour Spout Strainer		\$844
	DPK14	Double Pantry Faucet & Bracket For SEL/SGL-TR Series		\$1,506
	SPK14	Single Pantry Faucet & Bracket For SEL/SGL-TR Series		\$1,164
	PCS	PCS - Pan Carrier (Not Available On 30 Gallon With 2" Tangent)		\$1,664
	QDC60	5 Foot Long 3/4" Long Gas Quick Disconnect Hose (P/N 1007841)		\$1,735
	SSLD-30TR	Sliding Drain Drawer Field Install Kit For 30 Gallon SGL/SEL-TR Models (Must Have 2" Tangent Draw-Off Or Pour Spout On Left Side)		\$1,218
	SSLD-40TR	Sliding Drain Drawer Field Install Kit For 40 Gallon SGL/SEL-TR Models (Must Have 2" Tangent Draw-Off Or Pour Spout On Left Side)		\$1,333

TLTILTING SKILLETS, FLOOR MODEL, T1 SERIES "POWERPAN"

TILT SKILLETS T1 POWERPAN SERIES

Cleveland PowerPan T1 Series Tilt Skillet, Center Trunnion Style Tilting Skillet, Gear Style Hand Tilt, All Stainless Steel Construction Including Gas Burners (gas models), Bead Blasted Cooking Surface Prevents Sticking, Solid State "Imbedded" Temperature Thermostats For Even Temperature Distribution, 100 F - 425 F Temperature Control Knob, Reinforced Rolled Rim Eliminates Pan Warping, Vented Spring Assist Cover, System Gas Models Feature Patented Forced Air Gas Combustion System with Dual Power Control With Standard And Turbocharged Power Settings, Certified to Applicable UL, CSA and NSF Standards, CE Certification

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
	SGL30T1	30 Gallon (117 Liter) Gas Manual Tilt	520/237	\$48,377	
	SGL40T1	40 Gallon (156 Liter) Gas Manual Tilt	610/277	\$52,092	
	SEL30T1	30 Gallon (117 Liter) Electric Manual Tilt, IPX6 Water Rated	390/178	\$36,716	
	SEL40T1	30 Gallon (156 Liter) Electric Manual Tilt, IPX6 Water Rated	645/187	\$40,021	
T1 SERIES TILT SKILLET OPTIONS					
	GM1	Gallon and Liter Markings Standard		STD	
	LPG	LP Gas		\$0	
	ELEVATION	Gas Models Specify Elevation If Over 2,000 Feet		\$0	
	EZD	EasyDial Control Option		\$2,158	
	TCP1	Core Temperature Probe, EasyDial Controls Only		\$1,351	
	FF	Level Adjustable Flanged Feet For Floor Bolting Standard		STD	
	TDS2K	2" Tangent Draw Off With Drain Strainer, mounted on left side (Pan Carrier Not Available On 30 Gal. Models)		\$1,521	
	PT2	Power Tilt With Manual Override Option		\$1,144	
	VOSK1	240 Volt, 60 Hz, 3 Phase (For SEL Electric Models)		\$1,365	
	VOSK2	380/415 Volt, 50 Hz, 3 Phase For Export (SEL Electric Models)		\$1,365	
	VOSK3	440-480 Volt, 60 Hz, 3 Phase (For SEL Electric Models)		\$1,365	
	VOSK4	220/240 Volt, 50 Hz, 1 Phase For Export (For SGL Gas Models)		\$1,365	
	HWS	High Wattage Option (16 Kw For 30 Gal, 24 Kw For 40 Gal) SEL-T1 Electric Models		\$893	
	CPPCBTR	Protective Control Cover		\$966	
	CP-SKTD	Prison Package For Tilt Skillets (See Page 49 for Details)		\$2,889	
	COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE PAGE 31)				
	 	FSSK	Pour Spout Food Strainer (P/N KE603840)		\$844
DPK13		Double Pantry Faucet & Bracket For SEL/SGL-T1 Series		\$1,506	
SPK13		Single Pantry Faucet & Bracket For SEL/SGL-T1 Series		\$1,164	
PCS		PCS - Pan Carrier (Not Available On 30 Gallon With 2" Tangent)		\$1,664	
CST1		Casters, Set Of Four, Two Locking (P/N 0308787) Field Installed		\$1,591	
QDC60		5 Foot 3/4" Long Gas Quick Disconnect Hose (P/N 1007841)		\$1,735	

TILTING SKILLETS ACCESSORIES

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
FAUCETS					
	DPK16	Double Pantry Faucet And Bracket For SET15		\$1,506	
	SPK16	Single Pantry Faucet And Bracket For SET15		\$1,164	
	DPK15	Double Pantry Faucet And Bracket For SET10		\$1,506	
	SPK15	Single Pantry Faucet And Bracket For SET10		\$1,164	
	DPK13	Double Pantry Faucet And Bracket For PowerPan T1 Skillets		\$1,506	
	SPK13	Single Pantry Faucet And Bracket For PowerPan T1 Skillets		\$1,164	
	DPK14	Double Pantry Faucet And Bracket For Durapan TR Skillets		\$1,506	
	SPK14	Single Pantry Faucet And Bracket For Durapan TR Skillets		\$1,164	
	FBSL1	Faucet Bracket SET15 And part 230220		\$528	
	FBSL2	Faucet Bracket SET10 And part 230880		\$528	
	FBST1	Faucet Bracket T1 Series Skillets		\$528	
	FBSTR	Faucet Bracket TR Series Skillets		\$528	
	B-0176	T&S Double Pantry Faucet With Swing Spout And PRS Spray Hose		\$3,452	
	SKFS	Single Pantry Faucet Skillet Filler With 60" Hose (P/N 105978)		\$2,678	
DKFS	Double Pantry Faucet Skillet Filler With 60" Hose (P/N 105979)		\$3,309		
PRSS	Pre-Rinse Spray Hose (B-0113)		\$3,470		
PAN CARRIERS — DRAIN PANS					
	PCS	Pan Carrier (P/N 2499999 For T1 Models, Can't Use On 30 Gallon With Tangent)		\$1,664	
	PCS	Pan Carrier (P/N 2240099 For TR Skillet Models, Can't Use On 30 Gallon With Tangent)		\$1,664	
	DRAINPAN6	6" Deep 12" X 20" Stainless Steel Pan With Drain		\$1,101	
	H08.2	2" Dia., 8 For Long Drain Hose For Use With Drain Pan 6			
	COOKING BASKETS, FOOD STRAINERS, POACHING PANS, FLOW DIVERTER				
	BSSET15	Basket For SET 15 Tilt Skillet		\$2,522	
	VS	Vegetable Steamers (2 ea for 30 gal., 3 ea for 40 gallon)		\$1,743	
	FDS	Flow Diverter for 30 and 40 Gallon Skillets		\$2,113	
	FSSK	Food Strainer, 30/40 Gallon Skillets (P/N KE603840)		\$844	
	FS15S	For Strainer For SET15		\$862	
	PP	Poaching Pan (Pan SK2242000) For 30 (Holds 2) & 40 Gallon (Holds 3) Models, SET10		\$1,634	
	PPR	Poaching Pan - SET15(P/N SK2242000)		\$1,977	
	LIFT OFF COVERS, COVER HOLDERS				
		SCL10	Lift Off Cover For SET 10		\$1,907
SCL15		Lift Off Cover For SET15		\$1,433	
LCH15		Lift Off Cover Hold SET15		\$392	
MISCELLANEOUS					
	SSLD-30TR	Sliding Drain Drawer Field Install Kit For 30 Gallon SGL/SEL-TR Models (Must Have 2" Tangent Draw-Off Of Left Side)		\$1,218	
	SSLD-40TR	Sliding Drain Drawer Field Install Kit For 40 Gallon SGL/SEL-TR Models (Must Have 2" Tangent Draw-Off On Left Side)		\$1,333	
	SGSLD-TR	Folding Splash Guard For TR Tilt Skillet Drain Drawer		\$503	
	LTKS	4" Stainless Steel Legs For SET15 (Must be built on at Factory)		\$1,250	
	0308787	Caster Set For T1 Series Skillets - P/N 0308787		\$1,460	
	FFSTR	Front Flanged Feet For TR Series Skillets (SK00414-1 Flanged Foot, SK078160-1 Insert)		\$1,039	
	FFST1	Front Mounted Flanged Feet For T1 Series Skillets Only (KE50249-2)		\$1,039	
	KE01173-4	Extended Legs 4"L, 1-14" Pipe For T1 Tilt Skillets Only (P/N KE01173-4)		\$250	
	KE01173-5	Extended Legs 5"L, 1-14" Pipe For T1 Tilt Skillets Only (P/N KE01173-5)		\$250	
	KE01173-6	Extended Legs 6"L, 1-14" Pipe For T1 Tilt Skillets Only (P/N KE01173-6)		\$250	
KE003716-6	SGL30TR Nat. To L.P. Conversion Kit 2,000 Ft Elevation, UL Certified		\$1,394		
KE003716-7	SGL40TR Nat. To L.P. Conversion Kit 2,000 Ft Elevation, UL Certified		\$1,394		
KE003716-6	SGL30T1 Nat. To L.P. Conversion Kit 2,000 Ft Elevation, Certified		\$1,394		
KE003716-7	SGL40T1 Nat. To L.P. Conversion Kit 2,000 Ft Elevation, UL Certified		\$1,394		

MODEL NUMBER LEGEND



POSITION 1

(followed by dash)

Width of cabinet base in inches for Counter Type Convection steamers, Floor Model Convection steamers, Convection Pros and SteamPros. (Not used for Kettles, Skillets, or Combi-Oven)

POSITION 1

TYPE OF EQUIPMENT:

C = **C**onvection Steamer

CK = **C**onvection Steamer and **K**ettle combined

K = **K**ettle

C = **C**onvection Steamer

S = **S**killet

P = **P**ressure Steamer

PC = **P**ressure / **C**onvection Steamer

MFS = **M**etering **F**illing **S**tation

MK = **M**ixer **K**ettle

TMK = **T**win **M**ixer **K**ettle

HA-MK = **H**orizontal **A**gitator **M**ixer **K**ettle

POSITION 3

TYPE OF POWER OR ENERGY SOURCE:

E = **E**lectricity

G = **G**as — natural — other, if specifically identified

D = **D**irect steam (connected to a separate source)

S = **S**tream **C**oil **G**enerator — use where steam available from another source is not clean enough to use on food. (Only one size exists).

POSITION 4

TYPE OF MOUNT OR GENERATOR:

L = **L**egs, open stand or frame

P = **P**ressure generator

M = **M**odular; cabinetized; enclosed

T = **T**able top mounted on stand cabinet, table, counter, etc.

A = **A**tmospheric generator (stainless steel)

POSITION 5

Designation of capacity or input. For kettles, it will indicate "Gallons." For electric or gas steam generators, it will indicate input of energy in either "KW" or "M BTU." (Number is preceded by a dash). For SteamCraft Series this number will indicate the pan capacity for 21/2" steam table pans.

POSITION 6

(followed by dash)

ADDITIONAL DETAILED INFORMATION OR ACTION:

F = Indicates a **F**ull steam jacket on a kettle.

T = Indicates a **T**ilting kettle, either manual or power pour.

EXAMPLES OF MODEL NUMBER USAGE

36-CGM-200 is a 36 inch wide base, Convection Steamer, Gas powered, Modular cabinet mounted, 200M BTU.

or:

TMKEL-100-T is a Twin Mixer-Kettle, Electric, Leg mounted, 100 Gallon, Tilting. But, being a twin kettle model, it has two 100 Gallon kettles.

NOTE: Model Number Legend not valid for Options and Accessories.

STEAMCRAFT 3, 5, 10 & GEMINI™ CONVECTION STEAMERS
 GENERATOR STYLE, IDEAL FOR HIGH VOLUME A LA CARTE AND BATCH TYPE

SteamCraft®
 Series High Speed Convection Steamers

“When you need a lot and need it fast”.



SteamCraft® 5

- Cooking Capacity for up to ten 12" x 20" x 2 1/2" deep Cafeteria Pans, five each compartment.
- Totally independent cooking compartments, each has its' own generator, gas valve and water level controls - no shared components
- Exclusive High Efficiency Gas Power Burner (forced air) Generator: Produces more steam for faster cooking while lowering operating costs (72M BTU's per compartment)
- Easy Access Cleaning Port: Each generator has a delimiting port located on the outside, top of the unit
- Generator Cleaning Light for each compartment warns the operator to delime generator
- Generator Steam Standby Mode: Holds generator at a steaming temperature, allows unit to start cooking quickly
- Each compartment has one, 60-Minute Electro-Mechanical Timer with "SureCook" load compensating feature. Manual Bypass Switch for constant steaming.
- Durable Heavy Gauge, 304 Stainless Steel construction for compartment door, cooking cavity and steam generator
- Exclusive Two-Piece Compartment door: Slammable, self-adjusting door provides and airtight seal, reversible door gasket for extended life
- Exclusive Gemini™ Drain/Power Control System: Simple, reliable 1/2" ball valve style drain automatically turns power ON/OFF
- Exclusive Brass Steam Jets distribute even, high velocity steam throughout cooking compartment for faster cooking times
- Easy, Front -Access Generator Controls comes with a pullout drawer for simple servicing of unit
- Compartment Steam Shut-Off Switch when compartment door is opened



SteamCraft® Gemini™ 10



Connectionless Model
22CCT6



Connected Electric Model
22CET3.1 22CET6.1



Connected Gas Model
22CGT3.1 22CGT6.1



Easy as 3-2-1...

3-YEAR COMPARTMENT DOOR WARRANTY STANDARD

- Rugged 14-gauge stainless steel holds up to abuse.
- Heavy gauge door hinges maintains tight leak proof seal.

2-PIECE EXCLUSIVE COMPARTMENT DOOR DESIGN

- "Free Floating" inner door is self adjustable, maintains steam tight seal.
- Removable for easy cleaning and sanitizing, stays "Cool to the Touch".

1-YEAR DOOR GASKET WARRANTY STANDARD

- Door gasket last "4-Times Longer" than competitive models.

... Plus

PATENTED KLEANSHIELD COOKING COMPARTMENT DESIGN

- Provides "Clean Steam" - eliminates foaming and cross contamination.
- Eliminates flavor transfer, easy to clean and sanitize.

EXCLUSIVE CONVECTION STYLE BAFFLE SYSTEM

- High velocity "Convection Steam" for even energy distribution.
- Faster cooking and recovery times for superior performance.



22CCT6:
6 Pan Electric Connectionless

SteamChef's patented **KleanShield** compartment design eliminates foaming, flavor transfer and cross contamination caused by the water reservoir typically found in connectionless steamers.

NOW MEET EPA 202
For Ventless Operation
(Electric Models)



Typical Connectionless Steamer



Steam generating water from SteamChef with **KleanShield** (left) and typical connectionless steam water (right) after 3 loads of potatoes.



21CET8



21CET6

When You Need A Lot and Need it Fast!

MAINTENANCE FREE "STEAM JETS" FOR HIGH VELOCITY STEAM.

- No fans needed, superior temperature distribution, fast cooking, instant recovery and maintenance free.

SELF CLEANING FIREBAR STYLE ELEMENT

- Shed's off scale and improves energy efficiency

EXCLUSIVE "DRYING ELEMENT" FOR MOISTURE-FREE STEAM

- No flavor transfer or cross contamination

TWO-PIECE COMPARTMENT DOOR

- Self adjusting free floating inner for air-tight seal
- Reversible door gasket, quadruples the life of the gasket.

Best Overall Warranty Program

5-YEAR PRORATED GENERATOR WARRANTY

3-YEAR EXCLUSIVE STEAMER DOOR WARRANTY

- Full 3-years parts and labor coverage on 3, 5, 6 & 10 Pan Models

3-YEAR K-12 SCHOOL WARRANTY ON STEAMER WITH FILTER PURCHASE

- 2-Year K-12 standard warranty Steamers, Kettles, Skillets.

2-YEAR STEAMER WARRANTY WITH FILTER PURCHASE

- Full 2-years parts and labor coverage.

1-YEAR STEAMER DOOR GASKETS AND ADJUSTMENTS

- 3, 5, and 6 compartment steamers.

FREE PERFORMANCE START UP INCLUDED

- Water Quality Lab Analysis available for 'FREE'.

GEMINI 10 CONVECTION STEAMERS HEAVY GAUGE STAINLESS STEEL GENERATORS



10-Pan Models:

- 24CGA10.2 - Twin systems
- 24CGA10.2ES - Energy Star
- 24CGA10 - Single generator system
- 24CEA10 - Electric model

TWIN INDEPENDENT COOKING COMPARTMENTS

- Separate generator, gas combustion system, water level control and cooking controls for each compartment.

HIGH EFFICIENCY "TURBO-CHARGED" GAS POWER BURNER DESIGN

- For increased steam production, cooking speed and recovery.
- Approved for use over combustible floors.

SINGLE FRAME UNIBODY CONSTRUCTION DESIGN

- Heavy gauge stainless steel single frame construction holds up to abuse, allows for proper airflow, reducing downtime.

MAINTENANCE FREE "STEAM JETS" FOR HIGH VELOCITY STEAM

- No fans needed, superior temperature distribution, fast cooking and instant recovery.

REMOTE WATER LEVEL CONTROLS

- Located outside the generator for simplified maintenance and service.

TWO-PIECE COMPARTMENT DOOR

- Self adjusting free floating inner for air-tight seal
- Reversible door gasket, quadruples the life of the gasket.

5-YEAR PRORATED GENERATOR WARRANTY

3-YEAR EXCLUSIVE STEAMER DOOR WARRANTY

- Full 3-years parts and labor coverage.

3-YEAR K-12 SCHOOL WARRANTY ON STEAMER WITH FILTER PURCHASE

- 2-Year K-12 standard warranty Steamers, Kettles, Skillets.

1-YEAR STEAMER DOOR GASKETS AND ADJUSTMENTS

- 3, 5, and 6 compartment steamers.


FREE PERFORMANCE START UP INCLUDED

- Water Quality Lab Analysis available for "FREE".

CLASSIC SERIES STEAMERS 15 PSI BOILERS, GAS & ELECTRIC MODELS



Model 24CGM200



Boiler Descaling System

INDUSTRY'S BEST WARRANTY

- 5-year prorated boiler warranty featuring nickelguard boiler protection.
- 3-year 100% k-12 school warranty with filter purchase.
- 3-year door warranty.
- 1-year door gasket warranty.

EXCLUSIVE TWO-PIECE DOOR DESIGN

- Two-piece compartment door with free floating inner door provides air-tight, leak proof seal.
- Reversible, rotatable door gasket extends life 4 times longer than competitors.
- Cool to the touch, won't burn operators.

HEAVY 14-GAUGE STAINLESS STEEL CONSTRUCTION

- Build for life design with heavy duty 14-gauge stainless construction for cooking compartment, door and base frame.

EASIER MAINTENANCE

- Optional boiler descaling pump system simplifies descaling, saving time while providing improved safety and superior cleaning results.



5-YEAR PRORATED BOILERS AND GENERATOR WARRANTY

- 100% covered for first 2 years with filter purchase.

2-YEAR STEAMER WARRANTY WITH FILTER PURCHASE

- Full 2-years parts and labor coverage.

3-YEAR EXCLUSIVE STEAMER DOOR WARRANTY

- Full 3-years parts and labor coverage on 3,5,6, 10 Pan Models.

1-YEAR STEAMER DOOR GASKETS AND ADJUSTMENTS

- 3, 5, and 6 compartment steamers.

3-YEAR K-12 SCHOOL WARRANTY ON STEAMER WITH FILTER PURCHASE

- 2-Year K-12 standard warranty Steamers, Kettles, Skillets.

FREE PERFORMANCE START UP INCLUDED

- Water Quality Lab Analysis available for 'FREE'.

**See warranty policy for details.*



ELECTRIC, GAS & DIRECT STEAM KETTLES
50 PSI HIGH PRESSURE STEAM JACKET RATING (3.5 BAR BOILING PANS)

**Cleveland
 Steam
 Jacketed
 Kettles**

Set the Standard
 for Comparison.



Gas Kettles



Electric Kettles

Gas Kettles

- Rotatable, domed cover with spring assist for easy cleaning.
- Sealed roller bearing pivot for easy tilting and longer life than brass bushings.
- 50 PSI (3.5 Bar) Steam Jacket Rating for higher temperatures and faster cooking and superior browning.
- Easy to replace O-ring gasket on tangent stem.
- High-efficiency power burner (on Gas models), provides efficient heat transfer, making for extremely fast heat-up and recovery with economical gas consumption.
- Hardened, adjustable tilt gears for long life and easy tilting.
- Water resistant controls and splash-proof design prevent water damage from spillage or cleaning.
- Solid State Temperature controls are accurate to within 1 C, and do not wander; perfect for delicate products and tightly controlled simmering.
- Additional leg, (4 total) on electric models with 80 gallon+ capacity for greater stability (all gas models come standard with 4 legs).

Electric Kettles

- Rotatable, domed cover with spring assist for easy cleaning.
- Sealed roller bearing pivot for easy tilting and longer life than brass bushings.
- 50 PSI (3.5 Bar) Steam Jacket Rating for higher temperatures and faster cooking and superior browning.
- Easy to replace O-ring gasket on tangent stem.
- IPX6 rated controls and splash-proof design prevent water damage from spillage or cleaning.
- Solid State Temperature controls are accurate to within 1 C, and do not wander; perfect for delicate products and tightly controlled simmering.
- Hardened, adjustable tilt gears for long life and easy tilting.
- Additional leg, (4 total) on models with 80 gallon+ capacity for greater stability.

STEAM JACKETED KETTLE BENEFITS

50 PSI HIGH PRESSURE STEAM JACKET RATING (3.5 BAR BOILING PANS)



Stow Away your Stock Pots and Get Cooking with Steam

Cleveland steam jacketed kettles offer ultra efficient heat transfer, uniform heating and superior product handling. Steam jacketed kettles offer faster cooking times because two thirds of the cooking surface comes into contact with the product at a much lower temperature, compared to stock pots that use a much higher temperature only at the bottom of the pot. In addition, accurate temperature controls eliminate constant monitoring and resetting. Foods won't burn or scorch and you can hold product at a simmer without over cooking. Tilting models makes product handling simple. Clean up is easy since food isn't burned or over cooked like stock pots.

IDEAL FOR:

Soups, delicate sauces, pasta, gravies, desserts, stews, braising meats, rice, reheating dishes and holding them until serving.

INCREASES QUALITY AND PRODUCTIVITY:

- ✓ Heats from all sides and has 3-4 times larger heat surface than stock pots.
- ✓ Gentle uniform cooking.
- ✓ Faster cooking times using high energy steam.
- ✓ Precision temperature controls from a simmer to a rolling boil.
- ✓ No hot spots.
- ✓ Eliminates pot watching, constant stirring and large stock pots.

IMPROVES OPERATOR'S PROFITS BY:

- ✓ Reduces food waste due to over cooking and burning.
- ✓ Reheat meals without over cooking.
- ✓ Simmer food all day without over cooking.
- ✓ Simplifies and standardizes recipe and enhances recipe development.
- ✓ Improves Worker Safety:
- ✓ Tilting models make pouring safe.
- ✓ Eliminates heavy lifting and carrying hot stock pots.

SAVES ENERGY:

Kettles use 35% less energy than stock pots on an open burner. Keeps kitchens cooler.

SAVES TIME:

- ✓ Eliminates scrubbing of messy stock pots.
- ✓ Butterfly shaped pouring lip accurately pours product into containers for serving.



KET-3-T TKET-3-T
 KET-6-T KET-6-TGB TKET-6-T
 KET-12-T KET-12-TGB TKET-12-T

- MEETS IPX6 WATER RATING PROTECTION GUIDELINES**
- Meets IPX6 for both standard and easyDial controls models.
 - Prevents downtime and expensive water related damages.

- BUILT IN SELF DIAGNOSTICS STANDARD**
- 6 diagnostic error codes continuously monitors internal functions.
 - Easy to service, promotes first time fix rates.

- ENERGY EFFICIENT LOW WATT DENSITY HEATING ELEMENTS**
- Low watt density element extends element life longer
 - 100% vacuum sealed, no gaskets requires, leaks eliminated, no element failures.

- COLOR CODED PRESSURE VACUUM GAUGE**
- Green zone allows operators to easily identify kettle vacuum for optimum performance.
 - Vent air zone easily identifies when vacuum is lost.

- "MARINE STYLE" SAFETY LATCH STANDARD**
- Built in safety latch prevents accidental spills.

- SOLID STATE TEMPERATURE CONTROLS**
- Less than 5° F (1° C) temperature variance for superior cooking control from simmering to rapid boil, no burning or scorching.

New easyDial® Control Option

- Digital time and temperature control and indicator.
- Three cooking modes — Cook/Simmer, Cook/Off, Cook/Cook.
- Meets IPX6 water rating protection guideline.
- Six built in diagnostic indicator readouts.
- Optional core temperature probe.
- Available on KET, KGT Series countertop self contained kettles.



Model KGL40T
(40 Gallon Tilting)



Model KGL40SH
(Short Series Stationary)



MOST POWERFUL GAS KETTLE AVAILABLE*

- 160,000 Btu's on 40-gallon models.
- 190,000 Btu's on 60, 80, 100-gallon models.
- 50 PSI steam jacket rating achieves high temperatures.

PATENTED "TURBO CHARGED" GAS HEATING DESIGN

- High efficiency patented forced air gas combustion system.
- Fastest in cooking speed and recovery.
- Boils up to 40% faster than competitors.
- Certified for use over combustible floors.

BUILT-IN SELF DIAGNOSTICS STANDARD

- 6 diagnostic error codes continuously monitors internal functions
- Easy to service, promotes first time fix rates
- Color Coded Pressure Vacuum Gauge
- Green zone allows operators to easily identify kettle vacuum for optimum performance.
- Vent air zone easily identifies when vacuum is lost.

SOLID STATE TEMPERATURE CONTROLS

- Less than 5° F (1° C) temperature variance for superior cooking control from simmering to rapid boil, no burning or scorching.

New easyDial® Control Option (For Tilting Models Only)

- Digital time and temperature control and indicator.
- Three cooking modes — Cook/Simmer, Cook/Off, Cook/Cook.
- Meets IPX6 water rating protection guideline.
- Six built in diagnostic indicator readouts.
- Optional core temperature probe.
- Available on KET, KGT Series countertop self contained kettles.



TANGENT DRAW OFF VALVE

- Comes out the front of the kettle.
- 2" or 3" diameter size outlets.
- GOOD for pumping, only way to pump on electric models since Butterfly and Air Piston Valve not available on electric kettles.



Tangent Draw-Off with Acme Thread

3" BUTTERFLY VALVE

- Comes out the bottom of the kettle.
- BETTER for pumping since locate on bottom of kettle.
- Available on gas and direct steam, not available on electric kettle.



3" Butterfly Valve with Sani Style (Tri Clover) Clamp

3" AIR PISTON VALVE

- Air operated piston opens/closes on the bottom of the kettle, flush mounted at the bottom for Air-Tight Seal.
- BEST method for pumping.
- Available on gas and direct steam, not available on electric kettles.

TYPES OF CONNECTIONS FOR PUMPING

1. Sani Clamp (Tri Clover Clamp): Drain Valve is flanged on the bottom, Tri-Clover clamp used to connect hose to valve, easiest of the connections to attached and clean, accepted in USDA facilities.
 2. Acme Thread: Large threads on end of valve to screw on hoses. Very cleanable and accepted in USDA facilities
- When pumping, specify Sani Clamp or Acme Thread options, must be built on at factory.



3" Air Piston Valve with Acme Thread (Kettle bottom with valve in closed position)

MODEL SF3 FOR TILTING KETTLES

- For Use With Kettles With a 2" Tangent Draw Off Valve.
- Swivel Style Drain Cup Swings Under Or Away from Tangent Draw Off Valve Opening.
- Includes Drain Screen.
- Mounts To Leg Of The Kettle.
- Can Hard Piped to Floor Drain.
- Heavy Stainless Steel Construction.



SF3 Swing Drain Funnel for Tilting Kettles

MODEL SF4 FOR STATIONARY KETTLES

- For Use With Kettles With a 2" Tangent Draw Off Valve.
- Swivel Style Drain Cup swings Under Or Away from Tangent Draw Off Valve Opening.
- Includes Drain Screen.
- Mounts To Leg Of The Kettle.
- Can Be Hard Piped to a Floor Drain.
- Heavy Stainless Steel Construction.



SF4 Swing Drain Funnel for Stationary Kettles




PAN CARRIER - MODEL PCK

- Made from heavy gauge stainless steel. Bracket under pour spout connects Pan Carrier, for all Cleveland floor model tilting kettles.
- Stays level when kettle is tilted, allows the product to be poured directly in 12" x 20" pans.
- Pan Carriers and Flow Diverter for Tilting Kettles

FLOW DIVERTER- MODEL FD

- Made from heavy gauge stainless steel.
- Bracket under pour spout connects Flow Diverter, for all Cleveland floor model tilting kettles.
- Hinged style diverter allows operator to accurately direct pour when tilting with to minimize splashing.



Model PCK Pan Carrier when tilted




Model FD Pan Flow Diverter when tilted

GAS & ELECTRIC TILTING BRAISING PANS
 HIGH PRODUCTIVITY, UNMATCHED PERFORMANCE — THE WORKHORSE OF THE KITCHEN

Cleveland Braising Pans

Value-Added Features Built Into Every Model.



T1 — PowerPan™ Series



SET10



SET15



SEL40TR
 Shown with Sliding Drain Pan (SLD)



SGL40T1

Superior Temperature Control

IMBEDDED TEMPERATURE SENSORS

- "Imbedded" temperature sensors drilled into pan bottom for precise even cooking (see comparison below).

MULTIPLE STAINLESS-STEEL BURNER DESIGN

- Large stainless-steel burners with "multiple rows of rosette's.
- Evenly spaced throughout the pan bottom for quick response and greater temperature control and even browning pattern.

HYDRAULIC HAND TILT WITH QUICK LOWERING FEATURE


- Easy to turn hydraulic hand tilt requires fewer turn.
- Quick Lowering feature eliminates hand tilting down.

MEETS IPX6 WATER RATING PROTECTION GUIDELINES


- Meets IPX6 for both standard and easyDial controls.
- Prevents downtime and expensive water related repairs.

REINFORCED ROLLED RIM


- Eliminates warping of skillet pan allowing skillet cover to close properly.



Cleveland **SGL40TR**



Competitor A



Competitor B

Results of thermal imaging testing on three leading tilt skillets surfaces heated to 350°F.

COMPARE THE DIFFERENCE

Cleveland solid state temperature control sensors are "drilled" into the skillet's surface and provides an even temperature across entire pan surface, eliminating hot and cold spots for better browning pattern. Competitors clamped on version has a wider temperature variance which causes greater uneven temperatures across the pan surface.

T1 — POWERPAN SERIES TILT SKILLETS SGLT-1, SEL-T1 SERIES

More Power, Speed And Recovery

MOST POWERFUL TILT SKILLET AVAILABLE*

- Up to 60% more power on 30 gallon models.
- Up to 100% more power on 40 gallon models.

PATENTED "TURBO CHARGED" GAS HEATING DESIGN

- High efficiency forced air gas combustion system.
- Fastest in cooking speed and recovery.

EXCLUSIVE "DUAL POWER" SETTINGS

- High/Low power setting for speed and energy savings.
- 200,000/160,000 btu's for 40 gallon models.
- 125,000/90,000 btu's for 30 gallon models.

LOW 35" RIM HEIGHT

- Easier to safely handle food and cleaning process.

REINFORCED ROLLED RIM

- Eliminates warping of skillet pan allowing skillet cover to close properly.

SOLID STATE TEMPERATURE CONTROLS

- "Imbedded" temperature sensors for precise cooking.
- 10 tilt cooking feature.



*Cleveland gas models SGL30T1, SGL40T1.
Based on competitors spec sheets.
SEL30T1, SEL40T1 electric models.

New easyDial® Control Option

- Digital time and temperature control and indicator.
- Three cooking modes — Cook/Simmer, Cook/Off, Cook/Cook.
- Meets IPX6 water rating protection guideline.
- Six built in diagnostic indicator readouts.
- Optional core temperature probe.



Horizontal (HA) Series C/C Mixer Kettles Tilting & Stationary

Ideal for all applications, especially heavier foods like ground beef, meat sauces, mashed potatoes that requires superior mixing capabilities.

50 PSI steam jacket rating. Optional higher PSI steam jackets available.



DIRECT STEAM TILTING —

- HAMKDLC60TCC
- HAMKDLC100TCC
- HAMKDLC200TCC

STATIONARY —

- HAMKDLC60TCC
- HAMKDLC100TCC
- HAMKDLC200TCC

SELF-CONTAINED GAS TILTING —

- HAMGL60TCC
- HAMGL80TCC
- HAMGL100TCC

STATIONARY —

- HAMGL60CC
- HAMGL80CC
- HAMGL100CC



EXCLUSIVE HORIZONTAL AGITATOR DESIGN

Lifts and folds heavy, delicate, chunky, thick or thin products.

TOTALLY ENCLOSED SPRING LOADED AGITATOR BLADES

Hold tight against kettle surface for effective scraping.

NO COLD ZONES

Continuously scoops and folds the center of the product for faster cooking.

VARIABLE SPEED CONTROL AND INDICATOR

Adjustable from 5-24 RPM for a variety of applications.

SUPERIOR TEMPERATURE PROBE DESIGN

Located at the bottom of the kettle for accuracy down to the final emptying of the product.

DESIGNED FOR EASY CLEANING

Easy to rotate and remove agitator paddles without tools.

SINGLE PIECE DOME HINGED COVER

Increases productivity by retaining heat, improves food quality by keeping air out and steam in, improves safety because kettle cover is closed during cooking.

Sweep & Fold Series Tilting & Stationary C/C Mixer Kettles

Standard with 3" air operated flush piston valve for pumping, 316 stainless steel, console mounted Digital Time/Temperature Control, Chart Recorder and Automatic Water Meter.

Ideal for soups, sauces, gravies, salad dressings, pie fillings.

50 PSI up to 100 gallons, 35 PSI on 125 gallons & larger)

ELECTRIC TILTING —

- MKEL40T
- MKEL60T
- MKEL80T
- MKEL100T



DIRECT STEAM

- MKDL40TCC
- MKDL100TCC
- MKDL60TCC
- MKDL125TCC
- MKDL80TCC
- MKDL150TCC



SELF-CONTAINED GAS

- MKGL40TCC
- MKGL60TCC
- MKGL80TCC

COMPLETELY SELF — CONTAINED COOK CHILL SYSTEM

FEATURING A 60, 80 OR 100 GAL. SELF CONTAIN GAS HORIZONTAL MIXER KETTLE AND SELF CONTAINER PRODUCT CHILLER

Cleveland Cook Chill Systems can now be designed for smaller to mid-size operators looking to start a USDA and FDA cook chill food processing operation. Cleveland HA-G Self Contained Cook Chill Systems cooks food to a "just done state" packaged in heavy duty casings at pasteurization temperature, then rapidly chilling to 40°F in less than one hour, enabling the "Fresh" product to be stored in a refrigerated food bank at 28°F to 32°F up to 4 weeks. No external steam boiler or ice builder is required for the HA-G Cook Chill System.

1. MIXING / COOKING



HA SERIES MIXER KETTLES (HAMKGLTCC)

Cleveland's self-contained high efficiency gas fired horizontal mixer kettles eliminates the need for an expensive large industrial boiler. Available in 60, 80 & 100 gallon models, tilting or stationary. Cleveland's patented HA series horizontal agitator lifts and folds heavy, delicate, chunky, thin or thin products.

2. PACKAGING



FOOD PUMP (MFS)

Cleveland' MFS model food pump provides a gentle but efficient transfer of hot and cold food from the mixer kettle into heavy duty casing pouches at the desired set amount, then safety seals the casing for chilling. The MFS-U100 model food pump can also fill retail cups and jars.

3. CHILLING



PRODUCT CHILLER (HBC075, HBC100 & HBC200)

Cleveland HBC series Product Chiller has built in direct-expansion refrigeration that rapidly reduces the temperature of the filled casings. No ice builder is required. Turbulent circulated flow provides full agitation to provide the most optimum rapid cooling. Available in 75, 100 & 200 gallon tank sizes.

SUPPORT REQUIREMENTS

The Cleveland Self Contained Cook Chill system requires no Ice Builder refrigeration or remote boilers, only a condensing unit for the product chiller. Compressed air is required for pumping from the kettle to the food pump. Leasing program available estimated payback is 18 - 24 months based on labor and food cost savings

EASYDIAL —
OPTIONAL CONTROLS WITH ADVANCED FEATURES FOR WORLD CLASS PERFORMANCE

Cleveland **standard controls** for tabletop kettles and T1 skillets offer simple precise, consistent solid state temperature controls with minimal temperature variance and superior cooking times.

The fully digital **easyDial®** control option is enclosed in a splashproof ergonomically angled console and offers the following key features —


ACCURATE TIME & TEMPERATURE CONTROL



Precise temperature controls for consistent results and to help prevent overcooking and damaging the unit with burnt food.


A loud audible buzzer indicates cooking is complete.

BUILT-IN DIAGNOSTIC READOUT



6 Built-In Self Diagnostics Indicators and Digital Readout. Simplifies troubleshooting, reduces maintenance costs and promotes first time fix.

THREE COOKING MODES



Cook/HOLD - Ideal cook and simmering applications brings food to a boil and then automatically goes into a simmering temperature. Eliminates waste due to overcooking and scorching.

Cook/ON - For cooking by time and temperature. The temperature will run continuously until manually turned off.

Cook/OFF - For cooking by time and temperature, the timer countdown turns off the heat.

CORE TEMPERATURE PROBE OPTION



Optional Core Temperature Probe can be used as an internal product probe for multiple products monitoring the core internal temperature for superior food quality.

MEETS IPX6 WATER RESISTANCE

Water related service issues are dramatically reduced.

CORRECTIONAL PACKAGES

MODEL	DESCRIPTION	LIST PRICE
FOR CLASSIC SERIES CONVECTION STEAMERS: 24", 36" AND 42" WIDE MODELS		
CP-LCBD	Tamper Proof Lockable Cabinet Base Door for 24" 36" and 42" wide Convection Steamers, and Boiler Bases. *Locks provided by others.	
CP-PR	Non-Removable-Tamper proof pan racks for interior cooking compartment for all floor model steamers.	
CP-EXT	Tamper Proof exterior compartment and cabinet base sheeting using Tamper Proof Spanner Drilled Head Screws for all floor model steamers.	
CP-SCRD	Set of Screwdrivers: For tamper proof screws.	
CP-COVER	Tamper Proof Hasp-Type* Hinged Cover for controls. *For 24" and 36" & 42" Convection Steamers only. *Locks provided by others.	
CP-CCX	TOTAL COMPLETE CORRECTIONAL PACKAGE PRICE (Includes all of the above options).	\$3,763



CP-LCBD

FOR STEAMCRAFT 3, 5, 10, GEMINI™ 6, 10 MODELS		
CP-SC10	Tamper Proof exterior with Tamper Proof Spanner Drilled Head Screws for all SteamCraft® 10 models.	
CP-SCRD	Set of Screwdrivers: For tamper proof screws.	
CP-PR	Non-Removable Tamper proof pan racks for interior cooking compartment for all floor model steamers.	
CP-PORT	Tamper Proof Hasp-Type Hinged Cover for descaling port. *Locks provided by others.	
CP-COVER	Tamper Proof Hasp-Type Hinged Cover for controls and power switch. *Locks provided by others.	
CP-SCG	TOTAL COMPLETE CORRECTIONAL PACKAGE PRICE (Includes of the above options).	\$3,804




FOR FLOOR MODEL TILTING BRAISING PANS		
CP-SCB	Tamper Proof exterior side and rear panels with Spanner Drilled Head Screws, R-Series Skilllets	
CP-SCRD	Set of three Spanner Drilled Head Screwdrivers.	
CP-PCB-T1	Protective Control Cover, T-1 Series Skilllets * Locks provided by others.	
CP-PCB-TR	Protective Control Cover, TR Series Skilllets.	
CP-TDM	Tangent Draw-Off Valve Modification.	
CP-SKTD	Correctional Package includes Tangent Draw-Off protection package CP-TDM, plus CP-SCB, CP-SCRD, CP-PCB-T1	\$2,889




CP-COVER

CORRECTIONAL PACKAGES



CP-CHS



CP-HASP




CP-RB



CP-TDPB



SG



CP-PCB



SGP

MODEL	DESCRIPTION	LIST PRICE
FOR STEAM JACKETTED KETTLES: GAS, ELECTRIC AND DIRECT STEAM MODELS		
CP-CHS	Tamper Resistant Spring Assist Cover: Tamper proof screws used to prevent hinge removal. Anti rotational bracket welded to cover to prevent removal and rotation. Price does not include the cover. *Locks provided by others.	
CP-HASP	Hasp style Lockable Spring Assist Cover. * Locks provided by others	
CP-RB	Heavy Duty Reinforced Rim Bar: 1/2" X 1" stainless steel bar continuously welded around the rim.	
CP-TDPB	Tangent Draw-Off Valve Protection: Bar type Stainless steel bar welded to kettle. Prevents operator from standing on valve.	
CP-TDM	Tangent Draw-Off Valve Modification: Selected valve will be modified by having the valve handle fastened to stem with tamper proof screws.	
CP-TD-STRAP	Cable attached to TD valve stem.	
CP-FBKT	Tamper Proof Faucet Bracket: Non removable, reinforced faucet bracket. Standard on stationary models.	
CP-SCR	Tamper Proof Screws: Standard screws replaced by tamper proof screws for fastening all removable covers and panels.	
CP-SCRD	Set of Screwdrivers: For tamper proof screws	
SG	Switch Guard: 3/16" dia. Stainless steel rod bolted over controls to prevent damage from impacts. Gas and electric models only.	
CP-PCB	Protective Box for Controls: Completely covers controls. Gas and electric models only. *Locks Provided by others.	
CP-PG	Pressure Gauge Guard: " x " stainless steel bar bolted over gauge to prevent damage from impacts. Gas and electric models only.	
SGP	Sight glass guard	
CP-STATKT	Complete correctional package for stationary kettles, options include CP-CHS tamper proof spring assist cover, CP-HASP style lockable cover, CP-TDPB Bar type tangent protection, CP TDM tamper proof TD valve, CT-TD STRAP for TD valve, CP-SCR tamper proof exterior screws and CP-SCRD set of screw drivers, SG - Bar Type Switch Guard for controls, SGCP-PCB protective control box cover, CP-PG pressure gauge guard, SGP sight glass guard. (Locks by others).	\$6,104
CP-TILTCTD	Complete correctional package Tilting Kettles WITH Tangent Draw-off option, options include CP-CHS tamper proof spring assist cover, CP-HASP style lockable cover, CP-TDPB Bar type tangent protection, CP TDM tamper proof TD valve, CT-TD STRAP, CP-SCR tamper proof exterior screws and CP-SCRD set of screw drivers, SG - bar type switch guard for controls, CP-FBKT tamper proof faucet bracket, SGCP-PCB protective control box cover, CP-PG pressure gauge guard, SGP sight glass guard. (Locks by others).	\$6,297
CP-TILTNT	Complete correctional package Tilting Kettles with NO Tangent Draw-Off, options include CP-CHS tamper proof spring assist cover, CP-HASP style lockable cover, CP-SCR tamper proof exterior screws and CP-SCRD set of screw drivers, SG - bar type switch guard for controls, SGCP-PCB protective control box cover, CP-PG pressure gauge guard, SGP sight glass guard, CP-FBKT tamper proof faucet bracket (Locks by others).	\$3,704
CP-RB	Heavy Duty Reinforced Rim Bar: 1/2" X 1" stainless steel bar continuously welded around the rim.	\$3,495



Features built-in marine options designed specifically for harsh marine and shipboard environments.

- Built to comply with USPHS Vessel Sanitation Program 2018 Construction Guidelines.
- Hex Style Exposed Screws with Silicone Seal.
- Anti-Corrosion Nickel Chrome Plated Left Side Trunnion Assembly (Tilting Models).
- Chrome Plated Safety Valve (Kettles).
- Hex Bolt Style Stainless Steel Tangent Draw-Off Handle (optional).
- Protective Stainless Cover over controls.
- Meets IPX6 Water Rating Requirements.

SELF-CONTAINED ELECTRIC TABLETOP MODEL KETTLES

- 23, 45, 80 Liters (6, 12, 20 U.S. Gallons)
- Models KET6TMV, KET12TMV, KET20TMV with Marine Options
- 440-480-volt, 60 Hz. 3 Phase
- Safety Tilt Lock prevents accidental spills
- 50 PSI Steam Jacket Rating, 2/3rd Steam Jacketed



DIRECT STEAM FLOOR MODELS KETTLES

- 150, 225, 300, 380, 475, Liters (25, 40, 60, 80, 100, 125 U.S. Gallons)
- Models KDL- (40, 60, 80, 100, 125) -TMV with Marine Options
- Direct Steam, no electric required
- Self-Locking Manual Worm Gear Style Tilt, 2/3rd steam jacketed
- 50 PSI Steam Jacket Rating up to 100-gallon models, 35 PSI on 125 gallons.



SELF-CONTAINED ELECTRIC FLOOR MODELS KETTLES

- 100, 150, 225, 300, 380, Liters (25, 40, 60, 80, 100, U.S. Gallons)
- Models KEL- (40, 60, 80, 100) -TMV with Marine Options
- Electric 440-480-volt, 60 Hz. 3 Phase
- Self-Locking Manual Worm Gear Style Tilt, 2/3rd steam jacketed
- 50 PSI Steam Jacket Rating



SELF-CONTAINED ELECTRIC TILT SKILLETS (Braising Pans)

- 100, 150 Liters (30, 40 U.S. Gallons)
- Models SEL- (30, 40) -T1MV with Marine Options
- Electric 440-480-volt, 60 Hz., 3 Phase
- Self-Locking Manual Worm Gear Style Tilt




RECOMMENDED PIPE CAPACITY

The figures below are based on 100 feet of clean iron pipe, allowing 10% pressure drop. The presence of valves, elbows, etc. was not considered in calculating the values shown. If the length of pipe is less than 100 ft., the pressure drop will be proportionately less than 10%. If the rate of flow shown for a given pressure and pipe size is increased, the pressure drop will be greater. If the rate of flow is decreased, the pressure drop will be less. The pressure drops to use depends on the circumstance.

MAXIMUM FLOW RATE OF DRY STEAM IN LBS. PER HOUR

SUPPLY PRESSURE	STANDARD PIPE SIZES					
	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
5	20	40	70	140	210	380
10	30	60	110	220	320	600
15	40	80	150	290	430	
20	50	100	180	360	530	
25	60	120	220	430		
30	70	140	250	500		
35	80	160	290	570		
50	100	210	380	760		

RECOMMENDED PIPING SCHEMATIC FOR DIRECT STEAM KETTLES



STEAM REQUIREMENT DATA, BOILER SIZING INFORMATION

Use the following information to determine the steam flow rate requirements for any combination OF Cleveland kettles or any combination of Cleveland steamers and kettles.

Example: First, determine the total steam flow requirement using the charts below. Cleveland boilers operate at 8-10 PSI, a 40-gallon kettle will require 70 lbs. of steam per hour, a 2-compartment steamer will require 60 lbs. of steam per hour. Total steam required is 130 lbs. of steam per hour.

Using the Steam Flow Rate of Cleveland Steam Generators, a 300,000 Btu generator will product 180 lbs. of steam per hour, and the 24CGP10 also produces 180 lbs. of stem per hour, enough to run both the 2-compartment steamer and 40-gallon kettle.

STEAM FLOW OF CLEVELAND STEAM GENERATORS

GAS INPUT BTU PER HOUR	STEAM OUTPUT BTU (LBS. PER HOUR)	STEAM GENERATOR
200,000	125	3.6 BHP
300,000	180	5.2 BHP
ELECTRIC KW INPUT		
24	70	2.0 BHP
36	120	3.5 BHP
48	150	4.4 BHP
STEAMCRAFT POWER 10		
240,000	180	5.2 BHP

STEAM FLOW RATE REQUIREMENT FOR CLEVELAND STEAMERS (lbs. per hour, per compartment)

STEAM FLOW RATE	RATE REQUIRED AT START UP	RATE REQUIRED DURING COOKING
Convection Steamers	30	30
Pressure Steamers	30	15
ConvectionPro	75	75
SteamCraft 10 (24CGP10)	45	45

STEAM FLOW RATE REQUIREMENTS FOR CLEVELAND KETTLES

CLEVELAND KETTLES — STEAM FLOW REQUIREMENTS

KETTLE CAP.		KETTLE DIA.	8-10 PSI STEAM (LBS/HR)	240°F STEAM (HP/HR)	15 PSI STEAM (LBS/HR)	250°F STEAM (HP/HR)	25 PSI STEAM (LBS/HR)	267°F STEAM (HP/HR)	40 PSI STEAM (LBS/HR)	287°F STEAM (HP/HR)
U.S. GAL.	LITERS									
5	17	12"	9	0.26	11	0.32	12.8	0.37	15.9	0.46
10	42	16"	18	0.52	21.9	0.64	25.7	0.75	32.1	0.93
20	95	21"	15	1	43.9	1.27	51.4	1.49	64.1	1.86
30	114	24"	55	1.59	65.9	1.91	77.1	2.24	96.2	2.79
40	151	26"	70	2	85.9	2.49	102.8	2.98	123.5	3.72
60	227	30"	105	3.1	131.7	3.82	154.2	4.47	192.4	5.58
80	300	33"	145	4.2	175.6	5.09	205.7	5.96	256.6	7.44
100	379	36"	175	5.1	219.5	6.36	257.1	7.45	320.7	9.3
125	473	40"	220	6.4	274	7.95	321.3	9.31	400.8	11.6
150	568	40"	250	7.25	329	9.54	385.6	11.1	481	13.9

PRESSURE TEMPERATURE CHART

OPERATING PRESSURE (PSI)	MAX TEMPERATURE	OPERATING PRESSURE (PSI)	MAX TEMPERATURE	OPERATING PRESSURE (PSI)	MAX TEMPERATURE
0	212°	10	239°	35	281°
2	219°	15	250°	40	287°
4	224°	20	259°	45	292°
6	230°	25	267°	50	298°
8	235°	30	274°	70	316°

KETTLE AND TILT SKILLET CAPACITY SERVINGS CALCULATOR CHARTS

CLEVELAND KETTLES CAPACITY SERVING CALCULATOR

					PORTIONS: NUMBER OF SERVINGS					
KETTLE SIZE			TOTAL GALLON CAPACITY	BATCH SIZE	30 ML	60ML	90 ML	120 ML	180 ML	240 ML
GALLONS	QUARTS	LITERS			1 OZ	2 OZ	3 OZ	4 OZ	6 OZ	8 OZ
3	12	11	3.25	2.75	352	176	177	88	58	44
6	20	19	6	5	640	320	213	160	106	80
12	40	38	12	10	1,280	640	426	320	213	160
20	80	76	21	18	2,304	1,152	768	576	384	288
25	100	95	25.5	22	2,186	1,408	938	704	469	352
30	120	114	31	26	3,328	1,664	1,109	832	554	416
40	160	152	42	35	4,480	2,240	1,493	1,120	746	560
60	240	228	62	52	6,656	3,328	2,218	1,664	1,109	832
80	320	304	83	70	8,960	4,480	2,986	2,240	1,493	1,120
100	400	380	103	85	10,880	5,440	3,626	2,720	1,813	1,360
125	500	475	129	105	13,440	6,720	4,480	3,360	2,240	1,680
150	600	570	155	125	16,000	8,000	5,333	4,000	2,666	2,000

TILT SKILLET CAPACITY SERVING CALCULATOR

					PORTIONS: NUMBER OF SERVINGS					
TILT SKILLET SIZE			TOTAL GALLON CAPACITY	BATCH SIZE	30 ML	60ML	90 ML	120 ML	180 ML	240 ML
GALLONS	QUARTS	LITERS			1 OZ	2 OZ	3 OZ	4 OZ	6 OZ	8 OZ
10	40	38	10	10	1,280	640	426	320	213	160
15	60	60	15	15	1,920	960	639	480	320	240
30	120	114	31	26	3,328	1,664	1,109	832	554	416
40	160	152	42	35	4,480	2,240	1,493	1,120	746	560

ENERGY STAR STEAMER DATA

Use the Information below for energy and water consumption information on Cleveland Energy Star Steamers and LEED requirement information

MODEL NUMBER	1SCE	1SCEMCS	22CCT6	22CET3.1	22CET6.1	22CGT3.1	22CGT3.1	24CGA10.2ES
Pan Capacity	5	5	6	3	6	3	6	10
Primary Fuel Source	ELECTRIC	ELECTRIC	ELECTRIC	ELECTRIC	ELECTRIC	GAS	GAS	GAS
Type	BOILERLESS	BOILERLESS	BOILERLESS	BOILERLESS	BOILERLESS	BOILERLESS	BOILERLESS	GENERATOR
Cooking Energy Efficiency (%)	71%	71%	70%	67%	64%	39%	43%	45%
Water Consumption (Gal/Hr)	3.49	3.49	3.6	4	10	0.31	0.97	16
Water Consumption (Gal/Hr) — Per Pan	0.70	0.70	0.6	1.33	1.67	0.10	0.16	1.6
Idle Energy Rate (Watts)	567	567	670	310	390			
Idle Energy Rate (Btu/Hr)						2440	3640	3711

LEED REQUIREMENTS

LEED REQUIREMENTS 4.1	BD+C (Healthcare, Retail, Schools, Hospitality)	BD+C (Commercial Kitchens, At Least 100 Meals/Day)
(WE) Water Efficiency Credit		
Food Steamer — Batch Cooking	</=6 gal/Hr/Pan	
Food Steamer — Cook to Order	</=10 gal/Hr/Pan	
LEED REQUIREMENTS 4.1		
Food Steamer — Batch Cooking, No Drain	</=6 gal/Hr/Pan	
Food Steamer — Cook to Order, With Drain	</=10 gal/Hr/Pan	
*Includes drain condensing water		
(EA) Energy Performance Credit		
	Must Meet Energy Star	Must Meet Energy Star

STATEMENT OF POLICY

Cleveland Steam Cooking Equipment is intended for Commercial use only by professionally trained personnel.

Cleveland Steam Cooking Equipment is built to comply with applicable standards of manufacturers. Included among these approval agencies are: U.L., N.S.F., A.S.M.E./Ntl. Bd., C.S.A., A.G.A., C.G.A., E.T.L., C.E., and others. Many local codes exist, and it is the responsibility of the Owner and Installer to comply with these codes. Constant product improvement makes it necessary for new or improved models to be suited for testing by these various agencies. Therefore, not all models may always have all agency approvals. Cleveland Steam Boilers (Steam Generators) and Kettles are National Board registered and carry the approved stampings and listing of the American Society of Mechanical Engineers (A.S.M.E.). Cleveland Steam Cooking Equipment, when properly installed according to instructions, complies with the intent of the O.S.H.A. Act.

SALES POLICY

All orders must have the Dealer's name and address; shipping address; and installation location, including name, address and phone number before the order can be processed.

All orders should indicate model number, electrical characteristics, type of gas, altitude (if installation is over 2000 feet) and, when required, the incoming steam pressure.

Approved drawings, when required, and firm shipping date must be received before equipment can be scheduled for production.

Specify left or right door hinging for cooking compartments on Convection and SteamCraft® Steamers.

RETURN POLICY

- 1 | All returned product must have an RMA number from Customer Service prior to sending the product back.
- 2 | The product must be standard product, still crated and within 90 days from date invoiced. Standard products are defined as product configurations that are saleable to the general market. Custom Products are product configurations that are unique to a specific customer and cannot be sold to other customers. Obsolete discontinued products cannot be returned.
- 3 | If return is approved for standard product, the standard restock charge is 30% or 20% if a replacement order is made.
- 4 | Custom product is non-returnable.
- 5 | Applicable freight charges and re-crating will be the customer's responsibility.
- 6 | RMA number must be clearly written on all shipping paperwork to factory/warehouse.
- 7 | RMA will be valid for 45 days from date of issue.

CLEVELAND RANGE — LIMITED WARRANTY

CLEVELAND RANGE products are warranted to the original purchaser to be free from defects in materials and workmanship under normal use and service for the standard warranty period of one year from date of installation or 18 months from date of shipment, whichever comes first.

CLEVELAND RANGE agrees to repair or replace, at its option, f.o.b. factory, any part which proves to be defective due to defects in material or workmanship during the warranty period, providing the equipment has been unaltered, and has been PROPERLY INSTALLED, MAINTAINED, AND OPERATED IN ACCORDANCE WITH THE CONVOTHERM BY CLEVELAND OWNER'S MANUAL.

CLEVELAND RANGE agrees to pay any FACTORY AUTHORIZED SERVICE (FAS) AGENCY (within the continental United States, and Hawaii) for reasonable labor required to repair or replace, at our option, f.o.b. factory, any part which proves to be defective due to defects in material or workmanship, during the labor warranty period. This warranty includes travel time not to exceed two hours and mileage not to exceed 50 miles (100 miles round-trip), BUT DOES NOT INCLUDE POST START-UP, TIGHTING LOOSE FITTINGS, MAINTENANCE, CLEANING OR DESCALING.

The standard labor warranty allows factory payment of reasonable labor required to repair or replace such defective parts. CLEVELAND RANGE will not reimburse the expense of labor required for the repair or replacement of parts after the standard warranty period, unless an Extended Labor Warranty Contract has been purchased to cover the equipment for the balance of the warranty period from the date of equipment installation, start-up, or demonstration.

PROPER INSTALLATION IS THE RESPONSIBILITY OF THE DEALER, THE OWNER-USER, OR INSTALLING CONTRACTOR, AND IS NOT COVERED BY THIS WARRANTY. Many local codes exist, and it is the responsibility of the owner and installer to comply with these codes. CLEVELAND equipment is built to comply with applicable standards for manufacturers, including UL, AGA, NSF, ASNE/Ntl. Bd, CSA, CGA, ETL and others.

PRESSURE BOILER AND STEAM GENERATOR MAINTENANCE IS THE RESPONSIBILITY OF THE OWNER-USER AND IS NOT COVERED BY THIS WARRANTY. The use of good quality feed water is the responsibility of the Owner-User (see Water Quality Recommendations below). THE USE OF POOR QUALITY FEED WATER WILL VOID EQUIPMENT WARRANTIES. Boiler maintenance supplies, including boiler hand gaskets, are not warranted beyond the first 90 days after the date the equipment is placed into service. Preventive maintenance records must be available showing descaling per applicable Cleveland Operator Manual for Boiler Proration Program considerations.

WATER QUALITY RECOMMENDATIONS			
Total Dissolved Solids (TDS)	50 - 250 ppm	SiO42 (Sulfate)	max 150 ppm
Hardness	50 - 200 ppm (3-12 gpg)	NH2Cl (Monochloramine)	max .01 ppm
pH value	7.0 - 8.5	Total Alkalinity	50 - 100 ppm
CL (Chloride)	max 50 ppm	Water Pressure	35 - 80 PSI
Cl2 (free chlorine)	max 0.1 ppm	Water Temperature	max 104°F

The foregoing shall constitute the sole and exclusive remedy of original purchaser and the full liability of Cleveland Range for any breach of warranty. THE FOREGOING IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, WHETHER WRITTEN, ORAL, OR IMPLIED, INCLUDING ANY WARRANTY OF PERFORMANCE, MERCHANTABILITY, OR FITNESS FOR PURPOSE, AND SUPERSEDES AND EXCLUDES ANY ORAL WARRANTIES OR REPRESENTATIONS, OR WRITTEN WARRANTIES OR REPRESENTATIONS, NOT EXPRESSLY DESIGNATED IN WRITING AS A "WARRANTY" OR "GUARANTEE" OF CLEVELAND RANGE MADE OR IMPLIED IN ANY MANUAL, LITERATURE, ADVERTISING BROCHURE OR OTHER MATERIALS.

CLEVELAND RANGE'S liability on any claim of any kind, including negligence, with respect to the goods or services covered hereunder, shall in no case exceed the price of the goods or services, or part thereof, which gives rise to the claim. IN NO EVENT SHALL CLEVELAND RANGE BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES IN THE NATURE OF PENALTIES.

CLEVELAND RANGE — LIMITED WARRANTY (CONT.)

PRESSURE BOILER — STEAM GENERATOR WARRANTY

All Pressure boilers and steam generators will receive an additional 4 year prorated limited parts warranty after one year from effective warranty date. The user shall pay a prorated share of the selling price based on number of months in service. Prorated Coverage: 1 Year 100% - 2 Year 80% (100% with purchase of filter) - 3 Year 60% - 4 Year 40% - 5 year 20%.

PERFORMANCE START UP & DEMONSTRATION

Performance Start up by Factory Authorized Servicer included at customer request after equipment is installed to ensure equipment is installed properly and performing as designed. Included in the startup is a Free Water Quality Check. (Contact Cleveland sales representative for details).

TWO YEAR WARRANTY K-12 SCHOOL WARRANTY

For K-12 Schools, extended two-year limited warranty at no additional charge, not to exceed 24 months from date of installation. 3rd Year Water Filter Warranty included, see details below.

3-YEAR STEAMER DOOR WARRANTY, DOOR GASKETS AND ADJUSTMENTS

3-year limited parts warranty on 3, 5, 6 compartment steamer doors (Gaskets covered under 1-year limited warranty). Non part replacement adjustments on steamers, kettles and tilt skillets (lose wires, clamps, leaks) covered under 1-year limited warranty.

EXTENDED WATER FILTER WARRANTY

When purchasing a steamer and Cleveland specified water filter from Cleveland Ranged at the same time, a second year limited extended warranty on will be included at no charge, must include a completed Performance Start-Up and water quality check. Must maintain equipment and filter replacements.

EXTENDED WARRANTY

The purchase of a Limited Extended Warranty Contract extends the standard warranty coverage to the purchased period demonstration, or 18 months from date of shipment, whichever comes first. Individual warranties may vary by model, part or application. Major components have labor extended an additional year with the purchase of an extended warranty, but not parts. Extended warranties are non-transferable. Only available in the 48 contiguous US states (Hawaii and Alaska are excluded).

- Performance Start up required for extended warranty coverage.
- Extended Warranty must be purchased at the same time the equipment is purchased.
- Extended Warranty has the same exclusions as stated in our standard warranty.

PRICES FOR EXTENDED WARRANTY ARE NET PRICES

- 10% off net prices when purchased with Welbilt Kitchenware Installation
- 20% off net prices when purchased with Welbilt Kitchen Preventative Maintenance (PM) Program
- 30% off net prices when purchased with Welbilt Kitchenware Installation and PM Program

PRODUCT	PART NUMBER	ITEM DESCRIPTION	NET PRICE
SteamCub	EW SteamCub	+1YR Warranty SteamCub	\$292.95
SteamChef	EW Steamchef	+1YR Warranty Steamchef	\$576.45
SteamCraft 3	EW SCraft 3.1	+1YR Warranty Steamcraft31	\$460.95
SteamCraft 5	EW SCraft 5.1	+1YR Warranty Steamcraft51	\$912.45
SteamCraft 10	EW Steam 10	+1YR Warranty Steam10 Pan	\$985.95
ALL KETTLES	EW Kettle	+1YR Warranty Kettle	\$576.45
ALL TILT KETTLES	EW Skillet	+1YR Warranty Skillet	\$523.95

STEAMERS — CLEVELAND CERTIFIED INSTALLATION PROGRAM AND KITS

Cleveland's Factory Authorized Servicer (FAS) will arrange and oversee the complete installation and start-up process to ensure proper operation.

STANDARD INSTALLATION PRICING INCLUDES

- Travel to and from installation location by Factory Authorized Servicer (FAS) – up to 200 miles round trip
- Professionally reviewed and managed install process
- Delivery of purchased equipment
- Uncrating of purchased equipment
- Inspection of purchased equipment prior to install
- Assembly of purchased equipment
- Stacking of purchased equipment
- Placement of unit
- Leveling of unit
- Connection of existing utilities within 3 feet of unit
- Operational/functional test
- Disposal of new equipment packaging and dunnage
- Operator functional training on day of installation

STANDARD INSTALLATION PRICING DOES NOT INCLUDE

- Pre-installation site survey (required)
- Installation kit (recommended)
- Installation of water filtration, additional charges as shown below
- FAS travel over 200 miles round trip
- Special licensing and permits
- Installation outside normal business hours
- Site modifications
- Some installation locations will require additional materials to be purchased by customer
- In the event the pre-installation site survey or installation visit is aborted due to the site not being ready, the customer will be required to pay the FAS directly for any additional labor and travel charges for subsequent visits.
- Disposal of old equipment, additional charge as shown below.

AVAILABLE CLEVELAND INSTALLATION PROGRAMS (SEE PAGE 7 FOR PRICING)

PART NUMBER	DESCRIPTION
INSTALLATION OF FIRST UNIT*	
11000115896	Tabletop Steamers: 22CET3/6, 22CGT3/6, 21CET, 21CGA5 Series
11000115898	Floor Model Steamers: 24CGA10, 24CEA10, 24CGA6.2, 24CGA10.2
11000115900	Floor Model Steamer: 24CGP10
INSTALLATION OF SECOND UNIT, SAME LOCATION, SAME TIME*	
11000115897	Tabletop Steamers: 22CET3/6, 22CGT3/6, 21CET, 21CGA5 Series
11000115899	Floor Model Steamers: 24CGA10, 24CEA10, 24CGA6.2, 24CGA10.2
11000115901	Floor Model Steamer: 24CGP10
ADDITIONAL INSTALLATION PROGRAM SERVICE PRICES*	
11000116000	Pre installation Site Survey (Required)
11000116001	Water Filter Installation – standard system, only for filters include in Cleveland Price List
11000116002	Disposal of Old Equipment
INSTALLATION KITS*	
Installation Kits contain the necessary parts to connect utilities to the equipment. Installation of the equipment requires common tools that are not included in the kits, one per unit.	
INSTKITCET1	Install Kit for 22CET, 21CET 208, 220/240 Volt, 3 Phase
INSTKITCET2	Install Kit for 22CET, 21CET 440/480 Volt, 3 Phase
INSTKITCET3	Install Kit for 21CET16, 208,220, 240 Volt Series
INSTKITCET4	Install Kit for 24CEA10, 208,240, 480 Volt Series
INSTKITCGA5	Install Kit for 21CGA5, 22CGT3/6 Series
INSTKITCGA6	Install Kit for 24CGA, 24CGP Series

WATER TREATMENT SELECTION GUIDE

1 UNDERSTAND THE BASIC WATER CHARACTERISTICS OF YOUR WATER

Compare water quality at your location to the Cleveland Water Quality Requirements listed here.

- Contact your water company for information about the quality of your water.
- Cleveland can provide a complete water analysis through an independent laboratory

CLEVELAND WATER QUALITY RECOMMENDATIONS			
Total Dissolved Solids (TDS)	50 - 250 ppm	Cl2 (Free Chlorine)	max .01 ppm
Hardness	50 - 200 ppm (3-12 gpg)	Fe (Iron)	max .01 ppm
pH value	7.0 - 8.5	SiO2 (Silica)	max 13 ppm
CL (Chloride)	max 50 ppm	NH2Cl (Monochloramine)	max .01 ppm

2 SELECTING THE RIGHT SYSTEM FOR YOUR EQUIPMENT

Determine if your water meets or does not meet Cleveland water quality requirements and select the right system for your applications.

CLEVELAND STEAMER MODEL	WATER QUALITY		
	MEETS STANDARD		DOES NOT MEET STANDARD
	ALL APPLICATIONS	HARDNESS ABOVE 170 ppm, pH is below 8.5 pH.	ALL APPLICATIONS
STEAMCHEF SERIES (BOILERLESS)			
22CET3.1, (6.1), 22CGT3.1 (6.1) STEAMCRAFT (GENERATORS)	QT11-CR	QTSX-2PG	OPS175CR/16
21CET8	QT11-CR	QTSX-2PG	OPS175CR/16
21CET16	QT11-CR	QTSX-2PG	OP350/16
21CGA5	QT11-CR	QTSX-2PG	OP350/16
6-10 PAN MODELS (GENERATORS)			
24CGA6.2S	QT11-CR	QTSX-2PG	OP350/16
24CGA10.2ES (Energy Star)	QT11-CR	QTSX-2PG	OP350/16
24CGA10	QT11-CR	QTSX-2PG	OP350/50
24CGA10.2	QT11-CR	QTSX-2PG	OP350/50
24CEA10	QT11-CR	QTSX-2PG	OP350/50
24CGP10	QT11-CR	QTSX-2PG	BWS1500/50
CLASSIC CONVECTION SERIES (BOILER)			
200,000 BTU Boilers (24CGM200)	QT11-CR	QTSX-2PG	BWS1500/50
300,000 BTU Boilers (36CGM300)	QT11-CR	QTSX-2PG	BWS1500/50
24 kW Boilers (24CEM)	QT11-CR	QTSX-2PG	OP350/50
36 kW, 48 kW Boilers (24CEM)	QT11-CR	QTSX-2PG	BWS1500/50
24 kW Boilers PEM24	QT11-CR	QTSX-2PG	OP350/50
36 kW Boilers PEM36	QT11-CR	QTSX-2PG	BWS1500/50
48 kW Boilers PEM48	QT11-CR	QTSX-2PG	BWS1500/50


Optipure OP Series systems utilize reverse osmosis (RO) to remove total dissolved solids (TDS) from water, including chlorides and hardness mineral. Then balance of minerals is introduced into the pure water to provide desirable "Optimized" water with a stable, non-aggressive nature that can significantly reduce water-related equipment problems including corrosion and scale.

Optipure QT11-CR recommended for Cleveland steamers with steam generators reduces chlorine/ chloramines and takes out sediment down to micro and includes IsoNet™ scale inhibitor.

Optipure QTSX2-PG recommended for use with steam generators, reduces chlorine and takes out sediment down to micron. ScaleX2 uses "template assisted crystallization" to effectively minimize scale formation at high.

WATER QUALITY TEST KIT
PART NO: 1150360

CLEVELAND RANGE QUICKSHIP

PRODUCT SERIES	ITEM #	MODEL NUMBER — DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
STEAMERS				
	1SCEM208240312KW	Model 1SCEMCS — Steamcub 5 Pan Boilerless, Connectionless Steamer, Electric 208-240 Volt 3 Phase, Mechanical Controls	260/118	\$20,695
	22CC62082403C	Model 22CCT6 — Steamchef, 6-Pan Boilerless, Connectionless Steamer, 208-240 Volt, 3 Phase, With Cord & Plug	335/153	\$23,847
	22CET32082403MCS	Model 22CET3.1 — Steamchef, 6-Pan Boilerless Steamer, 208-240 Volt, 3 Phase, Mechanical Controls	235/107	\$19,712
	22CET62082403MCS	Model 22CET6.1 — Steamchef, 6-Pan Boilerless Steamer, 208-240 Volt, 3 Phase, Mechanical Controls	335/153	\$25,581
	22CGT6.1NATMCS	Model 22CGT6.1 — Steamchef 6 -Pan Boilerless Steamers, Natural Gas, 120 Volt, Mechanical Controls	355/161	\$30,795
	21CET82083MCS	Model 21CET8 — Steamcraft 3, 3-Pan Steamer, Electric Generator, 208 Volt, 3 Phase	210/50	\$17,400
	21CET162083MCS	Model 21CET16 — Steamcraft 3, 5-Pan Steamer, Electric Generator, 208 Volt, 3 Phase	248/58	\$24,728
	21CGA5NMCS	Model 21CCA5 — Steamcraft, 5-Pan Gas Steamer, Natural Gas With Generator, 120 Volt, Mechanical Control	275/125	\$33,768
	24CGA10NMCS	Model 21CGA10 — Steamcraft, 10-Pan Gas Steamer, Natural Gas With Generator, 120 Volt, Mechanical Controls	565/256	\$48,398
	24CEA102083MCS	Model 21CEA10 — Steamcraft, 10-Pan Gas Steamer, Natural Gas, With Electric Generator, 208 Volt, 3 Phase, Mechanical Controls	528/240	\$48,129
24CGA10.2NMCS	Model 21CGA10.2 — Gemini Series , 10-Pan Gas Steamer, Natural Gas, With Generator, 120 Volt, Mechanical Controls	565/256	\$53,368	
KETTLES				
	KET6THWP	Model KET6T — 6 Gallon Electric Kettle, 208-240 Volt, 3 Phase, Field Adjustable To Single Phase	160/73	\$15,939
	KET12TP	Model KET12T - 12 Gallon Electric Kettle, 208-240 Volt, 3 Phase, Field Adjustable To Single Phase	180/82	\$19,287
	KET12THWHTSP	Model KET12T — 12 Gallon Electric Kettle, High Wattage, 208-240 Volt, 3 Phase, Field Adjustable To Single Phase, Single Pantry Faucet	180/82	\$19,287
	KGT6TP	Model KGT6T — 6 Gallon Gas Kettle, Natural Gas, 120 Volt With Cord And Plug	130/59	\$28,958
	KGT12TP	Model KGT12T — 12 Gallon Gas Kettle, Natural Gas, 120 Volt With Cord And Plug	190/86	\$34,416
	KGL40P	Model KGL40 — 40 Gallon Stationary Gas Fired Kettle, Natural Gas, 120 Volt, Cord & Plug, 2" Tangent Draw-Off, Spring Assist Cover	520/235	\$44,743
	KGL60P	Model KGL60 — 60 Gallon Stationary Gas Fired Kettle, Natural Gas, 120 Volt, Cord & Plug, 2" Tangent Draw-Off, Spring Assist Cover	560/255	\$55,794
	KGL40TP	Model KGL40T — 40 Gallon Tilting Gas Fired Kettle, Natural Gas, 120 Volt, Cord & Plug, 2" Tangent Draw-Off, Spring Assist Cover, Manual Hand Tilt	520/235	\$73,002
TILT KETTLES				
	SET15208P	Model SET15- 15 Gallon Electric Tilt Skillet, 208 Volt, 3 Phase	201/93	\$26,239
	SGL30T1NATHTP	Model SGL30T1, 30 Gallon Gas Fired Tilt Skillet, Natural Gas, 120 Volt, With Cord & Plug	520/237	\$48,377
	SGL30T1NATHTD2P	Model SGL30T1, 30 Gallon Gas Fired Tilt Skillet, Natural Gas, 120 Volt, With Cord & Plug, With 2" Tangent Draw-Off	520/237	\$50,004
	SGL40T1NATHTP	Model SGL40T1, 40 Gallon Gas Fired Tilt Skillet, Natural Gas, 120 Volt, With Cord & Plug	610/277	\$52,092
	SGL40T1NATHTD2P	Model SGL40T1, 40 Gallon Gas Fired Tilt Skillet, Natural Gas, 120 Volt, With Cord & Plug, With 2" Tangent Draw-Off	528/240	\$53,719
	SGL30TNATHTP	Model SGL30TR, 30 Gallon Gas Fired Tilt Skillet, Natural Gas, 120 Volt, With Cord & Plug	498/227	\$45,929
	SGL40TNATHTP	Model SGL40TR, 40 Gallon Gas Fired Tilt Skillet, Natural Gas, 120 Volt, With Cord & Plug	528/240	\$49,691

SHIPPING WEIGHTS, DIMENSIONS, CUBIC FEET, FREIGHT CLASS

MODEL NUMBER	PRODUCT LINE	WEIGHT (LBS)	LENGTH (IN)	WIDTH (IN)	HEIGHT (IN)	CUBIC FEET	FREIGHT CLASS
SD1050K66	Kettle, Direct Steam	302	45	44	55	12	85
SD450K6	Kettle, Direct Steam	145	45	44	55	12	85
SD650K12	Kettle, Direct Steam	240	45	44	55	12	85
SD760K12	Kettle, Direct Steam	320	45	44	55	12	85
SD760K20	Kettle, Direct Steam	330	45	44	55	12	85
TKET12T	Kettle, Electric	304	28	54	39	10.1	85
TKET3T	Kettle, Electric	135	28	54	39	10.1	85
TKET6T	Kettle, Electric	220	28	54	39	10.1	85
24EMK6	Kettle, Electric	403	30	43	67	11.7	85
KDL25T	Kettle, Direct Steam	170	38	38	54	10.8	85
KDL25T	Kettle, Direct Steam	285	38	38	54	10.8	85
KDL40	Kettle, Direct Steam	241	44	44	54	11.8	85
KDL40T	Kettle, Direct Steam	291	44	44	54	11.8	85
KDL60	Kettle, Direct Steam	279	48	48	54	12.5	85
KDL60T	Kettle, Direct Steam	364	48	48	54	12.5	85
KDM40T	Kettle, Direct Steam	377	44	44	54	11.8	85
KDM60T	Kettle, Direct Steam	430	44	44	54	11.8	85
KDT10T	Kettle, Direct Steam	50	23	26	27	6.3	85
KDT12T	Kettle, Direct Steam	74	23	26	27	6.3	85
KDT1T	Kettle, Direct Steam	20	16	16	14	3.8	85
KDT20T	Kettle, Direct Steam	90	24	24	24	91	85
KDT3T	Kettle, Direct Steam	34	23	26	17	5.5	85
KDT6T	Kettle, Direct Steam	40	23	26	27	6.3	85
KEL100	Kettle, Electric	467	48	48	54	12.5	85
KEL25	Kettle, Electric	240	38	38	54	10.8	85
KEL25T	Kettle, Electric	304	39	39	54	11	85
KEL30	Kettle, Electric	282	38	38	55	10.9	85
KEL40	Kettle, Electric	296	38	38	55	10.9	85
KEL40SH	Kettle, Electric	280	44	44	54	11.8	85
KEL40T	Kettle, Electric	365	44	44	54	11.8	85
KEL40T	Kettle, Electric	455	44	44	54	11.8	85
KEL60	Kettle, Electric	380	48	48	54	12.5	85
KEL60T	Kettle, Electric	471	48	48	54	12.5	85
KEL80	Kettle, Electric	411	48	48	54	12.5	85
KEL80T	Kettle, Electric	470	54	54	54	12.5	85
KET12T	Kettle, Electric	177	28	38	39	8.8	85
KET20T	Kettle, Electric	273	38	38	54	10.8	85
KET3T	Kettle, Electric	123	28	39	39	8.8	85
KET6T	Kettle, Electric	134	28	38	39	8.8	85
KGL25	Kettle, Gas	384	38	38	54	10.8	85
KGL25T	Kettle, Gas	462	38	38	54	10.8	85
KGL40	Kettle, Gas	454	44	44	54	11.8	85
KGL40SH	Kettle, Gas	552	49	49	54	12.7	85
KGL40T	Kettle, Gas	552	49	49	54	12.7	85
KGL60	Kettle, Gas	510	44	44	54	11.8	85
KGL60T	Kettle, Gas	645	44	44	59	12.3	85

SHIPPING WEIGHTS, DIMENSIONS, CUBIC FEET, FREIGHT CLASS

MODEL NUMBER	PRODUCT LINE	WEIGHT (LBS)	LENGTH (IN)	WIDTH (IN)	HEIGHT (IN)	CUBIC FEET	FREIGHT CLASS
KGL80	Kettle, Gas	597	56	55	59	14.2	85
KGT12T	Kettle, Gas	271	38	38	54	10.8	85
KGT6T	Kettle, Gas	198	28	38	39	8.8	85
1SCEMCS	Steamer, Electric	255	30	35	36	8.4	85
21CET16	Steamer, Electric	248	30	35	36	8.4	85
21CET8	Steamer, Electric	181	30	35	30	7.9	85
21CGA5	Steamer, Electric	260	31	41	37	9.1	85
22CET3.1	Steamer, Electric	238	30	40	36	8.8	85
22CET6.1	Steamer, Electric	282	30	41	40	9.3	85
22CGT6.1	Steamer, Gas	341	30	41	36	8.9	85
24CDP10	Steamer, Direct Steam	470	49	41	78	14	85
24CEA10	Steamer, Electric	528	49	41	78	14	85
24CEM24	Steamer, Electric	530	30	43	68	11.8	85
24CGA10.2	Steamer, Gas	565	49	41	78	14	85
24CGA10	Steamer, Gas	565	49	41	78	14	85
24CGA6.2	Steamer, Gas	565	49	41	78	14	85
24CGM200	Steamer, Gas	610	30	43	68	11.8	85
24CGP10	Steamer, Gas	830	49	41	78	14	85
24CSM	Steamer, Steam Coil	635	30	43	68	11.8	85
36CEM1648	Steamer, Electric	1080	44	42	80	13.8	85
36CGM300	Steamer, Electric	755	44	42	80	13.8	85
24GM	Boiler Base, Gas	454	30	43	67	11.7	85
36GM	Boiler Base, Gas	610	30	43	67	11.7	85
PDL2	Pressure Steamer	510	44	42	80	13.8	85
PDL3	Pressure Steamer	600	44	42	80	13.8	85
PDL4	Pressure Steamer	620	44	42	80	13.8	85
PEM242	Pressure Steamer	830	44	42	80	13.8	85
PEM243	Pressure Steamer	875	44	42	80	13.8	85
PGM2002	Pressure Steamer	874	44	42	80	13.8	85
PGM3003	Pressure Steamer	1040	44	42	80	13.8	85
SEL30T1	Tilt Skillet, Electric	565	44	44	54	11.8	100
SEL30TR	Tilt Skillet, Electric	503	44	44	55	11.9	100
SEL40T1	Tilt Skillet, Electric	610	48	58	54	13.3	100
SEL40TR	Tilt Skillet, Electric	610	48	58	54	13.3	100
SET10	Tilt Skillet, Electric	212	34	34	34	8.5	100
SET15	Tilt Skillet, Electric	195	34	34	34	8.5	100
SGL30T1	Tilt Skillet, Gas	500	44	44	54	11.8	100
SGL30TR	Tilt Skillet, Gas	504	44	44	54	11.8	100
SGL40T1	Tilt Skillet, Gas	666	48	58	55	13.4	100
SGL40TR	Tilt Skillet, Gas	624	48	58	54	13.3	100
SGM30TR	Tilt Skillet, Gas	540	44	44	55	11.9	100
SGM40TR	Tilt Skillet, Gas	691	48	58	55	13.4	100



Welbilt offers fully-integrated kitchen systems with award-winning product brands: **Cleveland™**, **Convotherm®**, **Crem™**, **Delfield®**, **Frymaster®**, **Garland®**, **Kolpak®**, **Lincoln®**, **Manitowoc® Ice**, **Merco®**, **Merrychef®** and **Multiplex®**. Supported by service brands: **KitchenCare®**, aftermarket parts and service; **FitKitchen®**, fully-integrated kitchen systems; and **KitchenConnect®**, cloud-based open digital platform.

Bringing innovation to the table **welbilt.com**



Welbilt offers fully-integrated kitchen systems with award-winning product brands: **Cleveland™**, **Convotherm®**, **Crem™**, **Delfield®**, **Frymaster®**, **Garland®**, **Kolpak®**, **Lincoln®**, **Manitowoc® Ice**, **Merco®**, **Merrychef®** and **Multiplex®**. Supported by service brands: **KitchenCare®**, aftermarket parts and service; **FitKitchen®**, fully-integrated kitchen systems; and **KitchenConnect®**, cloud-based open digital platform.

Bringing innovation to the table **welbilt.com**